

MAR 29 1994

Docket No. 99990001

Maryland License No. MD-31-025-03

Neutron Products, Inc.
ATTN: Marvin M. Turkanis
Vice President
22301 Mt. Ephraim Road
P. O. Box 68
Dickerson, Maryland 20842-0068

Dear Mr. Turkanis:

Subject: Routine Inspection No. 99990001/93-018

This letter refers to your February 9, 1994 correspondence, in response to our January 25, 1994 letter.

We have reviewed the enforcement severity level classification for this action and found it to be consistent with other actions taken at other licensees for failure to revise Form NRC-241. You should note that 10 CFR Part 2, Appendix C, Supplement VI, C indicates that failure to submit NRC Form 241 is a Severity Level III violation. Therefore, it is our view that a failure to revise this form is correctly classified as Severity Level IV.

No civil penalty was proposed.

Thank you for informing us of the corrective and preventive actions documented in your letter. These actions will be examined during a future inspection of your licensed program.

No reply to this letter is required.

Thank you for your cooperation.

Sincerely,

Ronald R. Bellamy, Chief
Nuclear Materials Safety Branch
Division of Radiation Safety
and Safeguards

OFFICIAL RECORD COPY - S:\PENDING\NEUTRON.RL - 03/23/94

9404110276 940329
REG1 GA999 EMVNEUT
99990001 PDR

RETURN ORIGINAL TO
REGION I

1E07

Neutron Products, Inc.


-2-

cc:


Public Document Room (PDR)
Nuclear Safety Information Center (NSIC)
State of Maryland
Commonwealth of Puerto Rico

bcc:


Region I Docket Room (w/concurrences)
Region I Reciprocity File
D. Collins, RII


DRSS:RI
Thompson/gc

3/23/94


DRSS:RI
Paschak

3/24/94


3/18/94