

70-622



DEPARTMENT OF THE ARMY
U.S. ARMY ARMAMENT RESEARCH, DEVELOPMENT AND ENGINEERING CENTER
PICATINNY ARSENAL, NEW JERSEY 07806-5000

March 28, 1994

REPLY TO
ATTENTION OF

Safety, Surety, and Environmental Office
Installation Safety Division
Health Physics Branch

SUBJECT: Application for Amendment of Special Nuclear
Material License No. SNM-561

Chief, Licensing Branch
Attention: Ms. Elaine Keegan
Division of Fuel Cycle Safety and Safeguards
Office of Nuclear Material Safety and Safeguards
U.S. Nuclear Regulatory Commission
Washington, D.C. 20555

Dear Ms. Keegan:

In reference to a telephone conversation between you and Mr. Andy Kung, ARDEC Health Physicist, on December 7, 1993, this letter formally requests an amendment to the ARDEC Special Nuclear Material License No. SNM-561. The purpose of this amendment is to remove the 15 milligrams of Neptunium-237 in the form of sealed sources from the SNM-561 license. As previously discussed, this office was to submit an amendment request to the U.S. Nuclear Regulatory Commission, Region I office to add the 15 milligrams of Neptunium-237 to ARDEC's Byproduct Materials License No. 29-00047-02. This action shall save ARDEC thousands of dollars in future annual license fees. The amendment to the -02 license, a copy of which is enclosed for your reference, was approved on February 18, 1994.

Any questions concerning this amendment request may be directed to Mr. Kung, at (201)724-3742, or to Mr. Richard W. Fliszar, ARDEC RPO, at (201)724-3126.

Sincerely,

Michael F. Clune
Acting Chief, Safety, Surety,
and Environmental Office

Enclosure

9404120122 940328
PDR ADDCK 07000622
C PDR

NF21

Copies Furnished:

Commander, U.S. Army Materiel Command, ATTN: AMCSF-P
(Mr. John Manfre), 5001 Eisenhower Avenue, Alexandria,
VA 22333-0001

Commander, U.S. Army Armament Munitions & Chemical
Command, ATTN: AMSMC-SFS (Ms. Betty Peterson), Rock
Island, IL 61299-6000

Commander, U.S. Army Tank-Automotive & Armaments
Command, ATTN: AMSTA-CZ (Ms. Karen Lapajenko-McGuire),
Warren, MI 48397-5000