

10/11/90

In Reply Refer To:
Docket: 50-267

Public Service Company of Colorado
ATTN: A. Clegg Crawford, Vice President
Nuclear Operations
P.O. Box 840
Denver, Colorado 80201-0840

Gentlemen:

This is to acknowledge receipt of your letter dated September 7, 1990, transmitting the scenario for your upcoming annual exercise. The scenario has been reviewed by our staff in accordance with Inspection Procedure 82302 and we have one comment which is attached to this letter. This comment was discussed with your staff by telephone on October 3, 1990. We understand that your staff is taking actions to resolve this concern prior to the exercise.

Should you have any questions concerning this letter, please contact Dr. D. Blair Spitzberg at (817) 860-8191.

Sincerely,

Samuel J. Collins
Samuel J. Collins, Director
Division of Reactor Projects

Attachment: As stated

cc w/o Attachment:
Public Service Company of Colorado
ATTN: D. W. Warembourg, Manager
Nuclear Engineering Division
P.O. Box 840
Denver, Colorado 80201-0840

GA International Services Corporation
Fort St. Vrain Services
ATTN: David Alberstein, Manager
P.O. Box 85608
San Diego, California 92138

RIV:RPEPS
DBSpitzberg/ch
10/5/90

C:RPEPS
BMurray
10/15/90

D:DRSS
ABBeach
10/9/90

D:DRP
SJCcollins
10/11/90

AI 90-324

9010190062 901011
PDR ADOCK 05000267
F PDC

AD45
110

Public Service Company of Colorado -2-

Public Service Company of Colorado
ATTN: Charles H. Fuller, Manager
Nuclear Production and Station
Manager
16805 Weld County Road 19-1/2
Platteville, Colorado 80651

Public Service Company of Colorado
ATTN: H. L. Brey, Manager, Nuclear
Licensing and Resource
Management Division
P.O. Box 840
Denver, Colorado 80201-0840

Public Service Company of Colorado
ATTN: P. F. Tomlinson, Manager
Quality Assurance Division
16805 Weld County Road 19-1/2
Platteville, Colorado 80651

Public Service Company of Colorado
ATTN: D. D. Hock, President and
Chief Executive Officer
P.O. Box 840
Denver, Colorado 80201-0840

Public Service Company of Colorado
ATTN: Commitment Control Program
Coordinator
2420 W. 26th Ave. Suite 100-D
Denver, Colorado 80211

Kelley, Standfield & O'Donnell
ATTN: Mr. J. K. Tarpey
Public Service Company Building
Room 900
550 15th Street
Denver, Colorado 80202

Chairman
Board of County Commissioners
of Weld County, Colorado
Greeley, Colorado 80631

Regional Representative
Radiation Programs
Environmental Protection Agency
1 Denver Place
999 18th Street, Suite 1300
Denver, Colorado 80202-2413

Department of Health
ATTN: Robert M. Quillen, Director
Radiation Control Division
4210 East 11th Avenue
Denver, Colorado 80220

Colorado Public Utilities Commission
ATTN: Ralph Teague, P.E.
1580 Logan Street OL1
Denver, Colorado 80203

U.S. Nuclear Regulatory Commission
ATTN: Senior Resident Inspector
P.O. Box 640
Platteville, Colorado 80651

U.S. Nuclear Regulatory Commission
ATTN: Regional Administrator, Region IV
611 Ryan Plaza Drive, Suite 1000
Arlington, Texas 76011

✓ bcc: DMB (A045)

bcc without licensee's scenario
Resident Inspector
Inspector
RPEPS File
RIV File
R. D. Martin
A. B. Beach B. Murray
Project Engineer DRP/TSS DRP MIS System C. A. Hackney
R. Erickson, NRR
P. Erickson, NRR Project Manager

ATTACHMENT

Section 6.0, Scenario Data, Area Radiation Monitor Readings

It appears that the exponent for the area radiation monitor readings are high by one order of magnitude for scenario times T1 through T1+2:00. Area monitor RT-93250-5 goes into alarm status at time T2+:15 while the reading shows it to be lower than at previous times.