April 1, 1994

Docket No. 50-499

Mr. William T. Cottle Group Vice-President, Nuclear Houston Lighting & Power Company South Texa, Project Electric Generating Station Post Office Box 289 Wadsworth, Texas 77483

DISTRIBUTION:

Docket File GHill (2) Local PDR CGrimes PDIV-2 R/F ACRS (10) OC/LFMB JWR0e -

EAdensam WJohnson, RGN-IV EPeyton DHagan

JWermie]

LKokajko (2)

OPA

Dear Mr. Cottle:

SUBJECT: ISSUANCE OF AMENDMENT NO. 48 TO FACILITY OPERATING LICENSE NO.

NPF-80 - SOUTH TEXAS PROJECT, UNIT 2 (TAC NO. M88596)

The Commission has issued the enclosed Amendment No. 48 to Facility Operating License No. NPF-80 for the South Texas Project, Unit 2. The amendment consists of changes to the Technical Specifications (TSs) in response to your application dated January 25, 1994.

The amendment changes the Appendix A Technical Specifications by adding new Technical Specifications 3/4.10.6 and 3/4.10.7. TS 3/4.10.6 allows the restart of Unit 2 with expired calibrations on the core exit thermocouples and reactor coolant system resistance temperature detectors by setting aside the affected limiting conditions for operation (LCOs) until the calibrations are complete. TS 3/4.10.7 allows Unit 2 to ascend to 75 percent power with an expired precision heat balance reactor coolant flow measurement. This amendment is a one-time change that is valid only during restart from refueling outage 2RF03 until the calibrations and heat balance are complete.

A copy of our related Safety Evaluation supling the amendment is also enclosed. Notice of Issuance will be included in the Commission's next biweekly Federal Register notice.

> Sincerely, Original Signed By Lawrence E. Kokajko, Senior Project Manager Project Directorate IV-2 Division of Reactor Projects III/IV/V Office of Nuclear Reactor Regulation

Enclosures:

1. Amendment No. 48 to NPF-80

2. Safety Evaluation

cc w/enclosures: See next page

NRC FILE CENTER COPY

*See Previous Sheet for Concurrence

Office	PDIV-2/LA	PDIV-2/PM	PD4V-2/PM	NRR:HICB*	A company of the second	0G85835	PDIV-2/10
Name	EPeyton	DSkay: ye	LKokajko	JWermiel	RJones	RBackmann	SBlack
Date	3/14/94	3//4/94	3/14/94	3/10/94	3/15/94	3/6/94	4//194
Сору	Yes/No	Yes/No	Nes/No	Yes/No	Yes/No)	Yes/No	Yes/No

Document Name: G:\WPDOCS\STEXAS\M88596.AMD

9404150029 940401 PDR ADDCK 05000499

cc w/enclosures: Mr. David P. Loveless Senior Resident Inspector U.S. Nuclear Regulatory Commission P. O. Box 910 Bay City, Texas 77414

Mr. J. C. Lanier/M. B. Lee City of Austin Electric Utility Department 721 Barton Springs Road Austin, Texas 78704

Mr. K. J. Fiedler Mr. M. T. Hardt City Public Service Board P. O. Box 1771 San Antonio, Texas 78296

Mr. G. E. Vaughn Mr. T. M. Puckett Central Power and Light Company P. O. Box 2121 Corpus Christi, Texas 78403

INPO Records Center 700 Galleria Parkway Atlanta, Georgia 30339-3064

Regional Administrator, Region IV U.S. Nuclear Regulatory Commission 611 Ryan Plaza Drive, Suite 1000 Arlington, Texas 76011

Mr. Joseph M. Hendrie 50 Bellport Lane Bellport, New York 11713

Judge, Matagorda County Matagorda County Courthouse 1700 Seventh Street Bay City, Texas 77414

Mr. James J. Sheppard General Manager, Nuclear Licensing Houston Lighting and Power Company P. O. Box 289 Wadsworth, Texas 77483 Jack R. Newman, Esq. Newman & Holtzinger, P.C. 1615 ! Street, N.W. Washington, D.C. 20036

Licensing Representative Houston Lighting and Power Company Suite 610 Three Metro Center Bethesda, Maryland 20814

Bureau of Radiation Control State of Texas 1101 West 49th Street Austin, Texas 78756

Rufus S. Scott Associate General Counsel Houston Lighting and Power Company P. O. Box 61867 Houston, Texas 77208

Joseph R. Egan, Esq. Shaw, Pittman, Potts & Trowbridge 2300 N Street, N.W. Washington, D.C. 20037