

APR 11 1994

MEMORANDUM FOR: Docket File 50-413 and 50-414

FROM: Charles A. Casto, Section Chief
Test Program Section
Division of Reactor Safety

SUBJECT: ERRATA LETTER FOR NOTICE OF DEVIATION LETTER
(NRC INSPECTION REPORT NO. 50-413/94-05 AND 50-414/94-05)

The above subject Notice of Deviation Letter was transmitted to you by letter, dated February 25, 1994. The report was changed to remove the Notice of Deviation and a clear letter was sent to the licensee and CCs. Inadvertently the concurrence letter was not changed and referred to a Notice of Deviation. A corrected letter is enclosed. Please delete the superseded letter and insert the corrected letter.

If you have any questions concerning this matter, please contact Milton D. Hunt at (404) 331-5353.

Original signed
by Charles A. Casto

Charles A. Casto

Enclosure:
As stated

bcc: R. E. Martin, NRR
W. Miller, RII
E. Girard, RII
C. Casto, RII
B. Uryc, RII
A. R. Herdt, RII
M. S. Lesser, RII
J. P. Jaudon, RII
G. A. Hallstrom, RII
P. K. Eapen, RI
J. Jacobson, RIII
T. Westerman, RIV
W. Ang, RV
T. Scarbrough, NRR
J. Norberg, NRR
Document Control Desk

NRC Resident Inspector
U.S. Nuclear Regulatory Commission
Route 2, Box 179-N
York, SC 29745

RII:DRS

MHunt:pd
04/11/94

9404200039 940411
PDR ADOCK 05000413
Q PDR

IEO1



UNITED STATES
NUCLEAR REGULATORY COMMISSION
REGION II
101 MARIETTA STREET, N.W., SUITE 2900
ATLANTA, GEORGIA 30323-0199

APR 11 1994


MEMORANDUM FOR: Docket File 50-413 and 50-414

FROM: Charles A. Casto, Section Chief
Test Program Section
Division of Reactor Safety

SUBJECT: ERRATA LETTER FOR NOTICE OF DEVIATION LETTER
(NRC INSPECTION REPORT NO. 50-413/94-05 AND 50-414/94-05)

The above subject Notice of Deviation Letter was transmitted to you by letter, dated February 25, 1994. The report was changed to remove the Notice of Deviation and a clear letter was sent to the licensee and CCs. Inadvertently the concurrence letter was not changed and referred to a Notice of Deviation. A corrected letter is enclosed. Please delete the superseded letter and insert the corrected letter.

If you have any questions concerning this matter, please contact Milton D. Hunt at (404) 331-5353.


Charles A. Casto

Enclosure:
As stated