ves



NUCLEAR REGULATORY COMMISSION

WASHINGTON D.C. 20566

December 6, 1990

IN RESPONSE, PLEASE REFER TO: M901108A

MEMORANDUM FOR:

James Taylor

Executive Director for Operations

FROM:

Samuel J. Chilk, Secretary

SUBJECT:

STAFF REQUIREMENTS - BRIEFING ON PROGRESS OF RESEARCH IN THE AREA OF ORGANIZATION AND MANAGEMENT, 10:00 A.M., THURSDAY, NOVEMBER 8, 1990, COMMISSIONERS' CONFERENCE ROOM, ONE WHITE FLINT NORTH, ROCKVILLE, MARYLAND (OPEN

TO PUBLIC ATTENDANCE)

The Commission was briefed by the NRC staff on the progress of research in the area of organization and management. The Commission requested that future periodic progress briefings include progress discussions or views by AEOD and NRR on the benefits and applications of the research that they foresee.

(EDO) (SECY Suspense: 11/29/91)

The staff should keep the Commission informed of problems which interfere with or delay research work or cause the expenditure of excessive personnel resources. Specifically concerning the problem of site access for field testing, the Chairman offered to intercede with utility management when deemed desirable by the staff. The staff should inform the Commission of the nature of industry interest and participation in these programs.

(EDO) (SECY Suspense: 3/22/91)

In the future, when results become apparent to the industry, the staff should consider inviting participating utilities, industry representatives, and other involved parties to present their views in this matter before the Commission.

Some of the Commissioners noted that a few of the NUREGS were not sufficiently readable. The staff should review future documents for organization and readability.

90/21/0127 90/206 PPK 9. JCLER PM VF02

The Commission urged the staff to focus the research on regulatory use and the reduction of personnel errors, and to frequently review the comments provided by the Nuclear Safety Research Review Committee as a source of guidance.

cc: Chairman Carr
Commissioner Rogers
Commissioner Curtiss
Commissioner Remick
OGC
GPA
PDR + Advance
DCS + P1-24