NRC FO (12-61)	U.S. NUCLEAR REGULATORY COMMISSION LICENSEE EVENT REPORT	APPROVED BY OMB 3150-0011 EXPIRES 4-30-82
	CONTROL BLOCK: 1 1 1 1 PLEASE PRINT OR TYPE ALL REQUIRED INFO	RMATION)
0 1	S C N E E 3 20 0 - 0 0 0 0 0 - 0 0 3 4 1 1 1 1 1 6)
CON'T	REPORT L 6 0 5 0 C 0 2 8 7 7 1 0 0 4 8 2 8 1 0 1 8 8 8 8 EVENT DATE 74 75 REPORT D.	8 2 9
0 2	EVENT DESCRIPTION AND PROBABLE CONSEQUENCES (1) On October 4, 1982, while utilizing an independent verification programmes.	ram, a
0 3	Station Chemist discovered that the weekly BWST boron sample was not	taken as
0 4	scheduled as required per Tech. Spec. 4.1.3. The sample was taken 1	ater and it
0 5	was determined that the boron concentrations were above the minimum	acceptable
0 6	concentration during the time period in question. It is then conclu	ded that
0 7	the health and safety of the public were not compromised.	
0 8		
0 9	SYSTEM CAUSE CAUSE COMPONENT CODE SUBCODE SUBCODE S F (1) A (12) B (13) A C C U M U (14) Z (15) Z (16)	,
7 8	9 10 11 12 13 18 19 20 SEQUENTIAL OCCURRENCE REPORT REPORT NO. CODE TYPE	REVISION NO.
	17 REPORT 8 2 01 0 1 0 T T T T T T T T T T T T T T T	0
	TAKEN ACTION ON PLANT METHOD HOURS 22 ATTACHMENT NAME COMP. SUBMITTED FORM SUB. SUPPLIER SUPP	X 9 9 9 9
10	The primary cause of this occurrence was due to personnel error in t	
11	persons responsible did not take the samples on schedule. Another f	actor was
1 2	that personnel did not have access to the usually posted schedule bo	ard. Im-
1 3	mediate corrective action was to reduce power at 10 percent/hour, bu	t was ter-
1 4	minated when the sample proved satisfactory. Personnel were counsel	
1 6	FACILITY BOARD WAS replaced, and procedure thoo of were modified. STATUS OTHER STATUS OBSCOVERY DISCOVERY DESCRIPTION B 31 Chemistry verification pr	32 ogram check
1 6	ACTIVITY CONTENT SELEASE AMOUNT OF ACTIVITY (35) Z (33) Z (34) NA NA NA	an an
7 8	PERSONNEL EXPOSURES NUMBER TYPE DESCRIPTION 39	80
1 7	0 0 0 37 Z 38 NA	**
1 8	PERSONNEL INJURIES NUMBER DESCRIPTION (41) O O O (40) NA	
7 . 4	OSS OF OR DAMAGE TO FACILITY 43	80
1 9	Z 42 NA	80
2 0	NA NA	USEONLY
	NAME OF PREPARER J. C. Petty PHONE (704) 373-	8270
and the same of the same		