

DCS-016

OCT 5 1982

Docket No. 50-182

Mr. Eldon R. Stansberry
Reactor Supervisor
School of Nuclear Engineering
Purdue University
W. Lafayette, Indiana 47907

Dear Mr. Stansberry:

The Commission has issued the enclosed Amendment No. 7 to Facility License No. R-87 for your pool-type research reactor. This amendment completes the changes requested in your May 24, 1982 submittal. At that time, you requested two editorial changes to your technical specifications which were inadvertently omitted in Amendment No. 6 issued September 13, 1982.

The changes to the Technical Specifications that this Amendment makes are as follows:

- (1) Page 12 - In Table II, the footnote references are changed to read (c) instead of (a).
- (2) Page 35 - Move paragraphs 1 and 2 below 6.4.7 to the left margin beginning with the word "Non-routine" and ending with the word "CORO."

Based on the fact that this amendment applies to administrative changes which do not affect the daily operation of the reactor or the reactor safety system, we have concluded that:

- (1) the amendment does not involve a significant increase in the probability or consequence of accidents previously considered, does not involve a significant decrease in a safety margin, and, therefore, does not involve a significant hazards consideration;
- (2) there is reasonable assurance that the health and safety of the public will not be endangered by this action; and
- (3) such activities will be conducted in compliance with the Commission's regulations and the issuance of the amendment will not be inimical to the common defense and security or to the health and safety of the public.

DESIGNATED ORIGINAL

8211010537 821005
PDR ADDCK 05000182
P PDR

Certified By C. Covington

OFFICE
SURNAME
DATE

Mr. Eldon R. Stansberry

-2-

OCT 5 1982

We have determined that this amendment will not result in any significant environmental impact and that it does not constitute a major Commission action significantly affecting the quality of the human environment.

We have also determined that this action is not one of those covered by 10 CFR 51.5(a) or (b). Having made these determinations, we have further concluded that, pursuant to 10 CFR 51.5(d)(4), an environmental impact appraisal and negative declaration need not be prepared in connection with issuance of this amendment.

Sincerely,

Original Signed by:

Cecil O. Thomas, Acting Chief
Standardization & Special
Projects Branch
Division of Licensing

cc: w/enclosures
See next page

DISTRIBUTION

Document Control
NRC PDR
PRC
NTIS
NSIC
SSPB R/F
Gray File
Region III
R. Carter
P. Anderson
C. Thomas
OELD
D. Eisenhut/R. Purple
F. Miraglia
L. J. Harmon, IE File (2)
MPA
T. Barnhart (4)
W. Jones, OA

OFFICE	DL:SSPB	DL:SSPB	DL:SSPB	OELD	DL:AD/SA		
SURNAME	PAnderson	RCarter	CThomas	M. KARN	FMiraglia		
DATE	9/30/82	9/30/82	9/30/82	9/ /82	10/5/82		

cc w/enclosure(s):

Mr. Arthur J. Ladow
City Building
West Lafayette, Indiana 46901

State Board of Health
ATTN: Director, Bureau of
Engineering
1330 West Michigan Street
Indianapolis, Indiana 46206