DEC 17 1990

Docket No. 50-309

Maine Yankee Atomic Power Company ATTN: Mr. Charles D. Frizzle President 83 Edison Drive Augusta, Maine 04336

SUBJECT: REQUALIFICATION PROGRAM EVALUATION

Arrangements have been made between Mr. M. Evringham, Training Manager and Mr. Brian Hughes, Chief Examiner for an evaluation of the requalification program and licensed personnel at your Maine Yankee facility. The evaluation visit is scheduled for the week of March 4, 1991. The requalification examinations and the subsequent evaluation of the facility requalification program will be performed in accordance with sections 601 through 604 of NUREG 1021, Operator Licensing Examiner Standards, Revision 6. You are encouraged to ensure that your training staff and proposed examinees are familiar with these standards.

For the examiners to adequately prepare for this visit, it will be necessary for the facility to furnish the approved items listed in Enclosure 1, "Reference Material Requirements." Failure to supply the reference material as required by Enclosure 1 may result in postponement of the examination. The Chief Examiner may request that the facility submit a proposed examination for use during the examination week in addition to the material requirements of Enclosure 1. Submission of a proposed examination, even if requested, is optional. However, if a proposed examination is submitted, those personnel participating in its development may become subject to the security restrictions described below. Mr. Evringham has been advised of our reference material requirements, whether a proposed examination is requested, and where these items are to be sent.

You are requested to designate at least one employee to be a member of a joint NRC-facility examination team. The employee shall be an active SRO (per the requirements of 10 CFR 55.53(e) or (f)) from the Maine Yankee Facility, Operations Department. You are encouraged to designate a second employee from the training staff to be a member of the examination team. This employee should be an active SRO (per the requirements of 10 CFR 55.53(e) or (f)), but may be a facility or INPO certified instructor. If desired and agreed to by the Chief Examiner, you may designate one additional employee from the training staff, with appropriate qualifications, to be a member of the examination team. In addition to these individuals, a simulator operator must be made available for scenario preview and validation during the on-site examination preparation week. In some cases, it may be necessary to designate a simulator operator during the test item review period. This individual will also be subject to the examination security agreement.

OFFICIAL RECORD COPY

HUGHES/MY REQUAL/12/11 - 0001.0.0 12/13/90

9012260112 901217 PDR ADDCK 05000309 LEHD

Any facility representatives, under the security agreement, shall be restricted from knowingly communicating by any means the content or scope of the examination to unauthorized persons and from participating in any facility programs such as instruction, examination, or tutoring in which an identified requalification examinee(s) will be present. These restrictions shall apply from the day that the facility representative signs the examination security agreement indicating that the representative understands that he or she has specialized knowledge of the examination. The Chief Examiner will determine when facility representatives have received specialized knowledge concerning the examination and require execution of an examination security agreement. In most cases, the examination team members will not be required to enter into an examination security agreement more than 60 days prior to the examination week. The simulator operator will normally become subject to the requirements during the examination preparation and validation week; but, in some cases, this may occur as much as 30 days prior to the examination week to support operating test item review and revision.

The facility shall identify to the NRC 60 days prior to the examination administration date, the proposed operators, including crew composition, for the examination. This information should be provided by the facility training staff to the NRC's Chief Examiner.

The facility management is responsible for providing adequate space and accommodations to properly develop and conduct the examinations. Enclosure 2, "Administration of Requalification Examinations," describes our requirements for developing and conducting the examinations. Mr. Evringham has also been informed of these requirements. Also, a facility operations management representative (as a minimum, first level above shift supervisor) should observe the simulation facility examination process at the site.

This request is covered by Office of Management and Budget Clearance Number 3150-0101 which expires May 31, 1992. The estimated average burden is 7.7 hours per response, including gathering, copying and mailing the required material. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to the Records and Reports Management Branch, Division of Information Support Services, Office of Information Resources Management, U.S. Nuclear Regulatory Commission, Washington, D.C. 20555; and to the Paperwork Reduction Project (3150-0101), Office of Information and Regulatory Affairs, NEOB-3019, and Office of Management and Budget, Washington, D.C. 20503.

Maine Yankee Atomic Power Company Thank you for your consideration in this matter. If you have any questions on the evaluation process, please contact me at (215) 337-5211. Sincerely, Peter W. Eselgroth, Chief PWR Section Operations Branch Division of Reactor Safety Enclosures: 1. Reference Material Requirements Administration of Requalification Examinations NRC Rules and Guidance for Examinees cc w/encl: J. Randazza, Assistant Chairman of the Board M. Evringham, Training Manager J. H. Garrity, Executive Assistant to the President E. T. Boulette, Vice President, Operations P. L. Anderson, Project Manager J. D. Firth, Vice President, Public and Governmental Affairs G. D. Whittier, Manager, Nuclear Engineering and Licensing R. W. Blackmore, Plant Menager J. A. Ritsher, Attorney (Ropes and Gray) Peter Brann, Assistant Attorney General U. Vanags, Maine State Planning Office Maine Yankee Hearing Service List Public Document Room (PDR) Local Public Document Room (LPDR) Nuclear Safety Information Center (NSIC) NRC Resident Inspector State of Maine, SLO Designee bcc w/encl: Region I Docket Room (with concurrences) Management Assistant, DRMA (w/o encl) R. Bellamy, DRSS J. Johnson, DRP E. McCabe, DRP H. Eichenholz, SRI - Vermont Yankee J. Caldwell, EDO E. Trottier, LPM, NRR L. Bettenhausen, DRS B. Hughes, DRS P. Eselgroth, DRS OL Facility File DRS Files (3) DRS: RI DRS:RI Eselgroth Hughes/ajk 12//4/90 12/4/90

# MAINE YANKEE HEARING SERVICE LIST

Mr. Charles B. Brinkman
Manager, Washington Nuclear Operations
Combustion Engineering, Inc.
12300 Twinbrook Parkway, Suite 330
Rockville, Maryland 20852

John A. Ritsher, Esq. Ropes & Gray 225 Franklin Street Boston, Massachusetts 02110

Dr. E. T. Boulette, Vice President Operations Maine Yankee Atomic Power Company P. O. Box 408 Wiscasset, Maine 04578

First Selectman of Wiscasset Municipal Building U.S. Route 1 Wiscasset, Maine 04578

Resident Inspector
Maine Yankee Atomic Power Station
U.S. Nuclear Regulatory Commission
P.O. Box E
Wiscasset, Maine 04578

Mr. G. D. Whittier, Manager Nuclear Engineering and Licensing Maine Yankee Atomic Power Company 83 Edison Drive Augusta, Maine 04336

State Planning Officer Executive Department 189 State Street Augusta, Maine 04330

Mr. Robert W. Blackmore
Plant Manager
Maine Yankee Atomic Power Company
P. O. Box 408
Wiscasset, Maine 04578

Mr. P. L. Anderson, Project Manager Yankee Atomic Electric Company 580 Main Street Bolton, Massachusetts 01740-1398

Regional Administrator, Region 1 U.S. Nuclear Regulatory Commission 475 Allendale Road King of Prussia, Pennsylvania 19406

### ENCLOSURE 1

### REFERENCE MATERIAL REQUIREMENTS

Test items to support all aspects of the requalification examination must be provided to the NRC 60 days prior to the examination date.

All test items should be developed in accordance with the guidelines provided in sections 602 through 604 of NUREG 1021, Sperator Licensing Examiner Standards, and their respective attachments.

For the first requalification evaluation at the facility, the submittal must contain at least:

700 test items for use in the written examination. They should be equally divided between the two sections of the examination, and there must be at least 350 test items for use in each section.

75 job performance measures (JPMs) for use on the walk-through portion of the operating examination. To the extent possible, approximately 40% of the JPMs should evaluate "in plant" tasks (system/component operation outside the con rol room).

15 simulator scinarios of approximately 50 minutes each in length for use on the simulator portion of the operating examination for examinations administered in one week.

For subsequent requalification examination facilities are expected to make submittals reflecting progress toward the following targets over the next 5 years after the initial evaluation visit:

A minimum of 700 test items for use in the written examination equally divided between the two sections of the written examination and which cover all safety-related elements of the facility job task analysis (JTA). The bank shall be dynamic in nature, in that at least 150 questions a year shall be reviewed, revised or generated. New questions that are developed should cover equipment and system modifications, recent industry and licensee events and procedural changes.

JPMs to evaluate each operator and senior operator safety-related task identified in the facility JTA, which meet the criteria in ES-603. The JPM bank should expand at a rate of at least 10 JPMs per year until this goal is reached. It is estimated that 125 - 150 JPMs will be the final result. Development of the questions associated with the JPMs shall also continue, such that there is a representative sample of questions given the knowledges associated with the task listed in the JTA.

A bank of at least 30 simulator scenarios which reflect all plausible or expected abnormal and emergency situations to which ontrol room operators are expected to respond or control. At least 5 scenarios per year should be generated until all aspects of the emergency operating procedures are covered with sufficient variation in the type and scope of initiating events and level of degradation.

For all requalification examination and evaluation visits, the facility shall:

submit an Examination Test Outline/Sample Plan which meets the requirements of ES-601, Attachment 2;

provide the associated examination banks (written, simulator and J2M) and associated reference material. At a minimum, this shall include Technical Specifications, applicable plant operating, surveillance and administrative procedures, abnormal and emergency operating procedures, emergency plan procedures and training material utilized in the requalification training (including student handouts and lesson plans). Additional reference material may be requested by the Chief Examiner.

### ENCLOSURE 2

## ADMINISTRATION OF REQUALIFICATION EXAMINATIONS

- 1. An evaluation of at least twelve facility licensed operators is required for a program evaluation. Normally the crew scheduled for requalification training during the period selected for the program evaluation should be selected. The sample will include other licensed operators who are not routinely performing shift duties or are not maintaining an active license per 10 CFR 55.53(e). The restrictions on crew composition in the simulator are described in ES-601(C.1.b) and ES-604.
- 2. The simulator and a simulator operator(s) will be provided for examination development. The date(s) and duration of time needed to develop the examinations will be agreed upon by the chief examiner and the facility.
- The reference material used in the simulator will be reviewed by the chief examiner, no material will be made available that is solely used for training.
- 4. A single room shall be provided for completing Section B of the written examination. The location of this room and supporting rest room facilities shall be such as to prevent contact with all other facility and/or contractor personnel during the duration of the examination.
- 5. Minimum spacing is required to ensure examination integrity as determined by the chief examiner. Minimum spacing should be one candidate per table, with a three-foot space between tables. No wall charts, models, and/or other training materials shall be present in the examination room.
- 6. Copies of reference material for Section B of the written examination will be provided for each examinee. The reference material will be reviewed by the chief examiner and will consist of Technical Specifications, operating/abnormal procedures, administrative procedures, Emergency Plans as available to the plant operators.
- Video taping capabilities can be utilized. The facility should contact the chief examiner for restrictions related to its usage.
- An attempt :ill be made to distinguish between RO and SRO knowledge and abilities to 'he extent that such a distinction is supported by the facility training materials.
- 9. Prudent scheduling of exam week activities is important to help alleviate undue stress on the operators. Your training staff and the Chief Examiner should work very closely in formulating a schedule which does not result in excessive delays in crews or individuals being administered their examination. The following are some suggestions for structuring the exam activities to achieve this purpose:

- Don't bring in crews or individuals well before their scheduled exam times.
- When examining operators in groups, it is better to hold the group just completing their exam vice the groups that are taking their exam later.
- Following simulator scenarios, the facility evaluators and NRC examiners should quickly determine whether follow-up questioning is required, so that the crew may be released to talk among themselves about the scenario.
- Ensure that time validation of JPMs, particularly those performed in the simulator, is conducted accurately. A reasonable schedule should be established to prevent operators from waiting for simulator availability to complete their JPMs.

### ENCLOSURE 3

#### NRC RULES AND GUIDANCE FOR EXAMINEES

- 1. Use black ink or dark pencil ONLY to facilitate legible reproductions.
- 2. Print your name in the blank provided on the cover sheet of the examination.
- 3. Fill in the date on the cover sheet of the examination, if necessary.
- 4. Answer each question on the examination. If additional paper is required, use only the lined paper provided by the examiner.
- 5. Use abbreviations only if they are commonly used in facility literature.
- 6. The point value for each question is indicated in parentheses after the question and can be used as a guide for the depth of answer required.
- 7. Show all calculations, methods or assumptions used to obtain an answer to a mathematical problem, whether asked for in the question or not.
- 8. Unless solicited, the location of references need not be stated.
- 9. Proportional grading will be applied. Any additional wrong information that is provided may count against you. For example, if a question is worth one point and asks for four responses, each of which is worth 0.25 points, and you give five responses, each response will be worth 0.20 points. If one of your five responses is incorrect, 0.20 will be deducted and your total credit for that question will be 0.80, even though you may have listed the four correct responses in the answer key.
- Partial credit may be given, except on multiple choice questions.
   Therefore, ANSWER ALL PARTS OF THE QUESTION AND DO NOT LEAVE ANY ANSWERS BLANK.
- 11. If parts of the examination are not clear with respect to their intent, ask questions of the examiner only.
- 12. You must sign the statement on the cover sheet that indicates the work on the examination is your own and that you have not received or been given any assistance in completing the examination. This must be signed AFTER the examination has been completed.
- 13. Restroom trips are to be limited and only one examinee at a time may leave. You must avoid all contact with anyone outside the examination room to avoid even the appearance or possibility of examination compromise.