

JAN - 7 1991

Docket No. 298/90-39  
License No. DPR-46

Nebraska Public Power District  
ATTN: George A. Trevors, Senior Staff  
Advisor - Nuclear Power Group  
P.O. Box 499  
Columbus, Nebraska 68602-0499

Gentlemen:

This refers to the inspection conducted by Mr. L. T. Ricketson of this office on November 27-30, 1990, of activities authorized by NRC Operating License DPR 46 for Cooper Nuclear Station, and to the discussion of our findings with Mr. R. Gardner and other members of your staff at the conclusion of the inspection.

Areas examined during the inspection included portions of the solid radioactive waste and radioactive materials transportation programs. Within these areas, the inspection consisted of selective examination of procedures and representative records, interviews with personnel, and observations by the inspector. The inspection findings are documented in the enclosed inspection report.

Within the scope of the inspection, no violations or deviations were identified. One open item, concerning quality control activities, is discussed in paragraph 5 of the enclosed report. Please notify us if your understanding of your commitment made to the open item is different than discussed in the report.

Should you have any questions concerning this inspection, we will be pleased to discuss them with you.

Sincerely,

Original signed by Samuel J. Collins

Samuel J. Collins, Director Division of  
Reactor Projects

Enclosure:  
Appendix - NRC Inspection Report  
50-298/90-39

cc w/enclosure: (see next page)

RIV:RPEPS  
LTRicketson:nh  
1/4/90

C:RPEPS  
BMurray  
1/4/90

D:DRSS  
ABBeach  
1/4/90

D:DRP  
SJCcollins  
1/4/90

9101140014 910107  
PDR ADOCK 05000298  
Q PDR

IF06  
1/1

Nebraska Public Power District

-2-

Nebraska Public Power District  
ATTN: G. D. Watson, General Counsel  
P.O. Box 499  
Columbus, Nebraska 68602-0499

Cooper Nuclear Station  
ATTN: John M. Meacham, Division  
Manager, Nuclear Operations  
P.O. Box 98  
Brownville, Nebraska 68321

Nebraska Department of Environmental  
Control  
ATTN: Dennis Grams, Director  
P.O. Box 98922  
Lincoln, Nebraska 68509-8922

Nemaha County Board of Commissioners  
ATTN: Larry Bohlken, Chairman  
Nemaha County Courthouse  
1824 N Street  
Auburn, Nebraska 68305

Nebraska Department of Health  
ATTN: Harold Borchert, Director  
Division of Radiological Health  
301 Centennial Mall, South  
P.O. Box 95007  
Lincoln, Nebraska 68509-5007

Kansas Radiation Control Program Director

bcc to DMB (IE06)

bcc distrib. by RIV:

*R. D. Martin	*Resident Inspector
*Section Chief (DRP/C)	Lisa Shea, RM/ALF
*DRSS-RPEPS	*MIS System
*RIV File	*Project Engineer (DRP/C)
*RSTS Operator	*DRP
*Senior Resident Inspector - River Bend	
*Senior Resident Inspector - Fort Calhoun	
*P. O'Connor, NRR Project Manager (MS: 11-D-23)	
*DRS	*L. T. Ricketson

\*w/766