SAFETY INSPECTION

1. LICENSEE

Veterans Administration Hospital Gainesville, FL 32601

2. REGIONAL OFFICE

U. S. Nuclear Regulatory Commission 101 Marietta St., NW Suite 3100 Atlanta, GA 30303

3 DOCKET NUMBER(S)

030-01348

4 LICENSE NUMBER(S)

09-12467-02

5. DATE OF INSPECTION

Licensee

The inspection was an examination of the activities conducted under your license as they relate to radiation safety and to compliance with the Nuclear Regulatory Commission's (NRC) rules and regulations and the conditions of your license. The inspection consisted of selective examinations of procedures and representative records, interviews, with personnel, and observations by the inspector. The findings as a result of this inspection are as follows:

- 1. Within the scope of this inspection, no violations were observed.
- 2. The inspector also verified the steps you have taken to correct the violations identified during the last inspection. We have no further questions on those actions at this time.
- 3. During this inspection certain of your activities, as checked below, were in violatic 4 of NRC requirements. THIS IS A NOTICE OF VIOLATION which is required to be posted in accordance with 10 CFR 19.11.

was not properly posted to indicate the presence _. 10 CFR 20.203 b), (c), (d), (e) or 34.42.

were not properly B. Containers located in labeled to indicate the presence of radioactive material. 10 CFR 20.203(f)(1), or (f)(2).

of sealed sources were not performed at the proper

frequencies. 10 CFR License Condition Number

D. Records of were not properly maintained. or License Condition Number

E. Documents were not properly posted or otherwise made available. 10 CFR 19.11.

or License Condition Number ____ were not made in accordance F. Reports or notifications of ____ with 10 CFR

I hereby state that within 30 days the actions described by me to the inspector will be taken to correct the violations identified in the items checked above This statement of corrective actions is made in accordance with the requirements of 10 CFR 2.201. No further response will be submitted unless required by

the NRC 8211150119 820929 NMS LIC30 09-12467-02 PDR

SIGNATURE - LICENSEE

SIGNATURE -NRC INSPECTOR