# BELTRAMI COUNTY HIGHWAY DEPARTMENT



County Highway Engineer

### RECENTACES

BEMIDJI, MINNESOTA 56601 Telephone 751-4845 2493 Adams Avenue N.W.

October 23, 1990

United States Nuclear Regulatory Commission Region III 799 Roosevelt Road Glen Ellyn, Illinois 60137

To Whom It May Concern:

This is a request to renew our Materials License No. 22-24587-01. There is no physical change from the present license. The one and only change is a new mailing address. The new address is Beltrami County aighway Department, 2493 Adams Avenue N.W., Bemidji, MN 56601.

Sincerely, Ennest Bour

Ernie Bauer, Engineering Supervisor Beltrami County Highway Department

EB/11g

Enclosures

9101220361 901023 REG3 L1C30 MATLSLICENSING PDR

	RECEIVED BY LFMS	
Dat	0 10/29/90	-
Log	Bet 23 II	
By,	Deg	
Dat	e Completed 10/3/19	5
12 100 p	" EVENDT	
En l	· LALIVIT I	
70	MACZ ANA	ü

BELEIVED REGION III

CONTROL NO.

THE BUTH THE BUTH THE BUTH THE BUTH THE	ราสาสาสาสาสาสาสาสาสาสาสาสาสาสาสาสาสาสาส	和"油力油力	WATER TRANSPORTED TO THE TRANSPORT
NAC Form 374		1	. 1

#### U.S. NUCLEAR REGULATORY COMMISSION

PAGE 1 OF 3 PAGES

# MATERIALS LICENSE

Pursuant to the Atomic Energy Act of 1954; as amender the Energy Reorganization Act of 1974 (Public Law 93 - 438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 40 and 70, and in reliance on statements and representations heretafore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer by product; source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below, to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below

Licensee				
1. Beltrami County Highway De	partment	3. License number 22-24587-01		
2. Route 7 Box 65 Bemidji, MN 56601		4. Expirition date	November 30, 1990	
		5. Docket of Reference No.	0 0-28971	
Byproduct, source, and/or special nuclear material form		d/or physical	8 Maximum amount that licensee may possess at any one time ander this license	
A. Cesium-137	A. Sealed source (Troxler Dwg. No. A-102112)		A, No single source to exceed 10 millicuries each	
Americium-241 B. Sealed so (Troxler A-1026)		r Dwg. No.	B. No single source to exceed 50 millicuries each	
C. Americium-241 C. Seal (Tro. A-10		r Dwg. No.	C. No single source to exceed 330 millicuries each	

- To be used in Troxler Series 3400 moisture/density gauge and/or Troxler Model 4640 density gauge to measure moisture/density of materials.
- To be used in Troxler Series 3400 moisture/density gauge to measure moisture/density of materials.
- To be used in Troxler Model 3241 gauge to measure asphalt content of materials.

# CONDITIONS

- 10. Licensed material may be used at the licensee's facilities located at Route 7, Box 65, Demidji, Minnesota and at temporary job sites of the licensee throughout the State of Minnesota.
- The licensee shall comply with the provisions of Title 10, Chapter 1, Code of Federal Regulations, Part 19, "Notices, Instructions and Reports to Workers; Inspections" and Part 20, "Standards for Protection Against Radiation."

CONTROL NO.

License number

MATERIALS LICENSE SUPPLEMENTARY SHEET

22-24587-01 Docket or Reference number

030-28971

Licensed material shall be used by, or under the supervision and in the physical presence of, individuals who have satisfactorily completed the device manufacturer's training program for gauge users and have been designated by the licensee's Radiation Protection Officer. The licensee shall maintain records of the individuals who have been designated as authorized users.

- 13. A. (1) Each sealed source containing licensed material, other than Hydrogen 3, with a half-life greater than thirty days and in any form other than gas shall be tested for leakage and/or contamination at intervals not to exceed six months. In the absence of a certificate from a transferor indicating that a test has been made within six months prior to the transfer, a sealed source received from another person shall not be put into use until tested.
  - (2) The periodic leak test required by this condition does not apply to sealed sources that are stored and not being used. The sources excepted from this test shall be tested for leakage prior to any use or transfer to another person unless they have been leak tested within slx months prior to the date of use or transfer.
  - The test shall be capable of detecting the presence of 0.005 microcurie of radioactive material on the test sample. The test sample shall be taken from the sealed source or from the surfaces of the device in which the sealed source is permanently mounted or stored on which one might expect contamination to accumulate. Records of leak test results shall be kept in units of microcuries and maintained for inspection by the Commission.
  - If the test reveals the presence of 0.005 microcurie or more of removable contamination, the licensee shall immediately withdraw the sealed source from use and shall cause it to be decontaminated and repaired or to be disposed of in accordance with Commission regulations. A report shall be filed within five (5) days of the test with the U. S. Nuclear Regulatory Commission, Region III, 799 Roosevelt Road, Glen Ellyn, Illinois 60137, describing the equipment involved, the test results, and the corrective action taken.
  - The licensee is authorized to collect leak test samples in accordance with the procedures described in the licensee's application dated October 7, 1985 for analysis by Troxler. Alternatively, leak test samples may be collected and/or analyzed by other persons specifically authorized by the Commission or an Agreement State to perform such services.
- The licensee shall conduct a physical inventory every six (6) months to account for all sealed sources received and possessed under the license. The records of the inventories shall be maintained for two (2) years from the date of the inventory for inspection by the Commission, and shall include the quantities and kinds of licensed muterial, location of sealed sources and the date of the inventory.
- Sealed sources containing licensed material shall not be opened or removed from the gauges by the licensee.

[[[在]]是[[在]]在[[在]]在[[在]]在[[在]]在[[在]]在[[在]]在[[在]]在[[在]]在[[在]]在[[在]]在[[在]]在[[在]]在[[在]]在[[在]]在[[在]]在[[在]]在[[在]]在[

CONTROL NO. 90413

BASE

License number

22-24587-01

Docket or Reference number

030-28971

# MATERIALS LICENSE SUPPLEMENTARY SHEET

16. When performing tests at temporary job sites, the authorized user shall not leave the moisture/density gauge unattended. Upon completion of tests the device shall be locked in the licensee's vehicle or a secure building to prevent unauthorized use, loss or theft.

- 17. The licensee may transport licensed material or deliver licensed material to a carrier for transport in accordance with the provisions of Title 10, Code of Federal Regulations, Part 71, "Packaging of Radioactive Material for Transport and Transportation of Radioactive Material Under Certain Conditions."
- 18. Except as specifically provided otherwise by this license, the licensee shall possess and use licensed material described in Items 6, 7, and 8 or this license in accordance with statements, representations, and procedures contained in application dated October 7, 1985. The Nuclear Regulatory Commission's regulations shall govern the licensee's statements in applications or letters, unless the statements are more restrictive than the regulations.

For the U.S. Nuclear Regulatory Commission

NOV 2 2 1985

Original Signed By Patricia J. Whiston

Materials Licensing Section, Region III

COPY