

COMPLIANCE INSPECTION REPORT

1. Name and address of licensee Spencer Chemical Company Dwight Building Kansas City 5, Missouri Attention: Mr. L. H. Landrum	2. Date of inspection January 20, 1959
	3. Type of inspection Initial
	4. 10 CFR Part(s) applicable 20 and 40

5. License number(s), issue and expiration dates, scope and conditions (including amendments)

License No.	Date	Expiration	Scope and Conditions
C-3571	2-28-58	9-1-58	Scope: Three hundred (300) pounds of uranium magnesium fluoride scrap for pilot scale investigations of scrap recovery, and five thousand (5000) pounds of uranium, as metal or compounds, for experimental work in scrap recovery process, engineering, design and development.

6. Inspection findings (and items of noncompliance)

The licensed program is being conducted in adequate facilities with acceptable radiological health and safety controls for the current program. Records are kept for accountability of licensed material. Records have been kept of waste disposals. Radiation surveys have been made and records kept of the survey findings. A record has been kept of R. S. Landauer's monthly film readings. Records are kept of monthly urinalysis results from Nuclear Science and Engineering Corporation. The Licensee's facilities were found to be posted in accordance with 10 CFR 20.

No items of noncompliance were observed or otherwise noted during the course of this inspection.

7. Date of last previous inspection August 28, 1958 (Assist inspection by ALCO)

8. Is "Company Confidential" information contained in this report? Yes No
(Specify page(s) and paragraph(s))

DISTRIBUTION:

Division of Inspection
Washington, D.C. (1)

Division of Licensing & Regulation
Washington, D.C. (1)

Approved by: William W. Peery
(Inspector)

Leo Dubinski
(Operations office)

March 19, 1959
(Date report prepared)

821180176 821022
PDR FOIA
BARNES82-465 PDR

If additional space is required for any numbered item above, the continuation may be extended to the reverse of this form using foot to head format, leaving sufficient margin at top for binding, identifying each item by number and noting "Continued" on the face of form under appropriate item.