

DS

FEB 11 1991

Docket Nos. 030-04624
040-08806

License Nos. 20-02729-05
SUB-1410

Textron Defense Systems
ATTN: Mr. H. McCard
President
201 Lowell Street
Wilmington, Massachusetts 01887

Gentlemen:

Subject: Combined Inspection No. 030-04624/90-001 and 040-08806/90-001

This refers to your letter dated December 11, 1990, in response to our letter dated November 16, 1990.

Thank you for informing us of the corrective and preventive actions documented in your letter. These actions will be examined during a future inspection of your licensed program.

Your letter states that you have filed applications for amendments to both licenses to achieve corrective action for Violations A., B.3., and D. Please understand, however, that no activity is in accord with NRC regulatory requirements unless and until it is specifically authorized in an NRC license. You should ensure that NRC licensed materials are possessed and used only as authorized by your licenses. Until you receive your amended licenses, please be advised that you must operate your licensed programs in accordance with your most recent license amendments.

Your cooperation with us is appreciated.

Sincerely,

Original Signed By:
John D. Kinneman

John Kinneman, Chief
Nuclear Materials Safety Section B
Division of Radiation Safety
and Safeguards

91022701F 910211
REG1 LICSW
20-02729-05 PDR

cc:
Public Document Room (PDR)
Nuclear Safety Information Center (NSIC)
Commonwealth of Massachusetts
A. W. Mitton
M.D. Cronan, Jr.

OFFICIAL RECORD COPY


RL TEXTRON - 0001.0.0
01/17/91

Return Original to Region I
260031

/IE:07


1/1

bcc:
Region I Docket Room (w/concurrences)
C. T. Oberg, RI
C. J. Eckert, RI

 RI:DRSS
Oberg/gcb
01/17/91

RI:DRSS
Eckert

01/20/91
OFFICIAL RECORD COPY

 RI:DRSS
Kinneman
01/29/91

RL TEXTRON - 0002.0.0
01/17/91