

3)

NUCLEAR REGULATORY COMMISSION WASHINGTON, D. C. 20555

FEB 1 6 1977

MEMORANDUM FOR: L. J. Evans, Jr., Chief Requirements Analysis Branch, SG FROM: J. Mark Elliott, Chief Reactor Safeguards Section Program Support Branch, NRR SUBJECT: COMMENTS ON FEBRUARY 10 MEMO TO UPGRADE WORKING GROUP ENTITLED "STATUS REPORT - UPGRADE RULE As per your instructions, the enclosed comments have been organized under the three suggested questions. However, we have taken the ACTIVITY" As per your instructions, the enclosed comments have been organi-under the three suggested questions. However, we have taken the liberty of poordening these questions 1) Does the narrative say what it is meant to say? a) The narrative approach fails in providing a clear b) There are a large number of instances where the term "as appropriate" is used. This indicates a vagueness which is undesirable. c) The division of the basic capability narrative into detection with reference to later response discussion 2) Are all sections and entries complete? a) Specific capability being discussed should be in b) The use of force as a mode of adversary action is c) Why is the protected area excluded from basic d) There seem to be a number of essential requirements Are sections organized logically? a) Suggest separation of detection and assessment 8212080137 821025 PDR FOIA PDR

3.00

L. J. Evans, Jr.

1

- Hertint

-2-

In conclusion, we feel that even though the <u>contents</u> of the subject document are recognized to be incomplete, this <u>approach</u> to the statement of the rule is unsatisfactory. This position is based upon our conviction that a formal rule statement will not provide ample space or freedom to provide a satisfactory statement and explanation of performance requirements and minimum essential system specifications. In short, this approach appears to create more problems than it will solve.

Man Elliott

J. Mark Elliott, Chief Reactor Safeguards Section Program Support Branch, NRR

1 2 1

cc: J. R. Miller, NRR J. J. Miller, NRR