

NOV 4 1982

Docket Nos. 30-3806  
30-03807  
30-12358

License Nos. 06-08185-02E  
06-08185-03  
06-08185-04

Timex Corporation  
ATTN: Muhammad Salch  
Vice President, Human Resources  
Park Road Extension  
Middlebury, Connecticut 06720

Gentlemen:

Subject: Inspection Nos. 30-3806/82-01, 30-3807/82-01, 30-12358/82-01

This is in response to Mr. Paul Yestrumskas' letter to Mr. Ronald Haynes dated May 20, 1982, in response to our letter dated April 21, 1982.

Thank you for informing us of the corrective and preventive actions documented in your letter. These actions will be examined during a future inspection of your licensed program.

Your request to withhold our letter of April 21, 1982 and the enclosed Notice of Violation has been reviewed and is hereby denied. All licenses issued to Timex Corporation include the type and quantity of byproduct material covered by the license, the facility where material is possessed and used, and the methods of storing and safeguarding the material. These documents and reports of previous inspections of these licenses are and have been available through the NRC's Public Document Room. We have concluded that the information which you sought to withhold from public disclosure is public information, and does not meet the requirements of 10 CFR 2.790. Therefore, in not less than thirty (30) days from the date of this letter, the subject documents will be placed in the Public Document Room.

Your cooperation with us is appreciated.

Sincerely,

**Original Signed By:**

Thomas T. Martin, Director  
Division of Engineering and  
Technical Programs

cc:  
Mr. Paul E. Yestrumskas, Counsel  
Public Document Room (PDR)  
Nuclear Safety Information Center (NSIC)  
State of Connecticut

OFFICIAL RECORD COPY

8212100034 821104  
NMS LIC30  
06-08185-02E PDR

1E:07

NOV 4 1982

bcc:  
Region I Docket Room (with concurrences)

*for Kin*  
RI:DETP  
Johansen/pja  
7/16/82

*Kin*  
RI:DETP  
Kinnehan  
7/20/82

*Joyner*  
RI:DETP  
Joyner  
7/20/82

*Martin*  
RI:DETP  
Martin  
7/24/82