

FEB 22 1994

Docket 40-3392  
License SUB-526

Mr. M. D. Kosmider  
Plant Manager  
Allied-Signal, Inc.  
P.O. Box 430  
Metropolis, Illinois 62960

Dear Mr. Kosmider:

SUBJECT: AUGER SAMPLING SYSTEM

Thank you for your letter dated February 2, 1994, advising us of your intended change in your uranium ore concentrate sampling method. Since the analytical sampling is performed to meet contract commitments with each uranium supplier and utility customer and is not performed to meet Nuclear Regulatory Commission regulatory requirements, no license amendment is required.

If you have any questions regarding this matter, please call me on (301) 504-3416.

Sincerely,

ORIGINAL SIGNED BY

Michael Lamastra  
Licensing Section 2  
Licensing Branch  
Division of Fuel Cycle Safety  
and Safeguards, NMSS

Distribution

Docket No. 40-3392	PDR	NRC File Center	NMSS R/F
FCLB R/F	Region III	GMFrance, RIII	FCSS R/F
FCLS2 R/F	MAdams		

OFC	<i>FCLB</i>	<i>C</i>	FCLB	<i>C</i>	FCLB	<i>C</i>			
NAME	MLamastra	VTherpe	MTokar						
DATE	2/22/94	2/22/94	2/22/94						

C = COVER

E = COVER & ENCLOSURE

N = NO COPY

[G:\kosmider.ml]

9403040124 940222  
PDR ADOCK 04003392  
C PDR

*NFO 13  
110*