

The Light company

Houston Lighting & Power

South Texas Project Electric Generating Station P. O. Box 289 Wadsworth, Texas 77483


March 1, 1994
ST-HL-AE-4706
File No.: G02
10CFR50.36a

U. S. Nuclear Regulatory Commission
Attention: Document Control Desk
Washington, DC 20555

South Texas Project
Units 1 and 2
Docket Nos. STN 50-498, STN 50-499
Annual Radioactive Effluent Release Report for 1993

Pursuant to the South Texas Project Electric Generating Station (STPEGS) Technical Specification 6.9.1.4 and 10CFR50.36a, attached is the Annual Radioactive Effluent Release Report for 1993. The report covers the period from January 1, 1993 to December 31, 1993.

If you have any questions on this matter, please contact Mr. S. M. Head at (512) 972-7136.



J. F. Groth
Vice President,
Nuclear Generation

MKJ/eg

Attachment: Annual Radioactive Effluent Release
Report for 1993.

080065

9403080215 931231
PDR ADDCK 05000498
R PDR

Project Manager on Behalf of the Participants in the South Texas Project

RREP-94-059.001

TE48

Houston Lighting & Power Company
South Texas Project Electric Generating Station

ST-HL-AE-4706
File No.: G02
Page 2

c:

Regional Administrator, Region IV
U. S. Nuclear Regulatory Commission
611 Ryan Plaza Drive, Suite 400
Arlington, TX 76011

Lawrence E. Kokajko
Project Manager
U. S. Nuclear Regulatory Commission
Washington, DC 20555 13H15

David P. Loveless
Sr. Resident Inspector
c/o U. S. Nuclear Regulatory Comm.
P. O. Box 910
Bay City, TX 77404-910

J. R. Newman, Esquire
Newman & Holtzinger, P.C., STE 1000
1615 L Street, N.W.
Washington, DC 20036

K. J. Fiedler/M. T. Hardt
City Public Service
P. O. Box 1771
San Antonio, TX 78296

J. C. Lanier/M. B. Lee
City of Austin
Electric Utility Department
721 Barton Springs Road
Austin, TX 78704

G. E. Vaughn/T. M. Puckett
Central Power and Light Company
P. O. Box 2121
Corpus Christi, TX 78403

Rufus S. Scott
Associate General Counsel
Houston Lighting & Power Company
P. O. Box 61867
Houston, TX 77208

Institute of Nuclear Power
Operations - Records Center
700 Galleria Parkway
Atlanta, GA 30339-5957

Dr. Joseph M. Hendrie
50 Bellport Lane
Bellport, NY 11713

D. K. Lacker
Bureau of Radiation Control
Texas Department of Health
1100 West 49th Street
Austin, TX 78756-3189

HOUSTON LIGHTING AND POWER COMPANY

SOUTH TEXAS PROJECT GENERATING STATION UNIT ONE

LICENSE NO. NPF-76

AND

SOUTH TEXAS PROJECT ELECTRIC GENERATING STATION UNIT TWO

LICENSE NO. NPF-80

ANNUAL RADIOACTIVE EFFLUENT RELEASE REPORT

JANUARY 1, 1993 THROUGH DECEMBER 31, 1993

Prepared by:

Ra Tangliff
Effluent and Waste Management Manager

2/25/94

Date

Reviewed by:

H W Bergdahl
Technical Services Manager

2/25/94

Date

Reviewed by:

Levi Myers
Plant Manager, Unit 1

2/25/94

Date

Reviewed by:

P G Parley
Plant Manager, Unit 2

2/28/94

Date

REPORT SUMMARY

This report summarizes the radioactive liquid and gaseous effluents from the South Texas Project Electric Generating Station for 1993.

The radioactive waste treatment systems at the South Texas Project are designed to collect and process liquid and gaseous wastes which contain radioactivity. Any effluents from the plant are measured by installed plant radiation monitors which continuously monitor the ventilation exhaust points from each unit. Similarly, the liquid discharge line from each unit automatically monitors effluents to the onsite 7,000-acre reservoir. This reservoir is entirely within the owner-controlled area and no public access is permitted. During 1993, no discharges were made to the Colorado River from the reservoir. The radiation monitors and associated sample analyses on the liquid and gaseous systems allow accurate determination of the type and quantities of any radioactive materials released in plant effluents.

Based on the information collected from the monitors and samples, a hypothetical radiation dose to the population in the surrounding area is calculated. These calculations utilize the actual release data and actual meteorological conditions for gaseous effluents. All credible paths for radioactivity to reach an individual, such as the consumption of vegetables from a garden or fish from the river, are factored into the calculation to determine the maximum possible dose a person could receive.

The Annual Radioactive Effluent Release Report for 1993 shows that all effluent releases were well below applicable limits and were consistent with results from previous reporting periods. In 1993, the worst case, or most conservatively calculated dose to a member of the public attributed to the operation of the South Texas Project Electric Generating Station was 0.01 millirem which is only about 0.1% of the established regulatory limit. As a point of reference, the typical annual radiation dose to an individual from natural sources is 300 millirem. The plant operation is consistently controlled to stay well within the limits to ensure maximum protection for the population and the environment.

TABLE OF CONTENTS

SUBJECT	PAGE
1.0 Introduction	1
2.0 Supplemental Information for Effluent and Waste Disposal	1
2.1 Regulatory Limits	1
2.2 Maximum Permissible Concentrations	2
2.3 Average Energy (MeV/Disintegration)	3
2.4 Measurement and Approximations of Total Activity	3
2.5 Batch Releases	7
2.6 Abnormal (Unplanned) Releases	8
2.7 Estimate of Total Error	9
2.8 Solid Waste Shipments	10
2.9 Radiological Impact on Man (ref. Technical Specifications 6.9.1.4)	10
2.10 Meteorological Data	11
2.11 Lower Limit of Detection (LLD)	11
2.12 Dose to Members of the Public from Direct Radiation	12
3.0 Technical Specifications and ODCM Controls Reporting Requirements	12
3.1 Radioactive Waste Treatment System Design Modification Description (ref. ODCM Controls, 6.15)	12
3.2 Inoperable Effluent Monitoring Instrumentation Explanation (ref. ODCM Controls, 6.9.1.4)	13
3.3 Gas Storage Tank Curie Limit Violation Description (ref. ODCM Controls, 6.9.1.4)	13

3.4	Unprotected Outdoor Tank Curie Limit Violation Description (ref. ODCM Controls, 6.9.1.4)	13
3.5	Abnormal (Unplanned) Release Description (ref. ODCM Controls, 6.9.1.4)	14
3.6	Radioactive Waste Process Control Program Changes (ref. Technical Specifications, 6.13)	15
3.7	Offsite Dose Calculation Manual Changes (ref. Technical Specifications, 6.14)	15

LIST OF TABLES

	<u>Page No.</u>
Gaseous Effluents for 1993	16
Liquid Effluents for 1993	26
Solid Waste and Irradiated Fuel Shipments for 1993	35
Dose Accumulations for 1993	36
Joint Frequency Tables for 1993 - First Quarter	44
Joint Frequency Tables for 1993 - Second Quarter	51
Joint Frequency Tables for 1993 - Third Quarter	60
Joint Frequency Tables for 1993 - Fourth Quarter	69
Meteorological Conditions During Batch Releases - First Quarter, 1993	78
Meteorological Conditions During Batch Releases - Second Quarter, 1993	87
Meteorological Conditions During Batch Releases - Third Quarter, 1993	96
Meteorological Conditions During Batch Releases - Fourth Quarter, 1993	97

LIST OF APPENDICES

	PAGE
Appendix A - Results of the Protected Area Direct Radiation Measurement Program	99
Appendix B - Offsite Dose Calculation Manual, Revision 5, Amendment 1	100
Appendix C - Offsite Dose Calculation Manual, Revision 6	116

1.0 Introduction

This Annual Radioactive Effluent Release Report for the period January 1, 1993, through December 31, 1993, is submitted in accordance with Appendix A of License NPF-76 and NPF-80, Technical Specifications and Offsite Dose Calculation Manual (ODCM).

A single submittal is made for both units which combines those sections that are common. Separate tables of releases and release totals are included where separate processing systems exist.

This report includes an annual summary of hourly meteorological measurements taken during each quarter. This data appears as tables of wind direction and wind speed by atmospheric stability class. Hourly meteorological data for batch releases are presented for the period of actual release. All assessments of radiation doses are performed in accordance with the Offsite Dose Calculation Manual (ODCM).

2.0 Supplemental Information for Effluent and Waste Disposal

Unit Number 1

Type: PWR	Houston Lighting & Power Co.
Docket No. 50-498	Power (MWT) - 3800
Cooling Water Source:	Initial Criticality (March 8, 1988)
Main Cooling Reservoir	

Unit Number 2

Type: PWR	Houston Lighting & Power Co.
Docket No. 50-499	Power (MWT) - 3800
Cooling Water Source:	Initial Criticality (March 12, 1989)
Main Cooling Reservoir	

2.1 Regulatory Limits

2.1.1 Fission and activation gases

The air dose due to noble gases released in gaseous effluents from each unit to areas at and beyond the Site Boundary shall be limited to the following:

2.1.1.1 During any calendar quarter: Less than or equal to 5 mrads for gamma radiation and less than or equal to 10 mrads for beta radiation, and

2.1.1.2 During any calendar year: Less than or equal to 10 mrads for gamma radiation and less than or equal to 20 mrads for beta radiations.

2.1.2 Iodines and Particulates, half-lives > 8 days

The dose to a Member of the Public from Iodine-131, Iodine-133, tritium, and all radionuclides in particulate form with half-lives greater than eight days in gaseous effluents released, from each unit, to areas at and beyond the Site Boundary shall be limited to the following:

2.1.2.1 During any calendar year: Less than or equal to 7.5 mrems to any organ; and

2.1.2.2 During any calendar year: Less than or equal to 15 mrems to any organ.

2.1.3 Liquid Effluents

The dose or dose commitment to a Member of the Public from radioactive materials in liquid effluents released from each unit to Unrestricted Areas shall be limited to:

2.1.3.1 During any calendar quarter: Less than or equal to 1.5 mrems to the whole body and to less than or equal to 5 mrems to any organ; and

2.1.3.2 During any calendar years: Less than or equal to 3 mrems to the whole body and to less than or equal to 10 mrems to any organ.

2.2 Maximum Permissible Concentrations

2.2.1 Gaseous Effluents

The dose rate due to radioactive materials released in gaseous effluents from the site to areas at and beyond the Site Boundary shall be limited to the following:

2.2.1.1 For noble gases: Less than or equal to 500 mrems/yr to the whole body and less than or equal to 3000 mrems/yr to the skin; and

2.2.1.2 For Iodine-131, Iodine-133, tritium and all radionuclides in particulate form with half-lives greater than eight days: Less than or equal to 1500 mrems/yr to any organ.

2.2.2 Liquid Effluents

The concentration of radiation material released in liquid effluents to Unrestricted Areas shall be limited to the concentrations specified in 10CFR, Part 20, Appendix B, Table II, Column 2, for radionuclides other than dissolved or entrained noble gases. For dissolved or entrained noble gases, the concentration shall be limited to 2.0E-04 microcurie/mL total activity.

2.3 Average Energy (MeV/Disintegration)

The Average Energy (or E-bar) shall be the average (weighted in proportion to the concentration of each radionuclide in the reactor coolant at the time of sampling) of the sum of the average beta and gamma energies per disintegration for the isotopes other than Iodines, with half-lives greater than 15 minutes, making up at least 95% of the total non-iodine activity in the coolant.

E-bar (MeV/Disintegration)	<u>0.580</u>	Unit 1
	<u>0.250</u>	Unit 2

The average energy (E-bar) of the radionuclide mixture in releases of fission and activation gases follows:

E-bar (MeV/Disintegration)	<u>0.185</u>	Unit 1
	<u>0.185</u>	Unit 2

2.4 Measurement and Approximations of Total Activity

The following discussions detail the methods used to measure and approximate total activity for the following:

- 2.4.1 Fission and Activation Gases
- 2.4.2 Iodines
- 2.4.3 Particulates
- 2.4.4 Liquid Effluents

Tables A3-1 and A4-1 of the STPEGS Offsite Dose Calculation Manual (ODCM) give sampling frequencies and lower limit of detection requirements for the analysis of liquid and gaseous effluent streams.

2.4.5 Gaseous Effluents

2.4.5.1 Fission and Activation Gases

The following noble gases are considered in evaluating gaseous airborne discharges:

Ar-41	Xe-131m
Kr-83m	Xe-133m
Kr-85m	Xe-133
Kr-85	Xe-135m
Kr-87	Xe-135
Kr-88	Xe-137
Kr-89	Xe-138
Kr-90	

2.4.5.2 Iodines and Particulates

The radioiodines and radioactive materials in particulate forms to be considered are:

Cr-51	Sb-124	H-3
Mn-54	I-131	Mo-99
Fe-59	I-133	
Co-58	Cs-134	
Co-60	Cs-136	
Zn-65	Cs-137	
Sr-89	Ba-140	
Sr-90	Ce-141	
Zr-95	Ce-144	

Other nuclides with half-lives greater than 8 days

2.4.5.3 Analytical Methods

a. Batch Gaseous Releases

Pre-release grab samples from the plant Reactor Containment Building atmosphere, prior to issuance of weekly permits and pre-release grab samples from the RCS Vacuum Degassing System are analyzed on a Gamma Spectroscopy System utilizing high purity germanium detectors (HPGe) for noble gas, iodine and particulate activity.

The radionuclide values obtained are used in conjunction with the gross noble gas release rate monitoring data collected by the radiation monitoring system to estimate the release rate of each radionuclide in the effluent streams.

b. Continuous Gaseous Releases

Periodic noble gas and tritium grab samples are taken from the continuous release points (i.e., the Unit Vent, the Condenser Air Removal System Exhaust, and secondary steam leakage). Continuous sampling for particulates and iodine is also performed on the effluent streams. These samples are analyzed for gross alpha and gamma radionuclides, as described above for batch releases. Strontium-89 and Strontium-90 analysis is performed by an offsite laboratory.

2.4.6 Liquid Effluents

The radionuclides listed below are considered when evaluating liquid effluents:

H-3	Y-90	I-133
Na-24	Y-91m	I-134
Cr-51	Y-91	I-135
Mn-54	Y-93	Cs-134
Fe-55	Zr-95	Cs-136
Fe-59	Nb-95	Cs-137
Co-58	Mo-99	Cs-138
Co-60	Tc-99m	Ba-139
Ni-65	Tc-101	Ba-140

Cu-64	Ru-105	Ba-141
Zn-65	Ru-106	La-140
Zn-69	Ag-110m	La-142
Br-83	Te-125m	Ce-141
Br-84	Te-127m	Ce-143
Br-85	Te-127	Ce-144
Rb-86	Te-129m	Pr-143
Rb-88	Te-129	Pr-144
Rb-89	Te-131m	Nd-147
Sr-89	Te-131	W-187
Sr-90	Te-132	Np-239
Sr-91	I-130	Other *
Sr-92	I-131	ALPHA (Gross Alpha)
	I-132	Xe-133
		Other Noble Gases

*Other identified radionuclides

2.4.6.1 Analytical Methods

a. Liquid Releases

Liquid effluents that are processed by the liquid waste processing system are released as batches. Liquid effluents that are due to primary to secondary leakage or other plant operations are released as continuous releases. For batch releases, representative pre-release grab samples are taken and analyzed in accordance with Table A3-1 of the ODCM. For continuous releases, representative samples are collected weekly and analyzed. Radionuclide analyses are performed using the Gamma Spectroscopy System. Aliquots of each pre-release batch sample and of representative samples for continuous releases are composited in accordance with the requirements in Table A3-1 of the ODCM. Gross alpha determinations are made using a Gas-Flow Proportional Counting System. Tritium concentrations are determined using Liquid Scintillation Counting techniques. Dissolved and entrained gas concentrations are determined by counting grab samples on the Gamma Spectroscopy System. Strontium-89, Strontium-90, and Iron-55 determinations are performed by an offsite laboratory. The radionuclide concentrations obtained are used with the flow total for each batch release.

2.5 Batch Releases

Liquid and gaseous summaries are compiled from permits generated using the Nuclear Data Effluent Management System and plant procedures. Liquid batch releases are accounted for by individual permits. Gaseous batch releases are accounted for by weekly permits. Batch times represent the actual period of releases.

2.5.1 Liquid (Unit 1)

Liquid (Unit 1)	Quarter 1	Quarter 2	Quarter 3	Quarter 4
a. Number of batch releases	113	69	84	77
b. Total time period for batch releases (min.)	5873	3245	3971	3521
c. Maximum time period for a batch release (min.)	64	52	52	55
d. Average time period for batch releases (min.)	52	47	47	46
e. Minimum time period for a batch release (min.)	32	29	34	1

2.5.2 Gaseous (Unit 1)

Gaseous (Unit 1)	Quarter 1	Quarter 2	Quarter 3	Quarter 4
a. Number of batch releases	37	10	25	12
b. Total time period for batch releases (min.)	1011	1790	34022	25211
c. Maximum time period for a batch release (min.)	259	1179	8035	7300
d. Average time period for batch releases (min.)	27	179	1360	2101
e. Minimum time period for a batch release (min.)	5	11	5	12

2.5.3 Liquid (Unit 2)

Liquid (Unit 2)	Quarter 1	Quarter 2	Quarter 3	Quarter 4
a. Number of batch releases	111	77	59	44
b. Total time period for batch releases (min.)	5779	3516	2793	1938
c. Maximum time period for a batch release (min.)	62	53	53	53
d. Average time period for batch releases (min.)	52	46	47	44
e. Minimum time period for a batch release (min.)	1	8	34	28

2.5.4 Gaseous (Unit 2)

Gaseous (Unit 2)	Quarter 1	Quarter 2	Quarter 3	Quarter 4
a. Number of batch releases	79	23	11	8
b. Total time period for batch releases (min.)	27097	54344	25634	12489
c. Maximum time period for a batch release (min.)	7814	8177	7510	8490
d. Average time period for batch releases (min.)	343	2363	2330	1561
e. Minimum time period for a batch release (min.)	5	1	15	1

2.6 Abnormal (Unplanned) Releases

2.6.1 Liquid (Unit 1)

Liquid (Unit 1)	Quarter 4 1992	Quarter 1 1993	Quarter 2 1993	Quarter 3 & 4 1993
a. Number of releases	5	2	1	0
b. Total activity released (curies)	3.59E+00	8.49-01	4.01E-01	0.00E+00

2.6.2 Gaseous (Unit 1)

Gaseous (Unit 1)	Quarter 1	Quarter 2	Quarter 3	Quarter 4
a. Number of releases	0	0	0	0
b. Total activity released (curies)	0.00E+00	0.00E+00	0.00E+00	0.00E+00

2.6.3 Liquid (Unit 2)

Liquid (Unit 2)	Quarter 1	Quarter 2	Quarter 3	Quarter 4
a. Number of releases	0	0	0	0
b. Total activity released (curies)	0.00E+00	0.00E+00	0.00E+00	0.00E+00

2.6.4 Gaseous (Unit 2)

Gaseous (Unit 2)	Quarter 1	Quarter 2	Quarter 3	Quarter 4
a. Number of releases	0	0	0	0
b. Total activity released (curies)	0.000E+00	0.000E+00	0.000E+00	0.000E+00

2.7 Estimate of Total Error

2.7.1 Liquid

2.7.1.1 The maximum error associated with volume and flow measurements, based upon plant calibration practice, is estimated to be $\pm 1.27\%$. The error associated with the flow measurement is small in relation to the counting uncertainty of the radionuclide concentration analysis.

2.7.1.2 The average uncertainty associated with counting measurements is 10% or less at the 95% confidence level.

2.7.1.3 The error associated with dilution volume is estimated to be $\pm 10\%$.

2.7.2 Gaseous

- 2.7.2.1 The maximum error associated with monitor readings, sample flow, vent flow, sample collection, monitor calibration and laboratory procedures are collectively estimated to be:

Fission and Activation Gases	$\pm 25\%$
Iodines	$\pm 25\%$
Particulates	$\pm 25\%$
Tritium	$\pm 25\%$

- 2.7.2.2 The average uncertainty associated with counting measurements is 10% or less at the 95% confidence level for fission and activation gases, iodines, particulates and tritium.

2.7.3 Solid Radioactive Waste

The error associated in determining the contents and volume of solid radwaste shipments is estimated to be $\pm 5\%$ and $\pm 1\%$, respectively. The exception to this estimate of error is the Curie content error associated with the disposal of one shipment of irradiated components during 1993. This content was calculated in a conservative fashion such that an error of -25% is estimated. Curie content for this shipment was not underestimated.

2.8 Solid Waste Shipments

A total of twenty-one (21) shipments of radioactive dry active waste and resin were made during the reporting period. A summary of the data is provided in the Solid Waste and Irradiated Fuel Shipments Table.

2.9 Radiological Impact on Man (ref. Technical Specifications 6.9.1.4)

The data for the period January 1, 1993, through December 31, 1993, is provided in the Dose Accumulation and the Summary of Direct Radiation Table (Appendix A). The following dilution factors and dilution water flows were used for assessing the radiation doses due to radioactive liquid effluents released to Unrestricted Areas.

Receptor Location	M ODCM Dilution Factor	Dilution Water Flow cfs	Dilution Water Flow L/yr	Dilution Water Flow L/Quarter
Colorado River	1.0	600	5.36E+11	1.34E+11
Matagorda Bay	163	97800	8.73E+13	2.18E+13
Little Robbins Area	0.0305	18.3	1.63E+10	4.08E+09

The dilution water flow that should be used to estimate the individual dose due to ingestion of saltwater fish and saltwater invertebrates (shrimp) harvested from the Colorado River would be 5.36E+11 liters per year for the years of 1989 through 1994. The dilution water flow that should be used to estimate the individual dose due to ingestion of saltwater fish and saltwater invertebrates harvested from the Matagorda Bay would be 8.73E+13 liters per year for the years of 1993 and 1994 as the result of a diversion channel that routes the Colorado River into Matagorda Bay. The dilution water flow that should be used to estimate the individual dose due to ingestion of freshwater fish from Little Robbins Slough Area would be 1.63E+10 liters per year for the years 1989 through 1994. These dilution water flows were used for estimating individual dose due to shoreline deposits. The radioactivity reported in Liquid Effluent Tables was using ODCM Table B4-1, Radionuclide Fraction Leaving STPEGS Via Liquid Routes, in order to estimate the doses due to liquid effluents.

2.10 Meteorological Data

The 1993 meteorological data is presented in the form of joint frequency tables. Each quarter contains eight tables, one for each stability class and one for all classes combined. A second set of joint frequency tables is provided for time periods when the gaseous effluent release rate was significantly higher than normal. Typical noble gas release rates seldom exceed 10 uCi/sec, so these tables contain meteorological conditions during periods when the noble gas release rate exceed 10 uCi/sec. These tables also contain meteorological conditions during periods of significant radioiodine and radioactive particulate releases.

2.11 Lower Limit of Detection (LLD)

The LLD (an a priori limit) is defined as the smallest concentration of radioactive material in a sample that will yield a net count above system background that will be detected with 95% probability, and only a 5% probability of falsely concluding that a blank observation represents a "real" signal. A 0 value in the attached tables indicates no activity detected.

2.12 Dose to Members of the Public from Direct Radiation

The Off-site Dose Calculation Manual (ODCM) includes the direct radiation from plant structures as a component of the dose to a hypothetical, highest exposed Member of the Public due to plant operations. The ODCM allows measurements made near plant structures to be used in these calculations following suitable adjustments for distance and exposure time. In 1993, numerous TLDs were placed along the fence to the protected area surrounding Units 1 and 2 of STPEGS. The results of these measurements are shown in Appendix A. The net dose rate values in the table show what dose rate can be attributed to STPEGS operation in excess of the natural radiation dose rate which existed in the area of STPEGS prior to plant construction (base background dose rate calculated from 1986 site perimeter TLD data). Using the time a Member of the Public might be exposed and the distance to the exposure location, doses to hypothetical Members of the Public can be estimated. The ODCM requires examination of three such individuals: a Member of the Public who drives past STPEGS while commuting to work, a Member of the Public who visits the STPEGS Visitor's Center, and a Member of the Public who tours the site outside the protected area fence.

In 1993, no station measured exposure was greater than the natural background in the vicinity of STPEGS that was determined prior to operation. The highest hypothetical exposure to a Member of the Public was estimated for an individual who toured the site and spent 0.5 hours near the security fence. The radiation dose to this individual was less than 0.0005 mrem and was calculated as follows:

$$0.001 \text{ mrem/hour} * 0.5 \text{ hours/tour} = 0.0005 \text{ mrem}$$

0.001 mrem/hour = sensitivity of detection over a 91-day quarter.

0.5 hours/tour = time spent near the security fence.

3.0 Technical Specifications and ODCM Controls Reporting Requirements

3.1 Radioactive Waste Treatment System Design Modification Description (ref. ODCM Controls, 6.15)

No major design modifications were made to the liquid, gaseous, or solid radioactive waste treatment systems during this reporting period.

3.2 Inoperable Effluent Monitoring Instrumentation Explanation (ref. ODCM Controls, 6.9.1.4)

Explanations of why inoperable liquid and/or gaseous effluent monitoring instrumentation were not corrected within the time specified in Sections 3.3.3.10 or 3.3.3.11 of ODCM Controls are as follows:

3.2.1 Condenser Vacuum Pump Wide Range Gas Monitors, N1RA-RT-8027/N2RA-RT-8027

Condenser Vacuum Pump Wide Range Gas Monitors process flow channels N1RA-RT-8027A and N2RA-RT-8027A were removed from service on November 1, 1988, at 0100. Since the problems with the monitors were not repaired within 30 days, the following is provided as an explanation:

The Condenser Vacuum Pump Wide Range Gas Monitors N1RA-RT-8027 and N2RA-RT-8027 have similar problems with the process flow stream. In both units, the actual process flowrate is less than the range of the design process flowmeter. Process flow estimates have been used during this period. Plant Modifications 89-066 and 89-067 were approved to reroute the condenser vacuum exhaust to the respective unit vent. These modifications eliminate RT-8027 as an effluent monitor in both units based on the fact that the unit vent monitor will now quantify this pathway and provide a total process flow measurement. This configuration will apply to the 1994 reporting period. Plant Modification 89-066 (Unit 1) has been completed and placed in service. Plant Modification 89-067 is to be completed prior to Unit 2 startup.

3.3 Gas Storage Tank Curie Limit Violation Description (ref. ODCM Controls, 6.9.1.4)

The RCS Vacuum Degassing System was not used during this reporting period. Therefore, the quantity of radioactive material in the RCS Vacuum Degassing System Storage Tanks did not exceed the limits set forth in Section 3.11.2.6 of Technical Specifications.

3.4 Unprotected Outdoor Tank Curie Limit Violation Description (ref. ODCM Controls, 6.9.1.4)

There are no Unprotected Outdoor Tanks at STPEGS.

3.5 Abnormal (unplanned) Release Description (ref ODCM 6.9.1.4)

The following is a list of abnormal releases of liquid radioactive waste from STPEGS Unit 1 Waste Monitor Tank 1C to UNRESTRICTED AREAS that were investigated during this reporting period.

PERMIT NUMBER	DATE/TIME INITIATED	DURATION MINUTES
920303.003.016	10/13/92 16:17	51
920345.003.034	11/01/92 01:00	49
920346.003.035	11/01/92 20:13	48
920350.003.038	11/04/92 10:29	50
920352.003.039	11/05/92 13:00	47
930061.003.006	02/23/93 08:26	44
930106.003.020	03/23/93 13:22	47
930114.003.024	04/02/93 06:00	39

On April 29, 1993, local samples collected from Waste Monitor Tank 1C (WMT 1C) were found to be non-representative of the tank's contents. ODCM Section 4.11.1.1.1 requires that radioactive liquid wastes be sampled and analyzed according to the sampling and analysis program specified in ODCM Table A3-1. Table A3-1 requires that the waste monitor tanks and laundry and hot shower tanks be sampled and analyzed prior to each release. The description, cause, and analysis of these abnormal releases were documented by STPEGS Station Problem Report No. 931509. Waste Monitor Tank 1C was used to discharge radioactive liquids, primarily low activity laundry water, to the Main Cooling Reservoir in accordance with OPSP07-WL-0005, Waste Monitor Tank Liquid Batch Effluent Release, during the period September 22, 1992, through April 29, 1993. The investigation indicated that on the eight occasions listed above, Waste Monitor Tank 1C was sampled from a nonrepresentative local sample point and released. Since July 1992, the method of processing the laundry and hot shower tank was only through WMT 1C, and sample collection was performed at Sample Panel ZLP-131 in accordance with IPCP07-ZS-0010, Waste Monitor Tank Sampling. Shortly after implementing this liquid waste processing method, the normal sample line for WMT 1C leading to the Sample Panel ZLP-131 became clogged causing the chemistry technicians to collect local grab samples. A sample point which was not representative of the waste actually released from WMT 1C was used for the grab samples. These releases were considered abnormal because the actual radioactive concentrations in WMT 1C were not established prior to its release.

Based on followup evaluations of the reactor coolant system isotopic activity and the liquid processing system decontamination factors, we determined that the Technical Specifications, Offsite Dose Calculation Manual Controls, and Code of Federal Regulations limits were not exceeded. As a result of these abnormal releases, appropriate changes in the Chemical Analysis Technician Training Program were made, and chemical analysis procedures for sampling and release of waste monitor tanks were evaluated and changed.

3.6 Radioactive Waste Process Control Program Changes (ref. Technical Specifications 6.13)

There were no changes to the Radioactive Waste Process Control Program (PCP) during this reporting period. The procedure that controls the program, 0PGP03-ZO-0017, Radioactive Waste Process Control Program, was revised during 1993. This procedure revision did not affect the methods employed in the processing and packaging of wet and dry radioactive wastes.

3.7 Offsite Dose Calculation Manual Changes (ref. Technical Specifications, 6.14)

3.7.1 Revision 5, Amendment 1, to Part A of the ODCM, primarily involved deletions to appropriate portions of the tables listing channel operability, instrument surveillance requirements, and sampling and analysis programs as they pertain to Condenser Vacuum Pump Wide Range Gas Monitors, N1RA-RT-8027 and N2RA-RT-8027. Condenser vacuum pump exhaust for Unit 1 has been rerouted to the unit vent. A similar modification for the Unit 2 exhaust will be completed prior to Unit 2 startup.

Pages in Part A of the ODCM that were affected by Revision 5, Amendment 1, are provided in Appendix B.

3.7.2 Revision 6 to Parts A and B of the ODCM primarily involved changes necessary for the implementation of the revised 10CFR20. In order to conform to the revised 10CFR20, all references to Maximum Permissible Concentrations (MPCs) have been changed to reference Effluent Concentrations (ECs) for liquid effluents. The controls of Part A of the ODCM and the calculations of Part B now reflect a change from one MPC to ten ECs as the liquid effluent release limit for STPEGS.

Other changes in Revision 6 included minor changes to the Land Use Census data, correction of typographical errors, format changes to tables used in the Radiological Environmental Monitoring Program, revision

of text pertaining to the annual submittal of the Radioactive Effluent Release Report rather than on a semiannual basis, and other minor text and table changes.

Revision 6 to the ODCM with an effective date of January 1, 1994, is included in its entirety in Appendix C.

3.8 New Land Use Census Location Identification (ref. ODCM 3.12.2.a)

A new resident for the SSE sector at 4.3 miles has been identified by the 1993 Land Use Census. The ODCM and the Radiation Monitoring Computer, RM21A, were updated by adding the new resident's location.

3.9 ODCM Noncompliance

A noncompliance with ODCM Controls 3.3.3.11 was discovered with the Action requirement of Unit 1 unit vent noble gas grab samples being taken at least once per 12 hours not being met within the specified time intervals. The 12 hour noble gas grab sample which was due at 07:45 on September 9, 1993 was not obtained until 07:47 on September 9, 1993. The unit vent noble gas activity monitor was declared inoperable for a digital channel operational test. The description and actions taken for this ODCM noncompliance were documented by STPEGS Station Problem Report 932657. The immediate compensatory action was to change the noble gas grab sample collection frequency to once per 8 hours versus the listed action of ODCM Table 3.3-13 ACTION 49 of once per 12 hours. Based on review of Unit Vent Permit 930058.026.038 processed in accordance with OPSP07-VE-0005, Unit Vent Effluent Permit the dose rate limits of ODCM Control 3.11.2.1 were not exceeded. The Technical Specifications, Offsite Dose Calculation Manual, and Code of Federal Regulations limits were not exceeded.

A deviation from the prescribed sampling criteria of ODCM Control 3.11.2.1, Table A4-1, occurred on footnote (4). This table notation states "Tritium grab samples shall be taken at least once per 24 hours when the refueling canal is flooded." The ODCM implementing procedure for this sampling criteria, OPSP07-VE-0003, Unit Vent Noble Gas, Tritium, and Alpha Analysis, indicates that the refueling canal is flooded when the refueling canal contains water and is in hydraulic contact with the fuel transfer canal. A STPEGS Station Problem Report 933088 was written to investigate the origin of this surveillance and to ascertain the critical nature of the 24 hour surveillance period. Based on the results of the investigation, an ODCM revision has been initiated to focus the sampling criteria on a changing source term rather than a set periodicity and to provide additional guidance on the initiating conditions that warrant tritium sampling. The proposed amendment to ODCM, Revision 6 is scheduled for implementation in April 1994.

GASEOUS EFFLUENTS
FOR 1993

SITE: South Texas Project Electric Generating Station
UNIT: 1 YEAR: 1993

ANNUAL SUMMATION OF ALL RELEASES BY QUARTER
ALL AIRBORNE EFFLUENTS
Unit: 1

HOUSTON LIGHTING & POWER
ANNUAL SUMMATION OF ALL RELEASES BY QUARTER
ALL AIRBORNE EFFLUENTS

SITE: South Texas Project Electric Generating Station
UNIT: 1
YEAR: 1993

REPORT CATEGORY : ANNUAL AIRBORNE GROUND LEVEL CONTINUOUS AND
TYPE OF ACTIVITY : BATCH RELEASES. TOTALS FOR EACH NUCLIDE RELEASED.
REPORTING PERIOD : FISSION GASES, IODINES, AND PARTICULATES
: QUARTER # 3 AND QUARTER # 4 YEAR 1993

NUCLIDES RELEASED	UNIT	CONTINUOUS MODE		BATCH MODE	
		QUARTER 3	QUARTER 4	QUARTER 3	QUARTER 4
FISSION GASES					
TOTAL FOR PERIOD	CURIES	0.00E+00	0.00E+00	0.00E+00	0.00E+00
PARTICULATES					
CO-60	CURIES	3.66E-05	1.12E-05	0.00E+00	0.00E+00
TOTAL FOR PERIOD	CURIES	3.66E-05	1.12E-05	0.00E+00	0.00E+00
OTHER					
H-3	CURIES	1.27E+00	4.34E-01	1.02E-01	5.73E-02
TOTAL FOR PERIOD	CURIES	1.27E+00	4.34E-01	1.02E-01	5.73E-02

SITE: South Texas Project Electric Generating Station
UNIT: 2
YEAR: 1993

HOUSTON LIGHTING & POWER
ANNUAL SUMMATION OF ALL RELEASES BY QUARTER
ALL AIRBORNE EFFLUENTS

Unit: 2

Starting : 1-Jan-1993 Ending : 30-Jun-1993

TYPE OF EFFLUENT	UNITS	QUARTER 1	QUARTER 2	EST. TOT	ERROR %
A. FISSION & ACTIVATION PRODUCTS					
1. TOTAL RELEASE	CURIES	7.913E+00	9.972E+00	25	
2. AVERAGE RELEASE RATE FOR PERIOD	$\mu\text{Ci/sec}$	1.018E+00	1.268E+00		
3. PERCENT OF LIMIT ($2.70\text{E}+05 \mu\text{Ci/sec}$) %		3.769E-04	4.697E-04		
B. RADIOIODINES					
1. TOTAL IODINE-131 + IODINE-133	CURIES	4.265E-06	1.689E-06	25	
2. AVERAGE RELEASE RATE FOR PERIOD	$\mu\text{Ci/sec}$	5.485E-07	2.148E-07		
3. PERCENT OF LIMIT ($4.00\text{E}-02 \mu\text{Ci/sec}$) %		1.371E-03	5.371E-04		
C. PARTICULATES					
1. PARTICULATES(HALF-LIVES>8 DAYS)	CURIES	3.224E-04	1.550E-04	25	
2. AVERAGE RELEASE RATE FOR PERIOD	$\mu\text{Ci/sec}$	4.146E-05	1.972E-05		
3. PERCENT OF LIMIT ($3.00\text{E}-01 \mu\text{Ci/sec}$) %		1.382E-02	6.575E-03		
4. GROSS ALPHA RADIOACTIVITY	CURIES	0.000E+00	0.000E+00		
D. TRITIUM					
1. TOTAL RELEASE	CURIES	6.250E+00	1.096E-02	25	
2. AVERAGE RELEASE RATE FOR PERIOD	$\mu\text{Ci/sec}$	8.038E-01	1.394E-03		
3. PERCENT OF LIMIT ($1.80\text{E}+05 \mu\text{Ci/sec}$) %		4.465E-04	7.749E-07		

SITE: South Texas Project Electric Generating Station
UNIT: 2
YEAR: 1993

REPORT CATEGORY : ANNUAL AIRBORNE GROUND LEVEL CONTINUOUS AND
TYPE OF ACTIVITY : BATCH RELEASES. TOTALS FOR EACH NUCLIDE RELEASED.
REPORTING PERIOD : FISSION GASES, IODINES, AND PARTICULATES
: QUARTER # 1 AND QUARTER # 2 YEAR 1993

NUCLIDES RELEASED	UNIT	CONTINUOUS MODE		BATCH MODE	
		QUARTER 1	QUARTER 2	QUARTER 1	QUARTER 2
FISSION GASES					
AR-41	CURIES	0.00E+00	0.00E+00	4.25E-02	0.00E+00
XE-133	CURIES	7.490E+00	9.97E+00	3.79E-01	0.00E+00
XE-133M	CURIES	0.00E+00	0.00E+00	1.26E-03	0.00E+00
XE-135	CURIES	0.00E+00	0.00E+00	4.81E-04	0.00E+00
TOTAL FOR PERIOD	CURIES	7.49E+00	9.97E+00	4.23E-01	0.00E+00
IODINES					
I-131	CURIES	2.16E-06	1.68E-06	1.31E-06	0.00E+00
I-133	CURIES	1.65E-07	0.00E+00	6.24E-07	0.00E+00
TOTAL FOR PERIOD	CURIES	2.32E-06	1.68E-06	1.93E-06	0.00E+00
PARTICULATES					
CO-57	CURIES	1.04E-06	3.30E-08	0.00E+00	0.00E+00
CO-58	CURIES	1.43E-04	1.24E-05	0.00E+00	0.00E+00
CO-60	CURIES	4.76E-05	1.45E-06	3.39E-08	1.37E-04
CR-51	CURIES	8.44E-05	2.60E-06	0.00E+00	0.00E+00
FE-59	CURIES	9.73E-06	3.08E-07	0.00E+00	0.00E+00
MN-54	CURIES	1.54E-05	4.90E-07	0.00E+00	0.00E+00
NB-95	CURIES	1.19E-05	3.79E-07	0.00E+00	0.00E+00
ZR-95	CURIES	8.39E-06	2.66E-07	0.00E+00	0.00E+00
TOTAL FOR PERIOD	CURIES	3.22E-04	1.80E-05	3.39E-08	1.37E-04
OTHER					
H-3	CURIES	6.06E+00	0.00E+00	1.83E-01	1.09E-02
TOTAL FOR PERIOD	CURIES	6.06E+00	0.00E+00	1.83E-01	1.09E-02

HOUSTON LIGHTING & POWER
ANNUAL SUMMATION OF ALL RELEASES BY QUARTER
ALL AIRBORNE EFFLUENTS

SITE: South Texas Project Electric Generating Station
UNIT: 2
YEAR: 1993

REPORT CATEGORY : ANNUAL AIRBORNE GROUND LEVEL CONTINUOUS AND
TYPE OF ACTIVITY : BATCH RELEASES. TOTALS FOR EACH NUCLIDE RELEASED.
REPORTING PERIOD : FISSION GASES, IODINES, AND PARTICULATES
: QUARTER # 3 AND QUARTER # 4 YEAR 1993

NUCLIDES RELEASED	UNIT	CONTINUOUS MODE		BATCH MODE	
		QUARTER 3	QUARTER 4	QUARTER 3	QUARTER 4
FISSION GASES					
XE-133	CURIES	0.00E+00	0.00E+00	0.00E+00	0.00E+00
TOTAL FOR PERIOD	CURIES	0.00E+00	0.00E+00	0.00E+00	0.00E+00
PARTICULATES					
CO-58	CURIES	1.11E-06	0.00E+00	0.00E+00	0.00E+00
CO-60	CURIES	1.47E-06	1.22E-06	0.00E+00	0.00E+00
TOTAL FOR PERIOD	CURIES	2.58E-06	1.22E-06	0.00E+00	0.00E+00
OTHER					
H-3	CURIES	0.00E+00	1.44E-01	3.89E-02	1.14E-02
TOTAL FOR PERIOD	CURIES	0.00E+00	1.44E-01	3.89E-02	1.14E-02

LIQUID EFFLUENTS
FOR 1993

HOUSTON LIGHTING & POWER

ANNUAL SUMMATION OF ALL RELEASES BY QUARTER

ALL LIQUID EFFLUENTS

Unit 1

Starting : 1-Jan-1993 Ending : 30-Jun-1993

HOUSTON LIGHTING & POWER

ANNUAL SUMMATION OF ALL RELEASES BY QUARTER
ALL LIQUID EFFLUENTS

Unit : 1

Starting : 1-Jul-1993 Ending : 31-Dec-1993

HOUSTON LIGHTING & POWER

ANNUAL SUMMATION OF ALL RELEASES BY QUARTER
ALL LIQUID EFFLUENTS

Unit 2

Starting : 1-Jan-1993 Ending : 30-Jun-1993

SITE: South Texas Project Electric Generating Station
UNIT: 2
YEAR: 1993

REPORT CATEGORY : ANNUAL LIQUID CONTINUOUS AND BATCH RELEASES
TYPE OF ACTIVITY : TOTALS FOR EACH NUCLIDE RELEASED.
REPORTING PERIOD : ALL RADIONUCLIDES
: QUARTER # 1 AND QUARTER # 2 YEAR 1993

NUCLIDE	UNIT	CONTINUOUS RELEASES		BATCH RELEASES	
		QUARTER 1	QUARTER 2	QUARTER 1	QUARTER 2
ALL NUCLIDES					
AG-110M	CURIES	0.00E+00	0.00E+00	7.77E-04	1.63E-05
AR-41	CURIES	0.00E+00	0.00E+00	3.06E-05	0.00E+00
CO-57	CURIES	0.00E+00	0.00E+00	3.03E-04	1.85E-05
CO-58	CURIES	0.00E+00	0.00E+00	1.74E-02	4.26E-03
CO-60	CURIES	0.00E+00	0.00E+00	5.19E-02	3.14E-03
CR-51	CURIES	0.00E+00	0.00E+00	2.22E-03	1.47E-04
CS-134	CURIES	0.00E+00	0.00E+00	5.60E-04	8.73E-05
CS-137	CURIES	0.00E+00	0.00E+00	1.02E-03	1.65E-04
FE-55	CURIES	0.00E+00	0.00E+00	1.19E-01	1.64E-02
FE-59	CURIES	0.00E+00	0.00E+00	6.89E-04	5.64E-05
H-3	CURIES	4.93E-03	0.00E+00	1.09E+02	1.46E+00
KR-85	CURIES	0.00E+00	0.00E+00	8.73E-04	0.00E+00
KR-85M	CURIES	0.00E+00	0.00E+00	2.19E-04	0.00E+00
KR-88	CURIES	0.00E+00	0.00E+00	1.22E-05	0.00E+00
MN-54	CURIES	0.00E+00	0.00E+00	1.07E-02	1.07E-03
NB-95	CURIES	0.00E+00	0.00E+00	1.90E-04	4.87E-05
NB-97	CURIES	0.00E+00	0.00E+00	5.05E-05	0.00E+00
OTHER	CURIES	0.00E+00	0.00E+00	0.00E+00	9.28E-06
SB-124	CURIES	0.00E+00	0.00E+00	2.03E-04	1.34E-04
SB-125	CURIES	0.00E+00	0.00E+00	1.21E-03	6.73E-04
SN-113	CURIES	0.00E+00	0.00E+00	2.61E-05	0.00E+00
XE-131M	CURIES	0.00E+00	0.00E+00	6.57E-03	0.00E+00
XE-133	CURIES	0.00E+00	0.00E+00	1.07E+00	0.00E+00
XE-133M	CURIES	0.00E+00	0.00E+00	1.81E-02	0.00E+00
XE-135	CURIES	0.00E+00	0.00E+00	3.02E-02	0.00E+00
ZN-65	CURIES	0.00E+00	0.00E+00	1.54E-04	0.00E+00
ZR-95	CURIES	0.00E+00	0.00E+00	1.21E-05	6.07E-06
TOTAL FOR PERIOD	CURIES	4.93E-03	0.00E+00	1.11E+02	1.48E+00

HOUSTON LIGHTING & POWER

ANNUAL SUMMATION OF ALL RELEASES BY QUARTER
ALL LIQUID EFFLUENTS

Unit: 2

Starting : 1-Jul-1993 Ending : 31-Dec-1993

SITE: South Texas Project Electric Generating Station
UNIT: 2
YEAR: 1993

REPORT CATEGORY : ANNUAL LIQUID CONTINUOUS AND BATCH RELEASES
TYPE OF ACTIVITY : TOTALS FOR EACH NUCLIDE RELEASED.
REPORTING PERIOD : ALL RADIONUCLIDES
: QUARTER # 3 AND QUARTER # 4 YEAR 1993

NUCLIDE	UNIT	CONTINUOUS RELEASES		BATCH RELEASES	
		QUARTER 3	QUARTER 4	QUARTER 3	QUARTER 4
ALL NUCLIDES					
AG-110M	CURIES	0.00E+00	0.00E+00	1.12E-03	1.36E-03
CO-57	CURIES	0.00E+00	0.00E+00	5.61E-05	2.54E-04
CO-58	CURIES	0.00E+00	0.00E+00	4.26E-03	1.03E-02
CO-60	CURIES	0.00E+00	0.00E+00	6.60E-03	1.31E-02
CR-51	CURIES	0.00E+00	0.00E+00	6.60E-05	0.00E+00
CS-134	CURIES	0.00E+00	0.00E+00	8.94E-06	4.54E-05
CS-137	CURIES	0.00E+00	0.00E+00	2.93E-05	1.10E-04
FE-55	CURIES	0.00E+00	0.00E+00	5.91E-03	1.34E-02
FE-59	CURIES	0.00E+00	0.00E+00	3.05E-05	0.00E+00
H-3	CURIES	0.00E+00	0.00E+00	3.99E-01	7.44E-01
MN-54	CURIES	0.00E+00	0.00E+00	7.46E-04	7.82E-04
NB-95	CURIES	0.00E+00	0.00E+00	5.51E-05	3.45E-05
OTHER	CURIES	0.00E+00	0.00E+00	2.29E-06	0.00E+00
SB-124	CURIES	0.00E+00	0.00E+00	2.75E-04	1.33E-06
SB-125	CURIES	0.00E+00	0.00E+00	2.82E-03	2.57E-04
ZR-95	CURIES	0.00E+00	0.00E+00	4.70E-05	2.28E-06
TOTAL FOR PERIOD	CURIES	0.00E+00	0.00E+00	4.22E-01	7.84E-01

SOLID WASTE AND IRRADIATED FUEL SHIPMENTS

1993

EFFLUENT AND WASTE DISPOSAL

1993 ANNUAL REPORT

SOLID WASTE AND IRRADIATED FUEL SHIPMENTS

A. SOLID WASTE SHIPPED OFFSITE FOR BURIAL OR DISPOSAL (Not Irradiated Fuel)

1. Type of Waste	Unit	12-Month Period	Est. Total Error, %
a. Spent resins, filter sludges, evaporator bottoms, etc.	m ³ Ci	2.77 E+01 4.23 E+02	± 1.0 E+00 ± 5.0 E+00
b. Dry compressible waste, contaminated equip., etc.	m ³ Ci	2.79 E+01 1.53 E+00	± 1.0 E+00 ± 5.0 E+00
c. Irradiated components, control rods, etc.	m ³ Ci	6.20 E-01 5.88 E+03	± 1.0 E+00 - 2.5 E+01
d. Other (describe)	m ³ Ci	0.00 E00 0.00 E00	N/A

2. Estimate of major nuclide composition (by type of waste)

a. Fe-55	%	6.87 E+01
Ni-63	%	2.01 E+01
Co-60	%	8.30 E+00
Co-58	%	2.06 E+00
b. Fe-55	%	6.45 E+01
Co-60	%	1.15 E+01
Co-58	%	6.80 E+00
Ni-63	%	6.24 E+00
Cr-51	%	5.17 E+00
c. Fe-55	%	7.13 E+01
Co-60	%	2.08 E+01
Mn-54	%	5.17 E+00
Ni-63	%	2.77 E+00
d. N/A	%	E

3. Solid Waste Disposition

<u>Number of Shipments</u>	<u>Mode of Transportation</u>	<u>Destination</u>
13	Truck	Scientific Ecology Group, Inc. 1560 Bear Creek Road Oak Ridge, TN
7	Truck	Chem-Nuclear Systems Barnwell Waste Management Facility Osborne Road Barnwell, S.C.
1	Truck	Quadrex Recycle Center 109 Flint Road Oak Ridge, TN 37830

4. Class of Solid Waste:

AU, AS, B, C

5. Type of Containers Used for Shipment:

Strong Tight, High-Integrity Containers, Type A and B casks

6. Solidification Agent:

N/A

B. IRRADIATED FUEL SHIPMENTS (Disposition)

<u>Number of Shipments</u>	<u>Mode of Transportation</u>	<u>Destination</u>
----- No shipments made during this period -----		

DOSE ACCUMULATIONS
FOR 1993

SITE: South Texas Project Electric Generating Station
 UNIT: 1 YEAR: 1993

SUMMARY OF MAXIMUM INDIVIDUAL DOSES
 TOTAL ACCUMULATION FOR PERIODS:

LIQUID: FROM 1/ 1/93 0:00 TO 12/31/93 23:00
 GASEOUS: FROM 1/ 1/93 0:00 TO 12/31/93 23:00
 AIR: FROM 1/ 1/93 0:00 TO 12/31/93 23:00

EFFLUENT	APPLICABLE ORGAN	ESTIMATED DOSE (MREM)	AGE GROUP	LOCATION DIST (M)	DIRECTION (TOWARD)	% OF APPLICABLE (MR)	LIMIT
LIQUID	TOTAL BODY	1.86E-03	TEEN	RECEPTOR 3		6.2E-02	3.0
LIQUID	GI-TRACT	3.25E-03	TEEN	RECEPTOR 3		3.23E-02	10.0
NOBLE GAS	AIR DOSE (GAMMA-MRAD)	4.76E-04		1720.	NW	4.8E-03	10.0
NOBLE GAS	AIR DOSE (BETA-MRAD)	1.41E-03		1720.	NW	7.1E-03	20.0
NOBLE GAS	TOTAL BODY	1.68E-04	ALL ⁽¹⁾	1400.	N	3.4E-03	5.0
NOBLE GAS	TOTAL BODY	2.95E-05	ALL ⁽²⁾	4000.	WSW	5.9E-04	5.0
NOBLE GAS	SKIN	4.75E-04	ALL ⁽¹⁾	1400.	N	3.2E-03	15.0
NOBLE GAS	SKIN	8.30E-05	ALL ⁽²⁾	4000.	WSW	5.5E-04	15.0
IODINE+ PARTICULATES	GI TRACT	1.97E-03	CHILD ⁽¹⁾	1540.	NNW	1.3E-02	15.0
IODINE+ PARTICULATES	GI TRACT	2.30E-04	CHILD ⁽²⁾	4000.	WSW	1.5E-03	15.0

SUMMARY OF POPULATION DOSES

TOTAL ACCUMULATION FOR PERIODS:

LIQUID: FROM 1/ 1/93 0:00 TO 12/31/93 23:00
 GASEOUS: FROM 1/ 1/93 0:00 TO 12/31/93 23:00

EFFLUENT	APPLICABLE ORGAN	ESTIMATED POPULATION DOSE (PERSON-REM)	AVERAGE DOSE TO POPULATION (REM/PERSON)
LIQUID	TOTAL BODY	3.4E-03	2.9E-07 ⁽³⁾
GASEOUS	TOTAL BODY	1.4E-03	4.9E-09 ⁽⁴⁾

⁽¹⁾ Doses were calculated for HYPOTHETICAL receptors at the site boundary.

⁽²⁾ Highest dose for REAL individual or receptor.

⁽³⁾ Calculation based on a population of 152,000 for shore line exposure,

⁽⁴⁾ 303,000 for SW invertebrate ingestion and 3,300 for SW sport fish ingestion.

⁽⁴⁾ Calculation based on a population of 299,000 within fifty (50) miles of STPEGS.

SITE: South Texas Project Electric Generating Station
 UNIT: 2 YEAR: 1993

SUMMARY OF MAXIMUM INDIVIDUAL DOSES

TOTAL ACCUMULATION FOR PERIODS:

LIQUID: FROM 1/ 1/93 0:00 TO 12/31/93 23:00

GASEOUS: FROM 1/ 1/93 0:00 TO 12/31/93 23:00

AIR: FROM 1/ 1/93 0:00 TO 12/31/93 23:00

EFFLUENT	APPLICABLE ORGAN	ESTIMATED DOSE (MREM)	AGE GROUP	LOCATION DIST (M)	% OF APPLICABLE (MR)	LIMIT
LIQUID	TOTAL BODY	1.43E-03	TEEN	RECEPTOR 3	4.8E-02	3.0
LIQUID	GI-TRACT	2.04E-03	TEEN	RECEPTOR 3	2.0E-02	10.0
NOBLE GAS	AIR DOSE (GAMMA-MRAD)	4.85E-04		1540. NNW	4.9E-03	10.0
NOBLE GAS	AIR DOSE (BETA-MRAD)	1.38E-03		1540. NNW	6.9E-03	20.0
NOBLE GAS	TOTAL BODY	1.75E-04	ALL ⁽¹⁾	1540. NNW	3.5E-03	5.0
NOBLE GAS	TOTAL BODY	2.58E-05	ALL ⁽²⁾	5600. NNW	1.7E-04	5.0
NOBLE GAS	SKIN	4.80E-04	ALL ⁽¹⁾	1540. NNW	3.2E-03	15.0
NOBLE GAS	SKIN	7.11E-05	ALL ⁽²⁾	5600. NNW	4.7E-04	15.0
IODINE+ PARTICULATES	GI TRACT	2.72E-03	ADULT ⁽¹⁾	1540. NNW	1.8E-02	15.0
IODINE+ PARTICULATES	GI TRACT	3.04E-04	ADULT ⁽²⁾	5600. NNW	2.0E-03	15.0

SUMMARY OF POPULATION DOSES

TOTAL ACCUMULATION FOR PERIODS:

LIQUID: FROM 1/ 1/93 0:00 TO 12/31/93 23:00

GASEOUS: FROM 1/ 1/93 0:00 TO 12/31/93 23:00

EFFLUENT	APPLICABLE ORGAN	ESTIMATED POPULATION DOSE (PERSON-REM)	AVERAGE DOSE TO POPULATION (REM/PERSON)
LIQUID	TOTAL BODY	1.8E-03	1.6E-07 ⁽³⁾
GASEOUS	TOTAL BODY	1.4E-03	4.8E-09 ⁽⁴⁾

⁽¹⁾Doses were calculated for HYPOTHETICAL receptors at the site boundary.

⁽²⁾Highest dose for REAL individual or receptor.

⁽³⁾Calculation based on a population of 152,000 for shore line exposure.

⁽⁴⁾303,000 for SW invertebrate ingestion and 3,300 for SW sport fish ingestion.

⁽⁴⁾Calculation based on a population of 299,000 within fifty (50) miles of STPEGS.

SITE: South Texas Project Generating Station
 UNIT: 1 PLUS 2 YEAR: 1993

SUMMARY OF MAXIMUM INDIVIDUAL DOSES
 TOTAL ACCUMULATION FOR PERIODS:

LIQUID: FROM 1/ 1/93 0:00 TO 12/31/93 23:00
 GASEOUS: FROM 1/ 1/93 0:00 TO 12/31/93 23:00
 AIR: FROM 1/ 1/93 0:00 TO 12/31/93 23:00

EFFLUENT	APPLICABLE ORGAN	UNIT 1 ESTIMATED DOSE (MREM)	UNIT 2 ESTIMATED DOSE (MREM)	TOTAL ESTIMATED DOSE (MREM)	1+2 AGE GROUP	LOCATION DIST (M)	DIR (TOWARD)
LIQUID	TOTAL BODY	1.86E-03	1.43E-03	3.29E-03	TEEN	RECEPTOR 3	
LIQUID	GI TRACT	3.25E-03	2.04E-03	5.28E-03	TEEN	RECEPTOR 3	
NOBLE GAS	AIR DOSE (GAMMA-MRAD)	4.67E-04	4.85E-04	9.53E-04	ALL	1540.	NNW
NOBLE GAS	AIR DOSE (BETA-MRAD)	1.37E-03	1.38E-03	2.75E-03	ALL	1540.	NNW
NOBLE GAS	TOTAL BODY	1.67E-04	1.75E-04	3.42E-04	ALL ⁽¹⁾	1540.	NNW
NOBLE GAS	TOTAL BODY	2.95E-05	2.39E-05	5.34E-05	ALL ⁽²⁾	4000.	WSW
NOBLE GAS	SKIN	4.69E-04	4.80E-04	9.49E-04	ALL ⁽¹⁾	1540.	NNW
NOBLE GAS	SKIN	8.30E-05	6.75E-05	1.50E-04	ALL ⁽²⁾	4000.	WSW
IODINE+ PARTICULATES	GI TRACT	1.97E-03	2.65E-03	4.62E-06	CHILD ⁽¹⁾	1540.	NNW
IODINE+ PARTICULATES	GI TRACT	2.30E-04	2.95E-04	5.25E-04	CHILD ⁽²⁾	5600.	NNW

SUMMARY OF POPULATION DOSES
 TOTAL ACCUMULATION FOR PERIODS:

LIQUID: FROM 1/ 1/93 0:00 TO 12/31/93 23:00
 GASEOUS: FROM 1/ 1/93 0:00 TO 12/31/93 23:00

EFFLUENT	APPLICABLE ORGAN	TOTAL ESTIMATED POPULATION DOSE (PERSON-REM)	TOTAL 1+2 AVERAGE DOSE TO POPULATION (REM/PERSON)
LIQUID	TOTAL BODY	5.1E-03	4.5E-07 ⁽³⁾
GASEOUS	TOTAL BODY	2.5E-03	9.7E-09 ⁽⁴⁾

⁽¹⁾Doses were calculated for HYPOTHETICAL receptors at the site boundary.

⁽²⁾Highest dose for REAL individual or receptor.

⁽³⁾Calculation based on a population of 152,000 for shore line exposure,

303,000 for SW invertebrate ingestion and 3,300 for SW sport fish ingestion.

⁽⁴⁾Calculation based on a population of 299,000 within fifty (50) miles of STPEGS.

JOINT FREQUENCY TABLES FOR 1993

First Quarter

JOINT FREQUENCY TABLE

STABILITY CLASS -A-

FROM 1/ 1/93 0:00 TO 3/31/93 23:00

WIND SPEED (MPH)

DIR (FROM)	CALM	CALM+	3.6	7.6	12.6	18.6	24.6	32.6+	TOTAL	%	AVE SPEED
	-	3.5	-	7.5	-12.5	-18.5	-24.5	-32.5			
N	0	1	1	5	8	1	0	0	16	15.0	12.5
NNE	0	0	3	3	4	2	0	0	12	11.2	12.1
NE	0	1	0	0	0	0	0	0	1	0.9	2.6
ENE	0	0	1	2	0	0	0	0	3	2.8	8.9
E	0	0	0	1	0	0	0	0	1	0.9	10.7
ESE	0	0	0	0	2	0	0	0	2	1.9	15.9
SE	0	0	0	0	4	0	0	0	4	3.7	16.0
SSE	0	0	1	1	1	0	0	0	3	2.8	9.9
S	0	0	0	3	5	0	0	0	8	7.5	13.2
SSW	0	0	0	2	12	0	0	0	14	13.1	14.1
SW	0	0	2	5	3	0	0	0	10	9.3	10.9
WSW	0	0	1	3	0	0	0	0	4	3.7	9.0
W	0	0	0	0	1	0	0	0	1	0.9	14.7
WNW	0	0	0	0	0	0	0	0	0	0.0	0.0
NW	0	0	4	1	3	0	0	0	8	7.5	9.6
NNW	0	0	7	7	5	1	0	0	20	18.7	10.2
TOTAL	0	2	20	33	48	4	0	0	107	100.0	
%	0.0	1.9	18.7	30.8	44.9	3.7	0.0	0.0	100.0		

AVE SPEED FOR THIS TABLE = 11.7 MPH

HOURS IN ABOVE TABLE WITH VARIABLE DIRECTION = 0

TOTAL NUMBER OF CALMS = 0

TOTAL NUMBER OF INVALID HOURS = 15

TOTAL NUMBER OF VALID HOURS = 2145

TOTAL NUMBER OF HOURS FOR PERIOD = 2160

JOINT FREQUENCY TABLE

STABILITY CLASS -B-

FROM 1/ 1/93 0:00 TO 3/31/93 23:00

WIND SPEED (MPH)

DIR (FROM)	CALM	CALM+	3.6	7.6	12.6	18.6	24.6	32.6+	TOTAL	%	AVE SPEED
	-	3.5	-	7.5	-12.5	-18.5	-24.5	-32.5			
N	0	0	2	6	4	0	0	0	12	16.0	11.1
NNE	0	0	0	2	1	1	0	0	4	5.3	13.5
NE	0	0	0	0	0	0	0	0	0	0.0	0.0
ENE	0	0	2	1	0	0	0	0	3	4.0	8.0
E	0	0	1	0	0	0	0	0	1	1.3	6.9
ESE	0	0	0	0	1	0	0	0	1	1.3	15.8
SE	0	0	1	0	0	0	0	0	1	1.3	4.5
SSE	0	0	0	0	1	0	0	0	1	1.3	13.6
S	0	0	1	8	2	0	0	0	11	14.7	11.3
SSW	0	2	2	4	3	0	0	0	9	12.0	11.5
SW	0	0	0	2	0	0	0	0	2	2.7	10.4
WSW	0	0	0	0	0	0	0	0	0	0.0	0.0
W	0	0	2	0	0	0	0	0	2	2.7	7.2
WNW	0	0	1	0	0	0	0	0	1	1.3	5.3
NW	0	1	5	8	0	0	0	0	14	18.7	7.8
NNW	0	0	4	7	2	0	0	0	13	17.3	9.7
TOTAL	0	1	21	38	14	1	0	0	75	100.0	
%	0.0	1.3	28.0	50.7	18.7	1.3	0.0	0.0	100.0		

AVE SPEED FOR THIS TABLE = 10.1 MPH

HOURS IN ABOVE TABLE WITH VARIABLE DIRECTION = 0

TOTAL NUMBER OF CALMS = 0

TOTAL NUMBER OF INVALID HOURS = 15

TOTAL NUMBER OF VALID HOURS = 2145

TOTAL NUMBER OF HOURS FOR PERIOD = 2160

JOINT FREQUENCY TABLE

STABILITY CLASS -C-

FROM 1/ 1/93 0:00 TO 3/31/93 23:00

WIND SPEED (MPH)

DIR (FROM)	CALM	CALM+ - 3.5 - 7.5	3.6 -12.5	7.6 -18.5	12.6 -24.5	18.6 -32.5	24.6 -32.5	32.6+ -	TOTAL	%	AVE SPEED
N	0	0	2	13	11	2	0	0	28	19.0	12.7
NNE	0	0	5	9	2	0	0	0	16	10.9	9.1
NE	0	0	1	7	0	0	0	0	8	5.4	8.7
ENE	0	0	2	3	1	0	0	0	6	4.1	8.9
E	0	1	0	0	1	0	0	0	2	1.4	8.6
ESE	0	0	0	2	5	0	0	0	7	4.8	15.6
SE	0	0	0	9	6	3	0	0	18	12.2	14.4
SSE	0	0	0	2	2	0	0	0	4	2.7	13.4
S	0	0	0	5	2	0	0	0	7	4.8	11.6
SSW	0	0	4	9	0	0	0	0	13	8.8	9.1
SW	0	0	0	4	1	0	0	0	5	3.4	11.4
WSW	0	0	1	1	0	0	0	0	2	1.4	8.0
W	0	0	1	1	0	0	0	0	2	1.4	8.1
WNW	0	0	2	3	0	0	0	0	5	3.4	8.1
NW	0	0	6	1	0	0	0	0	7	4.8	5.4
NNW	0	0	3	8	6	0	0	0	17	11.6	11.0
TOTAL	0	0	1	27	77	37	5	0	0	147	100.0
%	0.0	0.7	18.4	52.4	25.2	3.4	0.0	0.0	100.0		

AVE SPEED FOR THIS TABLE = 11.0 MPH

HOURS IN ABOVE TABLE WITH VARIABLE DIRECTION = 0

TOTAL NUMBER OF CALMS = 0

TOTAL NUMBER OF INVALID HOURS = 15

TOTAL NUMBER OF VALID HOURS = 2145

TOTAL NUMBER OF HOURS FOR PERIOD = 2160

JOINT FREQUENCY TABLE

STABILITY CLASS -D-

FROM 1/ 1/93 0:00 TO 3/31/93 23:00

WIND SPEED (MPH)

DIR (FROM)	CALM	CALM+	3.6	7.6	12.6	18.6	24.6	32.6+	TOTAL	%	AVE SPEED
	-	3.5	- 7.5	-12.5	-18.5	-24.5	-32.5				
N	0	2	31	80	52	11	0	0	176	19.6	11.2
NNE	0	2	26	73	12	3	0	0	116	12.9	9.4
NE	0	4	21	60	14	0	0	0	99	11.0	9.4
ENE	0	2	14	41	5	0	0	0	62	6.9	9.0
E	0	1	30	25	21	1	0	0	78	8.7	9.9
ESE	0	2	10	29	42	7	2	0	92	10.3	12.7
SE	0	3	2	32	27	8	0	0	72	8.0	12.7
SSE	0	3	12	11	5	0	0	0	31	3.5	8.4
S	0	1	15	13	10	4	0	0	43	4.8	10.4
SSW	0	2	7	13	1	0	0	0	23	2.6	8.1
SW	0	0	9	2	0	0	0	0	11	1.2	6.2
WSW	0	0	4	1	1	0	0	0	6	0.7	7.6
W	0	0	3	2	0	0	0	0	5	0.6	6.1
WNW	0	1	8	1	0	0	0	0	10	1.1	5.2
NW	0	4	13	7	1	0	0	0	25	2.8	6.6
NNW	0	3	14	23	5	3	0	0	48	5.4	9.4
TOTAL	0	30	219	413	196	37	2	0	897	100.0	
%	0.0	3.3	24.4	46.0	21.9	4.1	0.2	0.0	100.0		

AVE SPEED FOR THIS TABLE = 10.2 MPH

HOURS IN ABOVE TABLE WITH VARIABLE DIRECTION = 0

TOTAL NUMBER OF CALMS = 0

TOTAL NUMBER OF INVALID HOURS = 15

TOTAL NUMBER OF VALID HOURS = 2145

TOTAL NUMBER OF HOURS FOR PERIOD = 2160

JOINT FREQUENCY TABLE

STABILITY CLASS -E-

FROM 1/ 1/93 0:00 TO 3/31/93 23:00

WIND SPEED (MPH)

DIR (FROM)	CALM	CALM+	3.6	7.6	12.6	18.6	24.6	32.6+	TOTAL	%	AVE SPEED
	-	3.5	-	7.5	-12.5	-18.5	-24.5	-32.5			
N	0	3	16	18	1	0	0	0	38	6.9	7.5
NNE	0	2	20	21	0	0	0	0	43	7.8	7.3
NE	0	4	11	15	0	0	0	0	30	5.5	6.9
ENE	0	3	12	6	0	0	0	0	21	3.8	6.2
E	0	8	19	24	3	0	0	0	54	9.8	7.5
ESE	0	5	23	35	4	0	0	0	67	12.2	8.4
SE	0	3	11	32	17	0	0	0	63	11.5	10.2
SSE	0	5	19	25	10	0	0	0	59	10.7	8.8
S	0	4	23	19	4	0	0	0	50	9.1	7.5
SSW	0	1	14	13	0	0	0	0	28	5.1	7.3
SW	0	1	11	0	0	0	0	0	12	2.2	5.5
WSW	0	3	6	0	0	0	0	0	9	1.6	4.5
W	0	1	5	0	0	0	0	0	6	1.1	4.1
WNW	0	9	2	0	0	0	0	0	11	2.0	2.8
NW	0	7	7	5	2	0	0	0	21	3.8	6.2
NNW	0	1	17	12	7	0	0	0	37	6.7	8.5
TOTAL	0	60	216	225	48	0	0	0	549	100.0	
%	0.0	10.9	39.3	41.0	8.7	0.0	0.0	0.0	100.0		

AVE SPEED FOR THIS TABLE = 7.7 MPH

HOURS IN ABOVE TABLE WITH VARIABLE DIRECTION = 0

TOTAL NUMBER OF CALMS = 0

TOTAL NUMBER OF INVALID HOURS = 15

TOTAL NUMBER OF VALID HOURS = 2145

TOTAL NUMBER OF HOURS FOR PERIOD = 2160

JOINT FREQUENCY TABLE

STABILITY CLASS -F-

FROM 1/ 1/93 0:00 TO 3/31/93 23:00

WIND SPEED (MPH)

DIR (FROM)	CALM	CALM+ - 3.5 -	3.6 7.5	7.6 -12.5	12.6 -18.5	18.6 -24.5	24.6 -32.5	32.6+	TOTAL	%	AVE SPEED
N	0	2	14	2	0	0	0	0	18	10.2	5.5
NNE	0	5	9	2	0	0	0	0	16	9.1	5.3
NE	0	3	9	1	0	0	0	0	13	7.4	4.5
ENE	0	2	6	0	0	0	0	0	8	4.5	4.7
E	0	3	16	3	0	0	0	0	22	12.5	5.5
ESE	0	3	13	2	0	0	0	0	18	10.2	5.8
SE	0	3	8	1	0	0	0	0	12	6.8	5.5
SSE	0	0	4	0	0	0	0	0	4	2.3	5.3
S	0	2	11	0	0	0	0	0	13	7.4	5.2
SSW	0	0	4	0	0	0	0	0	4	2.3	5.4
SW	0	6	4	0	0	0	0	0	10	5.7	3.3
WSW	0	2	3	1	0	0	0	0	6	3.4	4.5
W	0	2	4	0	0	0	0	0	6	3.4	5.3
WNW	0	2	3	0	0	0	0	0	5	2.8	4.9
NW	0	2	3	0	0	0	0	0	5	2.8	4.0
NNW	0	4	11	1	0	0	0	0	16	9.1	4.6
TOTAL	0	41	122	13	0	0	0	0	176	100.0	
%	0.0	23.3	69.3	7.4	0.0	0.0	0.0	0.0	100.0		

AVE SPEED FOR THIS TABLE = 5.1 MPH

HOURS IN ABOVE TABLE WITH VARIABLE DIRECTION = 0

TOTAL NUMBER OF CALMS = 0

TOTAL NUMBER OF INVALID HOURS = 15

TOTAL NUMBER OF VALID HOURS = 2145

TOTAL NUMBER OF HOURS FOR PERIOD = 2160

JOINT FREQUENCY TABLE

STABILITY CLASS -G-

FROM 1/ 1/93 0:00 TO 3/31/93 23:00

WIND SPEED (MPH)

DIR (FROM)	CALM	CALM+	3.6	7.6	12.6	18.6	24.6	32.6+	TOTAL	%	AVE SPEED
	- 3.5	- 7.5	-12.5	-18.5	-24.5	-32.5					
N	0	9	10	0	0	0	0	0	19	9.8	3.5
NNE	0	9	8	0	0	0	0	0	17	8.8	3.8
NE	0	12	4	1	0	0	0	0	17	8.8	3.3
ENE	0	9	12	0	0	0	0	0	21	10.8	3.7
E	0	9	16	0	0	0	0	0	25	12.9	4.1
ESE	0	10	8	1	0	0	0	0	19	9.8	3.9
SE	0	0	5	0	0	0	0	0	5	2.6	5.2
SSE	0	2	2	0	0	0	0	0	4	2.1	3.7
S	0	0	1	0	0	0	0	0	1	0.5	5.0
SSW	0	1	0	0	0	0	0	0	1	0.5	3.0
SW	0	0	0	0	0	0	0	0	0	0.0	0.0
WSW	0	3	0	0	0	0	0	0	3	1.5	3.0
W	0	4	2	0	0	0	0	0	6	3.1	3.0
WNW	0	5	9	0	0	0	0	0	14	7.2	4.0
NW	0	12	11	0	0	0	0	0	23	11.9	3.5
NNW	0	11	8	0	0	0	0	0	19	9.8	3.8
TOTAL	0	96	96	2	0	0	0	0	194	100.0	
%	0.0	49.5	49.5	1.0	0.0	0.0	0.0	0.0	100.0		

AVE SPEED FOR THIS TABLE = 3.7 MPH

HOURS IN ABOVE TABLE WITH VARIABLE DIRECTION = 0

TOTAL NUMBER OF CALMS = 0

TOTAL NUMBER OF INVALID HOURS = 15

TOTAL NUMBER OF VALID HOURS = 2145

TOTAL NUMBER OF HOURS FOR PERIOD = 2160

JOINT FREQUENCY TABLE

ALL CLASSES COMBINED

FROM 1/ 1/93 0:00 TO 3/31/93 23:00

WIND SPEED (MPH)

DIR (FROM)	CALM	CALM+ - 3.5 -	3.6 7.5	7.6 12.5	12.6 -18.5	18.6 -24.5	24.6 -32.5	32.6+ TOTAL	%	AVE SPEED
N	0	17	76	124	76	14	0	0	307	14.3
NNE	0	18	71	110	19	6	0	0	224	10.4
NE	0	24	46	84	14	0	0	0	168	7.8
ENE	0	16	49	53	6	0	0	0	124	5.8
E	0	22	82	53	25	1	0	0	183	8.5
ESE	0	20	54	69	54	7	2	0	206	9.6
SE	0	9	27	74	54	11	0	0	175	8.2
SSE	0	10	38	39	19	0	0	0	106	4.9
S	0	7	51	48	23	4	0	0	133	6.2
SSW	0	4	31	41	16	0	0	0	92	4.3
SW	0	7	26	13	4	0	0	0	50	2.3
WSW	0	8	15	6	1	0	0	0	30	1.4
W	0	7	17	3	1	0	0	0	28	1.3
WNW	0	17	25	4	0	0	0	0	46	2.1
NW	0	26	49	22	6	0	0	0	103	4.8
NNW	0	19	64	58	25	4	0	0	170	7.9
TOTAL	0	231	721	801	343	47	2	0	2145	100.0
%	0.0	10.8	33.6	37.3	16.0	2.2	0.1	0.0	100.0	

AVE SPEED FOR THIS TABLE = 8.7 MPH

HOURS IN ABOVE TABLE WITH VARIABLE DIRECTION = 0

TOTAL NUMBER OF CALMS = 0

TOTAL NUMBER OF INVALID HOURS = 15

TOTAL NUMBER OF VALID HOURS = 2145

TOTAL NUMBER OF HOURS FOR PERIOD = 2160

JOINT FREQUENCY TABLES FOR 1993

Second Quarter

JOINT FREQUENCY TABLE

STABILITY CLASS -A-

FROM 4/ 1/93 0:00 TO 6/30/93 23:00

WIND SPEED (MPH)

DIR (FROM)	CALM	CALM+	3.6	7.6	12.6	18.6	24.6	32.6+	TOTAL	%	AVE SPEED
	- 3.5	- 7.5	-12.5	-18.5	-24.5	-32.5					
N	0	0	3	14	0	0	0	0	17	14.0	9.0
NNE	0	0	0	3	1	0	0	0	4	3.3	12.3
NE	0	0	1	0	0	0	0	0	1	0.8	5.5
ENE	0	0	1	3	0	0	0	0	4	3.3	8.7
E	0	0	0	3	1	0	0	0	4	3.3	10.8
ESE	0	0	0	1	4	0	0	0	5	4.1	14.9
SE	0	0	0	4	7	5	0	0	16	13.2	16.1
SSE	0	0	0	3	6	1	0	0	10	8.3	14.6
S	0	0	0	2	12	7	0	0	21	17.4	16.5
SSW	0	0	0	0	8	0	0	0	8	6.6	16.6
SW	0	0	1	1	2	0	0	0	4	3.3	12.5
WSW	0	0	0	0	0	0	0	0	0	0.0	0.0
W	0	0	0	1	0	0	0	0	1	0.8	10.2
WNW	0	0	0	2	0	0	0	0	2	1.7	10.4
NW	0	0	0	4	11	0	0	0	15	12.4	13.0
NNW	0	0	4	3	2	0	0	0	9	7.4	10.1
TOTAL	0	0	10	44	54	13	0	0	121	100.0	
%	0.0	0.0	8.3	36.4	44.6	10.7	0.0	0.0	100.0		

AVE SPEED FOR THIS TABLE = 13.3 MPH

HOURS IN ABOVE TABLE WITH VARIABLE DIRECTION = 0

TOTAL NUMBER OF CALMS = 0

TOTAL NUMBER OF INVALID HOURS = 2

TOTAL NUMBER OF VALID HOURS = 2182

TOTAL NUMBER OF HOURS FOR PERIOD = 2184

JOINT FREQUENCY TABLE

STABILITY CLASS -B-

FROM 4/ 1/93 0:00 TO 6/30/93 23:00

WIND SPEED (MPH)

DIR (FROM)	CALM	CALM+	3.6	7.6	12.6	18.6	24.6	32.6+	TOTAL	%	AVE SPEED
	-	3.5	-	7.5	-12.5	-18.5	-24.5	-32.5			
N	0	0	2	5	1	0	0	0	8	8.0	9.4
NNE	0	0	2	0	2	0	0	0	4	4.0	10.3
NE	0	0	0	0	0	0	0	0	0	0.0	0.0
ENE	0	0	0	2	1	0	0	0	3	3.0	11.1
E	0	0	0	0	0	0	0	0	0	0.0	0.0
ESE	0	0	0	2	5	0	0	0	7	7.0	14.4
SE	0	0	0	7	11	2	0	0	20	20.0	14.2
SSE	0	0	0	1	2	0	0	0	3	3.0	13.8
S	0	0	0	13	10	2	0	0	25	25.0	13.4
SSW	0	0	0	3	7	0	0	0	10	10.0	13.4
SW	0	0	0	2	1	0	0	0	3	3.0	11.8
WSW	0	0	0	0	0	0	0	0	0	0.0	0.0
W	0	0	0	0	0	0	0	0	0	0.0	0.0
WNW	0	0	0	5	0	0	0	0	5	5.0	9.5
NW	0	0	2	3	0	0	0	0	5	5.0	8.7
NNW	0	0	2	4	1	0	0	0	7	7.0	9.7
TOTAL	0	0	8	47	41	4	0	0	100	100.0	
%	0.0	0.0	8.0	47.0	41.0	4.0	0.0	0.0	100.0		

AVE SPEED FOR THIS TABLE = 12.4 MPH

HOURS IN ABOVE TABLE WITH VARIABLE DIRECTION = 0

TOTAL NUMBER OF CALMS = 0

TOTAL NUMBER OF INVALID HOURS = 2

TOTAL NUMBER OF VALID HOURS = 2182

TOTAL NUMBER OF HOURS FOR PERIOD = 2184

JOINT FREQUENCY TABLE

STABILITY CLASS -C-

FROM 4/ 1/93 0:00 TO 6/30/93 23:00

WIND SPEED (MPH)

DIR (FROM)	CALM	CALM+	3.6	7.6	12.6	18.6	24.6	32.6+	TOTAL	%	AVE SPEED
	-	3.5	-	7.5	-12.5	-18.5	-24.5	-32.5			
N	0	0	1	4	0	6	0	0	5	3.6	8.1
NNE	0	0	5	3	1	0	0	0	9	6.5	7.8
NE	0	0	0	0	0	0	0	0	0	0.0	0.0
ENE	0	0	0	0	0	0	0	0	0	0.0	0.0
E	0	0	0	3	0	0	0	0	3	2.2	9.8
ESE	0	0	0	2	2	0	0	0	4	2.9	14.3
SE	0	0	2	13	18	4	0	0	37	26.8	13.6
SSE	0	0	1	8	4	1	0	0	14	10.1	12.0
S	0	0	0	26	15	1	0	0	42	30.4	12.5
SSW	0	0	0	6	2	0	0	0	8	5.8	11.6
SW	0	0	0	2	1	0	0	0	3	2.2	11.4
WSW	0	0	0	0	0	0	0	0	0	0.0	0.0
W	0	0	0	0	0	0	0	0	0	0.0	0.0
WNW	0	0	2	3	0	0	0	0	5	3.6	8.8
NW	0	0	2	1	0	0	0	0	3	2.2	6.8
NNW	0	0	1	0	4	0	0	0	5	3.6	13.7
TOTAL	0	0	14	71	47	6	0	0	138	100.0	
%	0.0	0.0	10.1	51.4	34.1	4.3	0.0	0.0	100.0		

AVE SPEED FOR THIS TABLE = 12.0 MPH

HOURS IN ABOVE TABLE WITH VARIABLE DIRECTION = 0

TOTAL NUMBER OF CALMS = 0

TOTAL NUMBER OF INVALID HOURS = 2

TOTAL NUMBER OF VALID HOURS = 2182

TOTAL NUMBER OF HOURS FOR PERIOD = 2184

JOINT FREQUENCY TABLE

STABILITY CLASS -D-

FROM 4/ 1/93 0:00 TO 6/30/93 23:00

WIND SPEED (MPH)

DIR (FROM)	CALM	CALM+	3.6	7.6	12.6	18.6	24.6	32.6+	TOTAL	%	AVE SPEED
	-	3.5	-	7.5	-12.5	-18.5	-24.5	-32.5			
N	0	1	12	15	6	0	0	0	34	4.3	8.7
NNE	0	3	12	12	1	0	0	0	28	3.5	7.4
NE	0	0	11	13	0	0	0	0	24	3.0	8.1
ENE	0	0	13	8	1	0	0	0	22	2.8	7.9
E	0	1	11	17	5	0	0	0	34	4.3	8.8
ESE	0	0	2	31	37	3	0	0	73	9.2	12.6
SE	0	2	17	109	101	3	0	0	232	29.3	12.3
SSE	0	1	11	76	74	9	0	0	171	21.6	12.6
S	0	0	13	48	32	3	0	0	96	12.1	11.5
SSW	0	0	5	12	6	0	0	0	23	2.9	10.1
SW	0	0	2	2	0	0	0	0	4	0.5	8.8
WSW	0	1	1	1	0	0	0	0	3	0.4	7.2
W	0	0	3	0	0	0	0	0	3	0.4	6.3
WNW	0	0	1	7	0	0	0	0	8	1.0	8.7
NW	0	1	6	6	0	0	0	0	13	1.6	6.6
NNW	0	1	5	14	5	0	0	0	25	3.2	9.9
TOTAL	0	11	125	371	268	18	0	0	793	100.0	
%	0.0	1.4	15.8	46.8	33.8	2.3	0.0	0.0	100.0		

AVE SPEED FOR THIS TABLE = 11.2 MPH

HOURS IN ABOVE TABLE WITH VARIABLE DIRECTION = 0

TOTAL NUMBER OF CALMS = 0

TOTAL NUMBER OF INVALID HOURS = 2

TOTAL NUMBER OF VALID HOURS = 2182

TOTAL NUMBER OF HOURS FOR PERIOD = 2184

JOINT FREQUENCY TABLE

STABILITY CLASS -E-

FROM 4/ 1/93 0:00 TO 6/30/93 23:00

WIND SPEED (MPH)

DIR (FROM)	CALM	CALM+ - 3.5 -	3.6 7.5	7.6 -12.5	12.6 -18.5	18.6 -24.5	24.6 -32.5	32.6+ TOTAL	%	AVE SPEED
N	0	8	17	9	2	0	0	36	4.8	6.6
NNE	0	4	21	18	3	0	0	46	6.2	7.5
NE	0	3	17	6	5	0	0	31	4.2	7.3
ENE	0	4	21	3	2	0	0	30	4.0	6.0
E	0	2	21	4	4	0	0	31	4.2	7.0
ESE	0	14	34	11	12	1	0	72	9.7	7.2
SE	0	8	46	55	16	2	0	127	17.1	8.7
SSE	0	1	67	84	31	0	0	183	24.6	9.3
S	0	2	29	48	23	0	0	102	13.7	9.7
SSW	0	0	7	10	1	0	0	18	2.4	8.8
SW	0	0	5	1	0	0	0	6	0.8	6.1
WSW	0	0	2	0	0	0	0	2	0.3	5.3
W	0	1	5	0	0	0	0	6	0.8	5.0
WNW	0	1	4	0	1	0	0	6	0.8	6.3
NW	0	4	10	3	0	0	0	17	2.3	5.2
NNW	0	5	17	4	5	0	0	31	4.2	6.7
TOTAL	0	57	323	256	105	3	0	0	744	100.0
%	0.0	7.7	43.4	34.4	14.1	0.4	0.0	0.0	100.0	

AVE SPEED FOR THIS TABLE = 8.2 MPH

HOURS IN ABOVE TABLE WITH VARIABLE DIRECTION = 0

TOTAL NUMBER OF CALMS = 0

TOTAL NUMBER OF INVALID HOURS = 2

TOTAL NUMBER OF VALID HOURS = 2182

TOTAL NUMBER OF HOURS FOR PERIOD = 2184

JOINT FREQUENCY TABLE

STABILITY CLASS -F-

FROM 4/ 1/93 0:00 TO 6/30/93 23:00

WIND SPEED (MPH)

DIR (FROM)	CALM	CALM+	3.6	7.6	12.6	18.6	24.6	32.6+	TOTAL	%	AVE SPEED
	-	3.5	-	7.5	-12.5	-18.5	-24.5	-32.5			
N	0	5	11	0	0	0	0	0	16	9.0	4.3
NNE	0	9	9	0	0	0	0	0	18	10.2	4.2
NE	0	8	7	0	0	0	0	0	15	8.5	3.8
ENE	0	8	11	0	0	0	0	0	19	10.7	3.9
E	0	4	9	0	0	0	0	0	13	7.3	3.9
ESE	0	3	13	1	1	0	0	0	18	10.2	5.3
SE	0	9	12	0	0	0	0	0	21	11.9	4.0
SSE	0	1	19	1	0	0	0	0	21	11.9	5.3
S	0	3	7	0	0	0	0	0	10	5.6	4.9
SSW	0	0	0	0	0	0	0	0	0	0.0	0.0
SW	0	0	1	0	0	0	0	0	1	0.6	7.4
WSW	0	1	2	1	0	0	0	0	4	2.3	6.0
W	0	0	0	0	0	0	0	0	0	0.0	0.0
WNW	0	2	3	0	0	0	0	0	5	2.8	4.2
NW	0	6	2	0	0	0	0	0	8	4.5	2.9
NNW	0	5	3	0	0	0	0	0	8	4.5	3.7
TOTAL	0	64	109	3	1	0	0	0	177	100.0	
%	0.0	36.2	61.6	1.7	0.6	0.0	0.0	0.0	100.0		

AVE SPEED FOR THIS TABLE = 4.4 MPH

HOURS IN ABOVE TABLE WITH VARIABLE DIRECTION = 0

TOTAL NUMBER OF CALMS = 0

TOTAL NUMBER OF INVALID HOURS = 2

TOTAL NUMBER OF VALID HOURS = 2182

TOTAL NUMBER OF HOURS FOR PERIOD = 2184

JOINT FREQUENCY TABLE

STABILITY CLASS -G-

FROM 4/ 1/93 0:00 TO 6/30/93 23:00

WIND SPEED (MPH)

DIR (FROM)	CALM	CALM+	3.6	7.6	12.6	18.6	24.6	32.6+	TOTAL	%	AVE SPEED
	-	3.5	-7.5	-12.5	-18.5	-24.5	-32.5				
N	0	8	3	0	0	0	0	0	11	10.1	3.2
NNE	0	4	7	0	0	0	0	0	11	10.1	4.0
NE	0	6	11	0	0	0	0	0	17	15.6	4.2
ENE	0	6	4	0	0	0	0	0	10	9.2	4.0
E	0	13	0	0	0	0	0	0	13	11.9	2.6
ESE	0	4	0	0	0	0	0	0	4	3.7	2.7
SE	0	10	0	0	0	0	0	0	10	9.2	2.1
SSE	0	2	1	0	0	0	0	0	3	2.8	3.8
S	0	0	0	0	0	0	0	0	0	0.0	0.0
SSW	0	0	0	0	0	0	0	0	0	0.0	0.0
SW	0	0	0	0	0	0	0	0	0	0.0	0.0
WSW	0	0	0	0	0	0	0	0	0	0.0	0.0
W	0	0	2	0	0	0	0	0	2	1.8	4.8
WNW	0	10	7	0	0	0	0	0	17	15.6	3.7
NW	0	3	0	0	0	0	0	0	3	2.8	2.9
NNW	0	3	5	0	0	0	0	0	8	7.3	3.4
TOTAL	0	69	40	0	0	0	0	0	109	100.0	
%	0.0	63.3	36.7	0.0	0.0	0.0	0.0	0.0	100.0		

AVE SPEED FOR THIS TABLE = 3.4 MPH

HOURS IN ABOVE TABLE WITH VARIABLE DIRECTION = 0

TOTAL NUMBER OF CALMS = 0

TOTAL NUMBER OF INVALID HOURS = 2

TOTAL NUMBER OF VALID HOURS = 2182

TOTAL NUMBER OF HOURS FOR PERIOD = 2184

JOINT FREQUENCY TABLE

ALL CLASSES COMBINED

FROM 4/ 1/93 0:00 TO 6/30/93 23:00

WIND SPEED (MPH)

DIR (FROM)	CALM	CALM+	3.6	7.6	12.6	18.6	24.6	32.6+	TOTAL	%	AVE SPEED
	-	3.5	-	7.5	-12.5	-18.5	-24.5	-32.5			
N	0	22	49	47	9	0	0	0	127	5.8	7.2
NNE	0	20	56	36	8	0	0	0	120	5.5	6.9
NE	0	17	47	19	5	0	0	0	88	4.0	6.3
ENE	0	18	50	16	4	0	0	0	88	4.0	6.1
E	0	20	41	27	10	0	0	0	98	4.5	6.9
ESE	0	21	49	48	61	4	0	0	183	8.4	9.7
SE	0	29	77	188	153	16	0	0	463	21.2	11.0
SSE	0	5	99	173	117	11	0	0	405	18.6	10.7
S	0	5	49	137	92	13	0	0	296	13.6	11.3
SSW	0	0	12	31	24	0	0	0	67	3.1	11.2
SW	0	0	9	8	4	0	0	0	21	1.0	9.5
WSW	0	2	5	2	0	0	0	0	9	0.4	6.2
W	0	1	10	1	0	0	0	0	12	0.5	5.7
WNW	0	13	17	17	1	0	0	0	48	2.2	6.3
NW	0	14	22	17	11	0	0	0	64	2.9	7.3
NNW	0	14	37	25	17	0	0	0	93	4.3	8.0
TOTAL	0	201	629	792	516	44	0	0	2182	100.0	
%	0.0	9.2	28.8	36.3	23.6	2.0	0.0	0.0	100.0		

AVE SPEED FOR THIS TABLE = 9.5 MPH

HOURS IN ABOVE TABLE WITH VARIABLE DIRECTION = 0

TOTAL NUMBER OF CALMS = 0

TOTAL NUMBER OF INVALID HOURS = 2

TOTAL NUMBER OF VALID HOURS = 2182

TOTAL NUMBER OF HOURS FOR PERIOD = 2184

JOINT FREQUENCY TABLES FOR 1993
Third Quarter

JOINT FREQUENCY TABLE

STABILITY CLASS -A-

FROM 7/ 1/93 0:00 TO 9/30/93 23:00

WIND SPEED (MPH)

DIR (FROM)	CALM	CALM+	3.6	7.6	12.6	18.6	24.6	32.6+	TOTAL	%	AVE SPEED
	-	3.5	-7.5	-12.5	-18.5	-24.5	-32.5				
N	0	3	8	17	1	0	0	0	29	13.0	8.1
NNE	0	4	2	8	0	0	0	0	14	6.3	7.0
NE	0	0	1	2	0	0	0	0	3	1.3	7.9
ENE	0	0	0	3	0	0	0	0	3	1.3	11.0
E	0	0	0	4	1	0	0	0	5	2.2	10.6
ESE	0	0	1	2	4	0	0	0	7	3.1	11.6
SE	0	0	1	14	0	0	0	0	15	6.7	9.9
SSE	0	0	2	16	1	0	0	0	19	8.5	10.4
S	0	0	2	44	33	1	1	0	81	36.3	12.4
SSW	0	0	5	20	6	0	0	0	31	13.9	10.5
SW	0	0	2	3	2	0	0	0	7	3.1	9.7
WSW	0	0	0	0	0	0	0	0	0	0.0	0.0
W	0	0	2	0	0	0	0	0	2	0.9	5.1
WNW	0	0	1	0	0	0	0	0	1	0.4	5.8
NW	0	1	0	0	0	0	0	0	1	0.4	2.8
NNW	0	0	3	2	0	0	0	0	5	2.2	7.3
TOTAL	0	8	30	135	48	1	1	0	223	100.0	
%	0.0	3.6	13.5	60.5	21.5	0.4	0.4	0.0	100.0		

AVE SPEED FOR THIS TABLE = 10.4 MPH

HOURS IN ABOVE TABLE WITH VARIABLE DIRECTION = 0

TOTAL NUMBER OF CALMS = 1

TOTAL NUMBER OF INVALID HOURS = 62

TOTAL NUMBER OF VALID HOURS = 2146

TOTAL NUMBER OF HOURS FOR PERIOD = 2208

JOINT FREQUENCY TABLE

STABILITY CLASS B-

FROM 7/1/93 0:00 TO 9/30/93 23:00

WIND SPEED (MPH)

DIR (FROM)	CALM - 3.5	CALM+ - 7.5	3.6 -12.5	7.6 -18.5	12.6 -24.5	18.6 -32.5	24.6 -32.5	32.6+	TOTAL	%	AVE SPEED
N	0	0	2	2	0	0	0	0	4	2.8	8.2
NNE	0	0	1	5	1	0	0	0	7	5.0	9.5
NE	0	0	8	6	0	0	0	0	14	9.9	7.0
ENE	0	0	0	3	0	0	0	0	3	2.1	8.7
E	0	0	2	2	0	0	0	0	4	2.8	7.8
ESE	0	0	1	1	2	0	0	0	4	2.8	10.5
SE	0	0	0	7	1	0	0	0	8	5.7	10.9
SSE	0	0	1	3	0	0	0	0	4	2.8	9.2
S	0	1	3	49	14	1	0	0	68	48.2	11.4
SSW	0	0	2	12	1	0	0	0	15	10.6	9.7
SW	0	0	4	2	0	0	0	0	6	4.3	7.8
WSW	0	0	0	0	0	0	0	0	0	0.0	0.0
W	0	0	1	0	0	0	0	0	1	0.7	4.7
WNW	0	0	0	0	0	0	0	0	0	0.0	0.0
NW	0	0	1	0	0	0	0	0	1	0.7	6.2
NNW	0	1	1	0	0	0	0	0	2	1.4	4.1
TOTAL	0	2	27	92	19	1	0	0	141	100.0	
%	0.0	1.4	19.1	65.2	13.5	0.7	0.0	0.0	100.0		

AVE SPEED FOR THIS TABLE = 10.0 MPH

HOURS IN ABOVE TABLE WITH VARIABLE DIRECTION = 0

TOTAL NUMBER OF CALMS = 1

TOTAL NUMBER OF INVALID HOURS = 62

TOTAL NUMBER OF VALID HOURS = 2146

TOTAL NUMBER OF HOURS FOR PERIOD = 2208

JOINT FREQUENCY TABLE

STABILITY CLASS -C-

FROM 7/ 1/93 0:00 TO 9/30/93 23:00

WIND SPEED (MPH)

DIR (FROM)	CALM	CALM+ - 3.5 -	3.6 7.5	7.6 -12.5	12.6 -18.5	18.6 -24.5	24.6 -32.5	32.6+ -32.5	TOTAL	%	AVE SPEED
N	0	3	2	2	0	0	0	0	7	4.6	5.7
NNE	0	1	3	2	1	0	0	0	7	4.6	7.3
NE	0	0	3	1	0	0	0	0	4	2.6	6.1
ENE	0	0	1	1	0	0	0	0	2	1.3	8.4
E	0	0	1	3	1	0	0	0	5	3.3	10.3
ESE	0	0	0	3	2	0	0	0	5	3.3	11.8
SE	0	1	1	8	2	0	0	0	12	7.9	10.2
SSE	0	0	0	11	1	0	0	0	12	7.9	10.6
S	0	0	2	50	20	0	0	0	72	47.7	11.7
SSW	0	0	2	12	3	0	0	0	17	11.3	10.0
SW	0	0	1	3	0	0	0	0	4	2.6	7.8
WSW	0	1	1	0	0	0	0	0	2	1.3	4.3
W	0	0	0	0	0	0	0	0	0	0.0	0.0
WNW	0	0	0	0	0	0	0	0	0	0.0	0.0
NW	0	1	0	0	0	0	0	0	1	0.7	2.4
NNW	0	0	1	0	0	0	0	0	1	0.7	4.2
TOTAL	0	7	18	96	30	0	0	0	151	100.0	
%	0.0	4.6	11.9	63.6	19.9	0.0	0.0	0.0	100.0		

AVE SPEED FOR THIS TABLE = 10.3 MPH

HOURS IN ABOVE TABLE WITH VARIABLE DIRECTION = 0

TOTAL NUMBER OF CALMS = 1

TOTAL NUMBER OF INVALID HOURS = 62

TOTAL NUMBER OF VALID HOURS = 2146

TOTAL NUMBER OF HOURS FOR PERIOD = 2208

JOINT FREQUENCY TABLE

STABILITY CLASS -D-

FROM 7/ 1/93 0:00 TO 9/30/93 23:00

WIND SPEED (MPH)

DIR (FROM)	CALM	CALM+ - 3.5	3.6 - 7.5	7.6 - 12.5	12.6 - 18.5	18.6 - 24.5	24.6 - 32.5	32.6+ - 32.5	TOTAL	%	AVE SPEED
N	0	5	8	3	1	0	0	0	17	3.6	6.3
NNE	0	1	4	8	1	0	0	0	14	2.9	8.1
NE	0	1	9	3	0	0	0	0	13	2.7	6.2
ENE	0	2	5	0	0	0	0	0	7	1.5	5.2
E	0	1	4	2	1	0	0	0	8	1.7	6.5
ESE	0	1	1	6	2	0	0	0	10	2.1	9.8
SE	0	3	4	20	2	0	0	0	29	6.1	8.8
SSE	0	1	8	70	20	7	0	0	106	22.3	11.3
S	0	0	23	120	35	0	2	0	180	37.9	10.5
SSW	0	0	14	33	7	0	0	0	54	11.4	9.4
SW	0	1	5	8	1	0	0	0	15	3.2	7.7
WSW	0	0	1	2	1	0	0	0	4	0.8	9.9
W	0	0	3	0	0	0	0	0	3	0.6	3.9
WNW	0	0	2	0	0	0	0	0	2	0.4	5.3
NW	0	0	6	0	0	0	0	0	6	1.3	4.7
NNW	0	3	3	1	0	0	0	0	7	1.5	4.5
TOTAL	0	19	100	276	71	7	2	0	475	100.0	
%	0.0	4.0	21.1	58.1	14.9	1.5	0.4	0.0	100.0		

AVE SPEED FOR THIS TABLE = 9.6 MPH

HOURS IN ABOVE TABLE WITH VARIABLE DIRECTION = 0

TOTAL NUMBER OF CALMS = 1

TOTAL NUMBER OF INVALID HOURS = 62

TOTAL NUMBER OF VALID HOURS = 2146

TOTAL NUMBER OF HOURS FOR PERIOD = 2208

JOINT FREQUENCY TABLE

STABILITY CLASS -E-

FROM 7/1/93 0:00 TO 9/30/93 23:00

WIND SPEED (MPH)

DIR (FROM)	CALM	CALM+	3.6	7.6	12.6	18.6	24.6	32.6+	TOTAL	%	AVE SPEED
	-	3.5	7.5	-12.5	-18.5	-24.5	-32.5				
N	0	3	10	8	0	0	0	0	21	2.7	6.9
NNE	0	7	15	5	0	0	0	0	27	3.5	5.5
NE	0	9	7	2	0	0	0	0	18	2.3	4.1
ENE	0	6	12	0	0	0	0	0	18	2.3	4.6
E	0	5	11	2	0	0	0	0	18	2.3	5.1
ESE	0	9	9	7	0	0	0	0	25	3.2	5.2
SE	0	14	40	10	0	0	0	0	64	8.2	5.4
SSE	0	5	158	100	10	0	0	0	273	35.0	7.5
S	0	2	83	115	9	0	0	0	209	26.8	8.2
SSW	0	0	40	28	2	0	0	0	70	9.0	7.8
SW	0	0	11	6	1	0	0	0	18	2.3	7.7
WSW	0	0	1	0	0	0	0	0	1	0.1	4.5
W	0	0	1	1	0	0	0	0	2	0.3	6.4
WNW	0	1	1	0	0	0	0	0	2	0.3	3.5
NW	0	4	2	0	0	0	0	0	6	0.8	3.2
NNW	0	4	4	0	0	0	0	0	8	1.0	3.6
TOTAL	0	69	405	284	22	0	0	0	780	100.0	
%	0.0	8.8	51.9	36.4	2.8	0.0	0.0	0.0	100.0		

AVE SPEED FOR THIS TABLE = 7.1 MPH

HOURS IN ABOVE TABLE WITH VARIABLE DIRECTION = 0

TOTAL NUMBER OF CALMS = 1

TOTAL NUMBER OF INVALID HOURS = 62

TOTAL NUMBER OF VALID HOURS = 2146

TOTAL NUMBER OF HOURS FOR PERIOD = 2208

JOINT FREQUENCY TABLE

STABILITY CLASS -F-

FROM 7/ 1/93 0:00 TO 9/30/93 23:00

WIND SPEED (MPH)

DIR (FROM)	CALM	CALM+	3.6	7.6	12.6	18.6	24.6	32.6+	TOTAL	%	AVE SPEED
	-	3.5	-	7.5	-12.5	-18.5	-24.5	-32.5			
N	0	5	8	3	0	0	0	0	16	5.9	5.2
NNE	0	11	25	0	0	0	0	0	36	13.3	4.2
NE	0	10	14	0	0	0	0	0	24	8.9	4.1
ENE	0	9	14	0	0	0	0	0	23	8.5	4.3
E	0	10	7	0	0	0	0	0	17	6.3	4.0
ESE	0	13	8	0	0	0	0	0	21	7.8	3.7
SE	0	16	33	0	0	0	0	0	49	18.1	4.0
SSE	0	5	64	0	0	0	0	0	69	25.6	5.0
S	0	3	2	1	0	0	0	0	6	2.2	4.3
SSW	0	0	1	0	0	0	0	0	1	0.4	6.7
SW	0	0	0	1	0	0	0	0	1	0.4	9.3
WSW	0	0	0	1	0	0	0	0	1	0.4	7.9
W	0	0	0	0	0	0	0	0	0	0.0	0.0
WNW	0	0	1	0	0	0	0	0	1	0.4	4.1
NW	0	1	3	0	0	0	0	0	4	1.5	3.9
NNW	0	1	0	0	0	0	0	0	1	0.4	3.2
TOTAL	0	84	180	6	0	0	0	0	270	100.0	
%	0.0	31.1	66.7	2.2	0.0	0.0	0.0	0.0	100.0		

AVE SPEED FOR THIS TABLE = 4.4 MPH

HOURS IN ABOVE TABLE WITH VARIABLE DIRECTION = 0

TOTAL NUMBER OF CALMS = 1

TOTAL NUMBER OF INVALID HOURS = 62

TOTAL NUMBER OF VALID HOURS = 2146

TOTAL NUMBER OF HOURS FOR PERIOD = 2208

JOINT FREQUENCY TABLE

STABILITY CLASS -G-

FROM 7/1/93 0:00 TO 9/30/93 23:00

WIND SPEED (MPH)

DIR (FROM)	CALM	CALM+	3.6	7.6	12.6	18.6	24.6	32.6+	TOTAL	%	AVE SPEED
	-	3.5	-	7.5	-12.5	-18.5	-24.5	-32.5			
N	1	3	4	1	0	0	0	0	9	8.5	4.0
NNE	0	12	25	1	0	0	0	0	38	35.8	4.5
NE	0	12	8	0	0	0	0	0	20	18.9	3.6
ENE	0	8	7	0	0	0	0	0	15	14.2	3.4
E	0	4	3	0	0	0	0	0	7	6.6	3.2
ESE	0	1	4	0	0	0	0	0	5	4.7	4.5
SE	0	1	4	0	0	0	0	0	5	4.7	4.1
SSE	0	1	1	0	0	0	0	0	2	1.9	4.8
S	0	0	0	0	0	0	0	0	0	0.0	0.0
SSW	0	0	0	0	0	0	0	0	0	0.0	0.0
SW	0	0	0	0	0	0	0	0	0	0.0	0.0
WSW	0	0	0	0	0	0	0	0	0	0.0	0.0
W	0	0	0	0	0	0	0	0	0	0.0	0.0
WNW	0	0	0	0	0	0	0	0	0	0.0	0.0
NW	0	1	2	0	0	0	0	0	3	2.8	4.1
NNW	0	2	0	0	0	0	0	0	2	1.9	2.6
TOTAL	1	45	58	2	0	0	0	0	106	100.0	
%	0.9	42.5	54.7	1.9	0.0	0.0	0.0	0.0	100.0		

AVE SPEED FOR THIS TABLE = 4.0 MPH

HOURS IN ABOVE TABLE WITH VARIABLE DIRECTION = 0

TOTAL NUMBER OF CALMS = 1

TOTAL NUMBER OF INVALID HOURS = 62

TOTAL NUMBER OF VALID HOURS = 2146

TOTAL NUMBER OF HOURS FOR PERIOD = 2208

JOINT FREQUENCY TABLE

ALL CLASSES COMBINED

FROM 7/1/93 0:00 TO 9/30/93 23:00

WIND SPEED (MPH)

DIR (FROM)	CALM	CALM+	3.6	7.6	12.6	18.6	24.6	32.6+	TOTAL	%	AVE SPEED
	-	3.5	-7.5	-12.5	-18.5	-24.5	-32.5				
N	1	22	42	36	2	0	0	0	103	4.8	6.6
NNE	0	36	75	29	3	0	0	0	143	6.7	5.6
NE	0	32	50	14	0	0	0	0	96	4.5	4.9
ENE	0	25	39	7	0	0	0	0	71	3.3	4.9
E	0	20	28	13	3	0	0	0	64	3.0	5.8
ESE	0	24	24	19	10	0	0	0	77	3.6	6.6
SE	0	35	83	59	5	0	0	0	182	8.5	6.5
SSE	0	12	234	200	32	7	0	0	485	22.6	8.2
S	0	6	115	379	111	2	3	0	616	28.7	10.2
SSW	0	0	64	105	19	0	0	0	188	8.8	9.1
SW	0	1	23	23	4	0	0	0	51	2.4	8.0
WSW	0	1	3	3	1	0	0	0	8	0.4	7.6
W	0	0	7	1	0	0	0	0	8	0.4	4.9
WNW	0	1	5	0	0	0	0	0	6	0.3	4.6
NW	0	8	14	0	0	0	0	0	22	1.0	3.9
NNW	0	11	12	3	0	0	0	0	26	1.2	4.5
TOTAL	1	234	818	891	190	9	3	0	2146	100.0	
%	0.0	10.9	38.1	41.5	8.9	0.4	0.1	0.0	100.0		

AVE SPEED FOR THIS TABLE = 7.9 MPH

HOURS IN ABOVE TABLE WITH VARIABLE DIRECTION = 0

TOTAL NUMBER OF CALMS = 1

TOTAL NUMBER OF INVALID HOURS = 62

TOTAL NUMBER OF VALID HOURS = 2146

TOTAL NUMBER OF HOURS FOR PERIOD = 2208

JOINT FREQUENCY TABLES FOR 1993

Fourth Quarter

JOINT FREQUENCY TABLE

STABILITY CLASS -A-

FROM 10/ 1/93 0:00 TO 12/31/93 0:00

WIND SPEED (MPH)

DIR (FROM)	CALM	CALM+ - 3.5	3.6 - 7.5	7.6 - 12.5	12.6 - 18.5	18.6 - 24.5	24.6 - 32.5	32.6+ TOTAL	%	AVE SPEED
N	0	0	3	14	2	0	0	19	13.4	9.6
NNE	0	0	7	12	1	9	0	20	14.1	8.6
NE	0	0	1	2	0	0	0	3	2.1	7.6
ENE	0	0	0	0	0	0	0	0	0.0	0.0
E	0	0	0	0	0	0	0	0	0.0	0.0
ESE	0	0	0	0	0	0	0	0	0.0	0.0
SE	0	0	0	5	11	0	0	16	11.3	13.1
SSE	0	0	0	8	8	1	0	17	12.0	13.3
S	0	0	0	19	13	0	0	32	22.5	12.2
SSW	0	0	1	4	1	0	0	6	4.2	10.9
SW	0	0	0	0	0	0	0	0	0.0	0.0
WSW	0	0	0	0	0	0	0	0	0.0	0.0
W	0	0	0	0	0	0	0	0	0.0	0.0
WNW	0	0	0	0	1	0	0	0	0.7	13.5
NW	0	0	3	1	6	0	0	10	7.0	11.8
NNW	0	0	3	6	5	4	0	18	12.7	13.4
TOTAL	0	0	18	71	48	5	0	0	142	100.0
%	0.0	0.0	12.7	50.0	33.8	3.5	0.0	0.0	100.0	

AVE SPEED FOR THIS TABLE = 11.5 MPH

HOURS IN ABOVE TABLE WITH VARIABLE DIRECTION = 0

TOTAL NUMBER OF CALMS = 0

TOTAL NUMBER OF INVALID HOURS = 0

TOTAL NUMBER OF VALID HOURS = 2185

TOTAL NUMBER OF HOURS FOR PERIOD = 2185

JOINT FREQUENCY TABLE

STABILITY CLASS -B-

FROM 10/ 1/93 0:00 TO 12/31/93 0:00

WIND SPEED (MPH)

DIR (FROM)	CALM	CALM+	3.6	7.6	12.6	18.6	24.6	32.6+	TOTAL	%	AVE SPEED
	- 3.5	- 7.5	-12.5	-18.5	-24.5	-32.5					
N	0	0	3	8	1	0	0	0	12	12.1	9.4
NNE	0	0	5	8	1	0	0	0	14	14.1	8.3
NE	0	0	4	2	0	0	0	0	6	6.1	7.8
ENE	0	0	1	2	0	0	0	0	3	3.0	8.0
E	0	0	1	1	0	0	0	0	2	2.0	7.7
ESE	0	0	1	3	0	0	0	0	4	4.0	9.0
SE	0	0	1	8	2	0	0	0	11	11.1	11.3
SSE	0	0	0	8	9	0	0	0	17	17.2	13.6
S	0	0	0	12	3	0	0	0	15	15.2	11.8
SSW	0	0	0	3	0	0	0	0	3	3.0	10.6
SW	0	0	0	0	0	0	0	0	0	0.0	0.0
WSW	0	0	0	2	0	0	0	0	2	2.0	10.9
W	0	0	0	1	0	0	0	0	1	1.0	9.1
WNW	0	0	0	2	1	0	0	0	3	3.0	12.2
NW	0	0	0	1	1	0	0	0	2	2.0	11.7
NNW	0	0	2	1	1	0	0	0	4	4.0	8.6
TOTAL	0	0	18	62	19	0	0	0	99	100.0	
%	0.0	0.0	18.2	62.6	19.2	0.0	0.0	0.0	100.0		

AVE SPEED FOR THIS TABLE = 10.5 MPH

HOURS IN ABOVE TABLE WITH VARIABLE DIRECTION = 0

TOTAL NUMBER OF CALMS = 0

TOTAL NUMBER OF INVALID HOURS = 0

TOTAL NUMBER OF VALID HOURS = 2185

TOTAL NUMBER OF HOURS FOR PERIOD = 2185

JOINT FREQUENCY TABLE

STABILITY CLASS -C-

FROM 10/ 1/93 0:00 TO 12/31/93 0:00

WIND SPEED (MPH)

DIR (FROM)	CALM	CALM+	3.6	7.6	12.6	18.6	24.6	32.6+	TOTAL	%	AVE SPEED
	- 3.5	- 7.5	-12.5	-18.5	-24.5	-32.5					
N	0	0	1	7	6	0	0	0	14	12.2	11.6
NNE	0	1	3	4	2	0	0	0	10	8.7	8.9
NE	0	0	2	5	0	0	0	0	7	6.1	8.6
ENE	0	0	3	2	0	0	0	0	5	4.3	7.3
E	0	0	2	3	0	0	0	0	5	4.3	7.5
ESE	0	0	2	3	0	0	0	0	5	4.3	8.4
SE	0	0	0	9	5	0	0	0	14	12.2	12.1
SSE	0	0	1	4	8	0	0	0	13	11.3	13.6
S	0	0	4	8	4	0	0	0	16	13.9	9.7
SSW	0	0	0	5	0	0	0	0	5	4.3	9.6
SW	0	0	0	4	1	0	0	0	5	4.3	10.4
WSW	0	0	0	1	0	0	0	0	1	0.9	10.2
W	0	0	0	2	0	0	0	0	2	1.7	9.6
WNW	0	0	0	0	1	0	0	0	1	0.9	15.7
NW	0	0	2	2	1	0	0	0	5	4.3	8.5
NNW	0	0	0	3	3	1	0	0	7	6.1	12.8
TOTAL	0	1	20	62	31	1	0	0	115	100.0	
%	0.0	0.9	17.4	53.9	27.0	0.9	0.0	0.0	100.0		

AVE SPEED FOR THIS TABLE = 10.5 MPH

HOURS IN ABOVE TABLE WITH VARIABLE DIRECTION = 0

TOTAL NUMBER OF CALMS = 0

TOTAL NUMBER OF INVALID HOURS = 0

TOTAL NUMBER OF VALID HOURS = 2185

TOTAL NUMBER OF HOURS FOR PERIOD = 2185

JOINT FREQUENCY TABLE

STABILITY CLASS -D-

FROM 10/ 1/93 0:00 TO 12/31/93 0:00

WIND SPEED (MPH)

DIR (FROM)	CALM	CALM+ - 3.5 -	3.6 7.5	7.6 12.5	12.6 -18.5	18.6 -24.5	24.6 -32.5	32.6+ TOTAL	%	AVE SPEED	
N	0	2	9	66	25	0	0	102	16.7	10.8	
NNE	0	1	18	47	11	0	0	77	12.6	9.3	
NE	0	2	18	64	11	0	0	95	15.5	9.4	
ENE	0	5	14	16	2	0	0	37	6.1	7.5	
E	0	2	7	8	7	0	0	24	3.9	9.5	
ESE	0	1	4	16	6	1	0	28	4.6	11.0	
SE	0	0	6	17	6	0	0	29	4.7	10.1	
SSE	0	0	3	24	11	0	0	38	6.2	11.3	
S	0	1	8	14	3	0	0	26	4.3	9.0	
SSW	0	0	7	4	1	0	0	12	2.0	7.5	
SW	0	2	10	5	1	0	0	18	2.9	6.8	
WSW	0	1	4	5	0	0	0	10	1.6	7.0	
W	0	4	5	3	0	0	0	12	2.0	5.5	
WNW	0	1	4	5	1	0	0	11	1.8	8.0	
NW	0	3	2	3	7	0	0	15	2.5	9.8	
NNW	0	0	7	32	29	9	0	0	77	12.6	12.8
TOTAL	0	25	126	329	121	10	0	611	100.0		
%	0.0	4.1	20.6	53.8	19.8	1.6	0.0	0.0	100.0		

AVE SPEED FOR THIS TABLE = 9.9 MPH

HOURS IN ABOVE TABLE WITH VARIABLE DIRECTION = 0

TOTAL NUMBER OF CALMS = 0

TOTAL NUMBER OF INVALID HOURS = 0

TOTAL NUMBER OF VALID HOURS = 2185

TOTAL NUMBER OF HOURS FOR PERIOD = 2185

JOINT FREQUENCY TABLE

STABILITY CLASS -E-

FROM 10/ 1/93 0:00 TO 12/31/93 0:00

WIND SPEED (MPH)

DIR (FROM)	CALM	CALM+	3.6	7.6	12.6	18.6	24.6	32.6+	TOTAL	%	AVE SPEED
	- 3.5	- 7.5	-12.5	-18.5	-24.5	-32.5					
N	0	0	38	27	11	0	0	0	76	12.0	8.4
NNE	0	0	17	11	3	0	0	0	31	4.9	8.0
NE	0	4	26	21	2	0	0	0	53	8.4	7.5
ENE	0	2	27	12	1	0	0	0	42	6.6	7.1
E	0	1	28	14	1	0	0	0	44	7.0	6.5
ESE	0	0	27	16	4	0	0	0	47	7.4	7.7
SE	0	1	21	20	0	0	0	0	42	6.6	7.9
SSE	0	1	21	64	17	0	0	0	103	16.3	9.7
S	0	1	15	30	5	0	0	0	51	8.1	9.1
SSW	0	1	19	10	0	0	0	0	30	4.7	7.1
SW	0	0	8	8	1	0	0	0	17	2.7	8.1
WSW	0	0	7	5	1	0	0	0	13	2.1	7.8
W	0	1	3	0	0	0	0	0	4	0.6	4.3
WNW	0	1	1	2	0	0	0	0	4	0.6	7.3
NW	0	2	6	5	2	0	0	0	15	2.4	7.1
NNW	0	2	26	23	10	0	0	0	61	9.6	8.6
TOTAL	0	17	290	268	58	0	0	0	633	100.0	
%	0.0	2.7	45.8	42.3	9.2	0.0	0.0	0.0	100.0		

AVE SPEED FOR THIS TABLE = 8.1 MPH

HOURS IN ABOVE TABLE WITH VARIABLE DIRECTION = 0

TOTAL NUMBER OF CALMS = 0

TOTAL NUMBER OF INVALID HOURS = 0

TOTAL NUMBER OF VALID HOURS = 2185

TOTAL NUMBER OF HOURS FOR PERIOD = 2185

JOINT FREQUENCY TABLE

STABILITY CLASS -F-

FROM 10/ 1/93 0:00 TO 12/31/93 0:00

WIND SPEED (MPH)

DIR (FROM)	CALM	CALM+	3.6	7.6	12.6	18.6	24.6	32.6+	TOTAL	%	AVE SPEED
	-	3.5	-	7.5	-12.5	-18.5	-24.5	-32.5			
N	0	4	30	0	0	0	0	0	34	12.9	4.8
NNE	0	1	16	1	0	0	0	0	18	6.8	6.1
NE	0	3	11	1	0	0	0	0	15	5.7	5.3
ENE	0	4	9	2	0	0	0	0	15	5.7	5.0
E	0	3	24	3	0	0	0	0	30	11.4	5.5
ESE	0	6	24	0	0	0	0	0	30	11.4	4.7
SE	0	5	24	4	0	0	0	0	33	12.5	5.5
SSE	0	3	22	1	0	0	0	0	26	9.9	5.4
S	0	0	10	2	0	0	0	0	12	4.6	6.1
SSW	0	0	1	0	0	0	0	0	1	0.4	6.3
SW	0	0	2	0	0	0	0	0	2	0.8	5.3
WSW	0	1	1	0	0	0	0	0	2	0.8	4.2
W	0	0	1	0	0	0	0	0	1	0.4	6.3
WNW	0	0	2	0	0	0	0	0	2	0.8	4.1
NW	0	2	11	0	1	0	0	0	14	5.3	5.2
NNW	0	4	22	2	0	0	0	0	28	10.6	5.1
TOTAL	0	36	210	16	1	0	0	0	263	100.0	
%	0.0	13.7	79.8	6.1	0.4	0.0	0.0	0.0	100.0		

AVE SPEED FOR THIS TABLE = 5.3 MPH

HOURS IN ABOVE TABLE WITH VARIABLE DIRECTION = 0

TOTAL NUMBER OF CALMS = 0

TOTAL NUMBER OF INVALID HOURS = 0

TOTAL NUMBER OF VALID HOURS = 2185

TOTAL NUMBER OF HOURS FOR PERIOD = 2185

JOINT FREQUENCY TABLE

STABILITY CLASS -G-

FROM 10/ 1/93 0:00 TO 12/31/93 0:00

WIND SPEED (MPH)

DIR (FROM)	CALM	CALM+	3.6	7.6	12.6	18.6	24.6	32.6+	TOTAL	%	AVE SPEED
	+ 3.5	- 7.5	-12.5	-18.5	-24.5	-32.5					
N	0	11	7	0	0	0	0	0	18	5.6	3.5
NNE	0	9	24	6	0	0	0	0	39	12.1	5.0
NE	0	16	39	1	0	0	0	0	56	17.4	4.2
ENE	0	17	32	0	0	0	0	0	49	15.2	4.2
E	0	13	22	0	0	0	0	0	35	10.9	4.0
ESE	0	11	11	0	0	0	0	0	22	6.8	3.7
SE	0	12	13	0	0	0	0	0	25	7.8	3.6
SSE	0	3	10	0	0	0	0	0	13	4.0	4.2
S	0	1	5	2	0	0	0	0	8	2.5	5.9
SSW	0	0	0	0	0	0	0	0	0	0.0	0.0
SW	0	0	0	0	0	0	0	0	0	0.0	0.0
WSW	0	0	2	0	0	0	0	0	2	0.6	5.8
W	0	3	14	0	0	0	0	0	17	5.3	5.0
WNW	0	6	13	0	0	0	0	0	19	5.9	3.8
NW	0	3	4	0	0	0	0	0	7	2.2	3.5
NNW	0	8	4	0	0	0	0	0	12	3.7	3.0
TOTAL	0	113	200	9	0	0	0	0	322	100.0	
%	0.0	35.1	62.1	2.8	0.0	0.0	0.0	0.0	100.0		

AVE SPEED FOR THIS TABLE = 4.2 MPH

HOURS IN ABOVE TABLE WITH VARIABLE DIRECTION = 0

TOTAL NUMBER OF CALMS = 0

TOTAL NUMBER OF INVALID HOURS = 0

TOTAL NUMBER OF VALID HOURS = 2185

TOTAL NUMBER OF HOURS FOR PERIOD = 2185

JOINT FREQUENCY TABLE

ALL CLASSES COMBINED

FROM 10/ 1/93 0:00 TO 12/31/93 0:00

WIND SPEED (MPH)

DIR (FROM)	CALM	CALM+	3.6	7.6	12.6	18.6	24.6	32.6+	TOTAL	%	AVE SPEED
	-	3.5	-	7.5	-12.5	-18.5	-24.5	-32.5			
N	0	17	91	122	45	0	0	0	275	12.6	8.8
NNE	0	12	90	89	18	0	0	0	209	9.6	7.9
NE	0	25	101	96	13	0	0	0	235	10.8	7.4
ENE	0	28	86	34	3	0	0	0	151	6.9	6.1
E	0	19	84	29	8	0	0	0	140	6.4	6.2
ESE	0	18	69	38	10	1	0	0	136	6.2	7.1
SE	0	18	65	63	24	0	0	0	170	7.8	8.2
SSE	0	7	57	109	53	1	0	0	227	10.4	10.0
S	0	3	42	87	28	0	0	0	160	7.3	9.6
SSW	0	1	28	26	2	0	0	0	57	2.6	8.0
SW	0	2	20	17	3	0	0	0	42	1.9	7.7
WSW	0	2	14	13	1	0	0	0	30	1.4	7.5
W	0	8	23	6	0	0	0	0	37	1.7	5.5
WNW	0	8	20	9	4	0	0	0	41	1.9	6.5
NW	0	10	28	12	18	0	0	0	68	3.1	7.8
NNW	0	14	64	67	48	14	0	0	207	9.5	9.9
TOTAL	0	192	882	817	278	16	0	0	2185	100.0	
%	0.0	8.8	40.4	37.4	12.7	0.7	0.0	0.0	100.0		

AVE SPEED FOR THIS TABLE = 8.2 MPH

HOURS IN ABOVE TABLE WITH VARIABLE DIRECTION = 0

TOTAL NUMBER OF CALMS = 0

TOTAL NUMBER OF INVALID HOURS = 0

TOTAL NUMBER OF VALID HOURS = 2185

TOTAL NUMBER OF HOURS FOR PERIOD = 2185

BATCH RELEASES

First Quarter 1993

FROM	1/ 2/93	2:00	TO	1/ 2/93	2:00
FROM	1/ 7/93	0:00	TO	1/ 7/93	0:00
FROM	1/ 7/93	11:00	TO	1/ 7/93	11:00
FROM	1/14/93	9:00	TO	1/14/93	9:00
FROM	1/15/93	1:00	TO	1/15/93	1:00
FROM	1/16/93	12:00	TO	1/16/93	12:00
FROM	1/17/93	2:00	TO	1/17/93	2:00
FROM	1/17/93	21:00	TO	1/17/93	21:00
FROM	1/19/93	2:00	TO	1/19/93	2:00
FROM	1/20/93	4:00	TO	1/20/93	4:00
FROM	1/21/93	14:00	TO	1/21/93	14:00
FROM	1/25/93	20:00	TO	1/25/93	20:00
FROM	1/28/93	15:00	TO	1/28/93	15:00
FROM	1/31/93	14:00	TO	1/31/93	14:00
FROM	2/ 7/93	16:00	TO	2/ 7/93	16:00
FROM	2/ 8/93	2:00	TO	2/ 8/93	2:00
FROM	2/14/93	22:00	TO	2/14/93	22:00
FROM	2/21/93	3:00	TO	2/21/93	4:00
FROM	3/18/93	3:00	TO	3/18/93	3:00
FROM	3/18/93	7:00	TO	3/18/93	8:00
FROM	3/18/93	10:00	TO	3/18/93	10:00
FROM	3/18/93	16:00	TO	3/18/93	18:00
FROM	3/19/93	6:00	TO	3/19/93	7:00
FROM	3/22/93	7:00	TO	3/22/93	21:00
FROM	3/23/93	0:00	TO	3/24/93	13:00
FROM	3/24/93	16:00	TO	3/31/93	23:00

JOINT FREQUENCY TABLE

STABILITY CLASS -A-

WIND SPEED (MPH)

DIR (FROM)	CALM	CALM+	3.6	7.6	12.6	18.6	24.6	32.6+	TOTAL	%	AVE SPEED
	- 3.5	- 7.5	-12.5	-18.5	-24.5	-32.5					
N	0	0	0	0	1	0	0	0	1	16.7	13.7
NNE	0	0	0	0	0	0	0	0	0	0.0	0.0
NE	0	0	0	0	0	0	0	0	0	0.0	0.0
ENE	0	0	0	0	0	0	0	0	0	0.0	0.0
E	0	0	0	0	0	0	0	0	0	0.0	0.0
ESE	0	0	0	0	0	0	0	0	0	0.0	0.0
SE	0	0	0	0	0	0	0	0	0	0.0	0.0
SSE	0	0	0	0	0	0	0	0	0	0.0	0.0
S	0	0	0	2	0	0	0	0	2	33.3	9.7
SSW	0	0	0	0	0	0	0	0	0	0.0	0.0
SW	0	0	0	0	0	0	0	0	0	0.0	0.0
WSW	0	0	0	0	0	0	0	0	0	0.0	0.0
W	0	0	0	0	0	0	0	0	0	0.0	0.0
WNW	0	0	0	0	0	0	0	0	0	0.0	0.0
NW	0	0	0	0	0	0	0	0	0	0.0	0.0
NNW	0	0	0	1	2	0	0	0	3	50.0	13.3
TOTAL	0	0	0	3	3	0	0	0	6	100.0	
%	0.0	0.0	0.0	50.0	50.0	0.0	0.0	0.0	100.0		

AVE SPEED FOR THIS TABLE = 12.2 MPH

HOURS IN ABOVE TABLE WITH VARIABLE DIRECTION = 0

TOTAL NUMBER OF CALMS = 0

TOTAL NUMBER OF INVALID HOURS = 1

TOTAL NUMBER OF VALID HOURS = 256

TOTAL NUMBER OF HOURS FOR PERIOD = 257

JOINT FREQUENCY TABLE

STABILITY CLASS -B-

WIND SPEED (MPH)

DIR (FROM)	CALM	CALM+	3.6	7.6	12.6	18.6	24.6	32.6+	TOTAL	%	AVE SPEED
	- 3.5	- 7.5	-12.5	-18.5	-24.5	-32.5					
N	0	0	0	1	0	0	0	0	1	8.3	12.4
NNE	0	0	0	0	0	0	0	0	0	0.0	0.0
NE	0	0	0	0	0	0	0	0	0	0.0	0.0
ENE	0	0	2	0	0	0	0	0	2	16.7	6.2
E	0	0	0	0	0	0	0	0	0	0.0	0.0
ESE	0	0	0	0	0	0	0	0	0	0.0	0.0
SE	0	0	1	0	0	0	0	0	1	8.3	4.5
SSE	0	0	0	0	0	0	0	0	0	0.0	0.0
S	0	0	0	4	0	0	0	0	4	33.3	10.5
SSW	0	0	1	0	0	0	0	0	1	8.3	5.0
SW	0	0	0	1	0	0	0	0	1	8.3	10.2
WSW	0	0	0	0	0	0	0	0	0	0.0	0.0
W	0	0	0	0	0	0	0	0	0	0.0	0.0
WNW	0	0	0	0	0	0	0	0	0	0.0	0.0
NW	0	0	0	0	0	0	0	0	0	0.0	0.0
NNW	0	0	0	2	0	0	0	0	2	16.7	10.1
TOTAL	0	0	4	8	0	0	0	0	12	100.0	
	0.0	0.0	33.3	66.7	0.0	0.0	0.0	0.0	100.0		

" SPEED FOR THIS TABLE = 8.9 MPH
 HOURS IN ABOVE TABLE WITH VARIABLE DIRECTION = 0
 TOTAL NUMBER OF CALMS = 0
 TOTAL NUMBER OF INVALID HOURS = 1
 TOTAL NUMBER OF VALID HOURS = 256
 TOTAL NUMBER OF HOURS FOR PERIOD = 257

JOINT FREQUENCY TABLE

STABILITY CLASS -C-

WIND SPEED (MPH)

DIR (FROM)	CALM	CALM+	3.6	7.6	12.6	18.6	24.6	32.6+	TOTAL	%	AVE SPEED
	- 3.5	- 7.5	-12.5	-18.5	-24.5	-32.5					
N	0	0	0	0	0	0	0	0	0	0.0	0.0
NNE	0	0	0	0	0	0	0	0	0	0.0	0.0
NE	0	0	0	0	0	0	0	0	0	0.0	0.0
ENE	0	0	1	0	0	0	0	0	1	5.6	5.9
E	0	0	0	0	0	0	0	0	0	0.0	0.0
ESE	0	0	0	1	5	0	0	0	6	33.3	16.2
SE	0	0	0	0	2	0	0	0	2	11.1	14.5
SSE	0	0	0	0	0	0	0	0	0	0.0	0.0
S	0	0	0	3	0	0	0	0	3	16.7	10.0
SSW	0	0	0	3	0	0	0	0	3	16.7	10.2
SW	0	0	0	2	0	0	0	0	2	11.1	9.8
WSW	0	0	0	0	0	0	0	0	0	0.0	0.0
W	0	0	0	0	0	0	0	0	0	0.0	0.0
WNW	0	0	0	0	0	0	0	0	0	0.0	0.0
NW	0	0	0	0	0	0	0	0	0	0.0	0.0
NNW	0	0	1	0	0	0	0	0	1	5.6	4.7
TOTAL	0	0	2	9	7	0	0	0	18	100.0	
%	0.0	0.0	11.1	50.0	38.9	0.0	0.0	0.0	100.0		

AVE SPEED FOR THIS TABLE = 12.1 MPH

HOURS IN ABOVE TABLE WITH VARIABLE DIRECTION = 0

TOTAL NUMBER OF CALMS = 0

TOTAL NUMBER OF INVALID HOURS = 1

TOTAL NUMBER OF VALID HOURS = 256

TOTAL NUMBER OF HOURS FOR PERIOD = 257

JOINT FREQUENCY TABLE

STABILITY CLASS -D-

WIND SPEED (MPH)

DIR (FROM)	CALM	CALM+	3.6 - 3.5	7.6 - 7.5	12.6 - 12.5	18.6 - 18.5	24.6 - 24.5	32.6+ - 32.5	TOTAL	%	AVE SPEED
N	0	0	1	1	0	0	0	0	2	1.8	9.4
NNE	0	0	2	3	0	0	0	0	5	4.5	8.3
NE	0	0	2	2	0	0	0	0	4	3.6	7.5
ENE	0	0	3	6	0	0	0	0	9	8.2	8.0
E	0	0	11	3	0	0	0	0	14	12.7	6.4
ESE	0	0	5	16	13	0	0	0	34	30.9	11.6
SE	0	0	1	9	2	0	0	0	12	10.9	10.9
SSE	0	2	5	2	0	0	0	0	9	8.2	6.1
S	0	0	5	2	0	0	0	0	7	6.4	6.1
SSW	0	0	2	4	0	0	0	0	6	5.5	8.6
SW	0	0	2	1	0	0	0	0	3	2.7	6.1
WSW	0	0	0	0	0	0	0	0	0	0.0	0.0
W	0	0	1	0	0	0	0	0	1	0.9	3.6
WNW	0	0	0	0	0	0	0	0	0	0.0	0.0
NW	0	0	0	1	0	0	0	0	1	0.9	10.1
NNW	0	0	3	0	0	0	0	0	3	2.7	6.1
TOTAL	0	2	43	50	15	0	0	0	110	100.0	
%	0.0	1.8	39.1	45.5	13.6	0.0	0.0	0.0	100.0		

AVE SPEED FOR THIS TABLE = 8.9 MPH

HOURS IN ABOVE TABLE WITH VARIABLE DIRECTION = 0

TOTAL NUMBER OF CALMS = 0

TOTAL NUMBER OF INVALID HOURS = 1

TOTAL NUMBER OF VALID HOURS = 256

TOTAL NUMBER OF HOURS FOR PERIOD = 257

JOINT FREQUENCY TABLE

STABILITY CLASS -E-

WIND SPEED (MPH)

DIR (FROM)	CALM	CALM+	3.6	7.6	12.6	18.6	24.6	32.6+	TOTAL	%	AVE SPEED
	- 3.5	- 7.5	-12.5	-18.5	-24.5	-32.5					
N	0	0	0	2	0	0	0	0	2	2.6	9.2
NNE	0	0	0	1	0	0	0	0	1	1.3	11.5
NE	0	0	1	0	0	0	0	0	1	1.3	6.0
ENE	0	0	0	2	0	0	0	0	2	2.6	8.5
E	0	1	5	2	0	0	0	0	8	10.4	6.3
ESE	0	0	7	3	0	0	0	0	10	13.0	6.9
SE	0	0	2	2	0	0	0	0	4	5.2	7.0
SSE	0	4	12	2	0	0	0	0	18	23.4	4.9
S	0	3	12	2	0	0	0	0	17	22.1	5.1
SSW	0	0	5	1	0	0	0	0	6	7.8	6.0
SW	0	0	1	0	0	0	0	0	1	1.3	7.2
WSW	0	0	0	0	0	0	0	0	0	0.0	0.0
W	0	0	1	0	0	0	0	0	1	1.3	3.7
WNW	0	1	0	0	0	0	0	0	1	1.3	2.7
NW	0	1	0	0	0	0	0	0	1	1.3	3.1
NNW	0	0	3	1	0	0	0	0	4	5.2	6.0
TOTAL	0	10	49	18	0	0	0	0	77	100.0	
%	0.0	13.0	63.6	23.4	0.0	0.0	0.0	0.0	100.0		

AVE SPEED FOR THIS TABLE = 5.9 MPH

HOURS IN ABOVE TABLE WITH VARIABLE DIRECTION = 0

TOTAL NUMBER OF CALMS = 0

TOTAL NUMBER OF INVALID HOURS = 1

TOTAL NUMBER OF VALID HOURS = 256

TOTAL NUMBER OF HOURS FOR PERIOD = 257

JOINT FREQUENCY TABLE

STABILITY CLASS -F-

WIND SPEED (MPH)

DIR (FROM)	CALM	CALM+ + 3.5	3.6 - 7.5	7.6 - 12.5	12.6 - 18.5	18.6 - 24.5	24.6 - 32.5	32.6+ - 32.5	TOTAL	%	AVE SPEED
N	0	0	1	0	0	0	0	0	1	6.7	5.8
NNE	0	0	0	0	0	0	0	0	0	0.0	0.0
NE	0	0	2	0	0	0	0	0	2	13.3	4.3
ENE	0	0	1	0	0	0	0	0	1	6.7	4.8
E	0	0	2	0	0	0	0	0	2	13.3	5.2
ESE	0	0	5	0	0	0	0	0	5	33.3	5.4
SE	0	1	0	0	0	0	0	0	1	6.7	2.3
SSE	0	0	0	0	0	0	0	0	0	0.0	0.0
S	0	1	0	0	0	0	0	0	1	6.7	1.3
SSW	0	0	0	0	0	0	0	0	0	0.0	0.0
SW	0	0	0	0	0	0	0	0	0	0.0	0.0
WSW	0	0	0	1	0	0	0	0	1	6.7	8.0
W	0	0	0	0	0	0	0	0	0	0.0	0.0
WNW	0	0	0	0	0	0	0	0	0	0.0	0.0
NW	0	1	0	0	0	0	0	0	1	6.7	2.0
NNW	0	0	0	0	0	0	0	0	0	0.0	0.0
TOTAL	0	3	11	1	0	0	0	0	15	100.0	
%	0.0	20.0	73.3	6.7	0.0	0.0	0.0	0.0	100.0		

AVE SPEED FOR THIS TABLE = 4.7 MPH

HOURS IN ABOVE TABLE WITH VARIABLE DIRECTION = 0

TOTAL NUMBER OF CALMS = 0

TOTAL NUMBER OF INVALID HOURS = 1

TOTAL NUMBER OF VALID HOURS = 256

TOTAL NUMBER OF HOURS FOR PERIOD = 257

JOINT FREQUENCY TABLE

STABILITY CLASS -G-

WIND SPEED (MPH)

DIR (FROM)	CALM	CALM+	3.6	7.6	12.6	18.6	24.6	32.6+	TOTAL	%	AVE SPEED
	- 3.5	- 7.5	-12.5	-18.5	-24.5	-32.5					
N	0	3	0	0	0	0	0	0	3	16.7	1.7
NNE	0	1	1	0	0	0	0	0	2	11.1	2.9
NE	0	2	1	0	0	0	0	0	3	16.7	3.1
ENE	0	1	1	0	0	0	0	0	2	11.1	3.3
E	0	0	0	0	0	0	0	0	0	0.0	0.0
ESE	0	0	1	0	0	0	0	0	1	5.6	4.5
SE	0	0	0	0	0	0	0	0	0	0.0	0.0
SSE	0	0	0	0	0	0	0	0	0	0.0	0.0
S	0	0	0	0	0	0	0	0	0	0.0	0.0
SSW	0	0	0	0	0	0	0	0	0	0.0	0.0
SW	0	0	0	0	0	0	0	0	0	0.0	0.0
WSW	0	0	0	0	0	0	0	0	0	0.0	0.0
W	0	0	0	0	0	0	0	0	0	0.0	0.0
WNW	0	2	1	0	0	0	0	0	3	16.7	3.3
NW	0	0	1	0	0	0	0	0	1	5.6	4.4
NNW	0	2	1	0	0	0	0	0	3	16.7	3.7
TOTAL	0	11	7	0	0	0	0	0	18	100.0	
%	0.0	61.1	38.9	0.0	0.0	0.0	0.0	0.0	100.0		

AVE SPEED FOR THIS TABLE = 3.1 MPH

HOURS IN ABOVE TABLE WITH VARIABLE DIRECTION = 0

TOTAL NUMBER OF CALMS = 0

TOTAL NUMBER OF INVALID HOURS = 1

TOTAL NUMBER OF VALID HOURS = 256

TOTAL NUMBER OF HOURS FOR PERIOD = 257

JOINT FREQUENCY TABLE

ALL CLASSES COMBINED

WIND SPEED (MPH)

DIR (FROM)	CALM	CALM+	3.6	7.6	12.6	18.6	24.6	32.6+	TOTAL	%	AVE SPEED
	- 3.5 -	3.5 - 7.5	7.5 - 12.5	12.5 - 18.5	18.5 - 24.5	24.5 - 32.5					
N	0	3	2	4	1	0	0	0	10	3.9	7.4
NNE	0	1	3	4	0	0	0	0	8	3.1	7.3
NE	0	2	6	2	0	0	0	0	10	3.9	5.4
ENE	0	1	8	8	0	0	0	0	17	6.6	7.0
E	0	1	18	5	0	0	0	0	24	9.4	6.3
ESE	0	0	18	20	18	0	0	0	56	21.9	10.6
SE	0	1	4	11	4	0	0	0	20	7.8	9.7
SSE	0	6	17	4	0	0	0	0	27	10.5	5.3
S	0	4	17	13	0	0	0	0	34	13.3	6.6
SSW	0	0	8	8	0	0	0	0	16	6.3	7.7
SW	0	0	3	4	0	0	0	0	7	2.7	7.9
WSW	0	0	0	1	0	0	0	0	1	0.4	8.0
W	0	0	2	0	0	0	0	0	2	0.8	3.7
WNW	0	3	1	0	0	0	0	0	4	1.6	3.2
NW	0	2	1	1	0	0	0	0	4	1.6	4.9
NNW	0	2	8	4	2	0	0	0	16	6.3	7.4
TOTAL	0	26	116	89	25	0	0	0	256	100.0	
%	0.0	10.2	45.3	34.8	9.8	0.0	0.0	0.0	100.0		

AVE SPEED FOR THIS TABLE = 7.6 MPH

HOURS IN ABOVE TABLE WITH VARIABLE DIRECTION = 0

TOTAL NUMBER OF CALMS = 0

TOTAL NUMBER OF INVALID HOURS = 1

TOTAL NUMBER OF VALID HOURS = 256

TOTAL NUMBER OF HOURS FOR PERIOD = 257

BATCH RELEASES

Second Quarter 1993

FROM	4/ 1/93	0:00	TO	4/ 2/93	11:00
FROM	4/ 9/93	11:00	TO	4/11/93	8:00
FROM	4/11/93	12:00	TO	4/12/93	8:00
FROM	4/12/93	10:00	TO	4/14/93	13:00
FROM	4/14/93	23:00	TO	4/16/93	9:00

JOINT FREQUENCY TABLE

STABILITY CLASS -A-

WIND SPEED (MPH)

DIR (FROM)	CALM	CALM+	3.6	7.6	12.6	18.6	24.6	32.6+	TOTAL	%	AVE SPEED
	- 3.5	- 7.5	-12.5	-18.5	-24.5	-32.5					
N	0	0	0	2	0	0	0	0	2	6.3	11.8
NNE	0	0	0	0	0	0	0	0	0	0.0	0.0
NE	0	0	0	0	0	0	0	0	0	0.0	0.0
ENE	0	0	0	0	0	0	0	0	0	0.0	0.0
E	0	0	0	0	0	0	0	0	0	0.0	0.0
ESE	0	0	0	0	0	0	0	0	0	0.0	0.0
SE	0	0	0	0	1	0	0	0	1	3.1	16.7
SSE	0	0	0	0	5	0	0	0	5	15.6	15.8
S	0	0	0	0	3	0	0	0	3	9.4	16.2
SSW	0	0	0	0	6	0	0	0	6	18.8	17.0
SW	0	0	0	0	2	0	0	0	2	6.3	16.3
WSW	0	0	0	0	0	0	0	0	0	0.0	0.0
W	0	0	0	0	0	0	0	0	0	0.0	0.0
WNW	0	0	0	0	0	0	0	0	0	0.0	0.0
NW	0	0	0	3	7	0	0	0	10	31.3	12.2
NNW	0	0	0	3	0	0	0	0	3	9.4	11.0
TOTAL	0	0	0	8	24	0	0	0	32	100.0	
%	0.0	0.0	0.0	25.0	75.0	0.0	0.0	0.0	100.0		

AVE SPEED FOR THIS TABLE = 14.3 MPH

HOURS IN ABOVE TABLE WITH VARIABLE DIRECTION = 0

TOTAL NUMBER OF CALMS = 0

TOTAL NUMBER OF INVALID HOURS = 1

TOTAL NUMBER OF VALID HOURS = 189

TOTAL NUMBER OF HOURS FOR PERIOD = 190

JOINT FREQUENCY TABLE

STABILITY CLASS -B-

WIND SPEED (MPH)

DIR (FROM)	CALM	CALM+ - 3.5 - 7.5	3.6 -12.5	7.6 -18.5	12.6 -24.5	18.6 -32.5	24.6 -32.5	32.6+	TOTAL	%	AVE SPEED
N	0	0	0	1	0	0	0	0	1	7.7	9.2
NNE	0	0	0	0	0	0	0	0	0	0.0	0.0
NE	0	0	0	0	0	0	0	0	0	0.0	0.0
ENE	0	0	0	1	1	0	0	0	2	15.4	11.2
E	0	0	0	0	0	0	0	0	0	0.0	0.0
ESE	0	0	0	0	0	0	0	0	0	0.0	0.0
SE	0	0	0	0	3	0	0	0	3	23.1	16.5
SSE	0	0	0	0	2	0	0	0	2	15.4	15.1
S	0	0	0	0	0	0	0	0	0	0.0	0.0
SSW	0	0	0	0	1	0	0	0	1	7.7	18.2
SW	0	0	0	0	0	0	0	0	0	0.0	0.0
WSW	0	0	0	0	0	0	0	0	0	0.0	0.0
W	0	0	0	0	0	0	0	0	0	0.0	0.0
WNW	0	0	0	0	0	0	0	0	0	0.0	0.0
NW	0	0	0	2	0	0	0	0	2	15.4	10.3
NNW	0	0	0	2	0	0	0	0	2	15.4	10.9
TOTAL	0	0	0	6	7	0	0	0	13	100.0	
%	0.0	0.0	0.0	46.2	53.8	0.0	0.0	0.0	100.0		

AVE SPEED FOR THIS TABLE = 13.2 MPH

HOURS IN ABOVE TABLE WITH VARIABLE DIRECTION = 0

TOTAL NUMBER OF CALMS = 0

TOTAL NUMBER OF INVALID HOURS = 1

TOTAL NUMBER OF VALID HOURS = 189

TOTAL NUMBER OF HOURS FOR PERIOD = 190

JOINT FREQUENCY TABLE

STABILITY CLASS -C-

WIND SPEED (MPH)

DIR (FROM)	CALM	CALM+	3.6	7.6	12.6	18.6	24.6	32.6+	TOTAL	%	AVE SPEED
	- 3.5	- 7.5	-12.5	-18.5	-24.5	-32.5					
N	0	0	0	0	0	0	0	0	0	0.0	0.0
NNE	0	0	0	0	0	0	0	0	0	0.0	0.0
NE	0	0	0	0	0	0	0	0	0	0.0	0.0
ENE	0	0	0	0	0	0	0	0	0	0.0	0.0
E	0	0	0	1	0	0	0	0	1	12.5	8.3
ESE	0	0	0	0	0	0	0	0	0	0.0	0.0
SE	0	0	0	0	1	0	0	0	1	12.5	17.1
SSE	0	0	0	0	2	0	0	0	2	25.0	14.5
S	0	0	0	0	2	0	0	0	2	25.0	16.0
SSW	0	0	0	0	0	0	0	0	0	0.0	0.0
SW	0	0	0	0	0	0	0	0	0	0.0	0.0
WSW	0	0	0	0	0	0	0	0	0	0.0	0.0
W	0	0	0	0	0	0	0	0	0	0.0	0.0
WNW	0	0	1	1	0	0	0	0	2	25.0	7.8
NW	0	0	0	0	0	0	0	0	0	0.0	0.0
NNW	0	0	0	0	0	0	0	0	0	0.0	0.0
TOTAL	0	0	1	2	5	0	0	0	8	100.0	
%	0.0	0.0	12.5	25.0	62.5	0.0	0.0	0.0	100.0		

AVE SPEED FOR THIS TABLE = 12.7 MPH

HOURS IN ABOVE TABLE WITH VARIABLE DIRECTION = 0

TOTAL NUMBER OF CALMS = 0

TOTAL NUMBER OF INVALID HOURS = 1

TOTAL NUMBER OF VALID HOURS = 189

TOTAL NUMBER OF HOURS FOR PERIOD = 190

JOINT FREQUENCY TABLE

STABILITY CLASS -D-

WIND SPEED (MPH)

DIR (FROM)	CALM	CALM+	3.6	7.6	12.6	18.6	24.6	32.6+	TOTAL	%	AVE SPEED
	- 3.5	- 7.5	-12.5	-18.5	-24.5	-32.5					
N	0	0	0	2	0	0	0	0	2	4.4	8.4
NNE	0	0	0	0	0	0	0	0	0	0.0	0.0
NE	0	0	0	0	0	0	0	0	0	0.0	0.0
ENE	0	0	0	1	1	0	0	0	2	4.4	12.0
E	0	0	0	0	0	0	0	0	0	0.0	0.0
ESE	0	0	0	1	0	0	0	0	1	2.2	8.3
SE	0	0	0	2	6	0	0	0	8	17.8	13.3
SSE	0	0	1	7	9	3	0	0	20	44.4	14.0
S	0	0	0	1	1	1	0	0	3	6.7	15.4
SSW	0	0	0	0	0	0	0	0	0	0.0	0.0
SW	0	0	1	1	0	0	0	0	2	4.4	9.1
WSW	0	0	0	0	0	0	0	0	0	0.0	0.0
W	0	0	0	0	0	0	0	0	0	0.0	0.0
WNW	0	0	0	1	0	0	0	0	1	2.2	9.5
NW	0	0	0	3	0	0	0	0	3	6.7	8.6
NNW	0	0	0	3	0	0	0	0	3	6.7	9.6
TOTAL	0	0	2	22	17	4	0	0	45	100.0	
*	0.0	0.0	4.4	48.9	37.8	8.9	0.0	0.0	100.0		

AVE SPEED FOR THIS TABLE = 12.6 MPH

HOURS IN ABOVE TABLE WITH VARIABLE DIRECTION = 0

TOTAL NUMBER OF CALMS = 0

TOTAL NUMBER OF INVALID HOURS = 1

TOTAL NUMBER OF VALID HOURS = 189

TOTAL NUMBER OF HOURS FOR PERIOD = 190

JOINT FREQUENCY TABLE

STABILITY CLASS -E-

WIND SPEED (MPH)

DIR (FROM)	CALM	CALM+ - 3.5 -	3.6 7.5	7.6 12.5	12.6 -18.5	18.6 -24.5	24.6 -32.5	32.6+ TOTAL	%	AVE SPEED
N	0	0	1	0	0	0	0	1	1.8	4.7
NNE	0	0	1	3	0	0	0	4	7.1	8.0
NE	0	0	0	2	0	0	0	2	3.6	8.4
ENE	0	0	0	0	0	0	0	0	0.0	0.0
E	0	0	1	0	0	0	0	1	1.8	6.2
ESE	0	0	0	0	0	0	0	0	0.0	0.0
SE	0	0	0	3	0	0	0	3	5.4	9.0
SSE	0	0	3	12	2	0	0	17	30.4	9.5
S	0	0	5	8	2	0	0	15	26.8	9.3
SSW	0	0	3	1	0	0	0	4	7.1	7.2
SW	0	0	1	0	0	0	0	1	1.8	6.8
WSW	0	0	0	0	0	0	0	0	0.0	0.0
W	0	0	0	0	0	0	0	0	0.0	0.0
WNW	0	0	2	0	0	0	0	2	3.6	6.0
NW	0	0	1	0	0	0	0	1	1.8	7.1
NNW	0	0	1	1	3	0	0	5	8.9	11.8
TOTAL	0	0	19	30	7	0	0	56	100.0	
%	0.0	0.0	33.9	53.6	12.5	0.0	0.0	0.0	100.0	

AVE SPEED FOR THIS TABLE = 9.0 MPH

HOURS IN ABOVE TABLE WITH VARIABLE DIRECTION = 0

TOTAL NUMBER OF CALMS = 0

TOTAL NUMBER OF INVALID HOURS = 1

TOTAL NUMBER OF VALID HOURS = 189

TOTAL NUMBER OF HOURS FOR PERIOD = 190

JOINT FREQUENCY TABLE

STABILITY CLASS -F-

WIND SPEED (MPH)

DIR (FROM)	CALM	CALM+ - 3.5	3.6 - 7.5	7.6 -12.5	12.6 -18.5	18.6 -24.5	24.6 -32.5	32.6+ TOTAL	%	AVE SPEED
N	0	0	1	0	0	0	0	1	5.6	4.6
NNE	0	1	5	0	0	0	0	6	33.3	6.2
NE	0	0	0	0	0	0	0	0	0.0	0.0
ENE	0	0	0	0	0	0	0	0	0.0	0.0
E	0	0	0	0	0	0	0	0	0.0	0.0
ESE	0	0	0	0	0	0	0	0	0.0	0.0
SE	0	0	0	0	0	0	0	0	0.0	0.0
SSE	0	0	3	0	0	0	0	3	16.7	4.0
S	0	0	6	0	0	0	0	6	33.3	5.9
SSW	0	0	0	0	0	0	0	0	0.0	0.0
SW	0	0	0	0	0	0	0	0	0.0	0.0
WSW	0	0	0	0	0	0	0	0	0.0	0.0
W	0	0	0	0	0	0	0	0	0.0	0.0
WNW	0	1	1	0	0	0	0	2	11.1	4.4
NW	0	0	0	0	0	0	0	0	0.0	0.0
NNW	0	0	0	0	0	0	0	0	0.0	0.0
TOTAL	0	2	16	0	0	0	0	18	100.0	
%	0.0	11.1	88.9	0.0	0.0	0.0	0.0	0.0	100.0	

AVE SPEED FOR THIS TABLE = 5.5 MPH

HOURS IN ABOVE TABLE WITH VARIABLE DIRECTION = 0

TOTAL NUMBER OF CALMS = 0

TOTAL NUMBER OF INVALID HOURS = 1

TOTAL NUMBER OF VALID HOURS = 189

TOTAL NUMBER OF HOURS FOR PERIOD = 190

JOINT FREQUENCY TABLE

STABILITY CLASS -G-

WIND SPEED (MPH)

DIR (FROM)	CALM	CALM+	3.6	7.6	12.6	18.6	24.6	32.6+	TOTAL	%	AVE SPEED
	-	3.5	-	7.5	-12.5	-18.5	-24.5	-32.5			
N	0	0	0	0	0	0	0	0	0	0.0	0.0
NNE	0	3	0	0	0	0	0	0	3	17.6	2.2
NE	0	0	4	0	0	0	0	0	4	23.5	6.2
ENE	0	1	4	0	0	0	0	0	5	29.4	5.4
E	0	1	0	0	0	0	0	0	1	5.9	3.3
ESE	0	0	0	0	0	0	0	0	0	0.0	0.0
SE	0	0	0	0	0	0	0	0	0	0.0	0.0
SSE	0	0	0	0	0	0	0	0	0	0.0	0.0
S	0	0	0	0	0	0	0	0	0	0.0	0.0
SSW	0	0	0	0	0	0	0	0	0	0.0	0.0
SW	0	0	0	0	0	0	0	0	0	0.0	0.0
WSW	0	0	0	0	0	0	0	0	0	0.0	0.0
W	0	0	0	0	0	0	0	0	0	0.0	0.0
WNW	0	3	1	0	0	0	0	0	4	23.5	3.4
NW	0	0	0	0	0	0	0	0	0	0.0	0.0
NNW	0	0	0	0	0	0	0	0	0	0.0	0.0
TOTAL	0	8	9	0	0	0	0	0	17	100.0	
%	0.0	47.1	52.9	0.0	0.0	0.0	0.0	0.0	100.0		

AVE SPEED FOR THIS TABLE = 4.4 MPH

HOURS IN ABOVE TABLE WITH VARIABLE DIRECTION = 0

TOTAL NUMBER OF CALMS = 0

TOTAL NUMBER OF INVALID HOURS = 1

TOTAL NUMBER OF VALID HOURS = 189

TOTAL NUMBER OF HOURS FOR PERIOD = 190

JOINT FREQUENCY TABLE

ALL CLASSES COMBINED

WIND SPEED (MPH)

DIR (FROM)	CALM	CALM+	3.6	7.6	12.6	18.6	24.6	32.6+	TOTAL	%	AVE SPEED
	- 3.5 -	7.5	-12.5	-18.5	-24.5	-32.5					
N	0	0	2	5	0	0	0	0	7	3.7	8.4
NNE	0	4	6	3	0	0	0	0	13	6.9	5.8
NE	0	0	4	2	0	0	0	0	6	3.2	7.0
ENE	0	1	4	2	2	0	0	0	9	4.8	8.2
E	0	1	1	1	0	0	0	0	3	1.6	5.9
ESE	0	0	0	1	0	0	0	0	1	0.5	8.3
SE	0	0	0	5	11	0	0	0	16	8.5	13.6
SSE	0	0	7	19	20	3	0	0	49	25.9	12.1
S	0	0	11	9	8	1	0	0	29	15.3	10.4
SSW	0	0	3	1	7	0	0	0	11	5.8	13.5
SW	0	0	2	1	2	0	0	0	5	2.6	11.5
WSW	0	0	0	0	0	0	0	0	0	0.0	0.0
W	0	0	0	0	0	0	0	0	0	0.0	0.0
WNW	0	4	5	2	0	0	0	0	11	5.8	5.4
NW	0	0	1	8	7	0	0	0	16	8.5	11.0
NNW	0	0	1	9	3	0	0	0	13	6.9	11.0
TOTAL	0	10	47	68	60	4	0	0	189	100.0	
%	0.0	5.3	24.9	36.0	31.7	2.1	0.0	0.0	100.0		

AVE SPEED FOR THIS TABLE = 10.4 MPH

HOURS IN ABOVE TABLE WITH VARIABLE DIRECTION = 0

TOTAL NUMBER OF CALMS = 0

TOTAL NUMBER OF INVALID HOURS = 1

TOTAL NUMBER OF VALID HOURS = 189

TOTAL NUMBER OF HOURS FOR PERIOD = 190

BATCH RELEASES

Third Quarter 1993

No releases made this quarter.


BATCH RELEASES
Fourth Quarter 1993
No releases made this quarter.

APPENDIX A - RESULTS OF THE PROTECTED AREA
DIRECT RADIATION MEASUREMENTS PROGRAM

APPENDIX A - 1993 STPEGS PROTECTED AREA TLD
MONITORING STATIONS

STATION NUMBER	1st Qtr Average (mrem)	2nd Qtr Average (mrem)	3rd Qtr Average (mrem)	4th Qtr Average (mrem)	Annual Average Net Dose Rate (mrem/hour) *
0-01	12.4	11.9	12.6	11.9	-0.0015
0-02	12.9	12.9	12.8	12.6	-0.0012
0-03	11.4	11.5	11.2	10.9	-0.0019
0-04	12.3	12.6	12.2	12.0	-0.0014
0-05	13.3	14.6	13.7	12.9	-0.0008
0-06	15.0	15.6	15.0	14.6	-0.0002
0-07	13.5	13.1	13.5	13.2	-0.0010
0-08	12.2	11.9	11.7	11.8	-0.0016
0-09	12.0	11.5	12.9	11.5	-0.0016
0-10	11.4	11.2	11.8	11.3	-0.0018
0-11	11.2	10.5	11.1	10.4	-0.0021
0-12	11.1	10.3	11.0	10.3	-0.0022
0-13	10.6	10.1	10.9	10.5	-0.0022
0-14	10.9	10.4	11.1	10.4	-0.0022
0-15	10.9	10.2	11.1	10.7	-0.0021
0-16	10.8	10.3	11.1	11.2	-0.0021

* Note: Values normalized to a 91-day quarter. Only calcium sulfate elements used (E2, E3, and E4). NET DOSE RATE: The difference between the dose rate measured in 1993 and the rate measured in 1986 due to natural background. ([avg. std. qrt. dose rate] - 15.4 mrem background) / 91 days / 24 hours



APPENDIX B - OFFSITE DOSE CALCULATION MANUAL,
REVISION 5, AMENDMENT 1

R04591

OFFSITE DOSE CALCULATION MANUAL
(ODCM)

SOUTH TEXAS PROJECT

PART A Revision 5A^{11/8/93} Amendment 1
PART B Revision 5

Plant Manager Approval GZ Purley 10/28/93

PORC Meeting Number 93-026



KLR
OCTOBER 1993
Rev 5 / Amendment 1

Nov 1993

PREFACE

The South Texas Project (STP) Offsite Dose Calculation Manual (ODCM) is divided into two parts: Part A, Radiological Effluent Monitoring Programs, which provides the in-plant radiological effluent monitoring program requirements for liquid and gas sampling and analysis, along with the Radiological Environmental Monitoring Program requirements; and Part B, Radiological Calculational Methods and Parameters, which provides approved methods to determine effluent monitor setpoint values and estimates of doses and radionuclide concentrations occurring beyond the boundaries of the station resulting from normal station operation.

The sampling and analysis programs in Part A provide the inputs for the models of Part B in order to calculate offsite doses and radionuclide concentrations necessary to determine compliance with the dose and concentration requirements of Control 3/4.11 in Part A of the ODCM. The Radiological Environmental Monitoring Program required by Control 3/4.12 in Part A, and outlined within this manual provides the means to determine that measurable concentrations of radioactive materials released as a result of the operation of STP are not significantly higher than expected.

Changes to the ODCM shall be performed in accordance with Technical Specification 6.14.

TABLE OF CONTENTS

<u>SECTION</u>		<u>PAGE</u>
REFERENCES		ix
PART A: RADIOLOGICAL EFFLUENT MONITORING PROGRAMS		
<u>1.0 DEFINITIONS</u>		
1.1	ACTION	3
1.2	ANALOG CHANNEL OPERATIONAL TEST	3
1.3	CHANNEL CALIBRATION	3
1.4	CHANNEL CHECK	3
1.5	DIGITAL CHANNEL OPERATIONAL TEST	3
1.6	DOSE EQUIVALENT I-131	3
1.7	FREQUENCY NOTATION	4
1.8	GASEOUS WASTE PROCESSING SYSTEM	4
1.9	MEMBER(S) OF THE PUBLIC	4
1.10	OFFSITE DOSE CALCULATION MANUAL	4
1.11	OPERABLE - OPERABILITY	4
1.12	OPERATIONAL MODE - MODE	4
1.13	PURGE - PURGING	5
1.14	RATED THERMAL POWER	5
1.15	REPORTABLE EVENT	5
1.16	SITE BOUNDARY	5
1.17	SOLIDIFICATION	5
1.18	SOURCE CHECK	5
1.19	THERMAL POWER	5
1.20	UNRESTRICTED AREA	5
1.21	VENTING	5
TABLE 1.1	FREQUENCY NOTATION	6
TABLE 1.2	OPERATIONAL MODES	7

TABLE OF CONTENTS

<u>SECTION</u>	<u>PAGE</u>
<u>2.0 RESPONSIBILITIES FOR PART A OF THE ODCM</u>	9
<u>3.0 and 4.0 CONTROLS AND SURVEILLANCE REQUIREMENTS</u>	
<u>3/4.0 APPLICABILITY</u>	11
<u>3/4.3 INSTRUMENTATION</u>	
<u>3/4.3.3 MONITORING INSTRUMENTATION</u>	
3/4.3.3.10 Radioactive Liquid Effluent Monitoring Instrumentation	13
TABLE 3.3-12 RADIOACTIVE LIQUID EFFLUENT MONITORING INSTRUMENTATION	14
TABLE 4.3-8 RADIOACTIVE LIQUID EFFLUENT MONITORING INSTRUMENTATION SURVEILLANCE REQUIREMENTS	16
3/4.3.3.11 Radioactive Gaseous Effluent Monitoring Instrumentation	18
TABLE 3.3-13 RADIOACTIVE GASEOUS EFFLUENT MONITORING INSTRUMENTATION	19
TABLE 4.3-9 RADIOACTIVE GASEOUS EFFLUENT MONITORING INSTRUMENTATION SURVEILLANCE REQUIREMENTS	21
<u>3/4.11 RADIOACTIVE EFFLUENTS</u>	
<u>3/4.11.1 LIQUID EFFLUENTS</u>	23
3/4.11.1.1 Concentration	24
TABLE A3-1 RADIOACTIVE LIQUID WASTE SAMPLING AND ANALYSIS PROGRAM	25
3/4.11.1.2 Dose	28
3/4.11.1.3 Liquid Waste Processing System	29
<u>3/4.11.2 GASEOUS EFFLUENTS</u>	30
3/4.11.2.1 Dose Rate	31
TABLE A4-1 RADIOACTIVE GASEOUS WASTE SAMPLING AND ANALYSIS PROGRAM	32
3/4.11.2.2 Dose - Noble Gases	35
3/4.11.2.3 Dose - Iodine 131, 133, Tritium, and Radioactive	
Material in Particulate Form	36
3/4.11.2.4 Gaseous Waste Processing System	37

TABLE OF CONTENTS

SECTION		PAGE
<u>3/4.11.4 TOTAL DOSE</u>		38
<u>3/4.12 RAD'LOGICAL ENVIRONMENTAL MONITORING</u>		40
<u> 3/4.12.1 MONITORING PROGRAM</u>		41
TABLE A5-1 RADIOLOGICAL ENVIRONMENTAL MONITORING PROGRAM		43
TABLE A5-2 DETECTION CAPABILITIES FOR ENVIRONMENTAL SAMPLE ANALYSIS LOWER LIMIT OF DETECTION		50
TABLE A5-3 REPORTING LEVELS FOR RADIOACTIVITY CONCENTRATIONS IN ENVIRONMENTAL SAMPLES REPORTING LEVELS		53
<u> 3/4.12.2 LAND USE CENSUS</u>		54
<u> 3/4.12.3 INTERLABORATORY COMPARISON PROGRAM</u>		56
<u>BASES 3.0 and 4.0 CONTROLS AND SURVEILLANCE REQUIREMENTS</u>		
<u>3/4.3 INSTRUMENTATION</u>		
<u> 3/4.3.3 MONITORING INSTRUMENTATION</u>		
3/4.3.3.10 Radioactive Liquid Effluent Monitoring Instrumentation		58
3/4.3.3.11 Radioactive Gaseous Effluent Monitoring Instrumentation		58
<u>3/4.11.11.1 LIQUID EFFLUENTS</u>		
3/4.11.1.1 Concentration		59
3/4.11.1.2 Dose		59
3/4.11.1.3 Liquid Waste Processing System		60
<u>3/4.11.1.2 GASEOUS EFFLUENTS</u>		
3/4.11.2.1 Dose Rate		60
3/4.11.2.2 Dose - Noble Gases		61
3/4.11.2.3 Dose - Iodine-131, Iodine-133, Tritium, and Radioactive		
Material in Particulate Form		62
3/4.11.2.4 Gaseous Waste Processing System		62
<u>3/4.11.4 TOTAL DOSE</u>		63

TABLE OF CONTENTS

<u>SECTION</u>		<u>PAGE</u>
<u>3/4.12 RADIOLOGICAL ENVIRONMENTAL MONITORING</u>		
<u> 3/4.12.1 MONITORING PROGRAM</u>		64
<u> 3/4.12.2 LAND USE CENSUS</u>		64
<u> 3/4.12.3 INTERLABORATORY COMPARISON PROGRAM</u>		65
<u>5.0 DESIGN FEATURES</u>		
5.1.3	Map Defining Unrestricted Areas and Site Boundary for Radioactive Gaseous and Liquid Effluents	67
FIGURE 5.1-1	EXCLUSION AREA	68
FIGURE 5.1-2	LOW POPULATION ZONE	69
FIGURE 5.1-3	UNRESTRICTED AREA AND SITE BOUNDARY FOR RADIOACTIVE GASEOUS EFFLUENTS	70
FIGURE 5.1-4	UNRESTRICTED AREA AND SITE BOUNDARY FOR RADIOACTIVE LIQUID EFFLUENTS	71
<u>6.0 ADMINISTRATIVE CONTROLS</u>		
6.9.1.3	Annual Radiological Environmental Operating Report	73
6.9.1.4	Semiannual Radioactive Effluent Release Report	74
6.15.1	Major Changes to Liquid and Gaseous Radwaste Treatment Systems	76

TABLE OF CONTENTS

<u>SECTION</u>		<u>PAGE</u>
<u>PART B: RADIOLOGICAL CALCULATIONAL METHODS AND PARAMETERS</u>		
<u>1.0</u>	<u>Introduction</u>	
1.1	Purpose	B1-1
1.2	General Site Description	B1-2
<u>2.0</u>	<u>Summary of Release Points and Detector System</u>	
2.1	Gaseous Release Points	B2-1
2.2	Liquid Release Points	B2-1
2.3	Detector System and Instrument Responses	B2-3
<u>3.0</u>	<u>Alarm Setpoint Adjustments</u>	
3.1	Liquid Effluents	B3-1
3.2	Gaseous Effluents	B3-5
<u>4.0</u>	<u>Off-Site Dose Calculations</u>	
4.1	Liquid Releases	B4-1
4.2	Liquid Exposure Dose Model	B4-1
4.3	Gaseous Releases	B4-5
4.4	Gaseous Dose Models and Dose Formulas	B4-8
4.5	Control 3.11.1.3	B4-11
4.6	Control 3.11.2.4	B4-11
4.7	Control 3.11.4 Dose Calculations	B4-12
4.8	Dose to MEMBERS OF THE PUBLIC On-Site	B4-12
4.9	Population Dose Estimation	B4-13
<u>Appendix to Part B, Section 4</u>		
Model of the Release of Radioactive Materials from the STPEGS Reservoir for Use in Off-Site Dose Calculations		B4-246
<u>5.0</u>	<u>Radiological Environmental Monitoring Program</u>	
5.1	Program Summary	B5-1
5.2	Sampling Program	B5-2
5.3	Sampling Frequency	B5-4
5.4	Sample Station Locations	B5-4
5.5	Quality Control	B5-4
5.6	Analytical Sensitivity	B5-4
5.7	Data Presentation	B5-4
5.8	Reporting Requirements	B5-5

LIST OF TABLES

PART B

B3-1 Liquid Release Detector, RD-53, Response to 1 uCi/ml of Each Nuclide	B3-11
B3-2 Noble Gas Detector, RD-52, Response to 1 uCi/cc of Each Nuclide	B3-13
B3-3 Noble Gas Detector, RD-52, Response to Single Nuclide	B3-13
B4-1 Radionuclide Fractions Leaving STPEGS Via Liquid Routes	B4-15
B4-2 Liquid Dose Pathway Factor Description	B4-17
B4-3 Liquid Parameter Values for Eq. 4.2a and 4.2b	B4-18
B4-4 Pathways for Calculating Individual Doses from Liquid Effluent Releases	B4-19
B4-5 Particle Depletion and Deposition Factors for Ground Level Releases	B4-20
B4-6 Distances to Gaseous Dose Pathway Receptors for Individuals (meters)	B4-21
B4-7 Pathway Dose Factors	B4-22
B4-8 Liquid Parameter Values for Eq. 4.2a and 4.2b Population Dose Estimates	B4-131
B4-9 Pathways for Calculating Population Doses from Liquid Effluents	B4-132
B4-10a Population Distribution	B4-133
B4-10b Vegetation Ingestion Pathway Population Distribution	B4-134
B4-10c Beef Ingestion Pathway Population Distribution	B4-135
B4-11 Population Dose Factors	B4-136
B5-1 Minimum Operational Radiological Environmental Monitoring Program	B5-6
B5-2 Sample Station Locations	B5-10

LIST OF FIGURES

<u>Figures</u>	<u>Page</u>
B2-1 Unit Ventilation Systems	B2-4
B2-2 Turbine Building Ventilation System	B2-5
B2-3 Energy Response Curve for the RD-52 Offline Beta Detector Operating at 760 mm Hg and 25°	B2-6
B2-4 RD-56 Particulate Detector Energy Response to Betas	B2-7
B2-5 Detector Energy Response to Gamma Radiations for the RD-53 Offline Gamma Detector	B2-8
B4-1 Lower Colorado River	
B4-250	
B4-2 STPEGS Site	
B4-251	

REFERENCES

1. Curie, L. A., "Limits for Quantitative Detection and Quantitative Determination-Application to Radiochemistry," *Analytical Chem.* 40, 1968.
2. G. A. Technologies, "Calibration Report for Model RD-53 Offline Gamma Detector with 1.5-inch Diameter by 1-inch Thick NaI(TL) Crystal," G. A. Technologies Report E-115-904, June 1980.
3. G. A. Technologies, "Calibration Report for Model RD-52 Offline Beta Detector," G. A. Technologies Report E-115-647 October 1984.
4. G. A. Technologies, "Calibration Report For Model RD-56 Moving-Filter Particulate Detector," G. A. Technologies Report E-115-789, Sept. 1980.
5. G. A. Technologies, "RM-21A Computational Models and Algorithms," G. A. Technologies Report E-115-1241, June 1984.
6. Health and Safety Laboratory, "HASL Procedures Manual," HASL-300, National Technical Information Service.
7. Houston Lighting and Power Company, "Updated Final Safety Analysis Report, South Texas Project, Units 1 and 2, Rev. 1.
8. Houston Lighting and Power Company, "Environmental Report Operating License Stage, South Texas Project, Units 1 and 2," Feb. 1979.
9. Houston Lighting and Power Company, "Operating Technical Specifications for the South Texas Project Electric Generating Station," June 1985.
10. Title 10 Code of Federal Regulations, Parts 20 and 50, Office of the Federal Register, Jan. 1984.
11. U. S. Nuclear Regulatory Commission, "Calculation of Annual Doses to Man From Routine Releases of Reactor Effluents For the Purpose of Evaluating Compliance with 10 CFR Part 50, Appendix I," USNRC Regulatory Guide 1.109, Rev. 1, Oct. 1977.
12. U. S. Nuclear Regulatory Commission, "Methods for Estimating Atmospheric Transport and Dispersion of Gaseous Effluents in Routine Releases from Light-Water-Cooled Reactors," USNRC Regulatory Guide 1.111, Rev. 1, July 1977.

13. U. S. Nuclear Regulatory Commission, "Estimating Aquatic Dispersion of Effluents from Accidental and Routine Reactor Releases for the Purpose of Implementing Appendix I," USNRC Regulatory Guide 1.113, Rev. 1, April 1977.
14. U. S. Nuclear Regulatory Commission, "Preparation of Radiological Effluent Technical Specifications for Nuclear Power Plants," USNRC NUREG-0133, Oct. 1978.
15. U. S. Nuclear Regulatory Commission, "Standard Radiological Effluent Technical Specifications for Pressurized Water Reactors," USNRC NUREG-0472, Rev. 3, Jan. 1983.
16. U. S. Nuclear Regulatory Commission, "User's Guide to GASPAR Code," USNRC NUREG-0597, June 1980.
17. Wyle Laboratories, "Ingestion Pathway Data to Support Annual Dose Calculations for the South Texas Project Electric Generating Station," Wyle Research Report WR 84-34, July 1984.
18. U. S. Nuclear Regulatory Commission "Implementation of Programmatic Controls for Radiological Effluent Technical Specifications in the Administrative Controls Section of the Technical Specifications and the Relocation of Procedural Details of RETS to the Offsite Dose Calculation Manual or to the Process Control Program (Generic Letter 89-01).

TABLE 3.3-13
RADIOACTIVE GASEOUS EFFLUENT MONITORING INSTRUMENTATION

<u>INSTRUMENT</u>		<u>MINIMUM CHANNELS OPERABLE</u>	<u>APPLICABILITY</u>	<u>ACTION</u>
1. (Not used)				
2. (Not used)				
3. Unit Vent				
a. Noble Gas Activity Monitor	1	*		49
b. Iodine Monitor or Iodine Sampler	1	*		53
c. Particulate Monitor or Particulate Sampler	1	*		53
d. Flow Rate Monitor	1	*		48
e. Sample Flow Rate Monitor	1	*		48

TABLE 4.3-9

RADIOACTIVE GASEOUS EFFLUENT MONITORING INSTRUMENTATION SURVEILLANCE REQUIREMENTS

<u>INSTRUMENT</u>	<u>CHANNEL CHECK</u>	<u>SOURCE CHANNEL CHECK</u>	<u>DIGITAL CHANNEL CALIBRATION</u>	<u>OPERATIONAL TEST</u>	<u>MODES FOR WHICH SURVEILLANCE IS REQUIRED</u>
1. (Not used)					
2. (Not used)					
3. Unit Vent					
a. Noble Gas Activity Monitor	D	M	R ⁽¹⁾	Q ⁽²⁾	*
b. Iodine Monitor or Iodine Sampler	D W	M N.A.	R ⁽¹⁾ N.A.	Q ⁽²⁾ N.A.	*
c. Particulate Monitor or Particulate Sampler	D W	M N.A.	R ⁽¹⁾ N.A.	Q ⁽²⁾ N.A.	*
d. Flow Rate Monitor	D	N.A.	R	N.A.	*
e. Sampler Flow Rate Monitor	D	N.A.	R	Q	*

TABLE A4-1
RADIOACTIVE GASEOUS WASTE SAMPLING AND ANALYSIS PROGRAM

<u>GASEOUS RELEASE TYPE</u>	<u>SAMPLING FREQUENCY</u>	<u>MINIMUM ANALYSIS FREQUENCY</u>	<u>TYPE OF ACTIVITY ANALYSIS</u>	<u>LOWER LIMIT OF DETECTION (LLD)⁽¹⁾ ($\mu\text{Ci}/\text{ml}$)</u>
	M ⁽³⁾⁽⁴⁾		Principal Gamma Emitters ⁽²⁾	1x10 ⁻⁴
1. Unit Vent	Grab Sample	M	H-3 (oxide)	1x10 ⁻⁶
2. (Not used)				
3. All Release Types as listed in 1. and 2. above	Continuous ⁽⁶⁾	W ⁽⁷⁾ Charcoal Sample	I-131	1x10 ⁻¹²
	Continuous ⁽⁶⁾	W ⁽⁷⁾ Particulate Sample	I-133	1x10 ⁻¹⁰
	Continuous ⁽⁶⁾	M Composite Particulate Sample	Principal Gamma Emitters ⁽²⁾	1x10 ⁻¹¹
	Continuous ⁽⁶⁾	Q Composite Particulate Sample	Gross Alpha	1x10 ⁻¹¹
	Continuous ⁽⁶⁾	Q Composite Particulate Sample	Sr-89, Sr-90	1x10 ⁻¹¹

APPENDIX C - OFFSITE DOSE CALCULATION MANUAL,
REVISION 6

JAN 01 1994

SIX

OFFSITE DOSE CALCULATION MANUAL
(ODCM)

SOUTH TEXAS PROJECT

Revision 6

Plant Manager Approval

Al Party 12/20/93

PORC Meeting Number 93-061

January 1, 1994

PREFACE

The South Texas Project (STP) Offsite Dose Calculation Manual (ODCM) is divided into two parts: Part A, Radiological Effluent Monitoring Programs, which provides the in-plant radiological effluent monitoring program requirements for liquid and gas sampling and analysis, along with the Radiological Environmental Monitoring Program requirements; and Part B, Radiological Calculational Methods and Parameters, which provides approved methods to determine effluent monitor setpoint values and estimates of doses and radionuclide concentrations occurring beyond the boundaries of the station resulting from normal station operation.

The sampling and analysis programs in Part A provide the inputs for the models of Part B in order to calculate offsite doses and radionuclide concentrations necessary to determine compliance with the dose and concentration requirements of Control 3/4.11 in Part A of the ODCM. The Radiological Environmental Monitoring Program required by Control 3/4.12 in Part A, and outlined within this manual provides the means to determine that measurable concentrations of radioactive materials released as a result of the operation of STPEGS are not significantly higher than expected.

Changes to the ODCM shall be performed in accordance with Technical Specification 6.14.

TABLE OF CONTENTS

<u>SECTION</u>	<u>PAGE</u>
REFERENCES	x
<u>PART A: RADIOLOGICAL EFFLUENT MONITORING PROGRAMS</u>	
<u>1.0 DEFINITIONS</u>	
1.1 ACTION	3
1.2 ANALOG CHANNEL OPERATIONAL TEST	3
1.3 CHANNEL CALIBRATION	3
1.4 CHANNEL CHECK	3
1.5 DIGITAL CHANNEL OPERATIONAL TEST	3
1.6 DOSE EQUIVALENT I-131	3
1.7 FREQUENCY NOTATION	4
1.8 GASEOUS WASTE PROCESSING SYSTEM	4
1.9 MEMBER(S) OF THE PUBLIC	4
1.10 OFFSITE DOSE CALCULATION MANUAL	4
1.11 OPERABLE - OPERABILITY	4
1.12 OPERATIONAL MODE - MODE	5
1.13 PURGE - PURGING	5
1.14 RATED THERMAL POWER	5
1.15 REPORTABLE EVENT	5
1.16 SITE BOUNDARY	5
1.17 SOLIDIFICATION	5
1.18 SOURCE CHECK	5
1.19 THERMAL POWER	5
1.20 UNRESTRICTED AREA	6
1.21 VENTING	6
TABLE 1.1 FREQUENCY NOTATION	7
TABLE 1.2 OPERATIONAL MODES	8

TABLE OF CONTENTS

<u>SECTION</u>	<u>PAGE</u>
<u>2.0 RESPONSIBILITIES FOR PART A OF THE ODCM</u>	10
<u>3.0 and 4.0 CONTROLS AND SURVEILLANCE REQUIREMENTS</u>	
<u>3/4.0 APPLICABILITY</u>	12
<u>3/4.3 INSTRUMENTATION</u>	
<u>3/4.3.3 MONITORING INSTRUMENTATION</u>	
3/4.3.3.10 Radioactive Liquid Effluent Monitoring Instrumentation	14
TABLE 3.3-12 RADIOACTIVE LIQUID EFFLUENT MONITORING INSTRUMENTATION	15
TABLE 4.3-8 RADIOACTIVE LIQUID EFFLUENT MONITORING INSTRUMENTATION SURVEILLANCE REQUIREMENTS	17
3/4.3.3.11 Radioactive Gaseous Effluent Monitoring Instrumentation	19
TABLE 3.3-13 RADIOACTIVE GASEOUS EFFLUENT MONITORING INSTRUMENTATION	20
TABLE 4.3-9 RADIOACTIVE GASEOUS EFFLUENT MONITORING INSTRUMENTATION SURVEILLANCE REQUIREMENTS	22
<u>3/4.11 RADIOACTIVE EFFLUENTS</u>	
<u>3/4.11.1 LIQUID EFFLUENTS</u>	
3/4.11.1.1 Concentration	25
TABLE A3-1 RADIOACTIVE LIQUID WASTE SAMPLING AND ANALYSIS PROGRAM	26
3/4.11.1.2 Dose	29
3/4.11.1.3 Liquid Waste Processing System	30
<u>3/4.11.2 GASEOUS EFFLUENTS</u>	
3/4.11.2.1 Dose Rate	32
TABLE A4-1 RADIOACTIVE GASEOUS WASTE SAMPLING AND ANALYSIS PROGRAM	33
3/4.11.2.2 Dose - Noble Gases	36
3/4.11.2.3 Dose - Iodine 131, 133, Tritium, and Radioactive Material in Particulate Form	37
3/4.11.2.4 Gaseous Waste Processing System	38

TABLE OF CONTENTS

<u>SECTION</u>	<u>PAGE</u>
<u>3/4.11.4 TOTAL DOSE</u>	42
<u>3/4.12 RADIOLOGICAL ENVIRONMENTAL MONITORING</u>	
<u> 3/4.12.1 MONITORING PROGRAM</u>	42
TABLE A5-1 RADIOLOGICAL ENVIRONMENTAL MONITORING PROGRAM	44
TABLE A5-2 DETECTION CAPABILITIES FOR ENVIRONMENTAL SAMPLE ANALYSIS LOWER LIMIT OF DETECTION	51
TABLE A5-3 REPORTING LEVELS FOR RADIOACTIVITY CONCENTRATIONS IN ENVIRONMENTAL SAMPLES REPORTING LEVELS	54
<u> 3/4.12.2 LAND USE CENSUS</u>	55
<u> 3/4.12.3 INTERLABORATORY COMPARISON PROGRAM</u>	57
<u>BASES 3.0 and 4.0 CONTROLS AND SURVEILLANCE REQUIREMENTS</u>	
<u>3/4.3 INSTRUMENTATION</u>	
<u> 3/4.3.3 MONITORING INSTRUMENTATION</u>	
3/4.3.3.10 Radioactive Liquid Effluent Monitoring Instrumentation	59
3/4.3.3.11 Radioactive Gaseous Effluent Monitoring Instrumentation	59
<u>3/4.11 RADIOACTIVE EFFLUENTS</u>	
<u> 3/4.11.1 LIQUID EFFLUENTS</u>	
3/4.11.1.1 Concentration	60
3/4.11.1.2 Dose	60
3/4.11.1.3 Liquid Waste Processing System	61
<u> 3/4.11.2 GASEOUS EFFLUENTS</u>	
3/4.11.2.1 Dose Rate	61
3/4.11.2.2 Dose - Noble Gases	62
3/4.11.2.3 Dose - Iodine-131, Iodine-133, Tritium, and Radioactive	
Material in Particulate Form	63
3/4.11.2.4 Gaseous Waste Processing System	63
<u> 3/4.11.4 TOTAL DOSE</u>	64

TABLE OF CONTENTS

SECTION		PAGE
<u>3/4.12 RADIOLOGICAL ENVIRONMENTAL MONITORING</u>		
<u>3/4.12.1 MONITORING PROGRAM</u>		65
<u>3/4.12.2 LAND USE CENSUS</u>		65
<u>3/4.12.3 INTERLABORATORY COMPARISON PROGRAM</u>		66
<u>5.0 DESIGN FEATURES</u>		
5.1.3	Map Defining Unrestricted Areas and Site Boundary for Radioactive Gaseous and Liquid Effluents	68
FIGURE 5.1-3	UNRESTRICTED AREA AND SITE BOUNDARY FOR RADIOACTIVE GASEOUS EFFLUENTS	69
FIGURE 5.1-4	UNRESTRICTED AREA AND SITE BOUNDARY FOR RADIOACTIVE LIQUID EFFLUENTS	70
<u>6.0 ADMINISTRATIVE CONTROLS</u>		
6.9.1.3	Annual Radiological Environmental Operating Report	72
6.9.1.4	Annual Radioactive Effluent Release Report	73
6.15.1	Major Changes to Liquid and Gaseous Radwaste Treatment Systems	75

TABLE OF CONTENTS

<u>SECTION</u>		<u>PAGE</u>
PART B: RADIOLOGICAL CALCULATIONAL METHODS AND PARAMETERS		
<u>1.0 Introduction</u>		
1.1	Purpose	B1-1
1.2	General Site Description	B1-2
<u>2.0 Summary of Release Points and Detector System</u>		
2.1	Gaseous Release Points	B2-1
2.2	Liquid Release Points	B2-1
2.3	Detector System and Instrument Responses	B2-2
<u>3.0 Alarm Setpoint Adjustments</u>		
3.1	Liquid Effluents	B3-1
3.2	Gaseous Effluents	B3-5
<u>4.0 Off-Site Dose Calculations</u>		
4.1	Liquid Releases	B4-1
4.2	Liquid Exposure Dose Model	B4-1
4.3	Gaseous Releases	B4-5
4.4	Gaseous Dose Models and Dose Formulas	B4-8
4.5	Control 3.11.1.3	B4-11
4.6	Control 3.11.2.4	B4-11
4.7	Control 3.11.4 Dose Calculations	B4-12
4.8	Dose to MEMBERS OF THE PUBLIC On-Site	B4-12
4.9	Population Dose Estimation	B4-13
<u>Appendix to Part B, Section 4</u>		
Model of the Release of Radioactive Materials from the STPEGS Reservoir for Use in Off-Site Dose Calculations		B4-246
<u>5.0 Radiological Environmental Monitoring Program</u>		
5.1	Program Summary	B5-1
5.2	Sampling Program	B5-2
5.3	Sampling Frequency	B5-4
5.4	Sample Station Locations	B5-4
5.5	Quality Control	B5-4
5.6	Analytical Sensitivity	B5-4
5.7	Data Presentation	B5-4
5.8	Routine Reporting Requirements	B5-5

LIST OF TABLES

PART B

B3-1	Liquid Release Detector, RD-53, Response to 1 uCi/ml of Each Nuclide	B3-11
B3-2	Noble Gas Detector, RD-52, Response to 1 uCi/cc of Each Nuclide	B3-13
B3-3	Noble Gas Detector, RD-52, Response to Single Nuclide	B3-16
B4-1	Radionuclide Fractions Leaving STPEGS Via Liquid Routes	B4-15
B4-2	Liquid Dose Pathway Factor Description	B4-17
B4-3	Liquid Parameter Values for Eq. 4.2a and 4.2b	B4-18
B4-4	Pathways for Calculating Individual Doses from Liquid Effluent Releases	B4-19
B4-5	Particle Depletion and Deposition Factors for Ground Level Releases	B4-20
B4-6	Distances to Gaseous Dose Pathway Receptors for Individuals (meters)	B4-21
B4-7	Pathway Dose Factors	B4-22
B4-8	Liquid Parameter Values for Eq. 4.2a and 4.2b Population Dose Estimates	B4-131
B4-9	Pathways for Calculating Population Doses from Liquid Effluents	B4-132
B4-10a	Population Distribution	B4-133
B4-10b	Vegetation Ingestion Pathway Population Distribution	B4-134
B4-10c	Beef Ingestion Pathway Population Distribution	B4-135
B4-11	Population Dose Factors	B4-136
B5-1	Minimum Operational Radiological Environmental Monitoring Program	B5-6
B5-2	Sample Station Locations	B5-13

LIST OF FIGURES

<u>Figures</u>	<u>Page</u>
B2-1 Unit Ventilation Systems	B2-4
B2-2 Turbine Building Ventilation System	B2-5
B2-3 Energy Response Curve for the RD-52 Offline Beta Detector Operating at 760 mm Hg and 25°	B2-6
B2-4 RD-56 Particulate Detector Energy Response to Betas	B2-7
B2-5 Detector Energy Response to Gamma Radiations for the RD-53 Offline Gamma Detector	B2-8
B4-1 Lower Colorado River	B4-250
B4-2 STPEGS Site	B4-251

REFERENCES

1. Curie, L. A., "Limits for Quantitative Detection and Quantitative Determination-Application to Radiochemistry," *Analytical Chem.* 40, 1968.
2. G. A. Technologies, "Calibration Report for Model RD-53 Offline Gamma Detector with 1.5-inch Diameter by 1-inch Thick Nai(Tl) Crystal," G. A. Technologies Report E-115-904, June 1980.
3. G. A. Technologies, "Calibration Report for Model RD-52 Offline Beta Detector," G. A. Technologies Report E-115-647, October 1984.
4. G. A. Technologies, "Calibration Report For Model RD-56 Moving-Filter Particulate Detector," G. A. Technologies Report E-115-789, Sept. 1980.
5. G. A. Technologies, "RM-21A Computational Models and Algorithms," G. A. Technologies Report E-115-1241, June 1984.
6. Health and Safety Laboratory, "HASL Procedures Manual," HASL-300, National Technical Information Service.
7. Houston Lighting and Power Company, "Updated Final Safety Analysis Report, South Texas Project, Units 1 and 2, Rev. 1.
8. Houston Lighting and Power Company, "Environmental Report Operating License Stage, South Texas Project, Units 1 and 2," Feb. 1979.
9. Houston Lighting and Power Company, "Operating Technical Specifications for the South Texas Project Electric Generating Station," June 1985.
10. Title 10 Code of Federal Regulations, Parts 20 and 50, Office of the Federal Register, Jan. 1984.
11. U. S. Nuclear Regulatory Commission, "Calculation of Annual Doses to Man From Routine Releases of Reactor Effluents For the Purpose of Evaluating Compliance with 10 CFR Part 50, Appendix I," USNRC Regulatory Guide 1.109, Rev. 1, Oct. 1977.
12. U. S. Nuclear Regulatory Commission, "Methods for Estimating Atmospheric Transport and Dispersion of Gaseous Effluents in Routine Releases from Light-Water-Cooled Reactors," USNRC Regulatory Guide 1.111, Rev. 1, July 1977.
13. U. S. Nuclear Regulatory Commission, "Estimating Aquatic Dispersion of Effluents from Accidental and Routine Reactor Releases for the Purpose of Implementing Appendix I," USNRC Regulatory Guide 1.113, Rev. 1, April 1977.
14. U. S. Nuclear Regulatory Commission, "Preparation of Radiological Effluent Technical Specifications for Nuclear Power Plants," USNRC NUREG-0133, Oct. 1978.

15. U. S. Nuclear Regulatory Commission, "Standard Radiological Effluent Technical Specifications for Pressurized Water Reactors," USNRC NUREG-0472, Rev. 3, Jan. 1983.
16. U. S. Nuclear Regulatory Commission, "User's Guide to GASPAR Code," USNRC NUREG-0597, June 1980.
17. Wyle Laboratories, "Ingestion Pathway Data to Support Annual Dose Calculations for the South Texas Project Electric Generating Station," Wyle Research Report WR 84-34, July 1984.
18. U. S. Nuclear Regulatory Commission "Implementation of Programmatic Controls for Radiological Effluent Technical Specifications in the Administrative Controls Section of the Technical Specifications and the Relocation of Procedural Details of RETS to the Offsite Dose Calculation Manual or to the Process Control Program (Generic Letter 89-01).

PART A

RADIOLOGICAL EFFLUENT MONITORING PROGRAMS

INTRODUCTION

Part A of the Offsite Dose Calculation Manual (ODCM) describes the sampling and analysis programs conducted by STPEGS which provide input to the models in Part B of the ODCM for calculating liquid and gaseous effluent concentrations, monitor setpoints, and offsite doses. The results of Part B calculations are used to determine compliance with the concentration and dose requirements of Part A.

The minimum required Radiological Environmental Monitoring Program (REMP) is described in Part A. The current sampling station locations, as well as the details of the current sampling program implementation and philosophy, appear in Part B. The information obtained from the REMP provides data which may allow evaluation of the relationship between quantities of radioactive materials released in effluents and resultant radiation doses to individuals from principal pathways of exposure. The data developed in the surveillance and monitoring programs described in Part A of the ODCM provide a means to confirm that measurable concentrations of radioactive materials released as a result of STPEGS operations are not significantly higher than expected based on the models in Part B.

SECTION 1.0
DEFINITIONS

1.0 DEFINITIONS

The defined terms of this section appear in capitalized type and are applicable throughout these Controls.

ACTION

1.1 ACTION shall be that part of a Control that prescribes remedial measures required under designated conditions.

ANALOG CHANNEL OPERATIONAL TEST

1.2 An ANALOG CHANNEL OPERATIONAL TEST shall be the injection of a simulated signal into the channel as close to the sensor as practicable to verify OPERABILITY of alarm, interlock, and/or trip functions. The ANALOG CHANNEL OPERATIONAL TEST shall include adjustments, as necessary, of the alarm, interlock, and/or Trip Setpoints so that the Setpoints are within the required range and accuracy.

CHANNEL CALIBRATION

1.3 A CHANNEL CALIBRATION shall be the adjustment, as necessary, of the channel so that it responds within the required range and accuracy to known values of input. The CHANNEL CALIBRATION shall encompass the entire channel including the sensors and alarm, interlock, and/or trip functions, and may be performed by any series of sequential, overlapping, or total channel steps so that the entire channel is calibrated.

CHANNEL CHECK

1.4 A CHANNEL CHECK shall be the qualitative assessment of channel behavior during operation by observation. This determination shall include, where possible, comparison of the channel indication and/or status with other indications and/or status derived from independent instrument channels measuring the same parameter.

DIGITAL CHANNEL OPERATIONAL TEST

1.5 A DIGITAL CHANNEL OPERATIONAL TEST shall consist of injecting simulated process data, where available, or exercising the digital computer hardware using data base manipulation to verify OPERABILITY of alarm, interlock, and/or trip functions.

DOSE EQUIVALENT I-131

1.6 DOSE EQUIVALENT I-131 shall be that concentration of I-131 ($\mu\text{Ci}/\text{gram}$) which alone would produce the same thyroid dose as the quantity and isotopic mixture of I-131, I-132, I-133, I-134, and I-135 actually present. The thyroid dose conversion factors used for this calculation shall be those listed in Table E-7 of NRC Regulatory Guide 1.109, Revision 1, October 1977.

1.0 DEFINITIONS (Continued)

FREQUENCY NOTATION

1.7 The FREQUENCY NOTATION specified for the performance of Surveillance Requirements shall correspond to the intervals defined in Table 1.1.

GASEOUS WASTE PROCESSING SYSTEM

1.8 A GASEOUS WASTE PROCESSING SYSTEM shall be any system designed and installed to reduce radioactive gaseous effluents by collecting Reactor Coolant System offgases from the Reactor Coolant System and providing for delay or holdup for the purpose of reducing the total radioactivity prior to release to the environment.

MEMBER(S) OF THE PUBLIC

1.9 MEMBER(S) OF THE PUBLIC means an individual in a controlled area or UNRESTRICTED AREA. However, an individual is not a member of the public during any period in which the individual receives an occupational dose.

OFFSITE DOSE CALCULATION MANUAL

1.10 The OFFSITE DOSE CALCULATION MANUAL (ODCM) contains the methodology and parameters used in: the calculation of offsite doses due to radioactive gaseous and liquid effluents, the calculation of gaseous and liquid effluent monitoring Alarm/Trip Setpoints, and the conduct of the Radiological Environmental Monitoring Program. The ODCM shall also contain: the Radioactive Effluent Controls and Radiological Environmental Monitoring Programs required by Technical Specification 6.8.3, and descriptions of the information that should be included in the Annual Radiological Environmental Operating Report and Annual Radioactive Effluent Release Report.

OPERABLE - OPERABILITY

1.11 A system, subsystem, train, component, or device shall be OPERABLE or have OPERABILITY when it is capable of performing its specified function(s), and when all necessary attendant instrumentation, controls, electrical power, cooling or seal water, lubrication or other auxiliary equipment that are required for the system, subsystem, train, component, or device to perform its function(s) are also capable of performing their related support function(s).

1.0 DEFINITIONS (Continued)

OPERATIONAL MODE - MODE

1.12 An OPERATIONAL MODE (i.e., MODE) shall correspond to any one inclusive combination of core reactivity condition, power level, and average reactor coolant temperature specified in Table 1.2.

PURGE - PURGING

1.13 PURGE or PURGING shall be any controlled process of discharging air or gas from a confinement to maintain temperature, pressure, humidity, concentration or other operating condition, in such a manner that replacement air or gas is required to purify the confinement.

RATED THERMAL POWER

1.14 RATED THERMAL POWER shall be a total reactor core heat transfer rate to the reactor coolant of 3800 MW_t.

REPORTABLE EVENT

1.15 A REPORTABLE EVENT shall be any of those conditions specified in Section 50.73 of 10 CFR Part 50.

SITE BOUNDARY

1.16 The SITE BOUNDARY means that line beyond which the land or property is not owned, leased, or otherwise controlled by the licensee.

SOLIDIFICATION

1.17 SOLIDIFICATION shall be the conversion of wet wastes into a form that meets shipping and burial ground requirements.

SOURCE CHECK

1.18 A SOURCE CHECK shall be the qualitative assessment of channel response when the channel sensor is exposed to a source of increased radioactivity.

THERMAL POWER

1.19 THERMAL POWER shall be the total reactor core heat transfer rate to the reactor coolant.

1.0 DEFINITIONS (Continued)

UNRESTRICTED AREA

1.20 An UNRESTRICTED AREA shall be any area at or beyond the SITE BOUNDARY access to which is not controlled by the licensee for purposes of protection of individuals from exposure to radiation and radioactive materials, or any area within the SITE BOUNDARY used for residential quarters or for industrial, commercial, institutional, and /or recreational purposes.

VENTING

1.21 VENTING shall be the controlled process of discharging air or gas from a confinement to maintain temperature, pressure, humidity, concentration, or other operating condition, in such a manner that replacement air or gas is not provided or required during VENTING. Vent, used in system names, does not imply a VENTING process.

TABLE 1.1
FREQUENCY NOTATION

<u>NOTATION</u>	<u>FREQUENCY</u>
S	At least once per 12 hours
D	At least once per 24 hours
W	At least once per 7 days
M	At least once per 31 days
Q	At least once per 92 days
SA	At least once per 184 days
R	At least once per 18 months
S/U	Prior to each reactor startup
N.A.	Not applicable
P	Completed prior to each release

TABLE 1.2
OPERATIONAL MODES

<u>MODE</u>	<u>REACTIVITY CONDITION, K_{eff}</u>	<u>% RATED THERMAL POWER*</u>	<u>AVGCOOLANT TEMPERATURE</u>
1. POWER OPERATION	≥ 0.99	$> 5\%$	$\geq 350^{\circ}\text{F}$
2. STARTUP	≥ 0.99	$\leq 5\%$	$\geq 350^{\circ}\text{F}$
3. HOT STANDBY	< 0.99	0	$\geq 350^{\circ}\text{F}$
4. HOT SHUTDOWN	< 0.99	0	$350^{\circ}\text{F} > T_{avg} > 200^{\circ}\text{F}$
5. COLD SHUTDOWN	< 0.99	0	$\leq 200^{\circ}\text{F}$
6. REFUELING**	≤ 0.95	0	$\leq 140^{\circ}\text{F}$

* Excluding decay heat.

** Fuel in the reactor vessel with the vessel head closure bolts less than fully tensioned or with the head removed.

SECTION 2.0
RESPONSIBILITIES FOR PART A OF THE ODCM

2.0 RESPONSIBILITIES FOR PART A OF THE ODCM

All changes to Part A of the ODCM shall conform to the requirements of Technical Specification 6.14.

SECTIONS 3.0 and 4.0
CONTROLS AND SURVEILLANCE REQUIREMENTS

3/4 CONTROLS AND SURVEILLANCE REQUIREMENTS

3/4.0 APPLICABILITY

CONTROLS

3.0.1 Compliance with the Controls contained in the succeeding controls is required during the OPERATIONAL MODES or other conditions specified therein; except that upon failure to meet the Control, the associated ACTION requirements shall be met.

3.0.2 Noncompliance with a control shall exist when the requirements of the Control and associated ACTION requirements are not met within the specified time intervals. If the Control is restored prior to expiration of the specified time intervals, completion of the ACTION requirements is not required.

3.0.3 When a Control is not met, except as provided in the associated ACTION requirements, within 1 hour action shall be initiated to place the unit in a MODE in which the control does not apply by placing it, as applicable, in:

- a. At least HOT STANDBY within the next 6 hours,
- b. At least HOT SHUTDOWN within the following 6 hours, and
- c. At least COLD SHUTDOWN within the subsequent 24 hours.

Where corrective measures are completed that permit operation under the ACTION requirements, the action may be taken in accordance with the specified time limits as measured from the time of failure to meet the Control. Exceptions to these requirements are stated in the individual controls.

This control is not applicable in MODE 5 or 6.

3.0.4 Entry into an OPERATIONAL MODE or other specified condition shall not be made when the conditions for the Control are not met and the associated ACTION requires a shutdown if they are not met within a specified time interval. Entry into an OPERATIONAL MODE or specified condition may be made in accordance with ACTION requirements when conformance to them permits continued operation of the facility for an unlimited period of time. This provision shall not prevent passage through or to OPERATIONAL MODES as required to comply with ACTION requirements. Exceptions to these requirements are stated in the individual controls.

3/4 CONTROLS AND SURVEILLANCE REQUIREMENTS

3/4.0 APPLICABILITY (Continued)

SURVEILLANCE REQUIREMENTS

4.0.1 Surveillance Requirements shall be met during the OPERATIONAL MODES or other conditions specified for individual Controls unless otherwise stated in an individual Surveillance Requirement.

4.0.2 Each Surveillance Requirement shall be performed within the specified surveillance interval with a maximum allowable extension not to exceed 25 percent of the specified surveillance interval.

4.0.3 Failure to perform a Surveillance Requirement within the allowed surveillance interval, defined by Control 4.0.2, shall constitute a failure to meet the OPERABILITY requirements for a Control. The time limits of the ACTION requirements are applicable at the time it is identified that a Surveillance Requirement has not been performed. The ACTION requirements may be delayed for up to 24 hours to permit the completion of the surveillance when the allowed outage time limits of the ACTION requirements are less than 24 hours. Surveillance Requirements do not have to be performed on inoperable equipment.

4.0.4 Entry into an OPERATIONAL MODE or other specified condition shall not be made unless the Surveillance Requirement(s) associated with the Control has been performed within the stated surveillance interval or as otherwise specified. This provision shall not prevent passage through or to OPERATIONAL MODES as required to comply with ACTION requirements.

3/4.3 INSTRUMENTATION

3/4.3.3 MONITORING INSTRUMENTATION

3/4.3.3.10 RADIOACTIVE LIQUID EFFLUENT MONITORING INSTRUMENTATION

CONTROLS

3.3.3.10 The radioactive liquid effluent monitoring instrumentation channels shown in Table 3.3-12 shall be OPERABLE with their Alarm/Trip Setpoints set to ensure that the limits of Control 3.11.1.1 are not exceeded. The Alarm/Trip Setpoints of these channels shall be determined and adjusted in accordance with the methodology and parameters in this manual.

APPLICABILITY: At all times.

ACTION:

- a. With a radioactive liquid effluent monitoring instrumentation channel Alarm/Trip Setpoint less conservative than required by the above control, immediately suspend the release of radioactive liquid effluents monitored by the affected channel, or declare the channel inoperable.
- b. With less than the minimum number of radioactive liquid effluent monitoring instrumentation channels OPERABLE, take the ACTION shown in Table 3.3-12. Restore the inoperable instrumentation to OPERABLE status within the time specified in the ACTION, or explain in the next Annual Radioactive Effluent Release Report pursuant to Control 6.9.1.4 why this inoperability was not corrected within the time specified.
- c. The provisions of Control 3.0.3 are not applicable.

SURVEILLANCE REQUIREMENTS

4.3.3.10 Each radioactive liquid effluent monitoring instrumentation channel shall be demonstrated OPERABLE by performance of the CHANNEL CHECK, SOURCE CHECK, CHANNEL CALIBRATION, and DIGITAL CHANNEL OPERATIONAL TEST at the frequencies shown in Table 4.3-8.

TABLE 3.3-12
RADIOACTIVE LIQUID EFFLUENT MONITORING INSTRUMENTATION

<u>INSTRUMENT</u>	<u>MINIMUM CHANNELS OPERABLE</u>	<u>ACTION</u>
1. Radioactivity Monitors Providing Alarm and Automatic Termination of Release Liquid Waste Processing Discharge Monitor (N1RA-RT-8038 or N2RA-RT-8038)	1	43
2. Flow Rate Measurement Devices Liquid Waste Processing Discharge Line (N1WL-FT-4078 or N2WL-FT-4078)	1	46

TABLE 3.3-12 (Continued)

ACTION STATEMENTS

ACTION 43 - With the number of channels OPERABLE less than required by the Minimum Channels OPERABLE requirement, effluent releases via this pathway may continue for up to 14 days provided that prior to initiating a release:

- a. At least two independent samples are analyzed in accordance with Control 4.11.1.1.1, and
- b. At least two technically qualified members of the facility staff independently verify the release rate calculations and discharge line valving.

Otherwise, suspend release of radioactive effluents via this pathway.

ACTION 44 - (Not used)

ACTION 45 - (Not used)

ACTION 46 - With the number of channels OPERABLE less than required by the Minimum Channels OPERABLE requirement, effluent releases via this pathway may continue for up to 30 days provided the flow rate is estimated at least once per 4 hours during actual releases. Pump performance curves generated in place may be used to estimate flow.

TABLE 4.3-8

RADIOACTIVE LIQUID EFFLUENT MONITORING INSTRUMENTATION SURVEILLANCE REQUIREMENTS

<u>INSTRUMENT</u>	<u>CHANNEL CHECK</u>	<u>SOURCE CHECK</u>	<u>CHANNEL CALIBRATION</u>	<u>TEST</u>
1. Radioactivity Monitors Providing Alarm and Automatic Termination of Release				
Liquid Waste Processing Discharge Monitor (N1RA-RT-8038 or N2RA-RT-8038)	D	P	R ⁽³⁾	Q ⁽¹⁾
2. Flow Rate Measurement Devices				
Liquid Waste Processing Discharge Line (N1WL-FT-4078 or N2WL-FT-4078)	D ⁽⁴⁾	N.A.	R	N.A.

TABLE 4.3-8 (Continued)

TABLE NOTATIONS

- (1) The DIGITAL CHANNEL OPERATIONAL TEST shall also demonstrate that automatic isolation of this pathway and control room alarm annunciation occur if any of the following conditions exists:
 - a. Instrument indicates measured levels above the Alarm/Trip Setpoint, or
 - b. Monitor failure.
- (2) (Not used)
- (3) The initial CHANNEL CALIBRATION shall be performed using one or more of the reference standards certified by the National Bureau of Standards (NBS) or using standards that have been obtained from suppliers that participate in measurement assurance activities with NBS. These standards shall permit calibrating the system over its intended range of energy and measurement range. For subsequent CHANNEL CALIBRATION, sources that have been related to the initial calibration shall be used.
- (4) CHANNEL CHECK shall consist of verifying indication of flow during periods of release. CHANNEL CHECK shall be made at least once per 24 hours on days on which continuous, periodic, or batch releases are made.

3/4.3 INSTRUMENTATION

3/4.3.3 MONITORING INSTRUMENTATION

3/4.3.3.11 RADIOACTIVE GASEOUS EFFLUENT MONITORING INSTRUMENTATION

CONTROLS

3.3.3.11 The radioactive gaseous effluent monitoring instrumentation channels shown in Table 3.3-13 shall be OPERABLE with their Alarm/Trip Setpoints set to ensure that the limits of Control 3.11.2.1 and Technical Specification 3.11.2.5 are not exceeded. The Alarm/Trip Setpoints of these channels meeting Control 3.11.2.1 shall be determined and adjusted in accordance with the methodology and parameters in this manual.

APPLICABILITY: As shown in Table 3.3-13

ACTION:

- a. With a radioactive gaseous effluent monitoring instrumentation channel Alarm/Trip Setpoint less conservative than required by the above control, immediately suspend the release of radioactive gaseous effluents monitored by the affected channel, or declare the channel inoperable.
- b. With the number of OPERABLE radioactive gaseous effluent monitoring instrumentation channels less than the Minimum Channels OPERABLE, take the ACTION shown in Table 3.3-13. Restore the inoperable instrumentation to OPERABLE status within the time specified in the ACTION, or explain in the next Annual Radioactive Effluent Release Report pursuant to Control 6.9.1.4 why this inoperability was not corrected within the time specified.
- c. The provisions of Control 3.0.3 are not applicable.

SURVEILLANCE REQUIREMENTS

4.3.3.11 Each radioactive gaseous effluent monitoring instrumentation channel shall be demonstrated OPERABLE by performance of the CHANNEL CHECK, SOURCE CHECK, CHANNEL CALIBRATION, and ANALOG CHANNEL OPERATIONAL TEST or DIGITAL CHANNEL OPERATIONAL TEST, as applicable, at the frequencies shown in Table 4.3-9.

TABLE 3.3-13

RADIONUCLIDES MONITORING INSTRUMENTATION

INSTRUMENT	MINIMUM CHANNELS OPERABLE	APPLICABILITY	ACTION
1. (Not used)		*	49
2. (Not used)		*	53
a. (Not used)		*	53
b. (Not used)		*	53
c. (Not used)		*	48
3. Unit Vent			48
a. Noble Gas Activity Monitor (N1(2)RA-RT-8010B)	1	*	
b. Iodine Monitor (N1(2)RA-RT-8010A) or Iodine Sampler (N1(2)RA-RT-8010B)	1	*	
c. Particulate Monitor (N1(2)RA-RT-8010A) or Particulate Sampler (N1(2)RA-RT-8010B)	1	*	
d. Flow Rate Monitor (normal N1(2)RA-RT-8010F) or (accident N1(2)RA-RT-8010G)	1	*	
e. Sample Flow Rate Monitor (normal N1(2)RA-FT-8010H) or (accident N1(2)RA-FT-8010L) or N1(2)RA-FT-8010A for RT-8010A)	1	*	

TABLE 3.3-13 (Continued)

TABLE NOTATIONS

* At all times

ACTION STATEMENTS

ACTION 47 -(Not used)

ACTION 48 -

With the number of channels OPERABLE less than required by the Minimum Channels OPERABLE requirement, effluent releases via this pathway may continue for up to 30 days provided the flow rate is estimated at least once per 4 hours.

ACTION 49 -

With the number of channels OPERABLE less than required by the Minimum Channels OPERABLE requirement, effluent releases via this pathway may continue for up to 30 days provided grab samples are taken at least once per 12 hours and these samples are analyzed for radioactivity within 24 hours.

ACTION 50 -(Not used)

ACTION 51 -(Not used)

ACTION 52 -(Not used)

ACTION 53 -

With the number of channels OPERABLE less than required by the Minimum Channels OPERABLE requirement, effluent releases via the affected pathway may continue for up to 30 days provided samples are continuously collected with auxiliary sampling equipment as required in this manual.

TABLE 4.3-9

RADIOACTIVE GASEOUS EFFLUENT MONITORING INSTRUMENTATION SURVEILLANCE REQUIREMENTS

<u>INSTRUMENT</u>	<u>CHANNEL CHECK</u>	<u>SOURCE CHECK</u>	<u>CHANNEL CALIBRATION</u>	<u>DIGITAL CHANNEL</u>	<u>OPERATIONAL TEST</u>	<u>MODES FOR WHICH SURVEILLANCE IS REQUIRED</u>
1. (Not used)						
2. (Not used)						
3. Unit Vent						
a. Noble Gas Activity Monitor (N1(2)RA-RT-8010B)	D	M	R ⁽³⁾	Q ⁽²⁾		*
b. Iodine Monitor (N1(2)RA-RT-8010A) or Iodine Sampler (N1(2)RA-RT-8010B)	D W	M N.A.	R ⁽³⁾ N.A.	Q ⁽²⁾ N.A.		*
c. Particulate Monitor (N1(2)RA-RT-8010A) or Particulate Sampler (N1(2)RA-RT-8010B)	D W	M N.A.	R ⁽³⁾ N.A.	Q ⁽²⁾ N.A.		*
d. Flow Rate Monitor (normal N1(2)RA-RT-8010F) or (accident N1(2)RA-RT-8010G)	D	N.A.	R	N.A.		*
e. Sampler Flow Rate Monitor (normal N1(2)RA-FT-8010H) or (accident N1(2)RA-FT-8010L) or (N1(2)RA-FT-8010A for RT-8010A)	D	N.A.	R	Q		*

TABLE 4.3-9 (Continued)

TABLE NOTATIONS

* At all times.

(1) (Not used)

(2) The DIGITAL CHANNEL OPERATIONAL TEST shall also demonstrate that control room alarm annunciation occurs if any of the following conditions exists:

- a. Instrument indicates measured levels above the Alarm Setpoint, or
- b. Monitor failure.

(3) The initial CHANNEL CALIBRATION shall be performed using one or more of the reference standards certified by the National Bureau of Standards (NBS) or using standards that have been obtained from suppliers that participate in measurement assurance activities with NBS. These standards shall permit calibrating the system over its intended range of energy and measurement range. For subsequent CHANNEL CALIBRATION, sources that have been related to the initial calibration shall be used.

3/4.11 RADIOACTIVE EFFLUENTS

3/4.11.1 LIQUID EFFLUENTS

LIQUID EFFLUENT SAMPLING AND ANALYSIS PROGRAM

Radioactive liquid wastes shall be sampled and analyzed in accordance with the program specified in Table A3-1 for STPEGS. The results of the radioactive analysis shall be used as appropriate with the methodology of Part B of the ODCM to assure that the concentrations of liquid effluents from the cooling reservoir are maintained within the limits of Control 3.11.1.1.

Radioactive effluent information for liquids obtained from sampling and analysis programs shall also be used in conjunction with the methodologies in Part B to demonstrate compliance with the dose objectives and surveillance requirements of Controls 3/4.11.1.2 and 3/4.11.1.3, and Technical Specification 3/4.11.1.4.

3/4.11 RADIOACTIVE EFFLUENTS

3/4.11.1 LIQUID EFFLUENTS

3/4.11.1.1 CONCENTRATION

CONTROLS

3.11.1.1 The concentration of radioactive material released in liquid effluents to UNRESTRICTED AREAS (See Figure 5.1-4) shall be limited to 10 times the concentrations specified in 10 CFR Part 20.1001-20.2401, Appendix B, Table 2, Column 2 for radionuclides other than dissolved or entrained noble gases. For dissolved or entrained noble gases, the concentration shall be limited to 2×10^4 $\mu\text{Ci}/\text{ml}$ total activity.

APPLICABILITY: At all times.

ACTION:

With the concentration of radioactive material released in liquid effluents to UNRESTRICTED AREAS exceeding the above limits, immediately restore the concentration to within the above limits.

SURVEILLANCE REQUIREMENTS

4.11.1.1.1 Radioactive liquid wastes shall be sampled and analyzed according to the sampling and analysis program specified in Table A3-1.

4.11.1.1.2 The results of the radioactivity analyses shall be used in accordance with the methodology and parameters in this manual to assure that the concentrations at the point of release are maintained within the limits of Control 3.11.1.1.

TABLE A3-1
RADIOACTIVE LIQUID WASTE SAMPLING AND ANALYSIS PROGRAM

LIQUID RELEASE TYPE	SAMPLING FREQUENCY	MINIMUM ANALYSIS FREQUENCY	TYPE OF ACTIVITY ANALYSIS	LOWER LIMIT OF DETECTION (LLD) ⁽¹⁾ ($\mu\text{Ci}/\text{ml}$)
1. Batch Waste Release Tanks ⁽²⁾				
a. Waste Monitor Tanks	P Each Batch	P Each Batch	Principal Gamma Emitters ⁽³⁾	5×10^{-7}
			1-131	1×10^{-6}
b. Laundry and Hot Shower Tank	P One Batch/M	M	Dissolved and Entrained Gases (Gamma Emitters)	1×10^{-5}
c. Waste Evaporator Condensate Tanks	P Each Batch	M Composite ⁽⁴⁾	H-3	1×10^{-5}
			Gross Alpha	1×10^{-7}
d. Any other tanks which discharge liquid wastes past RT-8038	P Each Batch	Q Composite ⁽⁴⁾	Sr-89, Sr-90	5×10^{-8}
			Fe-55	1×10^{-6}

TABLE A3-1 (Continued)

TABLE NOTATIONS

- (1) The LLD is defined, for purposes of these controls, as the smallest concentration of radioactive material in a sample that will yield a net count, above system background, that will be detected with 95% probability with only 5% probability of falsely concluding that a blank observation represents a "real" signal.

For a particular measurement system, which may include radiochemical separation:

$$LLD = \frac{4.66s_b}{E * V * 2.22 \times 10^6 * Y * e^{(-\lambda \Delta t)}}$$

Where:

LLD =

the "a priori" lower limit of detection (microCurie per unit mass or volume),

s_b = the standard deviation of the background counting rate or of the counting rate of a blank sample, as appropriate (counts per minute),

E = the counting efficiency (counts per disintegration),

V = the sample size (units of mass or volume),

2.22×10^6 = the number of disintegrations per minute per microCurie,

Y = the fractional radiochemical yield, when applicable,

λ = the radioactive decay constant for the particular radionuclide (s^{-1}), and

Δt = the elapsed time between the midpoint of sample collection and the time of counting(s).

Typical values of E, V, Y, and Δt should be used in the calculation.

It should be recognized that the LLD is defined as an a priori (before the fact) limit representing the capability of a measurement system and not as an a posteriori (after the fact) limit for a particular measurement.

- (2) A batch release is the discharge of liquid wastes of a discrete volume. Prior to sampling for analyses, each batch shall be isolated, and then thoroughly mixed by methods described in plant operating procedures to assure representative sampling.

TABLE A3-1 (Continued)

TABLE NOTATIONS (Continued)

- (3) The principal gamma emitters for which the LLD specification applies include the following radionuclides: Mn-54, Fe-59, Co-58, Co-60, Zn-65, Mo-99, Cs-134, Cs-137, Ce-141, and Ce-144. This list does not mean that only these nuclides are to be considered. Other gamma peaks that are identifiable, together with those of the above nuclides, shall also be analyzed and reported in the Annual Radioactive Effluent Release Report pursuant to Control 6.9.1.4 as outlined in Regulatory Guide 1.21, Appendix B, Revision 1, June 1974.
- (4) A composite sample is one in which the quantity of liquid sampled is proportional to the quantity of liquid waste discharged and in which the method of sampling employed results in a specimen that is representative of the liquids released.

3/4.11 RADIOACTIVE EFFLUENTS

3/4.11.1 LIQUID EFFLUENTS

3/4.11.1.2 DOSE

CONTROLS

3.11.1.2 The dose or dose commitment to a MEMBER OF THE PUBLIC from radioactive materials in liquid effluents released, from each unit, to UNRESTRICTED AREAS (see Figure 5.1-4) shall be limited:

- a. During any calendar quarter to less than or equal to 1.5 mrems to the whole body and to less than or equal to 5 mrems to any organ, and
- b. During any calendar year to less than or equal to 3 mrems to the whole body and to less than or equal to 10 mrems to any organ.

APPLICABILITY: At all times.

ACTION:

- a. With the calculated dose from the release of radioactive materials in liquid effluents exceeding any of the above limits, prepare and submit to the Commission within 30 days, pursuant to Technical Specification 6.9.2, a Special Report that identifies the cause(s) for exceeding the limit(s) and defines the corrective actions that have been taken to reduce the releases and the proposed corrective actions to be taken to assure that subsequent releases will be in compliance with the above limits. This Special Report shall also include: (1) the results of radiological analyses of the drinking water source, and (2) the radiological impact on finished drinking water supplies with regard to the requirements of 40 CFR Part 141, Safe Drinking Water Act.*
- b. The provisions of Control 3.0.3 are not applicable.

SURVEILLANCE REQUIREMENTS

4.11.1.2 Cumulative dose contributions from liquid effluents for the current calendar quarter and the current calendar year shall be determined in accordance with the methodology and parameters in this manual at least once per 31 days.

* The requirements of ACTION a.(1) and (2) are applicable only if drinking water supply is taken from the receiving water body within 3 miles of the plant discharge. In the case of river-sited plants, this is 3 miles downstream only.

3/4.11 RADIOACTIVE EFFLUENT

3/4.11.1 LIQUID EFFLUENTS

3/4.11.1.3 LIQUID WASTE PROCESSING SYSTEM

CONTROLS

3.11.1.3 The Liquid Waste Processing System shall be OPERABLE and appropriate portions of the system shall be used to reduce releases of radioactivity when the projected doses due to the liquid effluent, from each unit, to UNRESTRICTED AREAS (see Figure 5.1-4) would exceed 0.06 mrem to the whole body or 0.2 mrem to any organ in a 31-day period.

APPLICABILITY: At all times.

ACTION:

- a. With radioactive liquid waste being discharged without treatment and in excess of the above limits and any portion of the Liquid Waste Processing System not in operation, prepare and submit to the Commission within 30 days, pursuant to Technical Specification 6.9.2, a Special Report that includes the following information:
 1. Explanation of why liquid radwaste was being discharged without treatment, identification of any inoperable equipment or subsystems, and the reason for the inoperability,
 2. Action(s) taken to restore the inoperable equipment to OPERABLE status, and
 3. Summary description of action(s) taken to prevent a recurrence.
- b. The provisions of Control 3.0.3 are not applicable.

SURVEILLANCE REQUIREMENTS

4.11.1.3.1 Doses due to liquid releases from each unit to UNRESTRICTED AREAS shall be projected at least once per 31 days in accordance with the methodology and parameters in this manual when Liquid Waste Processing Systems are not being fully utilized.

4.11.1.3.2 The installed Liquid Waste Processing System shall be considered OPERABLE by meeting Controls 3.11.1.1 and 3.11.1.2.

3/4.11 RADIOACTIVE EFFLUENTS

3/4.11.2 GASEOUS EFFLUENTS

GASEOUS EFFLUENT SAMPLING AND ANALYSIS PROGRAM

Radioactive gaseous wastes shall be sampled and analyzed in accordance with the program specified in Table A4-1 for STPEGs. The results of the radioactive analyses shall be used as appropriate with the methodologies of Part B of the ODCM to assure that the dose rates due to radioactive materials released in gaseous effluents from the site to areas at and beyond the site boundary are within the limits of Control 3.11.2.1.

Radioactive effluent information for gaseous wastes obtained from sampling and analysis programs shall also be used in conjunction with the methodologies in Part B to demonstrate compliance with the dose objectives and surveillance requirements of Controls 3/4.11.2.1, 3/4.11.2.2, 3/4.11.2.3, 3/4.11.2.4, and 3/4.11.4.

3/4.11 RADIOACTIVE EFFLUENT

3/4.11.2 GASEOUS EFFLUENTS

3/4.11.2.1 DOSE RATE

CONTROLS

3.11.2.1 The dose rate due to radioactive materials released in gaseous effluents from the site to areas at and beyond the SITE BOUNDARY (see Figure 5.1-3) shall be limited to the following:

- a. For noble gases: Less than or equal to 500 mrems/yr to the whole body and less than or equal to 3000 mrems/yr to the skin, and
- b. For Iodine-131, for Iodine-133, for tritium, and for all radionuclides in particulate form with half-lives greater than 8 days: Less than or equal to 1500 mrems/yr to any organ.

APPLICABILITY: At all times.

ACTION:

With the dose rate(s) exceeding the above limits, immediately restore the release rate to within the above limit(s).

SURVEILLANCE REQUIREMENTS

4.11.2.1.1 The dose rate due to noble gases in gaseous effluents shall be determined to be within the above limits in accordance with the methodology and parameters in this manual.

4.11.2.1.2 The dose rate due to Iodine-131, Iodine-133, tritium, and all radionuclides in particulate form with half-lives greater than 8 days in gaseous effluents shall be determined to be within the above limits in accordance with the methodology and parameters in this manual by obtaining representative samples and performing analyses in accordance with the sampling and analysis program specified in Table A4-1.

TABLE A4-1
RADIOACTIVE GASEOUS WASTE SAMPLING AND ANALYSIS PROGRAM

<u>GASEOUS RELEASE TYPE</u>	<u>SAMPLING FREQUENCY</u>	<u>MINIMUM ANALYSIS FREQUENCY</u>	<u>TYPE OF ACTIVITY ANALYSIS</u>	<u>LOWER LIMIT OF DETECTION (LLD)⁽¹⁾ (µCi/ml)</u>
1. Unit Vent	M ⁽³⁾⁽⁴⁾		Principal Gamma Emitters ⁽²⁾	1x10 ⁻⁴
	Grab Sample	M	H-3 (oxide)	1x10 ⁻⁶
2. (Not used)				
3. All Release Types as listed in 1. and 2. above	Continuous ⁽⁶⁾	W ⁽⁷⁾ Charcoal Sample	I-131	1x10 ⁻¹²
	Continuous ⁽⁶⁾	W ⁽⁷⁾ Particulate Sample	I-133	1x10 ⁻¹⁰
	Continuous ⁽⁶⁾	M Composite Particulate Sample	Principal Gamma Emitters ⁽²⁾	1x10 ⁻¹¹
	Continuous ⁽⁶⁾	Q Composite Particulate Sample	Gross Alpha	1x10 ⁻¹¹
	Continuous ⁽⁶⁾		Sr-89, Sr-90	1x10 ⁻¹¹

TABLE A4-1 (Continued)

TABLE NOTATIONS

- (1) The LLD is defined, for purposes of these specifications, as the smallest concentration of radioactive material in a sample that will yield a net count, above system background, that will be detected with 95% probability with only 5% probability of falsely concluding that a blank observation represents a "real" signal.

For a particular measurement system, which may include radiochemical separation:

$$\text{LLD} = \frac{4.66s_b}{E * V * 2.22 \times 10^6 * Y * e^{(-\lambda\Delta t)}}$$

Where:

$\text{LLD} \approx$

the "a priori" lower limit of detection (microCurie per unit mass or volume),

s_b = the standard deviation of the background counting rate or of the counting rate of a blank sample, as appropriate (counts per minute),

E = the counting efficiency (counts per disintegration),

V = the sample size (units of mass or volume),

2.22×10^6 = the number of disintegrations per minute per microCurie,

Y = the fractional radiochemical yield, when applicable,

λ = the radioactive decay constant for the particular radionuclide (s^{-1}), and

Δt = the elapsed time between the midpoint of sample collection and the time of counting(s).

Typical values of E , V , Y , and Δt should be used in the calculation.

It should be recognized that the LLD is defined as an a priori (before the fact) limit representing the capability of a measurement system and not as an a posteriori (after the fact) limit for a particular measurement.

TABLE A4-1 (Continued)

TABLE NOTATIONS (Continued)

- (2) The principal gamma emitters for which the LLD specification applies include the following radionuclides: Kr-87, Kr-88, Xe-133, Xe-133m, Xe-135, and Xe-138 in noble gas releases; and Mn-54, Fe-59, Co-58, Co-60, Zn-65, Mo-99, I-131, Cs-134, Cs-137, Ce-141, and Ce-144 in Iodine and particulate releases. This list does not mean that only these nuclides are to be considered. Other gamma peaks that are identifiable, together with those of the above nuclides, shall also be analyzed and reported in the Annual Radioactive Effluent Report pursuant to Control 6.9.1.4 as outlined in Regulatory Guide 1.21, Appendix B, Revision 1, June 1974.
- (3) Sampling and analysis shall also be performed following shutdown, startup, or a THERMAL POWER change exceeding 15% of RATED THERMAL POWER within a 1-hour period.
- (4) Tritium grab samples shall be taken at least once per 24 hours when the refueling canal is flooded.
- (5) (Not used)
- (6) The ratio of the sample flow rate to the sampled stream flow rate shall be known for the time period covered by each dose or dose rate calculation made in accordance with Controls 3.11.2.1, 3.11.2.2, and 3.11.2.3.
- (7) Samples shall be changed at least once per 7 days and analyses shall be completed within 48 hours after changing, or after removal from sampler. Sampling shall also be performed at least once per 24 hours for at least 7 days following each shutdown, startup, or THERMAL POWER change exceeding 15% of RATED THERMAL POWER within a 1-hour period and analyses shall be completed within 48 hours of changing. When samples collected for 24 hours are analyzed, the corresponding LLDs may be increased by a factor of 10. This requirement does not apply if: (1) analysis shows that the DOSE EQUIVALENT I-131 concentration in the reactor coolant has not increased more than a factor of 3; and (2) the noble gas monitor shows that effluent activity has not increased more than a factor of 3.

3/4.11 RADIOACTIVE EFFLUENTS

3/4.11.2 GASEOUS EFFLUENTS

3/4.11.2.2 DOSE - NOBLE GASES

CONTROLS

3.11.2.2 The air dose due to noble gases released in gaseous effluents, from each unit, to areas at and beyond the SITE BOUNDARY (see Figure 5.1-3) shall be limited to the following:

- a. During any calendar quarter: Less than or equal to 5 mrads for gamma radiation and less than or equal to 10 mrads for beta radiation, and
- b. During any calendar year: Less than or equal to 10 mrads for gamma radiation and less than or equal to 20 mrads for beta radiation.

APPLICABILITY: At all times.

ACTION

- a. With the calculated air dose from radioactive noble gases in gaseous effluents exceeding any of the above limits, prepare and submit to the Commission within 30 days, pursuant to Technical Specification 6.9.2, a Special Report that identifies the cause(s) for exceeding the limit(s) and defines the corrective actions that have been taken to reduce the releases and the proposed corrective actions to be taken to assure that subsequent releases will be in compliance with the above limits.
- b. The provisions of Control 3.0.3 are not applicable.

SURVEILLANCE REQUIREMENTS

4.11.2.2 Cumulative dose contributions for the current calendar quarter and current calendar year for noble gases shall be determined in accordance with the methodology and parameters in this manual at least once per 31 days.

3/4.11 RADIOACTIVE EFFLUENTS

3/4.11.2 GASEOUS EFFLUENTS

3/4.11.2.3 DOSE - IODINE-131, IODINE-133, TRITIUM, AND RADIOACTIVE MATERIAL IN PARTICULATE FORM

CONTROLS

3.11.2.3 The dose to a MEMBER OF THE PUBLIC from Iodine-131, Iodine-133, tritium, and all radionuclides in particulate form with half-lives greater than 8 days in gaseous effluents released, from each unit, to areas at and beyond the SITE BOUNDARY (see Figure 5.1-3) shall be limited to the following:

- a. During any calendar quarter: Less than or equal to 7.5 mrems to any organ, and
- b. During any calendar year: Less than or equal to 15 mrems to any organ.

APPLICABILITY: At all times.

ACTION:

- a. With the calculated dose from release of Iodine-131, Iodine-133, tritium, and radionuclides in particulate form with half-lives greater than 8 days, in gaseous effluents exceeding any of the above limits, prepare and submit to the Commission within 30 days, pursuant to Technical Specification 6.9.2, a Special Report that identifies the cause(s) for exceeding the limit(s) and defines the corrective actions that have been taken to reduce the releases and the proposed corrective actions to be taken to assure that subsequent releases will be in compliance with the above limits.
- b. The provisions of Control 3.0.3 are not applicable.

SURVEILLANCE REQUIREMENTS

4.11.2.3 Cumulative dose contributions for the current calendar quarter and current calendar year for Iodine-131, Iodine-133, tritium and radionuclides in particulate form with half-lives greater than 8 days shall be determined in accordance with the methodology and parameters in this manual at least once per 31 days.

3/4.11 RADIOACTIVE EFFLUENTS

3/4.11.2 GASEOUS EFFLUENTS

3/4.11.2.4 GASEOUS WASTE PROCESSING SYSTEM

CONTROLS

3.11.2.4 The GASEOUS WASTE PROCESSING SYSTEM shall be OPERABLE and appropriate portions of this system shall be used to reduce releases of radioactivity when the projected doses in 31 days due to gaseous effluent releases, from each unit, to areas at and beyond the SITE BOUNDARY (see Figure 5.1-3) would exceed:

- a. 0.2 mrad to air from gamma radiation, or
- b. 0.4 mirad to air from beta radiation, or
- c. 0.3 mrem to any organ of a MEMBER OF THE PUBLIC.

APPLICABILITY: At all times.

ACTION:

- a. With radioactive gaseous waste being discharged without treatment and in excess of the above limits, prepare and submit to the Commission within 30 days, pursuant to Technical Specification 6.9.2, a Special Report that includes the following information:
 1. Identification of any inoperable equipment or subsystems, and the reason for the inoperability,
 2. Action(s) taken to restore the inoperable equipment to OPERABLE status, and
 3. Summary description of action(s) taken to prevent a recurrence.
- b. The provisions of Control 3.0.3 are not applicable.

SURVEILLANCE REQUIREMENTS

4.11.2.4.1 Doses due to gaseous releases from each unit to areas at and beyond the SITE BOUNDARY shall be projected at least once per 31 days in accordance with the methodology and parameters in this manual when the GASEOUS WASTE PROCESS SYSTEM is not being fully utilized.

4.11.2.4.2 The installed GASEOUS WASTE PROCESSING SYSTEM shall be considered OPERABLE by meeting Controls 3.11.2.1, and either 3.11.2.2 or 3.11.2.3.

3/4.11 RADIOACTIVE EFFLUENTS

3/4.11.4 TOTAL DOSE

CONTROLS

3.11.4 The annual (calendar year) dose or dose commitment to any MEMBER OF THE PUBLIC due to releases of radioactivity and to radiation from uranium fuel cycle sources shall be limited to less than or equal to 25 mrems to the whole body or any organ, except the thyroid, which shall be limited to less than or equal to 75 mrems.

APPLICABILITY: At all times.

ACTION:

- a. With the calculated doses from the release of radioactive materials in liquid or gaseous effluents exceeding twice the limits of Controls 3.11.1.2a, 3.11.1.2b, 3.11.2.2a, 3.11.2.2b, 3.11.2.3a, or 3.11.2.3b, calculations shall be made including direct radiation contributions from the units and from outside storage tanks to determine whether the above limits of Control 3.11.4 have been exceeded. If such is the case, prepare and submit to the Commission within 30 days, pursuant to Technical Specification 6.9.2, a Special Report that defines the corrective action to be taken to reduce subsequent releases to prevent recurrence of exceeding the above limits and includes the schedule for achieving conformance with the above limits. This Special Report, as defined in 10 CFR Part 20.2203(b), shall include an analysis that estimates the radiation exposure (dose) to a MEMBER OF THE PUBLIC from uranium fuel cycle sources, including all effluent pathways and direct radiation, for the calendar year that includes the release(s) covered by this report. It shall also describe levels of radiation and concentrations of radioactive material involved, and the cause of the exposure levels or concentrations. If the estimated dose(s) exceeds the above limits, and if the release condition resulting in violation of 40 CFR Part 190 has not already been corrected, the Special Report shall include a request for a variance in accordance with the provisions of 40 CFR Part 190. Submittal of the report is considered a timely request, and a variance is granted until staff action on the request is complete.
- b. The provisions of Control 3.0.3 are not applicable.

3/4.11 RADIOACTIVE EFFLUENTS

3/4.11.4 TOTAL DOSE (Continued)

SURVEILLANCE REQUIREMENTS

4.11.4.1 Cumulative dose contributions from liquid and gaseous effluents shall be determined in accordance with Controls 4.11.1.2, 4.11.2.2, and 4.11.2.3, and in accordance with the methodology and parameters in this manual.

4.11.4.2 Cumulative dose contributions from direct radiation from the units and from radwaste storage tanks shall be determined in accordance with the methodology and parameters in this manual. This requirement is applicable only under conditions set forth in ACTION a. of Control 3.11.4.

SAMPLING AND ANALYSIS PROGRAM

The Radiological Environmental Monitoring Program (REMP) provides representative measurements of radiation and radioactive materials in those exposure pathways and for those radionuclides that lead to the highest potential radiation exposure of MEMBERS OF THE PUBLIC resulting from station operation. This monitoring program is required by Control 3.12.1. The monitoring program implements Section IV.B.2 of Appendix I to 10 CFR Part 50, and thereby supplements the radiological effluent monitoring program by verifying that the measurable concentrations of radioactive materials and levels of radiation are not higher than expected on the basis of effluent measurements and the modeling of the environmental exposure pathways which have been incorporated into Part B of the ODCM.

The monitoring program as specified at fuel load shall remain in effect for at least the first three years of commercial operation. Following this period, program changes may be initiated based on operational experience.

In accordance with Control Surveillance Requirement 4.12.1, a sampling and analysis program shall be conducted. The implemented Radiological Environmental Monitoring Program, as described in Section 5.0 of Part B of the ODCM, shall as a minimum satisfy the requirements of Table A5-1. Detection capability requirements and reporting levels for radioactivity concentrations in environmental samples are shown in Tables A5-2 and A5-3, respectively.

3/4.12 RADILOGICAL ENVIRONMENTAL MONITORING

3/4.12.1 MONITORING PROGRAM

CONTROLS

3.12.1 The Radiological Environmental Monitoring Program (REMP) shall be conducted as specified in Table A5-1 and Table A5-2.

APPLICABILITY: At all times.

ACTION:

- a. With the Radiological Environmental Monitoring Program not being conducted as specified, prepare and submit to the Commission, in the Annual Radiological Environmental Operating Report required by Control 6.9.1.3, a description of the reasons for not conducting the program as required and the plans for preventing a recurrence.
- b. With the level of radioactivity as the result of plant effluents in an environmental sampling medium at a specified location exceeding the reporting levels of the REMP when averaged over any calendar quarter, prepare and submit to the Commission within 30 days, pursuant to Technical Specification 6.9.2, a Special Report that identifies the cause(s) for exceeding the limit(s) and defines the corrective actions to be taken to reduce radioactive effluents so that the potential annual dose^{*} to a MEMBER OF THE PUBLIC is less than the calendar year limits of Controls 3.11.1.2, 3.11.2.2, or 3.11.2.3. When more than one of the radionuclides in the REMP are detected in the sampling medium, this report shall be submitted if:

$$\frac{\text{concentration (1)}}{\text{reporting level (1)}} + \frac{\text{concentration (2)}}{\text{reporting level (2)}} + \dots \geq 1.0$$

When radionuclides other than those listed in the REMP are detected and are the result of plant effluents, this report shall be submitted if the potential annual dose^{*} to a MEMBER OF THE PUBLIC from all radionuclides is equal to or greater than the calendar year limits of Controls 3.11.1.2, 3.11.2.2 or 3.11.2.3. This report is not required if the measured level of radioactivity was not the result of plant effluents; however, in such an event, the condition shall be reported and described in the Annual Radiological Environmental Operating Report required by Control 6.9.1.3

* The methodology and parameters used to estimate the potential annual dose to a MEMBER OF THE PUBLIC shall be indicated in this report.

3/4.12 RADILOGICAL ENVIRONMENTAL MONITORING

3/4.12.1 MONITORING PROGRAM (Continued)

ACTION: (Continued)

- c. With milk or fresh leafy vegetable samples unavailable from one or more of the sample locations required by the REMP, identify specific locations for obtaining replacement samples and add them within 30 days to the Radiological Environmental Monitoring Program given in this manual. The specific locations from which samples were unavailable may then be deleted from the monitoring program. Pursuant to Technical Specification 6.14, submit with the next Annual Radioactive Effluent Release Report documentation for a change to this manual including a revised figure(s) and table to Part B of this manual reflecting the new location(s) with supporting information identifying the cause of the unavailability of samples and justifying the selection of the new location(s) for obtaining samples.
- d. The provisions of Control 3.0.3 are not applicable.

SURVEILLANCE REQUIREMENTS

4.12.1 The radiological environmental monitoring samples shall be collected pursuant to the REMP from the specific locations given in the table and figure(s) in this manual, and shall be analyzed pursuant to the requirements of and the detection capabilities required by the REMP.

TABLE A5-1

RADIOLOGICAL ENVIRONMENTAL MONITORING PROGRAM

<u>EXPOSURE PATHWAY AND/OR SAMPLE</u>	<u>NUMBER OF REPRESENTATIVE SAMPLES AND SAMPLE LOCATIONS⁽¹⁾</u>	<u>SAMPLING AND COLLECTION FREQUENCY</u>	<u>TYPE AND FREQUENCY OF ANALYSIS</u>
1. Direct Radiation ⁽²⁾	<p>Forty routine monitoring stations, either with two or more dosimeters or with one instrument for measuring and recording dose rate continuously, placed as follows:</p> <ul style="list-style-type: none"> - An inner ring of stations, one in each meteorological sector in the general area of the SITE BOUNDARY; - An outer ring of stations, one in each meteorological sector in the 6 to 8 km range from the site; and - The balance of the stations to be placed in special interest areas such as population centers, nearby residences, schools, and in one or two areas to serve as control stations. 	Quarterly.	Gamma dose quarterly.

TABLE A5-1 (Continued)

RADIOLOGICAL ENVIRONMENTAL MONITORING PROGRAM

<u>EXPOSURE PATHWAY AND/OR SAMPLE</u>	<u>NUMBER OF REPRESENTATIVE SAMPLES AND SAMPLE LOCATIONS⁽³⁾</u>	<u>SAMPLING AND COLLECTION FREQUENCY</u>	<u>TYPE AND FREQUENCY OF ANALYSIS</u>
2. Airborne Radioiodine and Particulates	<p>Samples from five locations:</p> <ul style="list-style-type: none"> - Three samples from close to the three SITE BOUNDARY locations in different sectors of the highest calculated annual average ground-level D/Q; - One sample from the vicinity of a community having the highest calculated annual average ground-level D/Q; and - One sample from a control location, as for example 15 to 30 km distant and in a minimal wind direction. 	Continuous sampler operations with sample collection weekly, or more frequently if required by dust loading.	<u>Radioiodine Canister:</u> I-131 analysis weekly. <u>Particulate Sampler:</u> Gross Beta radioactivity analysis following filter change; ⁽³⁾ and gamma isotopic analysis of composite (by location) quarterly.
3. Waterborne a. Surface ⁽³⁾	<p>One sample from the Colorado River upstream of the main cooling reservoir spillway.</p> <p>One sample from the Colorado River downstream of the main cooling reservoir spillway.</p> <p>- One sample from the main cooling reservoir.</p>	Composite sample over a 1-month period. ⁽⁶⁾	Gamma isotopic analysis ⁽⁴⁾ monthly. Composite for tritium analysis quarterly.

TABLE A5-1 (Continued)

RADIOLOGICAL ENVIRONMENTAL MONITORING PROGRAM

<u>EXPOSURE PATHWAY AND/OR SAMPLE</u>	<u>NUMBER OF REPRESENTATIVE SAMPLES AND SAMPLE LOCATIONS⁽¹⁾</u>	<u>SAMPLING AND COLLECTION FREQUENCY</u>	<u>TYPE AND FREQUENCY OF ANALYSIS</u>
3. Waterborne (Cont.)			
b. Ground	Sample from the shallow aquifer. ⁽⁷⁾	Quarterly.	Gamma isotopic ⁽⁴⁾ and tritium analysis quarterly.
c. Drinking	One sample of each of one to three of the nearest water supplies that could be affected by its discharge.	Monthly.	Gross beta and gamma isotopic analysis ⁽⁴⁾ monthly. Tritium analysis quarterly.
			One sample from a control location.
			One sample from a site deep aquifer well.
d. Sediment from Shoreline	One sample from upstream and downstream of the cooling reservoir spillway area.	Semiannually.	Gamma isotopic analysis ⁽⁴⁾ semiannually.
			One sample from main cooling reservoir.

TABLE A5-₁ (Continued)

RADIOLOGICAL ENVIRONMENTAL MONITORING PROGRAM

<u>EXPOSURE PATHWAY AND/OR SAMPLE</u>	<u>NUMBER OF REPRESENTATIVE SAMPLES AND SAMPLE LOCATIONS⁽¹⁾</u>	<u>SAMPLING AND COLLECTION FREQUENCY</u>	<u>TYPE AND FREQUENCY OF ANALYSIS</u>
4. Ingestion			
a. Milk	Samples from milk animals in three locations within 5 km distance having the highest dose potential. If there are none from which samples can be obtained, then one sample from milk animals in each of three areas between 5 to 8 km distance when doses are projected by calculation to be greater than 1 mrem per year. ⁽⁸⁾ One sample from milk animals at a control location greater than 30 km distant in a minimal wind direction. No samples are required if there are no milk animals from which samples can be obtained within the 8 km distance.	Semimonthly when animals are on pasture; monthly at other times.	Gamma isotopic ⁽⁴⁾ and I-131 analysis semimonthly when animals are on pasture; monthly at other times.
b. Fish and Invertebrates	One sample representing each commercially and recreationally important species in vicinity of plant discharge area. One sample representing each commercially and recreationally important species found within the main cooling reservoir. One sample representing the same species in areas not influenced by plant discharge.	Sample semiannually.	Gamma isotopic analysis ⁽⁴⁾ on edible portions.

TABLE A₂(Continued)

RADIOLOGICAL ENVIRONMENTAL MONITORING PROGRAM

<u>EXPOSURE PATHWAY AND/OR SAMPLE</u>	<u>NUMBER OF REPRESENTATIVE SAMPLES AND SAMPLE LOCATIONS⁽¹⁾</u>	<u>SAMPLING AND COLLECTION FREQUENCY</u>	<u>TYPE AND FREQUENCY OF ANALYSIS</u>
4. Ingestion (Cont.)	c. Food Products	One sample of each principle class of food products from any area that is irrigated by water that receives the main cooling reservoir discharges.	At time of harvest, in edible portion. Gamma isotopic analysis ⁽⁴⁾
		Samples of three different kinds of broadleaf vegetation grown nearest each of two different offsite locations of highest predicted annual average ground level D/Q if milk sampling is not performed.	Monthly during growing season (when available). Gamma isotopic ⁽⁴⁾ and I-131 analysis.
		One sample each of the similar broadleaf vegetation grown 15 to 30 km distant in a minimal wind direction if milk sampling is not performed.	Monthly during growing season (when available). Gamma isotopic ⁽⁴⁾ and I-131 analysis.

TABLE A5-1 (Continued)

TABLE NOTATIONS

- (1) Specific parameters of distance and direction sector from the centerline of one reactor, and additional description where pertinent, shall be provided for each and every sample location in Table B5-3 in a table and figure(s) in this manual. Refer to NUREG-0133, "Preparation of Radiological Effluent Technical Specification For Nuclear Power Plants," October 1978, and Radiological Assessment Branch Technical Position, Revision 1, November 1979. Deviations are permitted from the required sampling schedule if specimens are unobtainable due to circumstances such as hazardous conditions, seasonal unavailability, and malfunction of automatic sampling equipment. If specimens are unobtainable due to sampling equipment malfunction, effort shall be made to complete corrective action prior to the end of the next sampling period. All deviations from the sampling schedule shall be documented in the Annual Radiological Environmental Operating Report pursuant to Control 6.9.1.3. It is recognized that, at times, it may not be possible or practicable to continue to obtain samples of the media of choice at the most desired location or time. In these instances, suitable alternative media and locations may be chosen for the particular pathway in question and appropriate substitutions made within 30 days in the Radiological Environmental Monitoring Program given in this manual. Pursuant to Technical Specification 6.14, submit in the next Annual Radioactive Effluent Release Report documentation for a change in this manual including a revised figure(s) and table for this manual reflecting the new location(s) with supporting information identifying the cause of the unavailability of samples for that pathway and justifying the selection of the new location(s) for obtaining samples.
- (2) One or more instruments, such as a pressurized ion chamber, for measuring and recording dose rate continuously may be used in place of, or in addition to, integrating dosimeters. For the purposes of this table, a thermoluminescent dosimeter (TLD) is considered to be one phosphor; two or more phosphors in a packet are considered as two or more dosimeters. Film badges shall not be used as dosimeters for measuring direct radiation. The 40 stations is not an absolute number. The number of direct monitoring stations may be reduced according to geographical limitations. TLD's may be located at nonprescribed distances from the plant due to access limitations.
- (3) Airborne particulate sample filters shall be analyzed for gross beta radioactivity 24 hours or more after sampling to allow for radon and thoron daughter decay. If gross beta activity in air particulate samples is greater than 10 times the yearly mean of control samples, gamma isotopic analysis shall be performed on the individual samples.
- (4) Gamma isotopic analysis means the identification and quantification of gamma-emitting radionuclides that may be attributable to the effluents from the facility.
- (5) The "upstream sample" shall be taken at a distance beyond significant influence of the discharge. The "downstream" sample shall be taken in an area beyond but near the mixing zone. "Upstream" samples in an estuary must be taken far enough upstream to be beyond the plant influence. Salt water shall be sampled only when the receiving water is utilized for recreational activities.

TABLE A5-1 (Continued)

TABLE NOTATIONS (Continued)

- (6) A composite sample is one in which the quantity (aliquot) of liquid sampled is proportional to the quantity of flowing liquid and in which the method of sampling employed results in a specimen that is representative of the liquid flow. In this program, composite sample aliquots shall be collected at time intervals that are very short (e.g., hourly) relative to the compositing period (e.g., monthly) in order to assure obtaining a representative sample.
- (7) Groundwater samples shall be taken when this source is tapped for drinking or irrigation purposes in areas where the hydraulic gradient or recharge properties are suitable for contamination.
- (8) The dose shall be calculated for the maximum organ and age group, using the methodology and parameters in this manual.
- (9) If harvest occurs more than once a year, sampling shall be performed during each discrete harvest. If harvest occurs continually, sampling shall be monthly. Attention shall be paid to including samples of tuberous and root food products.

TABLE A5-2

DETECTION CAPABILITIES FOR ENVIRONMENTAL SAMPLE ANALYSIS⁽¹⁾⁽²⁾
LOWER LIMIT OF DETECTION⁽³⁾

ANALYSIS	WATER (pCi/l)	AIRBORNE PARTICULATE OR GASES (pCi/m ³)	FISH (pCi/kg. wet)	MILK (pCi/l)	FOOD PRODUCTS (pCi/kg. wet)	SEDIMENT (pCi/kg. dry)
Gross Beta	4	0.01				
H-3		3000				
Mn-54		15	130			
Fe-59		30	260			
Co-58,60		15	130			
Zn-65		30	260			
Zr-Nb-95		15				
I-131		1 ⁽⁴⁾	0.07	1	60	
Cs-134		15	0.05	130	15	60
Cs-137		18	0.06	150	18	60
Ba-La-140		15			15	180

TABLE A5-2 (Continued)

TABLE NOTATIONS

- (1) This list does not mean that only these nuclides are to be considered. Other peaks that are identifiable, together with those of the above nuclides, shall also be analyzed and reported in the Annual Radiological Environmental Operating Report pursuant to Control 6.9.1.3.
- (2) Required detection capabilities for thermoluminescent dosimeters used for environmental measurements shall be in accordance with the recommendations of Regulatory Guide 4.13.
- (3) The LLD is defined, for purposes of these specifications, as the smallest concentration of radioactive material in a sample that will yield a net count, above system background, that will be detected with 95% probability with only 5% probability of falsely concluding that a blank observation represents a "real" signal.

For a particular measurement system, which may include radiochemical separation:

$$\text{LLD} = \frac{4.66s_b}{E * V * 2.22 * Y * e^{(-\lambda\Delta t)}}$$

Where:

LLD = the "a priori" lower limit of detection (picoCuries per unit mass or volume),

s_b = the standard deviation of the background counting rate or of the counting rate of a blank sample, as appropriate (counts per minute),

E = the counting efficiency (counts per disintegration),

V = the sample size (units of mass or volume),

2.22 = the number of disintegrations per minute per picoCurie,

Y = the fractional radiochemical yield, when applicable,

λ = the radioactive decay constant for the particular radionuclide (s^{-1}), and

Δt = the elapsed time between environmental collection, or end of the sample collecting period, and time of counting(s).

Typical values of E, V, Y, and Δt should be used in the calculation.

TABLE A5-2 (Continued)

TABLE NOTATIONS (Continued)

It should be recognized that the LLD is defined as an a priori (before the fact) limit representing the capability of a measurement system and not as an a posteriori (after the fact) limit for a particular measurement. Analyses shall be performed in such a manner that the stated LLDs will be achieved under routine conditions. Occasionally, background fluctuations, unavoidable small sample sizes, the presence of interfering nuclides, or other uncontrollable circumstances may render these LLDs unachievable. In such cases, the contributing factors shall be identified and described in the Annual Radiological Environmental Operating Report pursuant to Control 6.9.1.3.

- (4) LLD for drinking water samples. If no drinking water pathway exists, the LLD of gamma isotopic analysis may be used.

TABLE A5.3

REPORTING LEVELS FOR RADIOACTIVITY CONCENTRATIONS IN ENVIRONMENTAL SAMPLES
REPORTING LEVELS

PRODUCTS ANALYSIS	WATER (pCi/l)	AIRBORNE PARTICULATE OR GASES (pCi/m ³)	FISH (pCi/kg, wet)	MILK (pCi/l)	FOOD (pCi/kg, wet)
H-3	30,000				
Mn-54	1,000		30,000		
Fe-59	400		10,000		
Co-58	1,000		30,000		
Co-60	300		10,000		
Zn-65	300		20,000		
Zr-Nb-95	400				
I-131	2		0.9	3	100
Cs-134	30		10	1,000	1,000
Cs-137	50		20	2,000	2,000
Ba-I-a-140	200			70	
				300	

3/4.12 RADIOLOGICAL ENVIRONMENTAL MONITORING

3/4.12.2 LAND USE CENSUS

As part of the Radiological Environmental Monitoring Program, Control 3/4.12.2 requires that a land use census be conducted annually during the growing season to identify within a distance of 8 km (5 miles) the location in each of the 16 meteorological sectors of the nearest milk animal, the nearest residence, and the nearest garden of greater than 50 m² (500 ft²) producing broadleaf vegetation.

The land use census ensures that changes in the use of area beyond the SITE BOUNDARY are identified, and appropriate modifications to the monitoring program and dose assessment models are made, if necessary. This census satisfies the requirements of Section IV.B.3 of Appendix I to 10 CFR Part 50.

For the purpose of conducting the land use census as required by Control Surveillance Requirement 4.12.2, station personnel should determine what survey methods will provide the necessary results considering the type of information to be collected and its use. For example, land use census results shall be obtained by using a survey method, or combination of methods, which may include, but are not limited to, door-to-door surveys (i.e., roadside identification of locations), aerial surveys, or by consulting local agricultural authorities.

Control 3.12.2.b requires that new locations identified from the census that yield a calculated dose or dose commitment 20% greater than at a location from which samples are currently being obtained be added within 30 days to the REMP. These new locations shall be added to the sampling program only if reliable sampling of the affected pathway(s) can be devised.

3/4.12 RADIOPHYSICAL ENVIRONMENTAL MONITORING

3/4.12.2 LAND USE CENSUS

CONTROLS

3.12.2 A Land Use Census shall be conducted and shall identify within a distance of 8 km (5 miles) the location in each of the 16 meteorological sectors of the nearest milk animal, the nearest residence, and the nearest garden* of greater than 50 m² (500 ft²) producing broad leaf vegetation.

APPLICABILITY: At all times.

ACTION:

- a. With a Land Use Census identifying a location(s) that yields a calculated dose or dose commitment greater than the values currently being calculated in Control 4.11.2.3, pursuant to Control 6.9.1.4, identify the new location(s) in the next Annual Radioactive Effluent Release Report.
- b. With a Land Use Census identifying a location(s) that yields a calculated dose or dose commitment (via the same exposure pathway) 20% greater than at a location from which samples are currently being obtained in accordance with Control 3.12.1, add the new location(s) within 30 days to the Radiophasical Environmental Monitoring Program given in Part B of this manual. The sampling location(s) excluding the control station location, having the lowest calculated dose or dose commitment(s), via the same exposure pathway, may be deleted from this monitoring program after October 31 of the year in which this Land Use Census was conducted. Pursuant to Technical Specification 6.14, submit in the next Annual Radioactive Effluent Release Report documentation for a change to this manual including a revised figure(s) and table(s) for Part B of this manual reflecting the new location(s) with information supporting the change in sampling locations.
- c. The provisions of Control 3.0.3 are not applicable.

SURVEILLANCE REQUIREMENTS

4.12.2 The Land Use Census shall be conducted at least once per 12 months using that information that will provide the best results, such as by a door-to-door survey, aerial survey, or by consulting local agriculture authorities, as described in this manual. The results of the Land Use Census shall be included in the Annual Radiophasical Environmental Operating Report pursuant to Control 6.9.1.3.

* Broad leaf vegetation sampling of at least three different kinds of vegetation may be performed at the SITE BOUNDARY in each of two different direction sectors with the highest predicted D/Qs in lieu of the garden census. Controls for broad leaf vegetation sampling in the REMP shall be followed, including analysis of control samples.

3/4.12 RADIOLOGICAL ENVIRONMENTAL MONITORING

3/4.12.3 INTERLABORATORY COMPARISON PROGRAM

CONTROLS

3.12.3 Analyses shall be performed on all radioactive materials, supplied as part of an Interlaboratory Comparison Program that has been approved by the Commission, that correspond to samples required by the REMP.

APPLICABILITY: At all times.

ACTION:

- a. With analyses not being performed as required above, report the corrective actions taken to prevent a recurrence to the Commission in the Annual Radiological Environmental Operating Report pursuant to Control 6.9.1.3.
- b. The provisions of Control 3.0.3 are not applicable.

SURVEILLANCE REQUIREMENTS

4.11.3 The Interlaboratory Comparison Program is described in this manual. A summary of the results obtained as part of the above required Interlaboratory Comparison Program shall be included in the Annual Radiological Environmental Operating Report pursuant to Control 6.9.1.3.

BASES FOR SECTIONS 3.0 and 4.0
CONTROLS AND SURVEILLANCE REQUIREMENTS

NOTE

The BASES contained in the succeeding pages summarizes the reasons for the Controls in Section 3.0 and 4.0, but are not part of these Controls.

3/4.3 INSTRUMENTATION

BASES

3/4.3.3 MONITORING INSTRUMENTATION

3/4.3.3.10 RADIOACTIVE LIQUID EFFLUENT MONITORING INSTRUMENTATION

The radioactive liquid effluent instrumentation is provided to monitor and control, as applicable, the releases of radioactive materials in liquid effluents during actual or potential releases of liquid effluents. The Alarm/Trip Setpoints for these instruments shall be calculated and adjusted in accordance with the methodology and parameters in this manual to ensure that the alarm/trip will occur prior to exceeding the limits of 10 CFR Part 20. The OPERABILITY and use of this instrumentation is consistent with the requirements of General Design Criteria 60, 63, and 64 of Appendix A to 10 CFR Part 50.

3/4.3.3.11 RADIOACTIVE GASEOUS EFFLUENT MONITORING INSTRUMENTATION

The radioactive gaseous effluent instrumentation is provided to monitor and control, as applicable, the releases of radioactive materials in gaseous effluent during actual or potential releases of gaseous effluents. The Alarm/Trip Setpoints for these instruments shall be calculated and adjusted in accordance with the methodology and parameters in this manual to ensure that the alarm/trip will occur prior to exceeding the limits of 10 CFR Part 20. The OPERABILITY and use of this instrumentation is consistent with the requirements of General Design Criteria 60, 63, and 64 of Appendix A to 10 CFR Part 50. The sensitivity of any noble gas activity monitors used to show compliance with the gaseous effluent release requirements of Control 3.11.2.2 shall be such that concentrations as low as $1 \times 10^{-6} \mu\text{Ci/cc}$ are measurable.

3/4.11 RADIOACTIVE EFFLUENTS

BASES

3/4.11.1 LIQUID EFFLUENTS

3/4.11.1.1 CONCENTRATION

This control is provided to ensure that the concentration of radioactive materials released in liquid waste effluents to UNRESTRICTED AREAS will be less than ten times the concentration levels specified in 10 CFR Part 20, Appendix B, Table 2, Column 2. This limitation provides additional assurance that the levels of radioactive materials in bodies of water in UNRESTRICTED AREAS will result in exposures within the Section II.A design objectives of Appendix I, 10 CFR Part 50, to a MEMBER OF THE PUBLIC. The concentration limit for dissolved or entrained noble gases is based upon the assumption that Xe-135 is the controlling radioisotope.

This control applies to the release of radioactive materials in liquid effluents from all units at the site.

The required detection capabilities for radioactive materials in liquid waste samples are tabulated in terms of the lower limits of detection (LLDs). Detailed discussion of the LLD, and other detection limits, can be found in HASL Procedures Manual, HASL-300 (revised annually); Currie, L. A., "Limits for Qualitative Detection and Quantitative Determination - Application to Radiochemistry," Anal. Chem. **40**, 586-93 (1968); and Hartwell, J. K., "Detection Limits for Radioanalytical Counting Techniques," Atlantic Richfield Hanford Company Report ARH-SA-215 (June 1975).

3/4.11.1.2 DOSE

This control is provided to implement the requirements of Sections II.A, III.A, and IV.A of Appendix I, 10 CFR Part 50. The Control implements the guides set forth in Section II.A of Appendix I. The ACTION statements provide the required operating flexibility and at the same time implement the guides set forth in Section IV.A. of Appendix I to assure that the releases of radioactive material in liquid effluents to UNRESTRICTED AREAS will be kept "as low as is reasonably achievable." The dose calculation methodology and parameters in the ODCM implement the requirements in Section III.A of Appendix I that conformance with the guides of Appendix I be shown by calculational procedures based on models and data, such that the actual exposure of a MEMBER OF THE PUBLIC through appropriate pathways is unlikely to be substantially underestimated. The equations specified in this manual for calculating the doses due to the actual release rates of radioactive materials in liquid effluents are consistent with the methodology provided in Regulatory Guide 1.109, "Calculation of Annual Doses to Man from Routine Releases of Reactor Effluents for the Purpose of Evaluating Compliance with 10 CFR Part 50, Appendix I," Revision 1, October 1977; and Regulatory Guide 1.113, "Estimating Aquatic Dispersion of Effluents from Accidental and Routine Reactor Releases for the Purpose of Implementing Appendix I," April 1977.

3/4.11 RADIOACTIVE EFFLUENTS

BASES

3/4.11.1.2 DOSE (Continued)

This control applies to the release of radioactive materials in liquid effluents from each unit at the site.

3/4.11.1.3 LIQUID WASTE PROCESSING SYSTEM

The OPERABILITY of the Liquid Waste Processing System ensures that this system will be available for use whenever liquid effluents require treatment prior to release to the environment. The requirement that the appropriate portions of this system be used when specified provides assurance that the releases of radioactive materials in liquid effluents will be kept "as low as is reasonably achievable." This control implements the requirements of 10 CFR Part 50.36a, General Design Criterion 60 of Appendix A to 10 CFR Part 50, and the design objective given in Section II.D of Appendix I to 10 CFR Part 50. The specified limits governing the use of appropriate portions of the Liquid Waste Processing System were specified as a suitable fraction of the dose design objectives set forth in Section II.A of Appendix I, 10 CFR Part 50, for liquid effluents.

This control applies to the release of radioactive materials in liquid effluents from each unit at the site.

3/4.11.2 GASEOUS EFFLUENTS

3/4.11.2.1 DOSE RATE

This control is provided to ensure that the dose at any time at and beyond the SITE BOUNDARY from gaseous effluents from all units on the site will be within the annual dose limits of 10 CFR Part 20 to UNRESTRICTED AREAS. These limits provide reasonable assurance that radioactive material discharged in gaseous effluents will not result in the exposure of a MEMBER OF THE PUBLIC to annual average concentrations exceeding ten times the limits specified in Appendix B, Table 2 of 10 CFR Part 20.1001-20.2401 (10 CFR Part 20.1302). For MEMBERS OF THE PUBLIC who may at times be within the SITE BOUNDARY, the occupancy of that MEMBER OF THE PUBLIC will usually be sufficiently low to compensate for any increase in the atmospheric diffusion factor above that for the SITE BOUNDARY. Examples of calculations for such MEMBERS OF THE PUBLIC, with the appropriate occupancy factors, shall be given in this manual. The specified release rate limits restrict, at all times, the corresponding gamma and beta dose rates above background to a MEMBER OF THE PUBLIC at or beyond the SITE BOUNDARY to less than or equal to 500 mrems/year to the whole body or to less than or equal to 3000 mrems/year to the skin. These release rate limits also restrict, at all times, the corresponding thyroid dose rate above background to a child via the inhalation pathway to less than or equal to 1500 mrems/year.

3/4.11 RADIOACTIVE EFFLUENTS

BASES

3/4.11.2.1 DOSE RATE (Continued)

This control applies to the release of radioactive materials in gaseous effluents from all units at the site.

The required detection capabilities for radioactive materials in gaseous waste samples are tabulated in terms of the lower limits of detection (LLDs). Detailed discussion of the LLD, and other detection limits can be found in HASL Procedures Manual, HASL-300 (revised annually); Currie, L. A., "Limits for Qualitative Detection and Quantitative Determination - Application to Radiochemistry," Anal. Chem. 40, 586-93 (1968); and Hartwell, J. K., "Detection Limits for Radioanalytical Counting Techniques," Atlantic Richfield Hanford Company Report ARH-SA-215 (June 1975).

3/4.11.2.2 DOSE - NOBLE GASES

This control is provided to implement the requirements of Sections II.B, III.A and IV.A of Appendix I, 10 CFR Part 50. The Control implements the guides set forth in Section II.B of Appendix I. The ACTION statements provide the required operating flexibility and at the same time implement the guides set forth in Section IV.A of Appendix I to assure that the releases of radioactive material in gaseous effluents to UNRESTRICTED AREAS will be kept "as low as is reasonably achievable." The Surveillance Requirements implement the requirements in Section III.A of Appendix I that conformance with the guides of Appendix I be shown by calculational procedures based on models and data such that the actual exposure of a MEMBER OF THE PUBLIC through appropriate pathways is unlikely to be substantially underestimated. The dose calculation methodology and parameters established in this manual for calculating the doses due to the actual release rates of radioactive materials in liquid effluents are consistent with the methodology provided in Regulatory Guide 1.109, "Calculation of Annual Doses to Man from Routine Releases of Reactor Effluents for the Purpose of Evaluating Compliance with 10 CFR Part 50, Appendix I," Revision 1, October 1977; and Regulatory Guide 1.111, "Methods for Estimating Atmospheric Transport and Dispersion of Gaseous Effluents in Routine Releases from Light-Water Cooled Reactors," Revision 1, July 1977. The ODCM equations provided for determining the air doses at and beyond the SITE BOUNDARY are based upon the historical average atmospheric conditions.

This control applies to the release of radioactive materials in gaseous effluents from each unit at the site.

3/4.11 RADIOACTIVE EFFLUENTS

BASES

3/4.11.2.3 DOSE - IODINE-131, IODINE-133, TRITIUM, AND RADIOACTIVE MATERIAL IN PARTICULATE FORM

This control is provided to implement the requirements of Sections II.C, III.A and IV.A of Appendix I, 10 CFR Part 50. The Controls are the guides set forth in Section II.C of Appendix I. The ACTION statements provide the required operating flexibility and at the same time implement the guides set forth in Section IV.A of Appendix I to assure that the releases of radioactive materials in gaseous effluents to UNRESTRICTED AREAS will be kept "as low as is reasonably achievable." The calculational methods specified in the Surveillance Requirements implement the requirements in Section III.A of Appendix I that conformance with the guides of Appendix I be shown by calculational procedures based on models and data, such that the actual exposure of a MEMBER OF THE PUBLIC through appropriate pathways is unlikely to be substantially underestimated. The calculational methodology and parameters for calculating the doses due to the actual release rates of the subject materials are consistent with the methodology provided in Regulatory Guide 1.109, "Calculation of Annual Doses to Man from Routine Releases of Reactor Effluents for the Purpose of Evaluating Compliance with 10 CFR Part 50, Appendix I," Revision 1, October 1977; and Regulatory Guide 1.111, "Methods for Estimating Atmospheric Transport and Dispersion of Gaseous Effluents in Routine Releases from Light-Water Cooled Reactors," Revision 1, July 1977. These equations also provide for determining the actual doses based upon the historical average atmospheric conditions. The release rate controls for Iodine-131, Iodine-133, tritium, and radionuclides in particulate form with half-lives greater than 8 days, are dependent upon the existing radionuclide pathways to man, in the areas at and beyond the SITE BOUNDARY. The pathways that were examined in the development of these calculations were: (1) individual inhalation of airborne radionuclides, (2) deposition of radionuclides onto green leafy vegetation with subsequent consumption by man, (3) deposition onto grassy areas where milk animals and meat producing animals graze with consumption of the milk and meat by man, and (4) deposition on the ground with subsequent exposure to man.

This control applies to the release of radioactive materials in gaseous effluents from each unit at the site.

3/4.11.2.4 GASEOUS WASTE PROCESSING SYSTEM

The OPERABILITY of the GASEOUS WASTE PROCESSING SYSTEM ensures that the systems will be available for use whenever gaseous effluents require treatment prior to release to the environment. The requirement that the appropriate portions of the systems be used, when specified, provides reasonable assurance that the releases of radioactive materials in gaseous effluents will be kept "as low as is reasonably achievable." This control implements the requirements of 10 CFR Part 50.36a, General Design Criterion 60 of Appendix A to 10 CFR Part 50, and the design objective given in Section II.D of Appendix I to 10 CFR Part 50. The specified limits governing the use of appropriate portions of the system were specified as a suitable fraction of the dose design objectives set forth in Section II.B and II.C of Appendix I, 10 CFR Part 50, for gaseous effluents.

3/4.11 RADIOACTIVE EFFLUENTS

BASES

3/4.11.2.4 GASEOUS WASTE PROCESSING SYSTEM

This Control applies to the release of radioactive material in gaseous effluents from each unit at the site.

3/4.11.4 TOTAL DOSE

This control is provided to meet the dose limitation of 40 CFR Part 190 that have been incorporated into 10 CFR Part 20.2203. The control requires the preparation and submittal of a Special Report whenever the calculated doses due to releases of radioactivity and to radiation from uranium fuel cycle sources exceed 25 mrems to the whole body or any organ, except the thyroid, which shall be limited to less than or equal to 75 mrems. For sites containing up to four reactors, it is highly unlikely that the resultant dose to a MEMBER OF THE PUBLIC will exceed the dose limits of 40 CFR Part 190 if the individual reactors remain within twice the dose design objectives of Appendix I, and if direct radiation doses from the reactor units and outside storage tanks are kept small. The Special Report will describe a course of action that should result in the limitation of the annual dose to a MEMBER OF THE PUBLIC to within the 40 CFR Part 190 limits. For the purposes of the Special Report, it may be assumed that the dose commitment to the MEMBER OF THE PUBLIC from other uranium fuel cycle sources is negligible, with the exception that dose contributions from other nuclear fuel cycle facilities at the same site or within a radius of 8 km must be considered. If the dose to any MEMBER OF THE PUBLIC is estimated to exceed the requirements of 40 CFR Part 190, the Special Report with a request for a variance (provided the release conditions resulting in violation of 40 CFR Part 190 have not already been corrected), in accordance with the provisions of 40 CFR Part 190.11 and 10 CFR Part 20.2203, is considered to be a timely request and fulfills the requirements of 40 CFR Part 190 until NRC staff action is completed. The variance only relates to the limits of 40 CFR Part 190 until NRC staff action is completed. The variance only relates to the limits of 40 CFR Part 190 and does not apply in any way to the other requirements for dose limitation of 10 CFR Part 20, as addressed in Controls 3.11.1.1 and 3.11.2.1. An individual is not considered a MEMBER OF THE PUBLIC during any period in which the individual receives an occupational dose..

3/4.12 RADIOLOGICAL ENVIRONMENTAL MONITORING

BASES

3/4.12.1 MONITORING PROGRAM

The Radiological Environmental Monitoring Program required by this control provides representative measurements of radiation and of radioactive materials in those exposure pathways and for those radionuclides that lead to the highest potential radiation exposure of MEMBERS OF THE PUBLIC resulting from the plant operation. This monitoring program implements Section IV.B.2 of Appendix I to 10 CFR Part 50 and thereby supplements the Radiological Effluent Monitoring Program by verifying that the measurable concentrations of radioactive materials and levels of radiation are not higher than expected on the basis of the effluent measurements and the modeling of the environmental exposure pathways. Guidance for this monitoring program is provided by the Radiological Assessment Branch Technical Position on Environmental Monitoring. The initially specified monitoring program will be effective for at least the first 3 years of commercial operation. Following this period, program changes may be initiated based on operational experience.

The required detection capabilities for environmental sample analyses are tabulated in terms of the lower limits of detection (LLDs). The LLDs required by this manual are considered optimum for routine environmental measurements industrial laboratories. It should be recognized that the LLD is defined as an a priori (before the fact) limit representing the capability of a measurement system and not as an a posteriori (after the fact) limit for a particular measurement.

Detailed discussion of the LLD, and other detection limits, can be found in HASL Procedures Manual, HASL-300 (revised annually); Currie, L. A., "Limits for Qualitative Detection and Quantitative Determination - Application to Radiochemistry," Anal.Chem. 40, 586-93 (1968); and Hartwell, J. K., "Detection Limits for Radioanalytical Counting Techniques," Atlantic Richfield Hanford Company Report ARH-SA-215 (June 1975).

3/4.12.2 LAND USE CENSUS

This control is provided to ensure that changes in the use of areas at and beyond the SITE BOUNDARY are identified and that modifications to the Radiological Environmental Monitoring Program given in the ODCM are made if required by the results of this census. The best information from the door-to-door survey, from aerial survey or from consulting with local agricultural authorities shall be used. This census satisfies the requirements of Section IV.B.3 of Appendix I to 10 CFR Part 50. Restricting the census to gardens of greater than 50 m² provides assurance that significant exposure pathways via leafy vegetables will be identified and monitored since a garden of this size is the minimum required to produce the quantity (26 kg/year) of leafy vegetables assumed in Regulatory Guide 1.109 for consumption by a child. To determine this minimum garden size, the following assumptions were made: (1) 20% of the garden was used for growing broad leaf vegetation (i.e, similar to lettuce and cabbage), and (2) a vegetation yield of 2 kg/m².

3/4.12 RADIOLOGICAL ENVIRONMENTAL MONITORING

BASES

3/4.12.3 INTERLABORATORY COMPARISON PROGRAM

The requirement for participation in an approved Interlaboratory Comparison Program is provided to ensure that independent checks on the precision and accuracy of the measurement of radioactive materials in environmental sample matrices are performed as part of the quality assurance program for environmental monitoring in order to demonstrate that the results are valid for the purposes of Section IV.B.2 of Appendix I to 10 CFR Part 50.

SECTION 5.0
DESIGN FEATURES

5.0 DESIGN FEATURES

5.1 SITE

5.1.3 MAP DEFINING UNRESTRICTED AREAS AND SITE BOUNDARY FOR RADIOACTIVE GASEOUS AND LIQUID EFFLUENTS

5.1.3 Information regarding radioactive gaseous and liquid effluents, which will allow identification of structures and release points as well as definition of UNRESTRICTED AREAS within the SITE BOUNDARY that are accessible to MEMBERS OF THE PUBLIC, shall be as shown in Figures 5.1-3 and 5.1-4.

The UNRESTRICTED AREA boundary may coincide with the Exclusion (fenced) Area boundary, as defined in 10 CFR Part 100.3(a), but the UNRESTRICTED AREA does not include areas over water bodies. The concept of UNRESTRICTED AREAS, established at or beyond the SITE BOUNDARY, is utilized in the Controls to keep levels of radioactive materials in liquid and gaseous effluents as low as is reasonably achievable, pursuant to 10 CFR Part 50.36a.

- The UNRESTRICTED AREA consists of the area beyond the SITE BOUNDARY

The CONTROLLED AREAS are areas other than RESTRICTED AREAS within the SITE BOUNDARY

The RESTRICTED AREA includes the PROTECTED AREA and areas designated within the SITE BOUNDARY

ESSENTIAL COOLING POND





FIGURE 5.1-3
UNRESTRICTED AREA* AND SITE BOUNDARY FOR RADIOACTIVE GASEOUS EFFLUENTS
(SEE ALSO FIGURE 5.1-4)

E-0009 DWG
REV 2



SECTION 6.0
ADMINISTRATIVE CONTROLS

6.0 ADMINISTRATIVE CONTROLS

6.9.1.3 ANNUAL RADILOGICAL ENVIRONMENTAL OPERATING REPORT*

6.9.1.3 Routine Annual Radiological Environmental Operating Reports covering the operation of the unit during the previous calendar year shall be submitted prior to May 1 of each year. The initial report shall be submitted prior to May 1 of the year following initial criticality.

The Annual Radiological Environmental Operating Reports shall include summaries, interpretations, and an analysis of trends of the results of the radiological environmental surveillance activities for the report period, including a comparison with preoperational studies, with operational controls, as appropriate, and with previous environmental surveillance reports, and an assessment of the observed impacts of the plant operation on the environment. The reports shall also include the results of the Land Use Census required by Control 3.12.2.

The Annual Radiological Environmental Operating Reports shall include the results of analysis of all radiological environmental samples and of all environmental radiation measurements taken during the period pursuant to the locations specified in the table and figures in this manual as well as summarized and tabulated results of these analyses and measurements in the format of the table in the Radiological Assessment Branch Technical Position, Revision 1, November 1979. In the event that some individual results are not available for inclusion with the report, the report shall be submitted noting and explaining the reasons for the missing results. The missing data shall be submitted as soon as possible in a supplementary report.

The reports shall also include the following: a summary description of the Radiological Environmental Monitoring Program; at least two legible maps** covering all sampling locations keyed to a table giving distances and directions from the centerline of one reactor; the results of licensee participation in the Interlaboratory Comparison Program and the corrective action taken if the specified program is not being performed as required by Control 3.12.3; reason for not conducting the Radiological Environmental Monitoring Program as required by Control 3.12.1, and discussion of all deviations from the sampling schedule; discussion of environmental sample measurements that exceed the reporting levels but are not the result of plant effluents, pursuant to ACTION b. of Control 3.12.1; and discussion of all analyses in which the LLD required was not achievable.

* A single submittal may be made for a multiple-unit station. The submittal should combine those sections that are common to all units at the station.

** One map shall cover stations near the SITE BOUNDARY; a second shall include the more distant stations.

6.0 ADMINISTRATIVE CONTROLS

6.9.1.4 ANNUAL RADIOACTIVE EFFLUENT RELEASE REPORT*

6.9.1.4 Routine Annual Radioactive Effluent Release Reports covering the operation of the unit during the previous 12 months of operation shall be submitted within 60 days after January 1 of each year. The period of the first report shall begin with the date of initial criticality.

The Annual Radioactive Effluent Reports shall include a summary of the quantities of radioactive liquid and gaseous effluents and solid waste released from the unit as outlined in Regulatory Guide 1.21, "Measuring, Evaluating, and Reporting Radioactivity in Solid Wastes and Releases of Radioactive Materials in Liquid and Gaseous Effluents from Light-Water-Cooled Nuclear Power Plants," Revision 1, June 1974, with data summarized on a quarterly basis following the format of Appendix B thereof. For solid wastes, the format for Table 3 in Appendix B shall be supplemented with three additional categories: class of solid wastes (as defined by 10 CFR Part 61), type of container (e.g., LSA, Type A, Type B, Large Quantity) and SOLIDIFICATION agent or absorbent (e.g., cement, urea formaldehyde).

The Annual Radioactive Effluent Report to be submitted within 60 days after January 1 of each year shall include an annual summary of hourly meteorological data collected over the previous year. This annual summary may be either in the form of an hour-by-hour listing on magnetic tape of wind speed, wind direction, atmospheric stability, and precipitation (if measured), or in the form of joint frequency distributions of wind speed, wind direction, and atmospheric stability.^{**} This same report shall include an assessment of the radiation doses due to the radioactive liquid and gaseous effluents released from the unit or station during the previous calendar year. This same report shall also include an assessment of the radiation doses from radioactive liquid and gaseous effluents to MEMBERS OF THE PUBLIC due to their activities inside the SITE BOUNDARY (Figures 5.1-3 and 5.1-4) during the report period. All assumptions used in making these assessments, i.e., specific activity, exposure time, and location, shall be included in these reports. The meteorological conditions concurrent with the time of release of radioactive materials in gaseous effluents, as determined by sampling frequency and measurement, shall be used for determining the gaseous pathway doses. The assessment of radiation doses shall be performed in accordance with the methodology and parameters in this manual.

* A single submittal may be made for a multiple unit station. The submittal should combine those sections that are common to all units at the station; however, for units with separate radwaste systems, the submittal shall specify the releases of radioactive material from each unit.

** In lieu of submission with the Annual Radioactive Effluent Release Report, the licensee has the option of retaining this summary of required meteorological data on site in a file that shall be provided to the NRC upon request.

6.0 ADMINISTRATIVE CONTROLS

6.9.1.4 ANNUAL RADIOACTIVE EFFLUENT RELEASE REPORT (Continued)

The Annual Radioactive Effluent Release Report to be submitted within 60 days after January 1 of each year shall also include an assessment of radiation doses to the likely most exposed MEMBER OF THE PUBLIC from reactor releases and other nearby uranium fuel cycle sources, including doses from primary effluent pathways and direct radiation, for the previous calendar year to show conformance with 40 CFR Part 190, "Environmental Radiation Protection Standards for Nuclear Power Operation." Acceptable methods for calculating the dose contribution from liquid and gaseous effluents are given in Regulatory Guide 1.109, Rev. 1, October 1977.

The Annual Radioactive Effluent Release Reports shall include a list and description of unplanned releases from the site to UNRESTRICTED AREAS of radioactive materials in gaseous and liquid effluents made during the reporting period.

The Annual Radioactive Effluent Release Reports shall include any changes made during the reporting period to the PROCESS CONTROL PROGRAM and to the ODCM, pursuant to Technical Specifications 6.13 and 6.14, respectively, as well as any major change to Liquid and Gaseous Radwaste Treatment Systems pursuant to Control 6.15. It shall also include a listing of new locations for dose calculations and/or environmental monitoring identified by the Land Use Census pursuant to Control 3.12.2.

The Annual Radioactive Effluent Release Reports shall also include the following: an explanation as to why the inoperability of liquid or gaseous effluent monitoring instrumentation was not corrected within the time specified in Control 3.3.3.10 or 3.3.3.11, respectively; and description of the events leading to liquid holdup tanks or gas storage tanks exceeding the limits of Technical Specification 3.11.1.4 or 3.11.2.6, respectively.

6.0 ADMINISTRATIVE CONTROLS

6.15 MAJOR CHANGES TO LIQUID AND GASEOUS RADWASTE TREATMENT SYSTEMS*

6.15.1 Licensee-initiated major changes to the Radwaste Treatment Systems (liquid and gaseous):

- a. Shall be reported to the Commission in the Annual Radioactive Effluent Release Report for the period in which the evaluation was reviewed by the PORC. The discussion of each change shall contain:
 1. A summary of the evaluation that led to the determination that the change could be made in accordance with 10 CFR Part 50.59;
 2. Sufficient detailed information to totally support the reason for the change without benefit of additional or supplemental information;
 3. A detailed description of the equipment, components, and processes involved and the interfaces with other plant systems;
 4. An evaluation of the change, which shows the predicted releases of radioactive materials in liquid and gaseous effluents that differ from those previously predicted in the License application and amendments thereto;
 5. An evaluation of the change, which shows the expected maximum exposures to a MEMBER OF THE PUBLIC in the UNRESTRICTED AREA and to the general population that differ from those previously estimated in the License application and amendments thereto;
 6. A comparison of the predicted releases of radioactive materials, in liquid and gaseous effluents, to the actual releases for the period prior to when the change is to be made;
 7. An estimate of the exposure to plant operating personnel as a result of the change; and
 8. Documentation of the fact that the change was reviewed and found acceptable by the PORC.
- b. Shall become effective upon review and acceptance by the PORC.

* Licensees may choose to submit the information called for in this Control as part of the annual FSAR update.

STPEGS ODCM

PART B

RADIOLOGICAL CALCULATIONAL METHODS AND PARAMETERS

1.0 Introduction

1.1 Purpose

Part B of the Off-site Dose Calculation Manual (ODCM) provides the methods and parameters used to calculate off-site doses due to routine radioactive liquid and gaseous effluent releases. This ODCM is a supporting document to the Technical Specifications for the South Texas Project Electric Generating Station (STPEGS) and meets the following identified needs:

- a. Section 3.1 of this ODCM describes the methods approved for setting alarm points on liquid monitors to ensure that the concentrations of radioactive liquid effluents released to the UNRESTRICTED AREA are limited to ten times the effluent concentration limits of 10CFR20, Appendix B, Table 2;
- b. Section 3.2 describes the methods approved for setting alarm points on gaseous monitors to ensure that the dose rate from radioactive noble gas effluents released to the UNRESTRICTED AREA do not exceed the values specified in Part A, Control 3/4.11.2.1 of this ODCM;
- c. Sections 4.1 to 4.4 describe the methods approved for calculating doses and dose rates to the maximum exposed MEMBER OF THE PUBLIC in the UNRESTRICTED AREA for comparison with the Control limits of Part A of the ODCM;
- d. Section 4.5 describes the methods approved for calculating the total dose from the uranium fuel cycle to the maximum exposed MEMBER OF THE PUBLIC for comparison with the limits of 40CFR190;
- e. Section 4.6 describes the method approved for calculating doses to MEMBERS OF THE PUBLIC who may visit STPEGS or travel within the site boundary;
- f. Section 5.0 describes the Radiological Environmental Monitoring Program (REMP) including the minimum sampling program and sample locations.

The models used in this ODCM are consistent with "Calculation of Annual Doses to Man From Routine Releases of Reactor Effluents for the Purpose of Evaluating Compliance With 10CFR50, Appendix I" (Regulatory Guide 1.109).

Changes to the methods contained in this document are reviewed and approved by the Plant Operations Review Committee (PORC) as required by Technical Specification 6.14 and revisions are forwarded to the NRC with the Annual Radioactive Effluent Release Report. However, the general methods presented should accommodate operational flexibility.

1.2 General Site Description

The South Texas Project Electric Generating Station (STPEGS) consists of two pressurized water reactor units situated on a 19-square mile site. The units are similar in design and operate independently with a minimum of shared systems. Each unit has its own liquid radioactive waste treatment system and its own ventilation system. Each unit consists of a reactor containment building, an attached fuel-handling and storage building, an attached mechanical electrical auxiliary building, and a detached turbine generator building.

The most notable common system is the cooling reservoir into which liquid radioactive effluents are discharged from both units. Also, the systems which monitor radioactive releases for each unit report their results to a common computer for the purposes of report generation and off-site dose calculation.

The site is relatively remote with the nearest resident over two miles from either unit and with the nearest community about four miles distant. The closest site boundary is nearly a mile from either unit.

The terrain is coastal plain with farm land and range predominating. The land rises slowly from sea level 10 miles south of the plant to an elevation of 45 feet 10 miles to the north. The only topographical relief consists of plant associated structures and shallow gullies. The methods discussed in this document for calculating off-site doses due to atmospheric releases were evaluated against this relatively simple terrain.

Dose calculations for liquid effluent releases include considerations for dilution and radioactive decay in the large cooling reservoir into which releases from both units are made. These dose estimates are based on off-site discharges from the reservoir to the Colorado River and the Little Robbins Slough area as a consequence of initial radioactive effluent releases into the reservoir.

2.0 Summary of Release Points and Detector System

2.1 Gaseous Release Points (UFSAR Section 11.3)

The sources of routine releases for each unit at STPEGS are:

- 1) Reactor Containment Building (RCB);
- 2) Mechanical-Electrical Auxiliary Building (MEAB);
- 3) Fuel-Handling Building (FHB);
- 4) Gaseous Waste Processing System (GWPS);
- 5) Turbine-Generator Building (TGB).

Only the first four sources contribute significantly to routine plant atmospheric releases. The effluents from the first four sources are routed to a common exhaust pipe located on the roof of each unit's MEAB. The effluent is monitored for noble gas, sampled for particulates and iodines by the detectors of RT-8010, and then exhausted horizontally at an elevation of 29 meters at an average flow rate of 5660 cubic meters per minute. Figure B2-1 summarizes the system installed at each unit.

Radioactive gaseous effluents from each TGB originate primarily in the condenser vacuum pumps. The exhaust from these pumps is monitored by noble gas detectors (monitor #RT-8027). These systems may exhaust onto the TGB roof with a dry gas flow rate of about 2 cubic meters per minute. Planned plant modifications may route this exhaust to the unit vent. This potential release route shall only be included in off-site dose calculations and semiannual effluent release summaries if activity due to plant operation is measured in this effluent. Figure B2-2 summarizes these systems.

Occasionally other atmospheric release points may be important, such as the main steam line atmospheric dumps, off-normal releases, and the gland steam condenser vents. If releases occur due to unusual operating circumstances, an estimate will be made of any unmonitored effluent releases prior to off-site dose calculation. These release estimates will be based on the mass of secondary coolant lost and the nuclide concentrations in the secondary coolant.

Releases to the atmosphere may be classified into two categories: continuous, and batch releases. Most releases from STPEGS are continuous with minor variations which are intermittent in nature and usually of relatively short duration (minutes to hours). These releases are considered "continuous" in the sense that they occur frequently, may be overlapping, and do not usually involve a significant fraction of the total activity released in a calendar quarter during any given hour. An example of such a release is the venting of containment to equalize pressure. However, those plant evolutions leading to a one-hour release exceeding approximately ten times the average one-hour release are considered a batch. An example of a batch release is the operation of the purge fans for a few hours to remove noble gases from containment for personnel protection reasons. Meteorological data associated with these infrequent periods of high release shall be reported separately as provided by Regulatory Guide 1.21, Rev. 1, section C.1.

2.2 Liquid Release Points (UFSAR Section 11.2)

The sources of liquid radioactive releases consist of equipment leaks and drains, valve leak-offs, pump seal leak-offs, floor drains, etc., from systems

containing reactor coolant in the RCB and MEAB plus liquid effluents from processes such as the laundry, hot showers, condensate polishing systems, boron recycle systems, etc.

Some of these systems are monitored for control of plant processes, and the radioactive liquid waste is eventually routed to the liquid radwaste processing system of each unit for treatment and release. Releases are by batch from each unit and are monitored prior to entering the Circulating Water System via the Open Loop Auxiliary Cooling Water System and hence the reservoir. The radioactive effluent released from each unit's liquid radioactive waste processing system is monitored during the release of each batch using a scintillation detector (monitor #RT-8038) mounted off-line from the discharge pipe.

Potentially contaminated liquid effluents from floor drains and the condensate polishing regeneration waste collection system in each TGB could also be a source of radioactive waste. The floor drain system effluents of each TGB are monitored continuously as are the condensate polishing system effluents.

Provided no activity is detected in the floor drain system effluents, they are combined with oily waste effluents and are discharged directly into the reservoir. The condensate polishing regeneration system normally discharges into a neutralization basin. If activity is measured during routine sampling of the Total Dissolved Solids Tank or if the system's in-line monitor detects activity in the regenerate waste effluent, the flow to the neutralization basin is isolated. Flow may then be diverted to the liquid radwaste processing system of the appropriate unit. If radioactive liquid wastes are processed through the neutralization basin or directly to the reservoir, an estimate of this unmonitored release shall be added to the routine liquid releases to the reservoir.

Liquid radioactive releases from either unit leave STPEGS from the reservoir to the Colorado River, the West Branch of the Colorado, or to the Little Robbins Slough area. Under normal circumstances all radioactive liquid effluents are treated and diluted into the 150,000 acre-foot (average fill height) reservoir prior to release from the site. From time-to-time planned releases are made to the Colorado River through the blowdown facilities provided. However, some releases are uncontrollable such as flow from the hydraulic relief wells surrounding the reservoir or flow over the spillway following unusually heavy rains.

Because of the large capacity of the reservoir, the radionuclide concentrations in these releases (planned or unplanned) are expected to be a small fraction of the concentration limits listed in Table 2, Appendix B of the 10CFR20. The nuclide concentrations in waters released from the reservoir are estimated based on releases to the reservoir and radioactive decay. A routine monitoring program for the reservoir and relief well discharges is used as the basis for confirming that radionuclide concentrations released to the off-site environment are not larger than predicted by the model.

Release of contaminated secondary coolant directly to the storm drainage system at STPEGS is possible. Should such a release occur, an estimate of the off-site dose consequences shall be made and the release shall be documented.

2.3 Detector System and Instrument Responses

Three types of detectors are used in association with effluent monitors. All are sensitive to gamma rays; however, some are primarily sensitive to beta radiation. Those sensitive primarily to beta include the air particulate and noble gas detectors. Those sensitive primarily to gamma rays include the iodine in air detectors and the liquid release detectors.

The noble gas (normal range) detectors consist of plastic scintillators which respond primarily to beta particles. The response of these detectors is a function of beta energy as can be seen from Figure B2-2. These detectors are calibrated in uCi/cc for gases with beta emission spectra similar to that of Xe-133.

The air particulate detectors also consist of plastic scintillators which respond primarily to beta decay from particulates deposited on a filter paper. These detectors are calibrated in uCi/ml relative to Cs-137 betas with an overall response similar to that shown in Figure B2-4.

The iodine air channel detectors are NaI(Tl) scintillators in conjunction with a single channel analyzer adjusted to monitor the 364 KeV gamma of I-131. The iodine window of this detector is set $\pm 5\%$ about the 364 KeV peak to minimize response to interfering radiation. The detectors are calibrated in uCi/cc of I-131 based on a Ba-133 calibration source.

The liquid effluent detectors are NaI(Tl) scintillators which are sized (1.5 by 1 inch) to be sensitive to a broad range of gamma emitters. These detectors are calibrated in uCi/ml relative to Cs-137 but have general gamma detection ability similar to that shown in Figure B2-5. The lower level discriminators for these detectors are set at about 100 KeV to eliminate detection of x-rays, low energy gammas as from Xe-133, and electronics noise in order to minimize the detector background count rates.

01/01/94

B2-4

Rev. 6






Figure B2-2: Turbine Building Ventilation System

Figure B2-3 Energy Response Curve for the RD-52 Offline Beta Detector Operating at 760 mm Hg and 25°C
(Assuming one beta per disintegration)




(Curve shape from ODCM Rev. 3 but shifted by 1.18 to correspond to HL&P primary calibration measurements of 1989.)

Figure B2-4 RD-56 Particulate Detector Energy Response to Betas
(assuming one beta per disintegration)



(Copied from G. A. Technologies report EL-3296.)

Figure B2-5 Detector Energy Response to Gamma Radiation for the RD-53 Offline Gamma Detector



(Revised to reflect 1989 primary calibration)

3.0 Alarm Setpoint Adjustments

3.1 Liquid Effluents

3.1.1 Control Requirements

Control 3/4.11.1.1 of Part A of the ODCM requires that the concentration of radioactive material released at any time from the South Texas Project Electric Generating Station (STPEGS) to unrestricted areas be limited to 10 times the Effluent Concentration (ECs) in water. The ECs are as indicated in 10CFR20, Appendix B, Table 2, Column 2 for nuclides other than dissolved or entrained noble gases. Noble gas concentrations must be limited to 2.0E-04 uCi/ml.

3.1.2 Interpretation

Liquid effluent releases from STPEGS are diluted by a 7000-acre reservoir. Plant releases are all routed into the cooling reservoir where substantial dilution and radioactive decay may occur before ultimate release from the site. The reservoir lies totally within the confines of the site and the use of its water is restricted to plant operation. No recreation is permitted on the reservoir. Liquid effluents diluted into the cooling reservoir may be released during:

- a) scheduled blowdown operations to the Colorado River,
- b) passive hydraulic relief well flow,
- c) dilution into the shallow ground water aquifer, or
- d) passive spillway releases following unusually heavy rains.

The blowdown releases will be planned; however, the other releases are not controlled by the operations staff. To assure that the provisions of Control 3/4.11.1.1 are satisfied, the concentrations of radionuclides in the reservoir shall be maintained at levels less than 10 times the limits of 10CFR20, Appendix B, Table 2, Column 2.

3.1.3 Implementation

Concentrations of radionuclides in the cooling reservoir will be controlled such that the sum of the ratios of the ECs, A, remains less than ten as indicated in Equation 3.1a below:

$$A = \frac{C_1}{EC_1} + \frac{C_2}{EC_2} + \dots + \frac{C_i}{EC_i} < 10 \quad \text{Eq. 3.1a}$$

where C_1, C_2, \dots, C_i are the measured nuclide concentrations of a representative sample of reservoir water (uCi/ml);

EC_1, EC_2, \dots, EC_i are the associated effluent concentrations of those nuclides which contribute at least 90% to the total dose.

Consequently any releases from the reservoir to the off-site environment will meet the requirements of Control 3/4.11.1.1.

In order to assure that the concentration of radionuclides in the reservoir never exceeds an effective concentration of ten ECs, the dilution afforded by the circulating coolant and auxiliary cooling water flows must be estimated. The dilution of liquid radioactive waste discharges into the circulating coolant from each unit is calculated as indicated below:

$$A = [DF_r * A_r] + [DF_c * A_c] \quad \text{Eq. 3.1b}$$

$$DF_r = \frac{F_r}{F_c + F_r} \quad \text{Eq. 3.1c}$$

$$DF_c = \frac{F_c}{F_c + F_r} \quad \text{Eq. 3.1d}$$

where:

A = number of ECs in the circulating coolant as it reenters the reservoir; $A < 10$.

DF_r = dilution factor for radioactive waste

A_r = number of ECs permitted in the radioactive waste flow from the waste monitor tank, unitless factor;

DF_c = dilution factor for circulating coolant

A_c = number of ECs in the circulating coolant before addition of the radioactive waste stream as measured periodically for the reservoir, unitless factor;

F_r = flow rate of radioactive waste as determined by the rated pump capacity of the radioactive waste discharge, gal/min;

F_c = flow rate of circulating coolant and the open loop auxiliary cooling water, normally 4.5E5 gal/min (4.5E5 is 1/2 the normal circulating coolant flow of each unit since liquid radioactive waste is discharged into only one of two 138" lines). F_c may be determined by multiplying the number of circulating coolant pumps operating by the rated pump capacity;

The very large dilution factors afforded by the circulating coolant will not be routinely used to allow high concentrations of liquid radioactive waste to be discharged from the plant. Under no circumstances should activity be discharged to the reservoir such that the number of ECs, A , of the diluted waste stream exceeds "ten" as described by Eq. 3.1b.

If the value of "A" in equation 3.1b is set to its limiting value of 10, the terms in Eq. 3.1b above can be rearranged as shown below:

$$A_r = \left\lceil \frac{F_c * (10 - A_c)}{F_r} \right\rceil + 10 \quad \text{Eq. 3.1e}$$

The number of ECs the radioactive waste stream may assume can be calculated from the actual values of F_c , F_r , and A_c appropriate at the time of the release. An estimate of A_r appropriate for limiting routine releases to the reservoir can be made assuming that the radioactive waste stream flow is at its nominal value, the flow of dilution water is at its minimum, and that the reservoir is virtually unpolluted. In this case the values for each variable above become:

$$F_c = 113,000 \text{ gpm (one circulating coolant water pump)}$$

$$F_r = 250 \text{ gpm (nominal flow rate limit or radioactive waste discharge pump)}$$

$$A_c = 0 \text{ (reflecting good radioactive release management)}$$

Hence, Eq. 3.1b can be solved for A_r as:

$$A_r = [113,000/250 * (10-0)] + 10 = 4530$$

This suggests that for normal operation with a "clean" reservoir, the administrative limit for releases should limit discharge concentrations to no more than about 4530 times the effective EC of the radioactive waste stream.

The radioactive waste stream itself is characterized by a mixture of radionuclides at concentrations C_1 , C_2 , ..., C_j . The effective EC of this waste stream can be estimated from the radiochemical analysis of the waste monitor tank prior to release using the following formula for effective EC:

$$\text{EC}_{\text{eff}} = \frac{\sum C_j}{\sum (C_j / \text{EC}_j)} \quad \text{Eq. 3.1f}$$

where

$\sum C_j$ = sum of the concentrations in the waste monitor tank, uCi/ml

C_j = concentrations of individual radionuclides, "j", in the mixture, uCi/ml

EC_j = effluent concentrations listed in 10CFR20, Appendix B, Table 2, column 2, for each radionuclide, "j", uCi/ml

EC_{eff} = effective EC, uCi/ml

The limiting concentration, LC, indicated by the liquid waste monitor, RT8038, may be estimated by multiplying the value of EC_{eff} from Eq. 3.1f by the factor A_r from Eq. 3.1e.

$$LC = A_r * EC_{eff}$$

Eq. 3.1g

The following example uses the average mixture of radionuclides measured in the liquid effluent released during August 1988:

Nuclide	Concentration,C (uCi/ml)	EC (uCi/ml)	Concentration/EC (C/EC)	Er (cpm)/(uCi/ml)	C * Er (cpm)
H-3	1.74E-02	1E-03	1.7E+01	0	0
Cr-51	4.22E-08	5E-04	8.4E-05	1.45E+07	6.12E-01
Mn-54	2.80E-08	3E-05	9.3E-04	1.40E+08	5.91E+00
Co-58	1.01E-06	2E-05	5.1E-02	1.83E+08	1.85E+02
Zr-95	3.41E-08	2E-05	1.7E-03	1.40E+08	4.77E+00
Nb-95	3.41E-08	3E-05	1.1E-03	1.40E+08	4.77E+00
Co-60	2.20E-08	3E-06	7.3E-03	2.65E+08	5.83E+00
Xe-133	3.96E-05	2E-04	2.0E-01	0	0
Xe-135	2.48E-07	2E-04	1.2E-03	1.31E+08	3.25E+01
	1.74E-02		1.7E+01		2.39E+02

$$EC_{eff} = (\sum C_j) / (\sum (C_j / EC_j)) = 1.74E-02 / 1.7E+01$$
$$= 1.0E-03 \text{ uCi/ml}$$

The limiting indicated release concentrations in this example can be estimated using Eq. 3.1g as shown below:

$$LC = 4530 * 1.0E-03 \text{ uCi/ml} = 4.5E+00 \text{ uCi/ml}$$

Note that radionuclides were included in the calculation which could not be detected by the RD-53 monitor. Examples of such nuclides include H-3, C-14, P-32, Fe-55, Tc-99, Sr-90, and most alpha emitters. Also note that no provision was made for the detector background, uncertainty in instrument response, or any safety factor in this calculation. Plant implementing procedures shall provide instructions for inclusion of background in the setpoint estimation and shall have provisions for cleaning the detector if the background becomes large enough to interfere with measurements.

The limiting indicated concentration calculated in Eq. 3.1g above should include these final adjustments as shown below to yield the alarm setpoint:

$$\text{alarm setpoint} = (LC) * SF + bkg$$

Eq. 3.1h

where

SF = safety factor which includes the error margin calculated for this monitor. If the effluent monitors are assumed to be accurate to about 25%, the error margin may be estimated as: $1 - 0.25 = 0.75$. An appropriate safety factor therefore might be set at about 0.6.

bkg = detector background in uCi/ml

For the example chosen above and assuming bkg = 0, this calculation would look like

$$\begin{aligned}\text{alarm setpoint} &= 4.5\text{E+00 } \mu\text{Ci/ml} * 0.6 + 0 \mu\text{Ci/ml} \\ &= 2.7\text{E+00 } \mu\text{Ci/ml}\end{aligned}$$

The RT8038 liquid monitor detector is calibrated to Cs-137 but its response to other radionuclides differs somewhat from the calibration nuclide. Since the alarm setpoint calculated in Eq. 3.1h above assumes the RT8038 detector accurately measures the nuclide mix present, a release specific calibration factor must be estimated in accordance with Eq. 3.1i below:

$$\text{calibration factor} = (\sum (C_j * Er_j)) / (\sum C_j) \quad \text{Eq. 3.1i}$$

where Er_j = relative detector responses for each of the "j" nuclides as listed in Table B3-1, (cpm)/($\mu\text{Ci/ml}$)

C_j = the concentration of the "j" nuclides in the specific release, ($\mu\text{Ci/ml}$)

This release specific calibration factor must be used in conjunction with the release specific alarm setpoint calculated in Eq. 3.1h. For example, the calibration factor corresponding to the alarm setpoint of 2.7E+00 calculated earlier would be estimated using Eq. 3.1i and the data from the table of August 1988 effluents.

$$\begin{aligned}\text{calibration factor} &= (\sum C_j * Er_j) / (\sum C_j) \quad \text{Eq. 3.1i} \\ &= (2.39\text{E+02}) / (1.74\text{E-02}) \\ &= 1.38\text{E+04} \text{ (cpm)} / (\mu\text{Ci/ml})\end{aligned}$$

The detector response function is not as precisely known as this example would suggest; hence, 20-30% differences between estimated calibration factors are not significant.

3.2 Gaseous Effluents

3.2.1 Control Requirements

Control 3/4.11.2.1 of Part A of the ODCM requires that the dose rates at the site boundary and beyond from noble gases be no greater than to 500 mrem/year total body and 3000 mrem/year to the skin. Furthermore, dose rates due to I-131, I-133, H-3, and all radionuclides in particulate form with half-lives greater than eight days shall be less than or equal to 1500 mrem/year to any organ.

3.2.2 Interpretation

In order to help ensure that these limits are not exceeded, the alarm setpoints for the MEAB/RCB common exhaust noble gas monitors are to be calculated such that the nearest off-site receptor would not be exposed to noble gas concentrations likely to produce a dose rate greater than this Control from the combined releases from Units 1 and 2. Iodines, tritium,

and all other radionuclides contributing to organ doses are not considered for purposes of setting alarm points since they are sampled and not monitored.

3.2.3 Implementation

The nearest site boundary is about a mile from either unit, hence a factor to relate the release to the concentration at the site boundary is necessary. UFSAR Tables 2.3-25 and 2.3-27 contain 2-hour and annual average X/Q values at the site boundary in each of 16 sectors. Logarithmic interpolation provides an estimate of $5.3E-06(\text{sec}/\text{m}^3)$ for the 500 hour X/Q in the NNW sector. This value of X/Q shall be used to provide estimates of dilution for the purpose of setting alarm points for routine releases.

The most prevalent radioactive gas present in the effluent may be used to control emissions when the noble gas effluent is dominated by a single nuclide. If no single nuclide dominates, then release alarm setpoints should be based on the average mixture found.

The dose rate to individuals at the site boundary may be estimated using the equations of section B4.4.2 (Eq. 4.4d for whole body dose rate and Eq. 4.4e for skin dose rate). Therefore, the limits of Control 3/4.11.2.1 may be expressed in terms of the following equations for each noble gas:

$$\text{whole body dose rate} = \text{Dr}_{\text{gamma}} * 8760 < 0.5 \text{ rem/y} \quad \text{Eq. 3.2a}$$

$$\text{skin dose rate} = \text{Dr}_{\text{skin}} * 8760 < 3 \text{ rem/y} \quad \text{Eq. 3.2b}$$

where 8760 = units conversion factor (hr/yr)

Dr_{gamma} = dose rate calculated in Eq. 4.4d, rem/hr

Dr_{skin} = dose rate calculated in Eq. 4.4e, rem/hr

with $X/Q = 5.3E-06 (\text{sec}/\text{m}^3)$; $S_f = 1.0$; $Q_i = 1(\text{uCi})$ in Eq. 4.4d and 4.4e
(sec)

Hence, there exist release rates, Q_j , for each noble gas which would correspond to the whole body (500 mrem/yr) and skin (3000 mrem/yr) limits of Eqs. 3.2a and 3.2b. Furthermore, if the release rate is divided by the unit vent flow rate, the limiting stack concentration may be estimated for each noble gas as indicated below and as listed in Table B3-3:

$$(\text{limiting stack concentrations})_{\text{wb}} = \text{LC}_{\text{wb}} = Q_j / F$$

$$= \frac{0.5}{\text{Dr}_{\text{gamma}} * 8760 * F} (\text{uCi/cc}) \quad \text{Eq. 3.2c}$$

$$(\text{limiting stack concentrations})_{\text{skin}} = \text{LC}_{\text{skin}} = Q_j / F$$

$$= \frac{3.0}{\text{Dr}_{\text{skin}} * 8760 * F} (\text{uCi/cc}) \quad \text{Eq. 3.2d}$$

where F = unit vent flow rate (200,000 scfm = 9.4E+07 cc/sec)
0.5 = whole body dose rate limit, rem/yr
3.0 = skin dose rate limit, rem/yr

As for the liquid monitor, a safety factor should be included to afford operators an opportunity to take corrective action should a release threaten to exceed the Control limit. However, an allocation factor is also necessary to assure that the off-site dose rate due to effluents from other potential release points do not combine to exceed the Control limit. Errors associated with the effluent monitoring must also be considered in estimating the setpoint. Lastly, the detector background should be included in the alarm setpoint calculation. The setpoint calculation should therefore resemble Eq. 3.2e as shown below:

$$\text{alarm setpoint} = [(\text{LC}) * \text{SF} * \text{AF}] + \text{bkg} \quad \text{Eq. 3.2e}$$

where LC = either the whole body or skin limiting stack concentration, whichever is less, uCi/cc

SF = safety factor which includes an error margin calculated for this monitor (Bechtel calculation 9ZC6008 documents the RD-52 detector statistical accuracy to be about 40%. Hence, the safety factor may be estimated as: $1 - 0.4 = 0.6$). The resulting safety factor should be somewhat smaller to allow action to be taken to prevent exceeding the Control limits. Hence, an appropriate safety factor might be 0.3.

AF = allocation factor (ex: 0.5 or half for each unit)

bkg = detector background, uCi/cc

EXAMPLE CALCULATION

The routine release point alarm setting should be limited to the value listed for Xe-133 in Table B3-3. However, a calculation for a release with several noble gases could be made as shown below if a very precise estimate of the limit were necessary.

Given: Nuclide	Measured Concentration, C (uCi/cc)	Limiting Concentration, LC (uCi/cc)		C/LC	
		whole body	skin	whole body	skin
Ar-41	1.0E-05	1.14E-04	4.63E-04	8.77E-02	2.16E-02
Kr-85	5.0E-07	6.24E-02	4.44E-03	8.01E-06	1.13E-04
Xe-133	4.0E-06	3.42E-03	8.64E-03	1.17E-03	4.63E-04
				8.89E-02	2.22E-02

The fraction of the limiting concentration for both whole body and skin exposures is estimated as the sum of the ratios of the measured release concentrations divided by the corresponding limiting concentrations from Table B3-3. These values are listed in the table above under the column "C/LC." In this example, the sum for the whole body exposure is more limiting than for the skin (normal result). This sum represents the fraction of the limiting concentration for the current release. The limiting concentration for each nuclide in the mixture could be increased by the factor listed in the column "C/ Σ (C/LC)" below.

<u>C/Σ(C/LC)</u>	<u>Re</u>	<u>(C/Σ(C/LC))*Re</u>
1.12E-04	2.65	2.94E-04
5.62E-06	2.41	1.35E-05
<u>4.50E-04</u>	<u>1.00</u>	<u>4.50E-04</u>
1.63E-04		LC _{eff} = 3.56E-04

Since the monitor does not respond to all radionuclides the same, the product of value "C/ Σ (C/LC)" and "Re" (the relative response from Table B3-2) yields the monitor response to each nuclide in the mixture at their respective maximum concentrations, column "C/ Σ (C/LC) * Re." The sum of these concentrations, LC_{eff}, is the effective limiting concentration indicated at the monitor when the whole body or skin dose rate at the site boundary equals 500 mrem/yr or 3000 mrem/yr, respectively.

$$LC_{eff} = \sum_i ((C_i / \Sigma(C_i / LC_i)) * Re) \quad Eq. 3.2f$$

The alarm setpoint would be estimated in accordance with Equation 3.2e as shown below where LC_{eff} is used in place of LC:

$$\begin{aligned} \text{alarm setpoint} &= [3.56E-04 \text{ uCi/cc} * 0.5 * 0.3] + 0 \text{ uCi/cc} \\ &= 5.4E-05 \text{ uCi/cc} \end{aligned}$$

The alert setpoint may be chosen at any value, but typically might be set at about 80% of the alarm limit.

Note that the limiting release concentration (1.63E-04 uCi/cc) is about 46% of the indicated limiting concentration (3.560E-04 uCi/cc) in this example because the monitor is calibrated to Xe-133 rather than to Ar-41, the most prevalent radionuclide in the effluent.

If the alarm setpoint calculated using this method is too conservative to permit a short-term release, the setpoint may be recalculated using the anticipated X/Q during the release period using the best available forecast data and Equation 4.4d of Section B4.4. If no concurrent release from Unit 2 is projected, the allocation factor in Equation 3.2e could be increased to unity and the safety factor could be increased to perhaps 0.5 if the release were closely monitored. Equation 4.4d used to calculate the sector average X/Q would not provide conservative X/Q estimates and, hence, the release would require close monitoring to assure compliance with the Control limit.

Some process control monitors exist within the plant which are used to limit the effluent from particular parts of the plant should they threaten to cause the unit vent monitor to exceed its alarm setpoint. Although these process monitor setpoints are not required to be set in accordance with the ODCM, these alarm setpoints could be related to the unit vent alarm setpoint based on their contribution to the unit vent exhaust rate. For example, the containment supplemental purge line could have its setpoint calculated as:

$$\text{alarm) } \frac{\text{purge}}{\text{supp. purge flow}} = \frac{\text{unit vent flow}}{\text{supp. purge flow}} * (\text{U.V. alarm setting}) * \text{AF}' \quad \text{Eq. 3.2g}$$

where unit vent flow rate = 200,000 scfm = 94 M³/sec

supp. purge flow = 5,000 scfm = 2.4 M³/sec

U.V. alarm setting = current unit vent alarm setpoint

AF' = additional allocation factor (note: the sum of all allocation factors shall be 1.0)

For example:
0.2 for supplemental purge
0.2 for purge line
0.2 for fuel handling building
0.2 for waste gas process system
0.2 for remainder of plant

Although Control 3/4.11.2.1 requires periodic confirmation that the off-site dose rates calculated for particulates, tritium, and iodine do not exceed 1500 mrem/year to any organ, alarm/trip setpoints are not practicable to apply when considering instantaneous iodine and particulate dose rates. NUREG-0133 acknowledges that for practical reasons such alarm setpoints could not be set unambiguously.

Although the above method is suitable for the common MEAB/RCB exhaust system, two other monitored atmospheric exhausts are not addressed. The condenser vacuum pumps may exhaust to the roof of TGB or to the unit vent. This alarm setpoint is dictated by plant safety considerations and is more conservative than off-site dose criteria. The flow (dry gas) through this exhaust is only about 2 (cubic meters/minute) and hence would not contribute significantly to the off-site dose unless the concentration of noble gas was exceedingly high, higher in fact than levels HL&P would permit to be exhausted onto the top level of the turbine building. The setpoint for this detector is adjusted to assure the safety of plant personnel if exhaust is to the TGB roof. Any releases from this exhaust whether routed to the unit vent or not will be included in monthly off-site dose calculations and will be reported in conformance with Regulatory Guide 1.21.

The other potential release is through the main atmospheric steam dumps which may release activity contained in the secondary coolant following turbine trips at greater than 50% power. These events are not frequent and the radiation monitoring system is not capable of accurately measuring this type of release. The Annual Effluent Release Report will contain estimates for such releases based on the measured nuclide concentrations in the secondary coolant and the estimated mass of coolant vented. For example:

release of nuclide "i" = Flowrate * Time * Concentration

where Flowrate = estimated steam vent rate, lbs/sec

Time = duration of release, sec

Concentration = concentration of nuclide "i", uCi/lbs.

Plant operation with the RT8010B alarm set using the methods of this section and with the 500 hour X/Q shall demonstrate that the off-site dose rate does not exceed the Control 3/4.11.2.1 limits. If an unusual operating situation arises such that the release rate approaches or exceeds the RT8010B alarm setpoint, the actual dose rate shall be calculated using actual meteorological and release data with the methods of ODCM Part B, Section 4.3. The real time dose rate may be used to demonstrate compliance with Control 3.11.2.1.

Table B3-1: Liquid Release Detector, RD-53, Response to
1 uCi/ml of Each Nuclide

<u>Nuclide</u> <u>(uCi/ml)</u>	<u>Count Rate</u> <u>Response (Er)</u> <u>(cpm)/(uCi/ml)</u>
Be-7	1.50E+07
Sc-46	2.74E+08
Cr-51	1.45E+07
Mn-54	1.40E+08
Co-57	9.78E+07
Co-58	1.83E+08
Fe-59	1.38E+08
Co-60	2.65E+08
Zn-65	7.26E+07
Kr-85	6.24E+07
Kr-85m	1.07E+08
Rb-86	1.18E+07
Kr-87	8.86E+07
Kr-88	8.49E+07
Sr-91	1.90E+08
Zr-95	1.40E+08
Nb-95	1.40E+08
Zr-97	1.64E+08
Nb-97	1.42E+08
Mo-99	2.74E+08
Tc-99m	9.82E+07
Ag-110m	4.38E+08
Sn-113	9.86E+07
Sb-122	1.09E+08
Sb-124	2.49E+08
Sb-125	1.21E+08
Te-129m	4.12E+06
I-130	4.72E+08
Xe-131m	2.35E+06
I-131	1.43E+08
Te-131m	2.48E+08
Te-132	1.19E+08
Xe-133	0
Xe-133m	1.41E+07
I-133	1.45E+08
Cs-134	3.17E+08
Xe-135	1.31E+08
Xe-135m	1.16E+08
I-135	1.79E+08
Cs-136	3.90E+08
Cs-137	1.21E+08
Xe-138	1.24E+08
Ba-140	4.65E+07
La-140	2.74E+08
Ce-144	1.13E+07
Hf-181	2.00E+08
W-187	1.11E+08

Table B3-1: Liquid Release Detector, RD-53, Response to
1 uCi/ml of Each Nuclide
(Continued)

The response of the RD-53 detectors to different radionuclides can be estimated using the gamma emissions from each radionuclide and the monitor's most recent calibration data (detection efficiencies used in this example are from Figure B2-5). The estimated response values listed above were estimated as shown below:

$$Er = \frac{\text{detected cpm}}{\text{uCi/ml of nuclide}} = Eff_1 * n_1 + Eff_2 * n_2 + \dots + Eff_i * n_i$$

where Eff_i = gamma detection efficiency for each gamma of energy class "i" from Figure B2-5 (cpm)/(uCi/ml)),

n_i = frequency of gamma energy class "i" emission per decay.

Pure beta emitters and alpha emitters produce zero response on this instrument. Gamma emitters with energies less than 100 KeV should produce little or no response on this monitor.

Example Calculations for Entrained Noble Gases

Nuclide	Gamma Energy (keV)	Detection Efficiency (cpm)/(uCi/ml)	Gamma Fraction	Er (cpm)/(uCi/ml)
Kr-85m	151	1.15×10^8	0.755	8.68E+07
	304	1.46×10^8	0.140	<u>2.04E+07</u>
Total = 1.07E+08				
Xe-131m	164	1.20×10^8	0.0196	2.35E+06
Xe-133	81	0	0.371	0
Xe-133m	233	1.37×10^8	0.103	1.41E+07
Xe-135	250	1.40×10^8	0.903	1.264E+08
	608	1.44×10^8	0.0291	<u>4.2E+06</u>
Total = 1.3E+08				
Xe-135m	527	1.45×10^8	0.800	1.16E+08

Table B3-2: Noble Gas Detector, RD-52, Response to 1 uCi/cc of Each Nuclide

<u>Nuclide</u>	<u>Count Rate Response (E)</u>	<u>Indicated Response (Re)</u>
	<u>cpm uCi/cc</u>	<u>uCi/cc (Xe-133 Equivalent)</u>
Ar-41	9.4E+07	2.6
Kr-85m	6.9E+07	1.9
Kr-85	8.55E+07	2.4
Kr-87	9.9E+07	2.8
Kr-88	8.3E+07	2.3
Kr-89	1.0E+08	2.8
Kr-90	1.0E+08	2.8
Xe-131m	5.5E+05	0.015
Xe-133m	4.8E+06	0.14
Xe-133	3.55E+07	1.0
Xe-135m	1.5E+07	0.42
Xe-135	8.9E+07	2.5
Xe-137	1.0E+08	2.8
Xe-138	1.0E+08	2.8

The RD-52 beta radiation detectors are used in the RT8010B gaseous radioactive effluent discharge monitor. The response of the detector to different radionuclides can be estimated using the beta emissions from each radionuclide and the monitor's most recent calibration (beta detection efficiencies used in this example are from Figure B2-3). The response values in the column labeled "Count Rate Response (E)" were calculated as shown below:

$$E = \text{detector cpm}/(\text{uCi/cc}) = \text{Eff}_1 * n_1 + \text{Eff}_2 * n_2 + \dots + \text{Eff}_i * n_i$$

where Eff_i = beta detection efficiency each beta of energy class "i" from Figure B2-3 (cpm per uCi/cc),

n_i = frequency of beta energy class "i" emission per decay.

The efficiency of detection factor relative to Xe-133, Re, may be calculated from the above efficiency as follows:

$$Re = E / \frac{\text{cpm}}{\text{uCi/cc}} \text{ of reference nuclide}$$

The reference nuclide is the radionuclide with which the detector was calibrated and the one for which 1 uCi/cc indicated by the monitor actually corresponds to 1 uCi/cc in the sample line. Most other radionuclides will only approximately reflect a 1 uCi/cc monitor response when 1 uCi/cc is in the sample line. Thus, the "Indicated Detector Response (Re)" column shows how well the RT8010B monitor estimates the concentrations of each radionuclide potentially in the gaseous effluent stream.

Example Calculations for Noble Gas Releases

Nuclide	Beta Energy max (keV)	Detection Efficiency (cpm)/(uCi/ml)	Beta Fraction	E (cpm)/(uCi/cc)
Ar-41	1200	9.4E+07	1.00	9.4E+07
Kr-85m	820	8.8E+07	0.78	6.9E+07
Kr-85	670	8.55E+07	1.00	8.55E+07
Kr-87	3800	1.0E+08	0.73	7.3E+07
	1300	9.6E+07	0.27	<u>2.6E+07</u>
				<u>9.9E+07</u>
Kr-88	2800	1.0E+08	0.20	2.0E+07
	900	9.0E+07	0.12	1.1E+07
	520	7.6E+07	0.68	<u>5.2E+07</u>
				<u>8.3E+07</u>
Kr-89	4000	1.0E+08	1.00	1.0E+08
Kr-90	2800	1.0E+08	1.00	1.0E+08
Xe-131m	130	0.0E+00	0.58	0.0E+00
	160	1.3E+06	0.42	<u>5.5E+05</u>
				<u>5.5E+05</u>
Xe-133m	200	4.2E+06	0.62	2.6E+06
	230	7.8E+06	0.28	<u>2.2E+06</u>
				<u>4.8E+06</u>
Xe-133	350	3.55E+07	1.00	3.55E+07
Xe-135m	500	7.3E+07	0.20	1.5E+07
Xe-135	910	9.0E+07	0.97	8.7E+07
	550	7.8E+07	0.03	<u>2.3E+06</u>
				<u>8.9E+07</u>
Xe-137	4000	1.0E+08	0.67	6.7E+07
	3600	1.0E+08	0.33	<u>3.3E+07</u>
				<u>1.0E+08</u>
Xe-138	2400	1.0E+08	1.00	1.0E+08

Example Calculations for Noble Gas Releases

Nuclide	Detection Efficiency (cpm)/(uCi/cc)	Reference Nuclide (cpm)/(uCi/cc)	Re uCi/cc Xe-133/cpm uCi/cc/cpm
Ar-41	9.4E+07	3.55E+07	2.6
Kr-85m	6.9E+07	"	1.9
Kr-85	8.55E+07	"	2.4
Kr-87	9.9E+07	"	2.8
Kr-88	8.3E+07	"	2.3
Kr-89	1.0E+08	"	2.8
Kr-90	1.0E+08	"	2.8
Xe-131m	5.5E+05	"	0.015
Xe-133m	4.8E+05	"	0.14
Xe-133	3.55E+07	"	1.0
Xe-135m	1.5E+07	"	0.42
Xe-135	8.9E+07	"	2.5
Xe-137	1.0E+08	"	2.8
Xe-138	1.0E+08	"	2.8

Table B3-3: Noble Gas Detector, RD-52, Response to Single Nuclide

Nuclide	Limiting Stack Concentration Whole Body (uCi/cc)	Limiting Stack Concentration Skin (uCi/cc)	Limiting Count Rate (cpm)	Indicated Response (uCi/cc Xe-133)
Ar-41	1.14E-04	4.63E-04	1.1E+04	3.0E-04
Kr-85m	8.59E-04	2.13E-03	5.9E+04	1.7E-03
Kr-85	6.24E-02	4.44E-03	3.8E+05	1.1E-02
Kr-87	1.70E-04	3.64E-04	1.2E+04	4.7E-04
Kr-88	6.84E-05	3.13E-04	5.7E+03	1.6E-04
Kr-89	6.05E-05	2.06E-04	6.1E+03	1.7E-04
Kr-90	6.44E-05	2.38E-04	6.4E+03	1.8E-04
Xe-131m	1.10E-02	9.29E-03	5.1E+03	1.9E-04
Xe-133m	4.00E-03	4.44E-03	1.9E+04	5.6E-04
Xe-133	3.42E-03	8.64E-03	1.2E+05	3.4E-03
Xe-135m	3.22E-04	1.36E-03	4.8E+03	1.4E-04
Xe-135	5.55E-04	1.51E-03	4.9E+04	1.4E-03
Xe-137	7.08E-04	4.35E-04	4.4E+04	1.2E-03
Xe-138	1.14E-04	4.20E-04	1.1E+04	3.2E-04

NOTE: The limiting stack concentrations for whole body and skin listed above were calculated using Equations 3.2c and 3.2d. The limiting count rate and indicated response are calculated using the more restrictive limiting stack concentration as shown below:

$$\text{Limiting Count Rate} = \text{Stack Concentration} * E$$

$$\text{Indicated Response} = \text{Stack Concentration} * R_e$$

4.0 Off-site Dose Calculations

4.1 Liquid Releases

4.1.1 Control Requirements

Control 3.11.1.2 of Part A of the ODCM requires that cumulative dose contribution estimates be calculated once every 31 days. The cumulative dose contributions should consider the dose or dose commitment to a MEMBER OF THE PUBLIC from radionuclides in liquid effluent releases. Such releases are limited to ensure that projected doses from each unit are:

- a. less than or equal to 1.5 mrems to the total body and less than or equal to 5 mrems to any organ during any calendar quarter, and;
- b. less than or equal to 3 mrems to the total body and less than or equal to 10 mrems to any organ during any calendar year.

If the above dose guides are not met, a report must be filed with the NRC Region IV office as required by 10CFR50, Appendix I.

4.1.2 Implementation of Control 3.11.1.2

In order to satisfy the requirements of Control 3.11.1.2, the individuals who suffer the maximum total body and organ doses due to liquid effluent releases are identified. The appropriate total body and organ doses, $Dose(a,j)$, are calculated once a month for fish ingestion and shoreline exposure for each potentially exposed individual (Little Robbins area, Colorado River, and Matagorda Bay/Gulf). These doses are summed for both pathways at each location and compared with the limits of Control 3.11.1.2.

$$Dose(a,j) = \sum_{\text{pathway}} \sum_{\text{path } i} Q(i) * R(a,i,j) \text{ (mrrem)} \quad \text{Eq. 4.1a}$$

where Q_i and $R(a,i,j)$ are described in Table B4-2 and where the values for $R(a,i,j)$ are taken from Table B4-7.

4.2 Liquid Exposure Dose Model

4.2.1 Pathways for Radionuclide Ingestion by Man

Radionuclides which have been released from either unit, mix with the water of the reservoir. These nuclides are expected to be further diluted into the Colorado River with blowdown operations or releases via the spillway overflow (following unusually heavy rains). Water containing trace amounts of radionuclides may diffuse through the bottom of the reservoir and become mixed with shallow ground water. Hydraulic relief wells about the reservoir perimeter may include in their discharge some of this diluted radionuclide-bearing water. These discharges enter the Colorado River, the West Branch Colorado River, and Little Robbins Slough (composed of both branches of Little Robbins Slough; sometimes called West Little Robbins Slough and East Fork Little Robbins Slough). These streams discharge into Matagorda Bay.

4.2.1.1 Colorado River Environment The Colorado River is used primarily for sport fishing and occasionally for barge traffic. No municipal water supplies lie downstream from the plant discharge structure and none are likely to be developed because of the high salt content of the river in this area. A few water use permits allow irrigation of crop land with water taken downstream from the plant, but these permits are seldom (if ever) exercised.

STPEGS possesses Environmental Protection Agency and Texas Department of Water Resources permits which allow the plant to discharge cooling reservoir water only if the river flow exceeds 800 cfs. The average flow rate of the Colorado is about 600 cfs which means blowdown can only occur in rainy periods when river flow is higher than 800 cfs (about 40% of the time). Because such planned discharges and any unplanned spillway releases are likely to occur only during rainy periods, no irrigation is likely with water bearing plant-released radionuclides even if the other water use permits were active. Therefore, no individual or population dose estimates are made on the basis of irrigation with surface water containing radionuclides originating from STPEGS reservoir releases.

The only credible pathway available for internal exposure is the consumption of sea trout, red drum, flounder, catfish, crabs, and shrimp taken from the river by sports fishermen.

Since two small communities are built on the river, one near the discharge facility (Selkirk Island) and the other about seven miles downstream (Matagorda), external exposure is also possible due to shoreline deposits. A number of recreational cabins and trailers also line the east shore of the river south of Matagorda to the Gulf of Mexico (see Figures B4-1 and B4-2).

4.2.1.2 Little Robbins Slough Environment Little Robbins Slough drains through a marsh accessible to local land owners only. Freshwater fish may be taken from ponds in this area for sport. However, the annual take is normally small and limited to a few families. Also, some cattle graze in areas where water from Little Robbins Slough might be ingested, and the meat from such animals might be eaten by the land owner or others in the local community. No firm data regarding average annual consumption are available.

4.2.1.3 Matagorda Bay and the Gulf of Mexico The Colorado River, West Branch Colorado, Little Robbins Slough, and the East Fork Little Robbins Slough all discharge into Matagorda Bay which connects to the Gulf of Mexico as shown in Figure B4-1. Because these bodies of water are connected by natural and man-made channels and the resulting circulation patterns are unknown, no mixing models are available to predict concentrations. However, the average flows of these discharges into Matagorda Bay are small compared with the volume of Matagorda Bay moved to the Gulf of Mexico by tide action. The Matagorda Bay concentration determines the doses due to saltwater pathways and may be assumed to be determined by the ratio of the activity reaching the bay each day and the volume of water moved by tide action (193,820 acre-ft/day).

Internal dose from nuclides reaching Matagorda Bay or the Gulf of Mexico is due to the consumption of sea trout, red drum, and flounder by sports fishermen, and crabs, shrimp, and oysters taken both commercially and by sportsmen.

Since the town of Palacios is built on the shores of Matagorda Bay, external exposure due to shoreline deposits is possible.

4.2.2 Model for Reservoir Related Radionuclide Decay and Release Off-site

A generally conservative calculation of the off-site dose is accomplished using off-site liquid effluent releases estimated according to the method described in this section.

Table B4-1 lists fractions as calculated by this method for each radionuclide anticipated to be released to the reservoir. These fractions represent the portion of a particular liquid effluent release from the plant which will eventually leave the site. These fractions are different for each release route from the reservoir and consist of the product of the variable "Floss" and one or more of the variables "fc, fwc, flrs, and felrs" as described below.

4.2.2.1 Development of Annual Average Liquid Off-site Release Estimates Based on Releases to the Reservoir

Assumptions:

1. The reservoir is always well mixed.
2. Nuclides released to the reservoir decay for 14 days before becoming available for transport out of the reservoir (transport time to the blow down structure with both units at full power).
3. Releases to the reservoir approximate a continuous release.
4. This model assumes that only 5% of the radioactive materials (100% of tritium) released to the reservoir remain in solution.
REFERENCE: EPRI S1PEGS MCR Bottom Sediment Characterization Study, 1991, by Richard E. Lockwood (HL&P) and David R. Blankinship (Texas A&M University).
5. The reservoir volume is fixed at 150,000 AF.
6. The seepage rate is 5700 AF/y to the shallow aquifer.
7. The evaporation rate is 38,592 AF/y.
8. The blowdown rate is 3400 AF/y to the Colorado River.
9. Relief well flow to the Colorado River is 1027 AF/y.
10. Relief well flow to the W. Branch Colorado River is 174 AF/y.
11. Relief well flow to the Little Robbins Slough is 2210 AF/y.
12. Relief well flow to E. Fork Little Robbins Slough is 494 AF/y.

NOTE: Data for items 9, 10, 11, an. 12 are from a memo from K. R. Cope to G. E. Williams (October 15, 1992).

4.2.2.2 Liquid Off-site Effluent Release Estimates for Nonvolatile Radionuclides (Evaporation of Tritium and Water Omitted)

Y = loss rate due to seepage and blowdown
= 9100 AF/y per 150,000 AF = 6.067E-2 per year
= 1.662E-4 per day

Yr = loss rate due to radioactive decay
= 0.693/(nuclide half-life in days)

fc = fraction of loss reaching the Colorado River
= (1027 AF/y + 3400 AF/y) per 9100 AF/y *0.05 fraction in water
= 2.432E-2

fwc = fraction of loss reaching the W. Branch Colorado
= 174 AF/y per 9100 AF/y *0.05 fraction in water = 9.560E-4

$flrs$ = fraction of loss reaching the Little Robbins Slough
= 2210 AF/y per 9100 AF/y *0.05 fraction in water = 1.214E-2

$felrs$ = fraction of loss reaching the E. Fork of Little Robbins Slough
= 494 AF/y per 9100 AF/y *0.05 fraction in water = 2.714E-3

$Floss$ = fraction of activity which eventually leaves STPEGS following
release to the reservoir
= $\frac{Y}{Y + Yr} * \text{EXP}[-Yr*14]$ (See Appendix to Part B, Section 4)

Ai = activity discharged to the reservoir by nuclide in a given
release (Ci)

Qc , Qwc , $Qlrs$, $Qelrs$ = releases at each discharge point from STPEGS by
nuclide (less 14 days of decay, Ci)

Colorado River: $Qc = Ai * fc * Floss$
W. Branch Colorado: $Qwc = Ai * fwc * Floss$
Little Robbins Slough: $Qlrs = Ai * flrs * Floss$
E. Fork Little Robbins Slough: $Qelrs = Ai * felrs * Floss$

4.2.2.3 Tritium Off-site Releases in Liquid Effluents (Evaporative Losses Included)

$Y = 47,690 \text{ AF/y per 150,000 AF} = 0.3180 \text{ per year}$
= 8.712E-04 per day

$Yr = 0.693/4506 \text{ days} = 1.54E-04 \text{ per day}$

$fc = (1027 \text{ AF/y} + 3400 \text{ AF/y}) \text{ per } 47,690 \text{ AF/y} = 9.283E-2$

$fwc = 174 \text{ AF/y per } 47,690 \text{ AF/y} = 3.649E-3$

$flrs = 2210 \text{ AF/y per } 47,690 \text{ AF/y} = 4.634E-2$

$felrs = 494 \text{ AF/y per } 47,690 \text{ AF/y} = 1.036E-2$

$Floss = 8.712E-04 / (8.712E-04 + 1.54E-04) = 0.8498$

A_i = tritium activity released to the reservoir

Q_c, Q_{wc} , etc. = calculated as previously described

4.2.3 Off-site Doses from Liquid Effluents

Liquid pathway doses are calculated using the total integrated nuclide releases (Q_c , Q_{wc} , etc.). These releases are diluted into the annual average flow of the receiving body of water. Resulting doses will generally overestimate the true off-site values since the activity would normally leave STPEGS over several years and hence would be diluted by substantially more than one year's flow volume once off-site. For example, 50% of the activity contained in the reservoir water is released approximately every 11 years (evaporation excluded); hence, no more than 5.9% of a very long-lived nuclide would leave the site via liquid pathways in any one year. Nevertheless, the projected dose for each release is estimated based upon the assumption that all the activity destined to leave the reservoir does so in the current year. These doses are summed to calculate the month's contribution to the committed dose to the MEMBER OF THE PUBLIC suffering the greatest dose due to liquid releases. This individual's dose is determined by the consumption of fish and marine invertebrates plus shoreline exposure along the Colorado River, Matagorda Bay or the Little Robbins Slough as calculated below.

4.2.3.1 Fish Ingestion Pathway The pathway dose factors for an individual who ingests saltwater fish, crabs and shrimp from the Colorado River, Matagorda Bay, or freshwater fish from the Little Robbins Slough area are calculated using Equation 4.2a where the parameter descriptions are in Table B4-2 and the parameter values are as listed in Table B4-3. The resulting pathway dose factors are tabulated in Table B4-7.

$$R(a,i,j) = \frac{1100}{\text{pathway}} * \frac{U}{M^*F} * \sum_i N(i) * B(i) * D(a,i,j) * \text{Exp}[-Y(i)*T] \quad \text{Eq. 4.2a}$$

(mrem/Ci)

4.2.3.2 Shoreline Deposition Pathway Individuals who live in the area could be exposed to accumulations of contaminated silt deposited along the Colorado River bank, along Little Robbins Slough, or on the shores of Matagorda Bay. The pathway dose factors from these potential shoreline deposits are calculated using Equation 4.2b with the parameters described in Table B4-2 and with values as listed in Table B4-3. The resulting pathway dose factors are compiled in Table B4-7.

$$R(a,i,j)_{\text{shore exposure}} = 110,000 * \frac{U_b * W}{M^*F} * \sum_i N(i) * T(i) * D(a,i,j) * \text{Exp}[-Y(i)*T] * (1 - \text{Exp}[-Y(i)*T_b]) \quad \text{Eq. 4.2b}$$

(mrem/Ci)

4.3 Gaseous Releases

4.3.1 Control Requirements

Control 3 11.2.1 of Part A of the ODCM requires that the dose rate in unrestricted areas due to radioactive materials released in gaseous effluents from the site be limited to the following values:

- a. The dose rate limit for noble gases must be less than 500 mrem/yr to the total body and less than 3000 mrem/yr to the skin, and
- b. The dose rate limit for all radionuclides other than noble gases with half-lives greater than 8 days be less than 1500 mrem/yr to any organ.

These requirements stem from the NRC desire for nuclear power plants to operate at a small fraction of the radiological protection limits of 10CFR20.

Control 3.11.2.2 of Part A of the ODCM also requires that the air dose in areas at or beyond the site boundary due to noble gases released in gaseous effluents shall be limited to the following:

- a. During any calendar quarter to less than or equal to 5 mrads for gamma radiation and 10 mrads for beta radiation, and
- b. During any calendar year to less than or equal to 10 mrads for gamma radiation and 20 mrads for beta radiation.

Control 3.11.2.3 further limits the dose to a MEMBER OF THE PUBLIC from I-131, I-133, tritium, and radionuclides in particulate form with half-lives greater than 8 days in gaseous effluents released to areas at or beyond the site boundary as follows:

- a. During any calendar quarter to less than or equal to 7.5 mrems to any organ, and
- b. During any calendar year to less than or equal to 15 mrems to any organ.

These last two requirements stem from HL&P's commitment to operate STPEGS within the guidelines described in 10CFR50, Appendix I, for maintaining doses to the public as low as reasonably achievable.

4.3.2 Implementation of Control 3.11.2.1

4.3.2.1 Noble Gases All gaseous effluent releases from STPEGS are assumed to be ground level due to the proximity of each unit's vent to the roof. For the purpose of demonstrating that off-site dose rates have not exceeded the dose rate limits of this Control, the atmospheric dispersion factor, X/Q, may be assumed to be 5.3E-06 sec/cubic meter. This represents the 500 hour average X/Q at the site boundary and occurs in the NNW sector. When possible, actual hourly X/Q values coupled with hourly release data are used in place of composite release data and historical average X/Qs.

The hourly average dose rate to the whole body due to noble gas releases may be estimated using Equation 4.4d.

The hourly average dose rate to the skin due to noble gas releases may be estimated using Equation 4.4e of this section provided the shielding factor, S_f, equals 1.0 for the purpose of determining compliance with Control 3.11.2.1.

4.3.2.2 Iodine and Particulates The maximum dose rate to the critical organ, j , in the critical age group, a , due to particulate releases may be estimated as follows:

$$\text{Dose rate}(a,j) = \frac{X/Q}{i} \sum R(a,i,j)_{\text{inhalation}} * Q(i) \quad \text{Eq. 4.3a}$$

$$+ D/Q * \sum_{i \text{ path}} (R(a,i,j)_{\text{pathway}}) * Q(i) \text{ (mrem/hr)}$$

where $Q(i)$ = release rate of nuclide "i" (Ci/hr),

$X/Q = 5.3E-06 \text{ (sec/m}^3\text{)}$ (or actual estimate of X/Q for H3 and Cl4 or depleted X/Q for particulates and iodines at the time of release),

$D/Q = 8.4E-09 \text{ (l/m}^2\text{)}$ (or actual estimate of D/Q at the exposure location),

$R(a,i,j)_{\text{pathway}}$ = pathway dose factors from Table B4-7 ($\text{mrem-m}^3/\text{Ci-sec}$).

The highest organ dose so calculated may be used for demonstrating compliance with Control 3.11.2.1. However, only pathways confirmed by the land use census need be considered (e.g. cow-milk-infant pathway need not be considered in the absence of the cow).

4.3.3 Implementation of Control 3.11.2.2

NUREG-0133 allows HL&P to use the highest calculated annual average X/Q for STPEGS to calculate doses for comparison with the quarterly and annual dose limits. However, NUREG-0133 recommends the use of the highest 500-hour average X/Q for doses due to short-term releases. HL&P normally has available hourly average X/Q values for each sector plus time-dated release information. When possible, these hourly X/Q values coupled with hourly release data are used in place of composite release data and historical average X/Q s.

The historical dispersion values which may be used for calculations in place of historical averages are:

annual average releases = $1.1E-06$ (seconds per cubic meter)

500 hour or shorter releases = $5.3E-06$ (seconds per cubic meter)

4.3.3.1 Noble Gases The noble gas releases averaged over a calendar quarter or a calendar year result in a dose to air at the site boundary as calculated using Equations 4.4f for gamma radiation and Equation 4.4h for beta radiation.

4.3.4 Implementation of Control 3.11.2.3

4.3.4.1 Iodines, Tritium, and Particulates The dose to a MEMBER OF THE PUBLIC stationed at or beyond the site boundary (Table B4-6) due to radiiodine and particulate releases is estimated using Equation 4.4i and the appropriate pathway dose factor from Table B4-7. The historical dispersion values (X/Q and depleted X/Q) may be used in place of actual data if necessary as described in part 4.3.3 above.

4.4 Gaseous Dose Models and Dose Formulas

4.4.1 Dispersion Calculation Methods

If current meteorological data are used to estimate dispersion, X/Q, in place of the historical values, calculations for routine releases use the sector-average version of the equations for atmospheric relative concentration. These calculations are made in accordance with the methodology in NRC Regulatory Guide 1.111 and are all based on ground level releases.

4.4.1.1 X/Q Calculation The sector average X/Q for a given hour is calculated using:

$$X/Q = \frac{2.03}{U_{mn} * D_{xqc} * S_{mn}} \quad (\text{sec/m}^3) \quad \text{Eq. 4.4a}$$

where $S_{mn} = [sz^2 + (H_{con}^2/2\pi)]^{1/2}$

or $S_{mn} = sz * (3)^{1/2}$; whichever is less;

and H_{con} = building height (meters),

sz = vertical dispersion coefficient (meters),

S_{mn} = dispersion coefficient with building wake factor included (meters)

D_{xqc} = downwind distance to the receptor (meters),

U_{mn} = hourly average wind speed (meters/second),

$2.03 = (2/\pi)^{1/2}$ divided by the sector width in radians, $(2\pi/16)$.

where $\pi = 3.14$

4.4.1.2 Depleted X/Q Calculation X/Q values are used in conjunction with tritium and noble gases released. However, the downwind concentrations for particulates and radioiodines will be affected by ground deposition. X/Q values used for calculating inhalation doses from particulates and radioiodines must be modified by the ground depletion factors of Table B4-4 (from Figure 2 of NRC Regulatory Guide 1.111).

$$(X/Q)_{depl} = (X/Q) * (\text{ground depletion factor}) \quad (\text{sec/m}^3) \quad \text{Eq. 4.4b}$$

4.4.1.3 Ground Deposition Ground deposition is calculated using the deposition factors of Table B4-4 (also from Regulatory Guide 1.111, Figures 6-9).

$$(D/Q) = \frac{(\text{deposition factor})}{D_{xqc} * 0.3927} \quad (1/\text{m}^2) \quad \text{Eq. 4.4c}$$

where $0.3927 = \text{radians in one sector or } (2 * \pi)/16$,
 D_{xqc} = down wind distance (meters).

Deposition calculated by multiplying this term, D/Q, by the release rate, Q, will yield values independent of atmospheric stability as indicated in NRC Regulatory Guide 1.111.

4.4.2 Submersion Dose From Noble Gases

The methods used to estimate doses due to noble gases are those of Regulatory Guide 1.109. The whole body and skin doses from submersion in a cloud of noble gas may be calculated by multiplying the appropriate dose factor for the plume pathway from Table B4-7 by the dispersion, X/Q. An equivalent calculation can be accomplished using the formulas described in the following three subsections:

4.4.2.1 Whole Body Dose Rate

$$Dr_{\text{gamma}} = 0.114 * \sum_i (Q_i * Df_i) * S_f \quad (\text{rem/hr}) \quad \text{Eq. 4.4d}$$

where 0.114 = conversion factor from $(\text{mrem-m}^3})/(\text{pCi-yr})$ to $(\text{rem-m}^3)/(\text{uCi-hr})$

X/Q = from Equation 4.4a (sec/m^3)

Q_i = isotope "i" release rate (uCi/sec) from monitors #RT-8010B and #RT-8027

Df_i = gamma dose to tissue conversion factor for nuclide gamma "i" from Table B-1 of Regulatory Guide 1.109 ($\text{mrem-m}^3/\text{pCi-yr}$)

S_f = shielding factor (0.7)

4.4.2.2 Skin Dose Rate from Noble Gases Skin dose rate is calculated based on both the beta emissions and gammas coming from the noble gas cloud surrounding the receptor.

$$Dr_{\text{skin}} = 1.11 * S_f * Dr_{\text{gamma(air)}} + Dr_{\text{beta(skin)}} \quad (\text{rem/h}) \quad \text{Eq. 4.4e}$$

$$\text{where } Dr_{\text{gamma(air)}} = 0.114 * X/Q * \sum_i Q_i * Df_i_{\text{gamma(air)}} \quad (\text{rad/h}) \quad \text{Eq. 4.4f}$$

$$\text{and } Dr_{\text{beta(skin)}} = 0.114 * X/Q * \sum_i Q_i * Df_i_{\text{beta(skin)}} \quad (\text{rem/h}) \quad \text{Eq. 4.4g}$$

S_f = shielding factor = .7

$Df_i_{\text{beta(skin)}}$ = beta dose to tissue conversion factor from Table B-1, Regulatory Guide 1.109 ($\text{mrem-m}^3/\text{pCi-yr}$),

$Df_i_{\text{gamma(air)}}$ = gamma dose to air conversion factor from Table B-1, Regulatory Guide 1.109 ($\text{mrad-m}^3/\text{pCi-yr}$),

1.11 = ratio of the mass stopping powers for electrons in air to tissue.

The gamma dose rate to air is calculated here as an intermediate step in calculating the total dose rate to skin from noble gases. However, this gamma dose rate to air value, Dr gamma(air) from Equation 4.4f may be used to demonstrate compliance with the first part of Control 3.11.2.2 if multiplied by the release duration in hours.

4.4.2.3 Beta Dose to Air from Noble Gases Beta dose to air at the site boundary is a required dose calculation in Control 3.11.2.2 and is calculated as indicated below:

$$D_{\text{beta(air)}} = 0.114 * X/Q * \sum_i Q_i * D_{\text{fi beta(air)}} * T \quad (\text{rad}) \quad \text{Eq. 4.4h}$$

where $D_{\text{fi beta(air)}}$ = beta dose to air conversion factor from Table B-1, Regulatory Guide 1.109 ($\text{mrad-m}^3 / \text{pCi-yr}$),

0.114 = conversion factor from ($\text{mrad-m}^3 / \text{pCi-yr}$) to ($\text{rad-m}^3 / \text{uCi-hr}$),

X/Q = from Equation 4.4a (sec/m^3),

Q_i = isotope "i" release rate (uCi/sec) from monitors #RT-8010B and #RT-8027.

T = release duration (hours)

4.4.3 Dose Due to Deposited and Inhaled Radionuclides

The dose delivered to the individual with the highest potential exposure due to airborne radioactive particles is calculated in accordance with NRC Regulatory Guide 1.109. The dose by ingestion pathways is the product of the ground deposition, D/Q, from Equation 4.4c and the pathway dose factor for the appropriate organ and nuclide from Table B4-7 as follows:

$$\text{Dose}_{(\text{pathway})} = (D/Q) * \sum_i Q_i * R(a,i,j) \quad (\text{mrem}) \quad \text{Eq. 4.4i}$$

where Q_i = integrated release of nuclide "i" stored by plant computer from monitors #RT-8010B and #RT-8027 (Ci),

D/Q = ground deposition (l/m^2),

$R(a,i,j)$ = age, nuclide, and organ specific dose factor for a given pathway ($\text{mrem-m}^2/\text{Ci}$).

The ground deposition is calculated at the site boundary in each of the 16 wind direction sectors. However, since some cattle may graze on-site outside the exclusion area, the meat pathway doses are calculated at the exclusion area fence or the reservoir embankment whichever is further from the units.

For inhalation of particles, the depleted X/Q from Equation 4.4b is substituted for D/Q in Equation 4.4i. For both ingestion and inhalation of H-3 and C-14, X/Q from Equation 4.4a is substituted for D/Q in Equation 4.4i.

The exposure pathway dependent dose factors, R(a,i,j), of Table B4-7 were generated using a code similar to NRC's GASPAR routine as described in NUREG-6597. These dose factors were calculated for the pathways, organs, and age groups below:

<u>Pathways</u>	<u>Organs</u>	<u>Age Groups</u>
inhalation	total body	infant
meat ingestion	G.I. tract	child
milk ingestion	bone	teen
vegetation ingestion	liver	adult
ground shine	kidney	
	thyroid	
	lung	
	skin	

These or similarly calculated dose factors may be used in all dose calculations referencing Table B4-7.

4.5 Control 3.11.1.3

The liquid waste processing system shall be operable and appropriate portions of the system shall be used to reduce releases of radioactivity when the projected doses due to the liquid effluent, from each unit, to unrestricted areas would exceed 0.06 mrem to the whole body or 0.2 mrem to any organ in a 31-day period.

Doses due to liquid effluent releases shall be estimated prior to release of each batch from the radioactive waste monitor tanks. The 31-day dose projection shall be calculated as shown below:

$$31\text{-day dose projection} = \frac{31}{\text{days}} * (\text{accumulated dose}) \quad \text{mrem} \quad \text{Eq. 4.5a}$$

where $31 = \text{days in the averaging period}$

$\text{days} = \text{integer number of days into the quarter (greater than or equal to 1 but less than or equal to 92)}$

$\text{accumulated dose} = \text{sum of doses from releases in the current quarter (mrem) and the projected release}$

Implementing procedures shall provide a suitable safety factor to assure that errors in a projected release are unlikely to result in exceeding the conditions of Control 3.11.1.3. Since this operating condition is applied to each unit separately, the safety factor need not consider concurrent releases from both units.

4.6 Control 3.11.2.4

The gaseous waste processing system shall be operable and appropriate portions of this system shall be used to reduce releases of radioactivity when the projected doses in 31 days due to gaseous effluent releases from each unit to areas at or beyond the site boundary would exceed:

- 0.2 mrad to air from gamma radiation, or
- 0.4 mrad to air from beta radiation, or
- 0.3 mrem to any organ of a MEMBER OF THE PUBLIC.

Unit vent air samples are analyzed weekly for each unit. The average concentrations of the radionuclides so measured may be used to calculate the unit specific doses from releases that week. These average weekly doses plus doses from any special or batch releases during the week may be used in Eq. 4.5a to project the doses of Control 3.11.2.4 over the subsequent 31-day period. If an unusually large release is planned, add this projected dose to the average 31-day doses to confirm that the operating constraints of Control 3.11.2.4 are satisfied. These constraints pertain to each unit separately, and the dose projections from the two units need not be summed when determining operating constraints imposed by this Control. A suitable safety factor may be applied to the dose projections to provide for normal variations in the anticipated release rates as provided in implementing procedures.

4.7 Control 3.11.4 Dose Calculations

If the annual dose or dose commitment to a MEMBER OF THE PUBLIC due to releases of liquid or gaseous effluents exceeds twice the limits of Controls 3.11.1.2.a, 3.11.1.2.b, 3.11.2.2.a, 3.11.2.2.b, 3.11.2.3.a, or 3.11.2.3.b, Control 3.11.4 requires that the total dose from the uranium fuel cycle be calculated.

Since no mining, milling, or waste disposal activities exist within 50 miles of STPEGS, only direct radiation from plant structures need be added to that calculated for effluents to obtain the total dose. Direct radiation from the plant and plant structures is estimated based on ambient radiation measurements made in the proximity of each potential source within a direct line of sight to the critical receptor location. TLD measurements within the protected area may provide the estimate of direct radiation following background subtraction. This measured dose rate may be adjusted to compensate for air attenuation and distance to the critical receptor location. The direct radiation dose shall be added to the doses previously calculated for radioactive effluents for comparison with the limits of 40CFR Part 190.

4.8 Dose to MEMBERS OF THE PUBLIC On-Site

MEMBERS OF THE PUBLIC who visit STPEGS may be subject to direct radiation exposure at extremely low levels. MEMBERS OF THE PUBLIC are permitted within the site boundary while traveling along Farm to Market Highway #521. MEMBERS OF THE PUBLIC are also allowed access to the visitor's center which is within the site boundary on FM #521.

The design basis dose rate at the exterior walls of site structures is 0.5 mrem/hr and the highway and visitor's center are almost 1500 meters from the closest site structure containing radioactive materials. Therefore, the maximum dose rates to MEMBERS OF THE PUBLIC visiting the site would generally

not exceed 0.0005 mrem/hr of direct radiation. TLD measurements within the controlled area may provide an estimate of the direct radiation to visitors following subtraction of pre-operational background. Nominal visits of a few hours duration to the visitor's center, or daily trips past the site on FM #521, or short (less than one hour) tours on-site would lead to an annual maximum dose to a MEMBER OF THE PUBLIC of less than 1 mrem/yr.

Examples:

The on-site exposure to a MEMBER OF THE PUBLIC who must drive past the plant twice a day (to work and home again) 250 days per year is calculated as follows:

$$0.0005 \frac{\text{mrem}}{\text{yr}} * 0.085 \frac{\text{hr}}{\text{trip}} * 2 \frac{\text{trips}}{\text{day}} * 250 \frac{\text{days}}{\text{yr}} = 0.02 \frac{\text{mrem}}{\text{yr}}$$

The dose to a MEMBER OF THE PUBLIC at the visitor's center is calculated as:

$$0.0005 \frac{\text{mrem}}{\text{hr}} * 2 \frac{\text{hr}}{\text{visit}} * 2 \frac{\text{visits}}{\text{yr}} = 0.002 \frac{\text{mrem}}{\text{yr}}$$

The maximum dose to a MEMBER OF THE PUBLIC touring the site is estimated as:

$$0.5 \frac{\text{mrem}}{\text{hr}} * 0.5 \frac{\text{hr}}{\text{tour}} * 2 \frac{\text{tours}}{\text{yr}} = 0.5 \frac{\text{mrem}}{\text{yr}}$$

4.9 Population Dose Estimation

Doses to the population are calculated in a manner similar to that described for individuals with two exceptions. The dose factors are taken from Table B4-11, and the doses calculated for each population group are summed. The R(all,i,j) age adjusted dose factors for atmospheric pathways of Table B4-11 were calculated using the equations of Regulatory Guide 1.109 in the GASPAR code along with default consumption/use factors. The values for R(all,i,j) appearing in Table B4-11 for liquid releases are the age adjusted dose factors for the general population calculated as [0.71 * R(adult,i,j) + 0.11 * R(teen,i,j) + 0.18 * R(child,i,j)]. R(a,j,i) are calculated from Eq. 4.2a and Eq. 4.2b using data from Table B4-8.

Population doses due to liquid effluents are calculated in the manner of Equation 4.9a for each member of the population. The resulting organ doses are then multiplied by the number of individuals residing within 50 miles of STPEGS. If sufficient quantities of a particular food are produced within 50 miles of STPEGS to feed the 300,000 inhabitants of this region, the population for that pathway is reduced to the number who could consume the average amount of that food without exhausting the locally produced supply. For example, since only about 220,000 Kg of saltwater sport fish are taken in Matagorda Bay and the Colorado River each year, only 37,000 individuals may be assumed to consume $5.9 \text{ Kg} = (0.71 * 6.9 + 0.11 * 5.2 + 0.18 * 2.2)$ per year of fish each to account for this mass. In order to account for recreation on both the Colorado River and Matagorda Bay, half the population is assumed to use each of these waters. All crustaceans ($8.9 \times 10^6 \text{ Kg}$) per year are assumed to be taken from Matagorda Bay.

Equation 4.9a:

$$\text{pop. dose}_{\text{liq}} = \sum_{\text{path}=p} \text{population}_p \sum_{\text{nuclide } i} Q(i) * R(\text{all}, i, j)$$

where

population_p = population within 50 miles exposed to each pathway, P

$Q(i)^P$ = release by nuclide, i (Ci)

$R(\text{all}, i, j)$ = are taken from Table B4-11 for $j=\text{whole body or thyroid}$

Population doses due to gaseous effluents are calculated in a two step process. The population within 50 miles of STPEGS is listed by sector and distance in Table B4-10. The population dose is calculated by first calculating the X/Q, depleted X/Q, and D/Q for each distance and sector. The product of the dose factors from Table B4-11 and X/Q (for the plume pathway), depleted X/Q (for the particulate and iodine inhalation pathway), or D/Q (for the ingestion pathways) for a given distance/sector group gives the dose to each member of that group. The product of these doses by the number of individuals in the group gives the dose to each group. The sum over all groups within 50 miles gives the total population dose. Since Regulatory Guide 1.109 only addresses the total body and thyroid doses for the general population, only the population doses for these two organs are reported.

Equation 4.9b:

$$\begin{aligned} \text{pop. dose}_{\text{air}} = T * \sum_s \text{pop}(s) * [& \sum_i R(\text{all}, i, j)_{\text{plume}} * Q(i) + \\ & X/Q_d(s) * \sum_i R(\text{all}, i, j)_{\text{inhalation}} * Q(i) + \\ & D/Q(s) * \sum_i \sum_{\text{path}} R(\text{all}, i, j)_{\text{path}} * Q(i)] \end{aligned}$$

where

T = time period covered by the calculation (hours)

$\text{pop}(s)$ = number of people in distance/sector group "s" from Table B4-10

$X/Q(s)$ = X/Q for distance/sector "s" per Eq. 4.4a (sec/m^3)

$X/Q_d(s)$ = depleted X/Q for distance/sector "s" per Eq. 4.4b (sec/m^3)

Note: $X/Q(s)$ substituted for $X/Q_d(s)$ for H-3 and C-14

$R(\text{all}, j, i)$ = dose factors from Table B4-11 for each pathway ($\text{mrem}\cdot\text{m}^{-3}/\text{Ci}\cdot\text{sec}$ for plume and inhalation pathways; $\text{mrem}\cdot\text{m}^{-2}/\text{Ci}$ for all other pathways)

$Q(i)$ = release rate of nuclide "i" (Ci/sec)

$D/Q(s)$ = deposition for distance/sector "s" per Eq. 4.4c ($1/\text{m}^2$)

Table B4-1: Radionuclide Fractions Leaving STPEGS Via Liquid Routes

Nuclide	Half-life (days)	Colorado River	Matagorda Bay	Little Robbins Slough Area
H3	4.51E+03	7.87E-02	1.30E-01	4.81E-02
C14	2.09E+06	2.43E-02	4.01E-02	1.48E-02
NA24	6.25E-01	6.61E-13	1.09E-12	4.04E-13
P32	1.43E+01	4.22E-05	6.96E-05	2.57E-05
CR51	2.78E+01	1.13E-04	1.87E-04	6.93E-05
MN54	3.13E+02	1.64E-03	2.71E-03	1.00E-03
MN56	1.07E-01	0.00E+00	0.00E+00	0.00E+00
FE55	9.86E+02	4.60E-03	7.60E-03	2.81E-03
FE59	4.46E+01	2.07E-04	3.42E-04	1.27E-04
CO58	7.08E+01	3.54E-04	5.84E-04	2.16E-04
CO60	1.93E+03	7.64E-03	1.26E-02	4.67E-03
NI63	3.50E+04	2.17E-02	3.59E-02	1.33E-02
NI65	1.05E-01	0.00E+00	0.00E+00	0.00E+00
CU64	5.29E-01	3.33E-14	5.49E-14	2.03E-14
ZN65	2.45E+02	1.30E-03	2.14E-03	7.92E-04
ZN69	3.96E-02	0.00E+00	0.00E+00	0.00E+00
BR83	9.96E-02	0.00E+00	0.00E+00	0.00E+00
BR84	2.20E-02	0.00E+00	0.00E+00	0.00E+00
BR85	1.99E-03	0.00E+00	0.00E+00	0.00E+00
RB86	1.86E+01	6.43E-05	1.06E-04	3.93E-05
RB88	1.23E-02	0.00E+00	0.00E+00	0.00E+00
RB89	1.05E-02	0.00E+00	0.00E+00	0.00E+00
SR89	5.06E+01	2.41E-04	3.97E-04	1.47E-04
SR90	1.04E+04	1.74E-02	2.86E-02	1.06E-02
SR91	3.96E-01	5.14E-17	8.48E-17	3.14E-17
SR92	1.13E-01	0.00E+00	0.00E+00	0.00E+00
Y90	2.67E+00	4.14E-07	6.83E-07	2.53E-07
Y91M	3.45E-02	0.00E+00	0.00E+00	0.00E+00
Y91	5.85E+01	2.85E-04	4.70E-04	1.74E-04
Y92	1.47E-01	0.00E+00	0.00E+00	0.00E+00
Y93	4.21E-01	2.40E-16	3.96E-16	1.46E-16
ZR95	6.40E+01	3.16E-04	5.22E-04	1.93E-04
ZR97	7.04E-01	4.27E-12	7.05E-12	2.61E-12
NB95	3.51E+01	1.54E-04	2.54E-04	9.42E-05
MO99	2.75E+00	4.71E-07	7.77E-07	2.88E-07
TC99M	2.51E-01	2.42E-23	4.00E-23	1.48E-23
TC101	9.86E-03	0.00E+00	0.00E+00	0.00E+00
RU103	3.93E+01	1.78E-04	2.93E-04	1.09E-04
RU105	1.85E-01	1.86E-29	2.99E-29	1.14E-29
RU106	3.68E+02	1.92E-03	3.17E-03	1.17E-03
AG110M	2.51E+02	1.33E-03	2.19E-03	8.12E-04
TE125M	5.80E+01	2.82E-04	4.66E-04	1.72E-04
TE127M	1.09E+02	5.67E-04	9.35E-04	3.46E-04
TE127	3.90E-01	3.50E-17	5.77E-17	2.14E-17
TE129M	3.36E+01	1.46E-04	2.40E-04	8.89E-05
TE129	4.84E-02	0.00E+00	0.00E+00	0.00E+00
TE131M	1.25E+00	3.10E-09	5.12E-09	1.90E-09
TE131	1.74E-02	0.00E+00	0.00E+00	0.00E+00
TE132	3.26E+00	9.68E-07	1.60E-06	5.91E-07

Table B4-1: Radionuclide Fractions Leaving STPEGS Via Liquid Routes
(cont'd)

Nuclide	Half-life (days)	Colorado River	Matagorda Bay	Little Robbins Slough Area
I130	5.15E-01	1.96E-14	3.23E-14	1.19E-14
I131	8.04E+00	1.40E-05	2.31E-05	8.56E-06
I132	9.60E-02	0.00E+00	0.00E+00	0.00E+00
I133	8.67E-01	6.99E-11	1.15E-10	4.27E-11
I134	3.66E-02	0.00E+00	0.00E+00	0.00E+00
I135	2.75E-01	7.64E-22	1.26E-21	4.67E-22
CS134	7.52E+02	3.67E-03	3.67E-03	0.00E+00
CS136	1.31E+01	3.64E-05	3.64E-05	0.00E+00
CS137	1.10E+04	1.76E-02	1.76E-02	0.00E+00
CS138	2.24E-02	0.00E+00	0.00E+00	0.00E+00
BA139	5.74E-02	0.00E+00	0.00E+00	0.00E+00
BA140	1.28E+01	3.48E-05	5.74E-05	2.12E-05
BA141	1.27E-02	0.00E+00	0.00E+00	0.00E+00
BA142	7.42E-03	0.00E+00	0.00E+00	0.00E+00
LA140	1.68E+00	3.03E-08	4.99E-08	1.85E-08
LA142	6.43E-02	0.00E+00	0.00E+00	0.00E+00
CE141	3.25E+01	1.39E-04	2.30E-04	8.52E-05
CE143	1.38E+00	6.91E-09	1.14E-08	4.22E-09
CE144	2.83E+02	1.49E-03	2.47E-03	9.13E-04
PR143	1.36E+01	3.85E-05	6.36E-05	2.35E-05
PR144	1.20E-02	0.00E+00	0.00E+00	0.00E+00
ND147	1.11E+01	2.68E-05	4.42E-05	1.64E-05
W187	9.96E-01	3.41E-10	5.62E-10	2.08E-10
NP239	2.35E+00	2.20E-07	3.62E-07	1.34E-07

*Note: Cesium isotopes diffusing through the soil to enter the Little Robbins Slough area are assumed to be trapped in the soil.

All other calculations were made according to the methods of Section B4.1 where the above listed pathway values correspond to the following:

$$\begin{aligned} \text{Colorado River} &= Q_c/A_i, \\ \text{Matagorda Bay} &= (Q_c + Q_{lrs} + Q_{els} + Q_{wc})/A_i, \\ \text{Little Robins Slough} &= (Q_{lrs} + Q_{els})/A_i. \end{aligned}$$

Values less than 1.00E-30 are rounded to 0.00E+00 since such small fractions do not contribute to off-site doses significantly.

Table B4-2: Liquid Dose Pathway Factor Description

U = annual intake of fish, kg/y (note 1)
Ub = annual use factor for shoreline exposure, hr/y
M = dilution factor; all flow rates are normalized to that of the Colorado River
F = flow rate of the Colorado River, cfs (note 2)
Q(i) = release of nuclide "i" from the reservoir, Ci
N(i) = fractional release of nuclide "i" from the reservoir to a given pathway as listed in Table B4-1
B(i) = bioaccumulation factor for nuclide "i" to a given pathway, (note 3)
[pCi in fish/kg of fish]/[pCi in water/kg of water]
D(a,i,j) = dose factor for nuclide "i", organ "j", age "a", mrem/pCi or mrem/hr per pCi/m² (note 4)
Y(i) = decay constant for nuclide "i", 1/hour
T(i) = half-life of nuclide "i", days
T = average transit time from release to ingestion of fish by man; or to deposition in sediment, hr (note 5)
Tb = time period during which sediment is exposed to contaminated water, hr.
W = shoreline width factor
R(a,i,j) = dose to organ "j" for a particular release from nuclide "i" and age group "a" (mrem/Ci)

Note 1: Little Robbins Slough area is assumed to contain freshwater fish only while the Colorado River and Matagorda Bay/Gulf of Mexico are assumed to yield saltwater fish and invertebrates as per Regulatory Guide 1.109.

Note 2: The minimum flow rate of the Colorado River during which blow down is permitted.

Note 3: Bioaccumulation factors for saltwater fish and invertebrates are taken from Table A-1 of Regulatory Guide 1.109; saltwater values are used with the Colorado River, Matagorda Bay/Gulf of Mexico, and fresh water values for the lakes along Little Robbins Slough.

Note 4: The dose factors for Equation 4.2a are taken from Table E-11 of Regulatory Guide 1.109 whereas the dose factors for Equation 4.2b come from Table E-6 of Regulatory Guide 1.109.

Note 5: The average time between nuclide release to the unrestricted aquatic environment and fish consumption comes from Table D-1 of Regulatory Guide 1.109. No delay is assumed between release and contamination of sediment for Equation 4.2b because the delay between release and soil exposure is likely to be short compared to the half-lives of the nuclides potentially present.

Table B4-3: Liquid Parameter Values for Eq. 4.2a and 4.2b

Parameter	Parameter Value			
U	Adult	Teen	Child	Infant
Colorado River	21	16	6.9	0 kg/y saltwater fish
	5	3.8	1.7	0 kg/y saltwater invertebrate
Matagorda Bay	21	16	6.9	0 kg/y saltwater fish
	5	3.8	1.7	0 kg/y saltwater invertebrate
Little Robbins area	21	16	6.9	0 kg/y freshwater fish
Ub	Adult	Teen	Child	Infant
Colorado River	12	67	14	0 hr/y
Matagorda Bay	12	67	14	0 hr/y
Little Robbins area	12	67	14	0 hr/y
M				
Colorado River	1.00			
Matagorda Bay	163			
Little Robbins area	0.0305			
F	600	cfs		
N(i)				
Colorado River	values by nuclide "i" and pathway from Table B4-1			
Matagorda Bay				
Little Robbins area				
T				
fish ingestion	24	hr		
shoreline exposure	0	hr		
Tb	1.31E+05	hr		
W				
Colorado River	0.2			
Matagorda Bay	0.5			
Little Robbins area	0.2			
B(i)	nuclide specific from Table A-1, Regulatory Guide 1.109			
D(a,i,j)	nuclide specific from Table E-11 or E-6, Regulatory Guide 1.109			

Table B4-4: Pathways for Calculating Individual Doses from Liquid Effluent Releases

PATHWAYS	RECEPTOR LOCATIONS		
	Colorado River	Matagorda Bay	Little Robbins
Shore Exposure	X	X	X
Salt Water Fish Ingestion	X	X	
Salt Water Invertebrate Ingestion	X	X	
Fresh Water Fish Ingestion			X

Table B4-5: Particle Depletion and Deposition Factors
for Ground Level Releases

Distance (meters)	Depletion	Deposition (1/meter)
200	0.970	1.2E-04
500	0.936	8.0E-05
1000	0.900	5.4E-05
2000	0.860	3.2E-05
3000	0.832	2.6E-05
6000	0.770	1.5E-05
10,000	0.714	9.9E-06
30,000	0.590	4.5E-06
50,000	0.517	3.0E-06
80,000	0.440	2.0E-06

Table B4-6: Distances to Gaseous Dose Pathway
Receptors for Individuals (meters)

DIRECTION	PATHWAYS				RECEPTOR
	PLUME	VEGETATION	MEAT	MILK	
N	1400	1400	1400	1400	Site Boundary
	5600	5600	5600	0	Nearest Person*
NNE	1500	1500	1400	1500	Site Boundary
	8000	8000	8000	0	Nearest Person
NE	1600	1600	1400	1600	Site Boundary
	8000	8000	8000	0	Nearest Person
ENE	1600	1600	1400	1600	Site Boundary
	8000	8000	8000	0	Nearest Person
E	1600	1600	1400	1600	Site Boundary
	8000	8000	8000	0	Nearest Person
ESE	1900	1900	1400	1900	Site Boundary
	5600	5600	5600	0	Nearest Person
SE	5600	5600	3500	5600	Site Boundary
	5600	5600	5600	0	Nearest Person
SSE	6000	6000	5800	6000	Site Boundary
	6900	6900	6900	0	Nearest Person
S	5900	5900	5700	5900	Site Boundary
	0	0	0	0	Nearest Person
SSW	6000	6000	5500	6000	Site Boundary
	8000	8000	8000	0	Nearest Person
SW	3900	3900	3400	3900	Site Boundary
	7200	7200	7200	0	Nearest Person
WSW	2880	2880	1940	2880	Site Boundary
	4000	4000	4000	0	Nearest Person
W	2160	2160	2000	2160	Site Boundary
	7200	7200	7200	0	Nearest Person
WNW	1850	1850	1800	1850	Site Boundary
	6400	6400	6400	0	Nearest Person
NW	1720	1720	1690	1720	Site Boundary
	7200	7200	7200	0	Nearest Person
NNW	1540	1540	1500	1540	Site Boundary
	5600	5600	5600	0	Nearest Person

* Nearest person may be changed for purposes of dose calculations without changing this table. If the distance to the nearest person was greater than 8000 meters, 8000 meters was used as a default value.

Table B4-7: Pathway Dose Factors

NOTES:

Liquid Pathway Dose Factors - Table B4-7a

This table consists of two sections. The first is a listing of pathway dose factors by nuclide and pathway for liquid effluents. These factors were calculated using the equations and methods of Part B, Section 4.2 of the ODCM. The product of a particular factor and a quantity of activity (C_i) released to the reservoir will yield the dose (mrem) to an individual at each of the locations and for each of the pathways specified.

The liquid dose factors for cesium isotopes were set to zero for pathways associated with relief well discharges into the Little Robbins Slough area in order to conform with the assumptions made in the UFSAR, Appendix 11.A, regarding the transportability of cesium in soil.

The units for all liquid dose factors are (mrem/ C_i).

The factors used by the computer codes which perform these calculations may differ by a few percent due to round-off errors. Furthermore, for nuclides with vanishing small factors (typically less than $1.0E-20$ mrem/ C_i) very large computational differences may exist, but these have no impact on the dose calculations and are inconsequential.

Gaseous Pathway Dose Factors - Table B4-7b

The second section of this table consists of a listing by nuclide of the gaseous pathway dose factors. These factors were calculated using a code similar to GASPAR and are based on the methods of Regulatory Guide 1.109.

The units used for noble gases, tritium, and all nuclides for the inhalation pathway are (mrem- $m^3/C_i\text{-sec}$). The product of this pathway dose factor, the release (C_i), and the appropriate depleted X/Q (sec/m^3) or X/Q (for noble gases, tritium and carbon 14) yields the dose in (mrem).

The units used for all other nuclides in all other pathways are (mrem- m^2/C_i). The product of this pathway dose factor, the release (C_i), and the appropriate D/Q yields the dose (mrem) over the release period.

Table B4-7a

INDIVIDUAL DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : H3

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	5.73E-06	5.73E-06	0.00E+00	5.73E-06	5.73E-06	5.73E-06	5.73E-06	5.73E-06
TEEN:	4.41E-06	4.41E-06	0.00E+00	4.41E-06	4.41E-06	4.41E-06	4.41E-06	4.41E-06
CHILD:	3.64E-06	3.64E-06	0.00E+00	3.64E-06	3.64E-06	3.64E-06	3.64E-06	3.64E-06
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	2.86E-07	2.86E-07	0.00E+00	2.86E-07	2.86E-07	2.86E-07	2.86E-07	2.86E-07
TEEN:	2.20E-07	2.20E-07	0.00E+00	2.20E-07	2.20E-07	2.20E-07	2.20E-07	2.20E-07
CHILD:	1.82E-07	1.82E-07	0.00E+00	1.82E-07	1.82E-07	1.82E-07	1.82E-07	1.82E-07
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	2.90E-09	2.90E-09	0.00E+00	2.90E-09	2.90E-09	2.90E-09	2.90E-09	2.90E-09
TEEN:	2.23E-09	2.23E-09	0.00E+00	2.23E-09	2.23E-09	2.23E-09	2.23E-09	2.23E-09
CHILD:	1.84E-09	1.84E-09	0.00E+00	1.84E-09	1.84E-09	1.84E-09	1.84E-09	1.84E-09
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	7.04E-08	7.04E-08	0.00E+00	7.04E-08	7.04E-08	7.04E-08	7.04E-08	7.04E-08
TEEN:	5.41E-08	5.41E-08	0.00E+00	5.41E-08	5.41E-08	5.41E-08	5.41E-08	5.41E-08
CHILD:	4.63E-08	4.63E-08	0.00E+00	4.63E-08	4.63E-08	4.63E-08	4.63E-08	4.63E-08
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	7.13E-10	7.13E-10	0.00E+00	7.13E-10	7.13E-10	7.13E-10	7.13E-10	7.13E-10
TEEN:	5.47E-10	5.47E-10	0.00E+00	5.47E-10	5.47E-10	5.47E-10	5.47E-10	5.47E-10
CHILD:	4.69E-10	4.69E-10	0.00E+00	4.69E-10	4.69E-10	4.69E-10	4.69E-10	4.69E-10
INFANT:	0.00E+00							

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T.	BODY	SKIN
ADULT:	0.00E+00	0.00E+00	
TEEN:	0.00E+00	0.00E+00	
CHILD:	0.00E+00	0.00E+00	
INFANT:	0.00E+00	0.00E+00	

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T.	BODY	SKIN
ADULT:	0.00E+00	0.00E+00	
TEEN:	0.00E+00	0.00E+00	
CHILD:	0.00E+00	0.00E+00	
INFANT:	0.00E+00	0.00E+00	

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T.	BODY	SKIN
ADULT:	0.00E+00	0.00E+00	
TEEN:	0.00E+00	0.00E+00	
CHILD:	0.00E+00	0.00E+00	
INFANT:	0.00E+00	0.00E+00	

Table B4-7a Continued

INDIVIDUAL DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : C14

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	4.89E-02	4.89E-02	2.45E-01	4.89E-02	4.89E-02	4.89E-02	4.89E-02
TEEN:	5.33E-02	5.33E-02	2.66E-01	5.33E-02	5.33E-02	5.33E-02	5.33E-02
CHILD:	6.85E-02	6.85E-02	3.42E-01	6.85E-02	6.85E-02	6.85E-02	6.85E-02
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	9.56E-04	9.56E-04	4.78E-03	9.56E-04	9.56E-04	9.56E-04	9.56E-04
TEEN:	1.04E-03	1.04E-03	5.20E-03	1.04E-03	1.04E-03	1.04E-03	1.04E-03
CHILD:	1.34E-03	1.34E-03	6.69E-03	1.34E-03	1.34E-03	1.34E-03	1.34E-03
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	9.67E-06	9.67E-06	4.84E-05	9.67E-06	9.67E-06	9.67E-06	9.67E-06
TEEN:	1.05E-05	1.05E-05	5.27E-05	1.05E-05	1.05E-05	1.05E-05	1.05E-05
CHILD:	1.35E-05	1.35E-05	6.77E-05	1.35E-05	1.35E-05	1.35E-05	1.35E-05
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	1.77E-04	1.77E-04	8.85E-04	1.77E-04	1.77E-04	1.77E-04	1.77E-04
TEEN:	1.92E-04	1.92E-04	9.61E-04	1.92E-04	1.92E-04	1.92E-04	1.92E-04
CHILD:	2.56E-04	2.56E-04	1.28E-03	2.56E-04	2.56E-04	2.56E-04	2.56E-04
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	1.79E-06	1.79E-06	8.96E-06	1.79E-06	1.79E-06	1.79E-06	1.79E-06
TEEN:	1.95E-06	1.95E-06	9.73E-06	1.95E-06	1.95E-06	1.95E-06	1.95E-06
CHILD:	2.59E-06	2.59E-06	1.30E-05	2.59E-06	2.59E-06	2.59E-06	2.59E-06
INFANT:	0.00E+00						

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T. BODY	SKIN
ADULT:	0.00E+00	0.00E+00
TEEN:	0.00E+00	0.00E+00
CHILD:	0.00E+00	0.00E+00
INFANT:	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T. BODY	SKIN
ADULT:	0.00E+00	0.00E+00
TEEN:	0.00E+00	0.00E+00
CHILD:	0.00E+00	0.00E+00
INFANT:	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T. BODY	SKIN
ADULT:	0.00E+00	0.00E+00
TEEN:	0.00E+00	0.00E+00
CHILD:	0.00E+00	0.00E+00
INFANT:	0.00E+00	0.00E+00

Table B4-7a Continued

INDIVIDUAL DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : NA24

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	2.86E-14						
TEEN:	2.95E-14						
CHILD:	3.20E-14						
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	9.56E-19						
TEEN:	9.86E-19						
CHILD:	1.07E-18						
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00						
TEEN:	0.00E+00						
CHILD:	1.09E-20						
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	6.46E-19						
TEEN:	6.64E-19						
CHILD:	7.49E-19						
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00						
TEEN:	0.00E+00						
CHILD:	0.00E+00						
INFANT:	0.00E+00						

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T. BODY	SKIN
ADULT:	9.10E-17	1.06E-16
TEEN:	5.08E-16	5.89E-16
CHILD:	1.06E-16	1.23E-16
INFANT:	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T. BODY	SKIN
ADULT:	4.54E-18	5.27E-18
TEEN:	2.54E-17	2.94E-17
CHILD:	5.30E-18	6.15E-18
INFANT:	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T. BODY	SKIN
ADULT:	1.15E-19	1.33E-19
TEEN:	6.42E-19	7.45E-19
CHILD:	1.34E-19	1.56E-19
INFANT:	0.00E+00	0.00E+00

Table B4-7a Continued

INDIVIDUAL DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : P32

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	2.31E-02	6.72E-02	5.98E-01	3.72E-02	0.00E+00	0.00E+00	0.00E+00	
TEEN:	2.52E-02	5.47E-02	6.51E-01	4.03E-02	0.00E+00	0.00E+00	0.00E+00	
CHILD:	3.24E-02	2.32E-02	8.39E-01	3.93E-02	0.00E+00	0.00E+00	0.00E+00	
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	3.35E-04	9.73E-04	8.65E-03	5.38E-04	0.00E+00	0.00E+00	0.00E+00	
TEEN:	3.66E-04	7.93E-04	9.43E-03	5.84E-04	0.00E+00	0.00E+00	0.00E+00	
CHILD:	4.69E-04	3.36E-04	1.22E-02	5.69E-04	0.00E+00	0.00E+00	0.00E+00	
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	3.39E-06	9.85E-06	8.76E-05	5.45E-06	0.00E+00	0.00E+00	0.00E+00	
TEEN:	3.70E-06	8.02E-06	9.55E-05	5.91E-06	0.00E+00	0.00E+00	0.00E+00	
CHILD:	4.74E-06	3.40E-06	1.23E-04	5.76E-06	0.00E+00	0.00E+00	0.00E+00	
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	8.24E-05	2.40E-04	2.13E-03	1.33E-04	0.00E+00	0.00E+00	0.00E+00	
TEEN:	8.98E-05	1.95E-04	2.32E-03	1.44E-04	0.00E+00	0.00E+00	0.00E+00	
CHILD:	1.19E-04	8.56E-05	3.10E-03	1.45E-04	0.00E+00	0.00E+00	0.00E+00	
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	8.34E-07	2.43E-06	2.16E-05	1.34E-06	0.00E+00	0.00E+00	0.00E+00	
TEEN:	9.09E-07	1.97E-06	2.35E-05	1.45E-06	0.00E+00	0.00E+00	0.00E+00	
CHILD:	1.21E-06	8.67E-07	3.14E-05	1.47E-06	0.00E+00	0.00E+00	0.00E+00	
INFANT:	0.00E+00							

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T.	BODY	SKIN
ADULT:	0.00E+00	0.00E+00	
TEEN:	0.00E+00	0.00E+00	
CHILD:	0.00E+00	0.00E+00	
INFANT:	0.00E+00	0.00E+00	

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T.	BODY	SKIN
ADULT:	0.00E+00	0.00E+00	
TEEN:	0.00E+00	0.00E+00	
CHILD:	0.00E+00	0.00E+00	
INFANT:	0.00E+00	0.00E+00	

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T.	BODY	SKIN
ADULT:	0.00E+00	0.00E+00	
TEEN:	0.00E+00	0.00E+00	
CHILD:	0.00E+00	0.00E+00	
INFANT:	0.00E+00	0.00E+00	

Table B4-7a Continued

INDIVIDUAL DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : CR51

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	4.54E-08	1.14E-05	0.00E+00	0.00E+00	1.00E-08	2.71E-08	6.02E-08
TEEN:	4.68E-08	7.86E-06	0.00E+00	0.00E+00	1.03E-08	2.60E-08	6.68E-08
CHILD:	4.99E-08	2.65E-06	0.00E+00	0.00E+00	7.57E-09	2.77E-08	5.06E-08
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	4.53E-09	1.14E-06	0.00E+00	0.00E+00	9.99E-10	2.71E-09	6.02E-09
TEEN:	4.67E-09	7.85E-07	0.00E+00	0.00E+00	1.02E-09	2.60E-09	6.67E-09
CHILD:	4.98E-09	2.64E-07	0.00E+00	0.00E+00	7.56E-10	2.77E-09	5.05E-09
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	4.59E-11	1.15E-08	0.00E+00	0.00E+00	1.01E-11	2.74E-11	6.09E-11
TEEN:	4.73E-11	7.95E-09	0.00E+00	0.00E+00	1.04E-11	2.63E-11	6.76E-11
CHILD:	5.04E-11	2.68E-09	0.00E+00	0.00E+00	7.65E-12	2.80E-11	5.11E-11
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	5.40E-09	1.36E-06	0.00E+00	0.00E+00	1.19E-09	3.23E-09	7.16E-09
TEEN:	5.55E-09	9.33E-07	0.00E+00	0.00E+00	1.22E-09	3.08E-09	7.92E-09
CHILD:	6.14E-09	3.26E-07	0.00E+00	0.00E+00	9.31E-10	3.41E-09	6.22E-09
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	5.46E-11	1.37E-08	0.00E+00	0.00E+00	1.20E-11	3.27E-11	7.25E-11
TEEN:	5.62E-11	9.44E-09	0.00E+00	0.00E+00	1.23E-11	3.12E-11	8.02E-11
CHILD:	6.21E-11	3.30E-09	0.00E+00	0.00E+00	9.43E-12	3.45E-11	6.30E-11
INFANT:	0.00E+00						

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T. BODY	SKIN
ADULT:	6.11E-09	7.22E-09
TEEN:	3.41E-08	4.03E-08
CHILD:	7.12E-09	8.42E-09
INFANT:	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T. BODY	SKIN
ADULT:	3.05E-10	3.60E-10
TEEN:	1.70E-09	2.01E-09
CHILD:	3.56E-10	4.20E-10
INFANT:	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T. BODY	SKIN
ADULT:	7.72E-12	9.12E-12
TEEN:	4.31E-11	5.09E-11
CHILD:	9.00E-12	1.06E-11
INFANT:	0.00E+00	0.00E+00

Table B4-7a Continued

INDIVIDUAL DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : MN54

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	4.41E-04	7.08E-03	0.00E+00	2.31E-03	6.88E-04	0.00E+00	0.00E+00	
TEEN:	4.51E-04	4.66E-03	0.00E+00	2.27E-03	6.78E-04	0.00E+00	0.00E+00	
CHILD:	4.74E-04	1.49E-03	0.00E+00	1.78E-03	4.99E-04	0.00E+00	0.00E+00	
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	3.03E-05	4.86E-04	0.00E+00	1.59E-04	4.72E-05	0.00E+00	0.00E+00	
TEEN:	3.10E-05	3.20E-04	0.00E+00	1.56E-04	4.66E-05	0.00E+00	0.00E+00	
CHILD:	3.25E-05	1.02E-04	0.00E+00	1.22E-04	3.42E-05	0.00E+00	0.00E+00	
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	3.07E-07	4.92E-06	0.00E+00	1.61E-06	4.78E-07	0.00E+00	0.00E+00	
TEEN:	3.13E-07	3.24E-06	0.00E+00	1.58E-06	4.72E-07	0.00E+00	0.00E+00	
CHILD:	3.29E-07	1.04E-06	0.00E+00	1.24E-06	3.47E-07	0.00E+00	0.00E+00	
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	5.24E-06	8.42E-05	0.00E+00	2.75E-05	8.18E-06	0.00E+00	0.00E+00	
TEEN:	5.35E-06	5.53E-05	0.00E+00	2.70E-05	8.05E-06	0.00E+00	0.00E+00	
CHILD:	5.83E-06	1.84E-05	0.00E+00	2.19E-05	6.14E-06	0.00E+00	0.00E+00	
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	5.31E-08	8.52E-07	0.00E+00	2.78E-07	8.28E-08	0.00E+00	0.00E+00	
TEEN:	5.41E-08	5.60E-07	0.00E+00	2.73E-07	8.14E-08	0.00E+00	0.00E+00	
CHILD:	5.90E-08	1.86E-07	0.00E+00	2.22E-07	6.21E-08	0.00E+00	0.00E+00	
INFANT:	0.00E+00							

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T.	BODY	SKIN
ADULT:	2.63E-05	3.08E-05	
TEEN:	1.47E-04	1.72E-04	
CHILD:	3.06E-05	3.59E-05	
INFANT:	0.00E+00	0.00E+00	

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T.	BODY	SKIN
ADULT:	1.31E-06	1.54E-06	
TEEN:	7.32E-06	8.58E-06	
CHILD:	1.53E-06	1.79E-06	
INFANT:	0.00E+00	0.00E+00	

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T.	BODY	SKIN
ADULT:	3.32E-08	3.89E-08	
TEEN:	1.85E-07	2.17E-07	
CHILD:	3.87E-08	4.54E-08	
INFANT:	0.00E+00	0.00E+00	

Table B4-7a Continued

INDIVIDUAL DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : MN56

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00							
TEEN:	0.00E+00							
CHILD:	0.00E+00							
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00							
TEEN:	0.00E+00							
CHILD:	0.00E+00							
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00							
TEEN:	0.00E+00							
CHILD:	0.00E+00							
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00							
TEEN:	0.00E+00							
CHILD:	0.00E+00							
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00							
TEEN:	0.00E+00							
CHILD:	0.00E+00							
INFANT:	0.00E+00							

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T.	BODY	SKIN
ADULT:	0.00E+00	0.00E+00	
TEEN:	0.00E+00	0.00E+00	
CHILD:	0.00E+00	0.00E+00	
INFANT:	0.00E+00	0.00E+00	

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T.	BODY	SKIN
ADULT:	0.00E+00	0.00E+00	
TEEN:	0.00E+00	0.00E+00	
CHILD:	0.00E+00	0.00E+00	
INFANT:	0.00E+00	0.00E+00	

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T.	BODY	SKIN
ADULT:	0.00E+00	0.00E+00	
TEEN:	0.00E+00	0.00E+00	
CHILD:	0.00E+00	0.00E+00	
INFANT:	0.00E+00	0.00E+00	

Table B4-7a Continued

INDIVIDUAL DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : FESS

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	1.57E-04	3.87E-04	9.76E-04	6.74E-04	0.00E+00	0.00E+00	3.76E-04
TEEN:	1.69E-04	3.14E-04	1.02E-03	7.24E-04	0.00E+00	0.00E+00	4.59E-04
CHILD:	2.20E-04	1.32E-04	1.34E-03	7.11E-04	0.00E+00	0.00E+00	4.02E-04
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	2.35E-04	5.79E-04	1.46E-03	1.01E-03	0.00E+00	0.00E+00	5.63E-04
TEEN:	2.53E-04	4.70E-04	1.53E-03	1.09E-03	0.00E+00	0.00E+00	6.88E-04
CHILD:	3.30E-04	1.97E-04	2.01E-03	1.07E-03	0.00E+00	0.00E+00	6.02E-04
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	2.38E-06	5.86E-06	1.48E-05	1.02E-05	0.00E+00	0.00E+00	5.70E-06
TEEN:	2.56E-06	4.75E-06	1.55E-05	1.10E-05	0.00E+00	0.00E+00	6.97E-06
CHILD:	3.34E-06	2.00E-06	2.03E-05	1.08E-05	0.00E+00	0.00E+00	6.10E-06
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	3.74E-04	9.19E-04	2.32E-03	1.60E-03	0.00E+00	0.00E+00	8.94E-04
TEEN:	4.01E-04	7.44E-04	2.42E-03	1.72E-03	0.00E+00	0.00E+00	1.09E-03
CHILD:	5.42E-04	3.24E-04	3.30E-03	1.75E-03	0.00E+00	0.00E+00	9.89E-04
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	3.78E-06	9.31E-06	2.35E-05	1.62E-05	0.00E+00	0.00E+00	9.05E-06
TEEN:	4.06E-06	7.53E-06	2.45E-05	1.74E-05	0.00E+00	0.00E+00	1.10E-05
CHILD:	5.49E-06	3.28E-06	3.34E-05	1.77E-05	0.00E+00	0.00E+00	1.00E-05
INFANT:	0.00E+00						

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T. BODY	SKIN
ADULT:	0.00E+00	0.00E+00
TEEN:	0.00E+00	0.00E+00
CHILD:	0.00E+00	0.00E+00
INFANT:	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T. BODY	SKIN
ADULT:	0.00E+00	0.00E+00
TEEN:	0.00E+00	0.00E+00
CHILD:	0.00E+00	0.00E+00
INFANT:	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T. BODY	SKIN
ADULT:	0.00E+00	0.00E+00
TEEN:	0.00E+00	0.00E+00
CHILD:	0.00E+00	0.00E+00
INFANT:	0.00E+00	0.00E+00

Table B4-7a Continued

INDIVIDUAL DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : FE59

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	6.15E-05	5.35E-04	6.83E-05	1.60E-04	0.00E+00	0.00E+00	4.48E-05
TEEN:	6.34E-05	3.88E-04	7.04E-05	1.64E-04	0.00E+00	0.00E+00	5.18E-05
CHILD:	6.88E-05	1.44E-04	8.53E-05	1.38E-04	0.00E+00	0.00E+00	4.00E-05
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	9.22E-05	8.01E-04	1.02E-04	2.40E-04	0.00E+00	0.00E+00	6.72E-05
TEEN:	1.50E-05	5.82E-04	1.05E-04	2.46E-04	0.00E+00	0.00E+00	7.76E-05
CHILD:	1.03E-04	2.15E-04	1.28E-04	2.07E-04	0.00E+00	0.00E+00	5.99E-05
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	9.33E-07	8.11E-06	1.04E-06	2.43E-06	0.00E+00	0.00E+00	6.80E-07
TEEN:	9.62E-07	5.89E-06	1.07E-06	2.49E-06	0.00E+00	0.00E+00	7.85E-07
CHILD:	1.04E-06	2.18E-06	1.29E-06	2.09E-06	0.00E+00	0.00E+00	6.07E-07
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	1.46E-04	1.27E-03	1.62E-04	3.82E-04	0.00E+00	0.00E+00	1.07E-04
TEEN:	1.50E-04	9.21E-04	1.67E-04	3.90E-04	0.00E+00	0.00E+00	1.23E-04
CHILD:	1.69E-04	3.54E-04	2.10E-04	3.40E-04	0.00E+00	0.00E+00	9.85E-05
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	1.48E-06	1.29E-05	1.64E-06	3.86E-06	0.00E+00	0.00E+00	1.08E-06
TEEN:	1.52E-06	9.33E-06	1.69E-06	3.94E-06	0.00E+00	0.00E+00	1.24E-06
CHILD:	1.71E-06	3.56E-06	2.12E-06	3.44E-06	0.00E+00	0.00E+00	9.97E-07
INFANT:	0.00E+00						

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T. BODY	SKIN
ADULT:	6.52E-07	7.66E-07
TEEN:	3.64E-06	4.28E-06
CHILD:	7.61E-07	8.94E-07
INFANT:	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T. BODY	SKIN
ADULT:	3.26E-08	3.83E-08
TEEN:	1.82E-07	2.14E-07
CHILD:	3.80E-08	4.46E-08
INFANT:	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T. BODY	SKIN
ADULT:	8.24E-10	9.68E-10
TEEN:	4.60E-09	5.41E-09
CHILD:	9.62E-10	1.13E-09
INFANT:	0.00E+00	0.00E+00

Table B4-7a Continued

INDIVIDUAL DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : CO58

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	2.26E-05	2.04E-04	0.00E+00	1.01E-05	0.00E+00	0.00E+00	0.00E+00
TEEN:	2.31E-05	1.38E-04	0.00E+00	1.00E-05	0.00E+00	0.00E+00	0.00E+00
CHILD:	2.45E-05	4.66E-05	0.00E+00	7.99E-06	0.00E+00	0.00E+00	0.00E+00
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	2.25E-06	2.04E-05	0.00E+00	1.01E-06	0.00E+00	0.00E+00	0.00E+00
TEEN:	2.30E-06	1.38E-05	0.00E+00	9.99E-07	0.00E+00	0.00E+00	0.00E+00
CHILD:	2.44E-06	4.66E-06	0.00E+00	7.98E-07	0.00E+00	0.00E+00	0.00E+00
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	2.28E-08	2.06E-07	0.00E+00	1.02E-08	0.00E+00	0.00E+00	0.00E+00
TEEN:	2.33E-08	1.39E-07	0.00E+00	1.01E-08	0.00E+00	0.00E+00	0.00E+00
CHILD:	2.47E-08	4.71E-08	0.00E+00	8.08E-09	0.00E+00	0.00E+00	0.00E+00
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	5.37E-06	4.85E-05	0.00E+00	2.39E-06	0.00E+00	0.00E+00	0.00E+00
TEEN:	5.47E-06	3.27E-05	0.00E+00	2.37E-06	0.00E+00	0.00E+00	0.00E+00
CHILD:	6.02E-06	1.15E-05	0.00E+00	1.97E-06	0.00E+00	0.00E+00	0.00E+00
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	5.43E-08	4.91E-07	0.00E+00	2.42E-08	0.00E+00	0.00E+00	0.00E+00
TEEN:	5.54E-08	3.31E-07	0.00E+00	2.40E-08	0.00E+00	0.00E+00	0.00E+00
CHILD:	6.09E-08	1.16E-07	0.00E+00	1.99E-08	0.00E+00	0.00E+00	0.00E+00
INFANT:	0.00E+00						

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T. BODY	SKIN
ADULT:	1.55E-06	1.81E-06
TEEN:	8.63E-06	1.01E-05
CHILD:	1.80E-06	2.11E-06
INFANT:	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T. BODY	SKIN
ADULT:	7.72E-08	9.04E-08
TEEN:	4.31E-07	5.05E-07
CHILD:	9.00E-08	1.05E-07
INFANT:	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T. BODY	SKIN
ADULT:	1.95E-09	2.29E-09
TEEN:	1.09E-08	1.28E-08
CHILD:	2.28E-09	2.67E-09
INFANT:	0.00E+00	0.00E+00

Table B4-7a Continued

INDIVIDUAL DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : CO60

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	1.39E-03	1.18E-02	0.00E+00	6.30E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00
TEEN:	1.42E-03	8.21E-03	0.00E+00	6.31E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CHILD:	1.51E-03	2.84E-03	0.00E+00	5.12E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	1.39E-04	1.18E-03	0.00E+00	6.30E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00
TEEN:	1.42E-04	8.20E-04	0.00E+00	6.30E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CHILD:	1.51E-04	2.83E-04	0.00E+00	5.11E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	1.41E-06	1.20E-05	0.00E+00	6.37E-07	0.00E+00	0.00E+00	0.00E+00	0.00E+00
TEEN:	1.44E-06	8.30E-06	0.00E+00	6.38E-07	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CHILD:	1.53E-06	2.87E-06	0.00E+00	5.18E-07	0.00E+00	0.00E+00	0.00E+00	0.00E+00
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	3.31E-04	2.82E-03	0.00E+00	1.50E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00
TEEN:	3.37E-04	1.95E-03	0.00E+00	1.50E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CHILD:	3.72E-04	6.98E-04	0.00E+00	1.26E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	3.35E-06	2.85E-05	0.00E+00	1.52E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00
TEEN:	3.41E-06	1.97E-05	0.00E+00	1.51E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CHILD:	3.76E-06	7.06E-06	0.00E+00	1.28E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00
INFANT:	0.00E+00							

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T.	BODY	SKIN
ADULT:	1.90E-03	2.23E-03	
TEEN:	1.06E-02	1.25E-02	
CHILD:	2.21E-03	2.60E-03	
INFANT:	0.00E+00	0.00E+00	

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T.	BODY	SKIN
ADULT:	9.48E-05	1.11E-04	
TEEN:	5.29E-04	6.22E-04	
CHILD:	1.11E-04	1.30E-04	
INFANT:	0.00E+00	0.00E+00	

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T.	BODY	SKIN
ADULT:	2.40E-06	2.82E-06	
TEEN:	1.34E-05	1.58E-05	
CHILD:	2.80E-06	3.29E-06	
INFANT:	0.00E+00	0.00E+00	

Table B4-7a Continued

INDIVIDUAL DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : NI63

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	7.31E-03	3.15E-03	2.18E-01	1.51E-02	0.00E+00	0.00E+00	0.00E+00
TEEN:	7.66E-03	2.54E-03	2.26E-01	1.60E-02	0.00E+00	0.00E+00	0.00E+00
CHILD:	1.01E-02	1.07E-03	2.96E-01	1.59E-02	0.00E+00	0.00E+00	0.00E+00
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	3.65E-04	1.57E-04	1.09E-02	7.54E-04	0.00E+00	0.00E+00	0.00E+00
TEEN:	3.82E-04	1.27E-04	1.13E-02	7.97E-04	0.00E+00	0.00E+00	0.00E+00
CHILD:	5.03E-04	5.33E-05	1.48E-02	7.92E-04	0.00E+00	0.00E+00	0.00E+00
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	3.69E-06	1.59E-06	1.10E-04	7.63E-06	0.00E+00	0.00E+00	0.00E+00
TEEN:	3.87E-06	1.28E-06	1.14E-04	8.07E-06	0.00E+00	0.00E+00	0.00E+00
CHILD:	5.09E-06	5.40E-07	1.50E-04	8.01E-06	0.00E+00	0.00E+00	0.00E+00
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	2.17E-04	9.36E-05	6.47E-03	4.49E-04	0.00E+00	0.00E+00	0.00E+00
TEEN:	2.27E-04	7.53E-05	6.70E-03	4.73E-04	0.00E+00	0.00E+00	0.00E+00
CHILD:	3.10E-04	3.28E-05	9.11E-03	4.88E-04	0.00E+00	0.00E+00	0.00E+00
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	2.20E-06	9.48E-07	6.55E-05	4.54E-06	0.00E+00	0.00E+00	0.00E+00
TEEN:	2.30E-06	7.62E-07	6.78E-05	4.79E-06	0.00E+00	0.00E+00	0.00E+00
CHILD:	3.14E-06	3.33E-07	9.22E-05	4.94E-06	0.00E+00	0.00E+00	0.00E+00
INFANT:	0.00E+00						

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T. BODY	SKIN
ADULT:	0.00E+00	0.00E+00
TEEN:	0.00E+00	0.00E+00
CHILD:	0.00E+00	0.00E+00
INFANT:	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T. BODY	SKIN
ADULT:	0.00E+00	0.00E+00
TEEN:	0.00E+00	0.00E+00
CHILD:	0.00E+00	0.00E+00
INFANT:	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T. BODY	SKIN
ADULT:	0.00E+00	0.00E+00
TEEN:	0.00E+00	0.00E+00
CHILD:	0.00E+00	0.00E+00
INFANT:	0.00E+00	0.00E+00

Table B4-7a Continued

INDIVIDUAL DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : NI65

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00							
TEEN:	0.00E+00							
CHILD:	0.00E+00							
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00							
TEEN:	0.00E+00							
CHILD:	0.00E+00							
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00							
TEEN:	0.00E+00							
CHILD:	0.00E+00							
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00							
TEEN:	0.00E+00							
CHILD:	0.00E+00							
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00							
TEEN:	0.00E+00							
CHILD:	0.00E+00							
INFANT:	0.00E+00							

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T.	BODY	SKIN
ADULT:	0.00E+00	0.00E+00	
TEEN:	0.00E+00	0.00E+00	
CHILD:	0.00E+00	0.00E+00	
INFANT:	0.00E+00	0.00E+00	

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T.	BODY	SKIN
ADULT:	0.00E+00	0.00E+00	
TEEN:	0.00E+00	0.00E+00	
CHILD:	0.00E+00	0.00E+00	
INFANT:	0.00E+00	0.00E+00	

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T.	BODY	SKIN
ADULT:	0.00E+00	0.00E+00	
TEEN:	0.00E+00	0.00E+00	
CHILD:	0.00E+00	0.00E+00	
INFANT:	0.00E+00	0.00E+00	

Table B4-7a Continued

INDIVIDUAL DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : CU64

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	1.35E-17	2.45E-15	0.00E+00	2.88E-17	7.26E-17	0.00E+00	0.00E+00
TEEN:	1.43E-17	2.35E-15	0.00E+00	3.03E-17	7.67E-17	0.00E+00	0.00E+00
CHILD:	1.68E-17	1.31E-15	0.00E+00	2.78E-17	6.73E-17	0.00E+00	0.00E+00
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	9.05E-18	1.64E-15	0.00E+00	1.93E-17	4.86E-17	0.00E+00	0.00E+00
TEEN:	9.54E-18	1.57E-15	0.00E+00	2.03E-17	5.13E-17	0.00E+00	0.00E+00
CHILD:	1.12E-17	8.74E-16	0.00E+00	1.86E-17	4.50E-17	0.00E+00	0.00E+00
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	9.16E-20	1.66E-17	0.00E+00	1.95E-19	4.92E-19	0.00E+00	0.00E+00
TEEN:	9.65E-20	1.59E-17	0.00E+00	2.05E-19	5.19E-19	0.00E+00	0.00E+00
CHILD:	1.14E-19	8.85E-18	0.00E+00	1.89E-19	4.56E-19	0.00E+00	0.00E+00
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	5.46E-18	9.92E-16	0.00E+00	1.16E-17	2.93E-17	0.00E+00	0.00E+00
TEEN:	5.75E-18	9.47E-16	0.00E+00	1.22E-17	3.09E-17	0.00E+00	0.00E+00
CHILD:	7.03E-18	5.46E-16	0.00E+00	1.16E-17	2.81E-17	0.00E+00	0.00E+00
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	5.53E-20	1.00E-17	0.00E+00	1.18E-19	2.97E-19	0.00E+00	0.00E+00
TEEN:	5.82E-20	9.59E-18	0.00E+00	1.24E-19	3.13E-19	0.00E+00	0.00E+00
CHILD:	7.12E-20	5.53E-18	0.00E+00	1.18E-19	2.85E-19	0.00E+00	0.00E+00
INFANT:	0.00E+00						

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T. BODY	SKIN
ADULT:	2.32E-19	2.63E-19
TEEN:	1.30E-18	1.47E-18
CHILD:	2.71E-19	3.07E-19
INFANT:	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T. BODY	SKIN
ADULT:	1.16E-20	1.32E-20
TEEN:	6.48E-20	7.35E-20
CHILD:	1.35E-20	1.53E-20
INFANT:	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T. BODY	SKIN
ADULT:	0.00E+00	0.00E+00
TEEN:	0.00E+00	0.00E+00
CHILD:	0.00E+00	0.00E+00
INFANT:	0.00E+00	0.00E+00

Table B4-7a Continued

INDIVIDUAL DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : ZN65

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	1.39E-02	1.93E-02	9.64E-03	3.07E-02	2.05E-02	0.00E+00	0.00E+00	
TEEN:	1.42E-02	1.29E-02	8.75E-03	3.04E-02	1.94E-02	0.00E+00	0.00E+00	
CHILD:	1.49E-02	4.20E-03	8.97E-03	2.39E-02	1.51E-02	0.00E+00	0.00E+00	
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	6.93E-04	9.65E-04	4.82E-04	1.53E-03	1.02E-03	0.00E+00	0.00E+00	
TEEN:	7.07E-04	6.42E-04	4.37E-04	1.52E-03	9.70E-04	0.00E+00	0.00E+00	
CHILD:	7.42E-04	2.10E-04	4.48E-04	1.19E-03	7.52E-04	0.00E+00	0.00E+00	
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	7.01E-06	9.77E-06	4.88E-06	1.55E-05	1.04E-05	0.00E+00	0.00E+00	
TEEN:	7.16E-06	6.50E-06	4.42E-06	1.53E-05	9.82E-06	0.00E+00	0.00E+00	
CHILD:	7.51E-06	2.12E-06	4.53E-06	1.21E-05	7.61E-06	0.00E+00	0.00E+00	
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	4.12E-03	5.75E-03	2.87E-03	9.12E-03	6.10E-03	0.00E+00	0.00E+00	
TEEN:	4.20E-03	3.81E-03	2.59E-03	9.00E-03	5.76E-03	0.00E+00	0.00E+00	
CHILD:	4.57E-03	1.29E-03	2.76E-03	7.35E-03	4.63E-03	0.00E+00	0.00E+00	
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	4.17E-05	5.82E-05	2.90E-05	9.23E-05	6.18E-05	0.00E+00	0.00E+00	
TEEN:	4.25E-05	3.86E-05	2.62E-05	9.11E-05	5.83E-05	0.00E+00	0.00E+00	
CHILD:	4.63E-05	1.31E-05	2.79E-05	7.44E-05	4.69E-05	0.00E+00	0.00E+00	
INFANT:	0.00E+00							

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T.	BODY	SKIN
ADULT:	1.12E-05	1.29E-05	
TEEN:	6.24E-05	7.18E-05	
CHILD:	1.30E-05	1.50E-05	
INFANT:	0.00E+00	0.00E+00	

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T.	BODY	SKIN
ADULT:	5.58E-07	6.42E-07	
TEEN:	3.12E-06	3.58E-06	
CHILD:	6.51E-07	7.49E-07	
INFANT:	0.00E+00	0.00E+00	

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T.	BODY	SKIN
ADULT:	1.41E-08	1.62E-08	
TEEN:	7.89E-08	9.07E-08	
CHILD:	1.65E-08	1.90E-08	
INFANT:	0.00E+00	0.00E+00	

Table B4-7a Continued

INDIVIDUAL DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : ZN69

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00							
TEEN:	0.00E+00							
CHILD:	0.00E+00							
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00							
TEEN:	0.00E+00							
CHILD:	0.00E+00							
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00							
TEEN:	0.00E+00							
CHILD:	0.00E+00							
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00							
TEEN:	0.00E+00							
CHILD:	0.00E+00							
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00							
TEEN:	0.00E+00							
CHILD:	0.00E+00							
INFANT:	0.00E+00							

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T.	BODY	SKIN
ADULT:	0.00E+00	0.00E+00	
TEEN:	0.00E+00	0.00E+00	
CHILD:	0.00E+00	0.00E+00	
INFANT:	0.00E+00	0.00E+00	

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T.	BODY	SKIN
ADULT:	0.00E+00	0.00E+00	
TEEN:	0.00E+00	0.00E+00	
CHILD:	0.00E+00	0.00E+00	
INFANT:	0.00E+00	0.00E+00	

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T.	BODY	SKIN
ADULT:	0.00E+00	0.00E+00	
TEEN:	0.00E+00	0.00E+00	
CHILD:	0.00E+00	0.00E+00	
INFANT:	0.00E+00	0.00E+00	

Table B4-7a Continued

INDIVIDUAL DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : BR83

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00						
TEEN:	0.00E+00						
CHILD:	0.00E+00						
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00						
TEEN:	0.00E+00						
CHILD:	0.00E+00						
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00						
TEEN:	0.00E+00						
CHILD:	0.00E+00						
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00						
TEEN:	0.00E+00						
CHILD:	0.00E+00						
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00						
TEEN:	0.00E+00						
CHILD:	0.00E+00						
INFANT:	0.00E+00						

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T. BODY	SKIN
ADULT:	0.00E+00	0.00E+00
TEEN:	0.00E+00	0.00E+00
CHILD:	0.00E+00	0.00E+00
INFANT:	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T. BODY	SKIN
ADULT:	0.00E+00	0.00E+00
TEEN:	0.00E+00	0.00E+00
CHILD:	0.00E+00	0.00E+00
INFANT:	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T. BODY	SKIN
ADULT:	0.00E+00	0.00E+00
TEEN:	0.00E+00	0.00E+00
CHILD:	0.00E+00	0.00E+00
INFANT:	0.00E+00	0.00E+00

Table B4-7a Continued

INDIVIDUAL DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : BR84

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00						
TEEN:	0.00E+00						
CHILD:	0.00E+00						
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00						
TEEN:	0.00E+00						
CHILD:	0.00E+00						
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00						
TEEN:	0.00E+00						
CHILD:	0.00E+00						
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00						
TEEN:	0.00E+00						
CHILD:	0.00E+00						
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00						
TEEN:	0.00E+00						
CHILD:	0.00E+00						
INFANT:	0.00E+00						

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T. BODY	SKIN
ADULT:	0.00E+00	0.00E+00
TEEN:	0.00E+00	0.00E+00
CHILD:	0.00E+00	0.00E+00
INFANT:	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T. BODY	SKIN
ADULT:	0.00E+00	0.00E+00
TEEN:	0.00E+00	0.00E+00
CHILD:	0.00E+00	0.00E+00
INFANT:	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T. BODY	SKIN
ADULT:	0.00E+00	0.00E+00
TEEN:	0.00E+00	0.00E+00
CHILD:	0.00E+00	0.00E+00
INFANT:	0.00E+00	0.00E+00

Table B4-7a Continued

INDIVIDUAL DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : BR85

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00							
TEEN:	0.00E+00							
CHILD:	0.00E+00							
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00							
TEEN:	0.00E+00							
CHILD:	0.00E+00							
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00							
TEEN:	0.00E+00							
CHILD:	0.00E+00							
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00							
TEEN:	0.00E+00							
CHILD:	0.00E+00							
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00							
TEEN:	0.00E+00							
CHILD:	0.00E+00							
INFANT:	0.00E+00							

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T.	BODY	SKIN
ADULT:	0.00E+00	0.00E+00	
TEEN:	0.00E+00	0.00E+00	
CHILD:	0.00E+00	0.00E+00	
INFANT:	0.00E+00	0.00E+00	

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T.	BODY	SKIN
ADULT:	0.00E+00	0.00E+00	
TEEN:	0.00E+00	0.00E+00	
CHILD:	0.00E+00	0.00E+00	
INFANT:	0.00E+00	0.00E+00	

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T.	BODY	SKIN
ADULT:	0.00E+00	0.00E+00	
TEEN:	0.00E+00	0.00E+00	
CHILD:	0.00E+00	0.00E+00	
INFANT:	0.00E+00	0.00E+00	

Table B4-7a Continued

INDIVIDUAL DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : RB86

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	9.39E-04	3.97E-04	0.00E+00	2.01E-03	0.00E+00	0.00E+00	0.00E+00	0.00E+00
TEEN:	1.02E-03	3.21E-04	0.00E+00	2.17E-03	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CHILD:	1.29E-03	1.35E-04	0.00E+00	2.10E-03	0.00E+00	0.00E+00	0.00E+00	0.00E+00
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	1.95E-07	8.23E-08	0.00E+00	4.18E-07	0.00E+00	0.00E+00	0.00E+00	0.00E+00
TEEN:	2.11E-07	6.65E-08	0.00E+00	4.49E-07	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CHILD:	2.68E-07	2.80E-08	0.00E+00	4.36E-07	0.00E+00	0.00E+00	0.00E+00	0.00E+00
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	1.97E-09	8.33E-10	0.00E+00	4.23E-09	0.00E+00	0.00E+00	0.00E+00	0.00E+00
TEEN:	2.14E-09	6.73E-10	0.00E+00	4.55E-09	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CHILD:	2.71E-09	2.84E-10	0.00E+00	4.41E-09	0.00E+00	0.00E+00	0.00E+00	0.00E+00
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	9.49E-08	4.01E-08	0.00E+00	2.04E-07	0.00E+00	0.00E+00	0.00E+00	0.00E+00
TEEN:	1.03E-07	3.23E-08	0.00E+00	2.19E-07	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CHILD:	1.35E-07	1.41E-08	0.00E+00	2.20E-07	0.00E+00	0.00E+00	0.00E+00	0.00E+00
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	9.60E-10	4.06E-10	0.00E+00	2.06E-09	0.00E+00	0.00E+00	0.00E+00	0.00E+00
TEEN:	1.04E-09	3.27E-10	0.00E+00	2.21E-09	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CHILD:	1.37E-09	1.43E-10	0.00E+00	2.23E-09	0.00E+00	0.00E+00	0.00E+00	0.00E+00
INFANT:	0.00E+00							

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T.	BODY	SKIN
ADULT:	6.65E-09	7.60E-09	
TEEN:	3.71E-08	4.24E-08	
CHILD:	7.76E-09	8.86E-09	
INFANT:	0.00E+00	0.00E+00	

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T.	BODY	SKIN
ADULT:	3.32E-10	3.79E-10	
TEEN:	1.85E-09	2.12E-09	
CHILD:	3.87E-10	4.43E-10	
INFANT:	0.00E+00	0.00E+00	

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T.	BODY	SKIN
ADULT:	8.40E-12	9.60E-12	
TEEN:	4.69E-11	5.36E-11	
CHILD:	9.80E-12	1.12E-11	
INFANT:	0.00E+00	0.00E+00	

Table B4-7a Continued

INDIVIDUAL DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : RB88

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00							
TEEN:	0.00E+00							
CHILD:	0.00E+00							
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00							
TEEN:	0.00E+00							
CHILD:	0.00E+00							
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00							
TEEN:	0.00E+00							
CHILD:	0.00E+00							
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00							
TEEN:	0.00E+00							
CHILD:	0.00E+00							
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00							
TEEN:	0.00E+00							
CHILD:	0.00E+00							
INFANT:	0.00E+00							

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T.	BODY	SKIN
ADULT:	0.00E+00	0.00E+00	
TEEN:	0.00E+00	0.00E+00	
CHILD:	0.00E+00	0.00E+00	
INFANT:	0.00E+00	0.00E+00	

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T.	BODY	SKIN
ADULT:	0.00E+00	0.00E+00	
TEEN:	0.00E+00	0.00E+00	
CHILD:	0.00E+00	0.00E+00	
INFANT:	0.00E+00	0.00E+00	

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T.	BODY	SKIN
ADULT:	0.00E+00	0.00E+00	
TEEN:	0.00E+00	0.00E+00	
CHILD:	0.00E+00	0.00E+00	
INFANT:	0.00E+00	0.00E+00	

Table B4-7a Continued

INDIVIDUAL DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : RB89

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00							
TEEN:	0.00E+00							
CHILD:	0.00E+00							
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00							
TEEN:	0.00E+00							
CHILD:	0.00E+00							
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00							
TEEN:	0.00E+00							
CHILD:	0.00E+00							
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00							
TEEN:	0.00E+00							
CHILD:	0.00E+00							
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00							
TEEN:	0.00E+00							
CHILD:	0.00E+00							
INFANT:	0.00E+00							

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T.	BODY	SKIN
ADULT:	0.00E+00	0.00E+00	
TEEN:	0.00E+00	0.00E+00	
CHILD:	0.00E+00	0.00E+00	
INFANT:	0.00E+00	0.00E+00	

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T.	BODY	SKIN
ADULT:	0.00E+00	0.00E+00	
TEEN:	0.00E+00	0.00E+00	
CHILD:	0.00E+00	0.00E+00	
INFANT:	0.00E+00	0.00E+00	

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T.	BODY	SKIN
ADULT:	0.00E+00	0.00E+00	
TEEN:	0.00E+00	0.00E+00	
CHILD:	0.00E+00	0.00E+00	
INFANT:	0.00E+00	0.00E+00	

Table B4-7a Continued

INDIVIDUAL DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : SR89

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	4.85E-05	2.71E-04	1.69E-03	0.00E+00	0.00E+00	0.00E+00	0.00E+00
TEEN:	5.27E-05	2.19E-04	1.84E-03	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CHILD:	5.80E-05	9.22E-05	2.38E-03	0.00E+00	0.00E+00	0.00E+00	0.00E+00
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	1.62E-07	9.03E-07	5.63E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00
TEEN:	1.75E-07	7.30E-07	6.13E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CHILD:	2.26E-07	3.07E-07	7.93E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	1.64E-09	9.14E-09	5.70E-08	0.00E+00	0.00E+00	0.00E+00	0.00E+00
TEEN:	1.78E-09	7.39E-09	6.20E-08	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CHILD:	2.29E-09	3.11E-09	8.02E-08	0.00E+00	0.00E+00	0.00E+00	0.00E+00
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	3.85E-07	2.15E-06	1.34E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00
TEEN:	4.17E-07	1.73E-06	1.45E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CHILD:	5.58E-07	7.56E-07	1.95E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	3.89E-09	2.18E-08	1.36E-07	0.00E+00	0.00E+00	0.00E+00	0.00E+00
TEEN:	4.22E-09	1.75E-08	1.47E-07	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CHILD:	5.65E-09	7.65E-09	1.98E-07	0.00E+00	0.00E+00	0.00E+00	0.00E+00
INFANT:	0.00E+00						

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T. BODY	SKIN
ADULT:	6.00E-11	6.97E-11
TEEN:	3.35E-10	3.89E-10
CHILD:	7.01E-11	8.13E-11
INFANT:	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T. BODY	SKIN
ADULT:	3.00E-12	3.48E-12
TEEN:	1.67E-11	1.94E-11
CHILD:	3.50E-12	4.06E-12
INFANT:	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T. BODY	SKIN
ADULT:	7.59E-14	8.81E-14
TEEN:	4.24E-13	4.92E-13
CHILD:	8.85E-14	1.03E-13
INFANT:	0.00E+00	0.00E+00

Table B4-7a Continued

INDIVIDUAL DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : SR90

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	7.47E-01	8.79E-02	3.04E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
TEEN:	6.27E-01	7.13E-02	2.54E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CHILD:	5.69E-01	3.02E-02	2.24E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	2.49E-03	2.93E-04	1.01E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
TEEN:	2.09E-03	2.37E-04	8.45E-03	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CHILD:	1.89E-03	1.01E-04	7.47E-03	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	2.52E-05	2.96E-06	1.03E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
TEEN:	2.11E-05	2.40E-06	8.56E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CHILD:	1.92E-05	1.02E-06	7.56E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	5.92E-03	6.97E-04	1.41E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
TEEN:	4.96E-03	5.63E-04	2.01E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CHILD:	4.66E-03	2.48E-04	1.84E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	5.99E-05	7.05E-06	2.44E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
TEEN:	5.02E-05	5.70E-06	2.03E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CHILD:	4.72E-05	2.51E-06	1.86E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
INFANT:	0.00E+00							

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T.	BODY	SKIN
ADULT:	0.00E+00	0.00E+00	
TEEN:	0.00E+00	0.00E+00	
CHILD:	0.00E+00	0.00E+00	
INFANT:	0.00E+00	0.00E+00	

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T.	BODY	SKIN
ADULT:	0.00E+00	0.00E+00	
TEEN:	0.00E+00	0.00E+00	
CHILD:	0.00E+00	0.00E+00	
INFANT:	0.00E+00	0.00E+00	

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T.	BODY	SKIN
ADULT:	0.00E+00	0.00E+00	
TEEN:	0.00E+00	0.00E+00	
CHILD:	0.00E+00	0.00E+00	
INFANT:	0.00E+00	0.00E+00	

Table B4-7a Continued

INDIVIDUAL DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : SR91

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	4.72E-20	5.56E-18	1.17E-18	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
TEEN:	5.04E-20	5.75E-18	1.27E-18	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CHILD:	6.13E-20	3.59E-18	1.63E-18	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00	1.85E-20	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
TEEN:	0.00E+00	1.91E-20	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CHILD:	0.00E+00	1.19E-20	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00							
TEEN:	0.00E+00							
CHILD:	0.00E+00							
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00	4.41E-20	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
TEEN:	0.00E+00	4.54E-20	1.00E-20	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CHILD:	0.00E+00	2.94E-20	1.33E-20	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00							
TEEN:	0.00E+00							
CHILD:	0.00E+00							
INFANT:	0.00E+00							

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T.	BODY	SKIN
ADULT:	0.00E+00	0.00E+00	
TEEN:	0.00E+00	0.00E+00	
CHILD:	0.00E+00	0.00E+00	
INFANT:	0.00E+00	0.00E+00	

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T.	BODY	SKIN
ADULT:	0.00E+00	0.00E+00	
TEEN:	0.00E+00	0.00E+00	
CHILD:	0.00E+00	0.00E+00	
INFANT:	0.00E+00	0.00E+00	

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T.	BODY	SKIN
ADULT:	0.00E+00	0.00E+00	
TEEN:	0.00E+00	0.00E+00	
CHILD:	0.00E+00	0.00E+00	
INFANT:	0.00E+00	0.00E+00	

Table B4-7a Continued

INDIVIDUAL DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : SR92

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00							
TEEN:	0.00E+00							
CHILD:	0.00E+00							
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00							
TEEN:	0.00E+00							
CHILD:	0.00E+00							
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00							
TEEN:	0.00E+00							
CHILD:	0.00E+00							
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00							
TEEN:	0.00E+00							
CHILD:	0.00E+00							
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00							
TEEN:	0.00E+00							
CHILD:	0.00E+00							
INFANT:	0.00E+00							

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T.	BODY	SKIN
ADULT:	0.00E+00	0.00E+00	
TEEN:	0.00E+00	0.00E+00	
CHILD:	0.00E+00	0.00E+00	
INFANT:	0.00E+00	0.00E+00	

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T.	BODY	SKIN
ADULT:	0.00E+00	0.00E+00	
TEEN:	0.00E+00	0.00E+00	
CHILD:	0.00E+00	0.00E+00	
INFANT:	0.00E+00	0.00E+00	

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T.	BODY	SKIN
ADULT:	0.00E+00	0.00E+00	
TEEN:	0.00E+00	0.00E+00	
CHILD:	0.00E+00	0.00E+00	
INFANT:	0.00E+00	0.00E+00	

Table B4-7a Continued

INDIVIDUAL DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : Y90

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	1.59E-12	6.28E-07	5.92E-11	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
TEEN:	1.73E-12	5.30E-07	6.42E-11	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CHILD:	2.22E-12	2.37E-07	8.31E-11	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	7.93E-14	3.13E-08	2.96E-12	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
TEEN:	8.64E-14	2.65E-08	3.21E-12	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CHILD:	1.11E-13	1.18E-08	4.15E-12	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	8.03E-16	3.17E-10	2.99E-14	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
TEEN:	8.75E-16	2.68E-10	3.25E-14	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CHILD:	1.12E-15	1.20E-10	4.20E-14	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	7.55E-13	2.99E-07	2.82E-11	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
TEEN:	8.21E-13	2.51E-07	3.05E-11	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CHILD:	1.09E-12	1.16E-07	4.09E-11	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	7.64E-15	3.02E-09	2.85E-13	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
TEEN:	8.31E-15	2.54E-09	3.09E-13	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CHILD:	1.11E-14	1.18E-09	4.14E-13	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
INFANT:	0.00E+00							

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T.	BODY	SKIN
ADULT:	2.15E-14	2.54E-14	
TEEN:	1.20E-13	1.42E-13	
CHILD:	2.50E-14	2.96E-14	
INFANT:	0.00E+00	0.00E+00	

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T.	BODY	SKIN
ADULT:	1.07E-15	1.27E-15	
TEEN:	5.98E-15	7.07E-15	
CHILD:	1.25E-15	1.48E-15	
INFANT:	0.00E+00	0.00E+00	

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T.	BODY	SKIN
ADULT:	2.71E-17	3.20E-17	
TEEN:	1.51E-16	1.79E-16	
CHILD:	3.16E-17	3.74E-17	
INFANT:	0.00E+00	0.00E+00	

Table B4-7a Continued

INDIVIDUAL DOSE FACTORS FOR LIQUID EFFLUENT -- FOR ISOTOPE : Y91M

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
TEEN:	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CHILD:	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
INFANT:	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
TEEN:	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CHILD:	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
INFANT:	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
TEEN:	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CHILD:	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
INFANT:	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
TEEN:	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CHILD:	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
INFANT:	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
TEEN:	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CHILD:	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
INFANT:	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T. BODY	SKIN
ADULT:	0.00E+00	0.00E+00
TEEN:	0.00E+00	0.00E+00
CHILD:	0.00E+00	0.00E+00
INFANT:	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T. BODY	SKIN
ADULT:	0.00E+00	0.00E+00
TEEN:	0.00E+00	0.00E+00
CHILD:	0.00E+00	0.00E+00
INFANT:	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T. BODY	SKIN
ADULT:	0.00E+00	0.00E+00
TEEN:	0.00E+00	0.00E+00
CHILD:	0.00E+00	0.00E+00
INFANT:	0.00E+00	0.00E+00

Table B4-7a Continued

INDIVIDUAL DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : Y91

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	2.05E-08	4.21E-04	7.65E-07	0.00E+00	0.00E+00	0.00E+00	0.00E+00
TEEN:	2.23E-08	3.41E-04	8.31E-07	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CHILD:	2.87E-08	1.43E-04	1.07E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	1.02E-09	2.10E-05	3.82E-08	0.00E+00	0.00E+00	0.00E+00	0.00E+00
TEEN:	1.11E-09	1.70E-05	4.15E-08	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CHILD:	1.43E-09	7.14E-06	5.36E-08	0.00E+00	0.00E+00	0.00E+00	0.00E+00
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	1.03E-11	2.13E-07	3.87E-10	0.00E+00	0.00E+00	0.00E+00	0.00E+00
TEEN:	1.13E-11	1.72E-07	4.20E-10	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CHILD:	1.45E-11	7.23E-08	5.43E-10	0.00E+00	0.00E+00	0.00E+00	0.00E+00
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	9.73E-09	2.00E-04	3.64E-07	0.00E+00	0.00E+00	0.00E+00	0.00E+00
TEEN:	1.06E-08	1.62E-04	3.94E-07	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CHILD:	1.41E-08	7.04E-05	5.28E-07	0.00E+00	0.00E+00	0.00E+00	0.00E+00
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	9.85E-11	2.03E-06	3.68E-09	0.00E+00	0.00E+00	0.00E+00	0.00E+00
TEEN:	1.07E-10	1.64E-06	3.99E-09	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CHILD:	1.43E-10	7.12E-07	5.35E-09	0.00E+00	0.00E+00	0.00E+00	0.00E+00
INFANT:	0.00E+00						

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T. BODY	SKIN
ADULT:	3.52E-09	3.96E-09
TEEN:	1.97E-08	2.21E-08
CHILD:	4.11E-09	4.62E-09
INFANT:	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T. BODY	SKIN
ADULT:	1.76E-10	1.98E-10
TEEN:	9.82E-10	1.10E-09
CHILD:	2.05E-10	2.31E-10
INFANT:	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T. BODY	SKIN
ADULT:	4.45E-12	5.01E-12
TEEN:	2.48E-11	2.80E-11
CHILD:	5.19E-12	5.84E-12
INFANT:	0.00E+00	0.00E+00

Table B4-7a Continued

INDIVIDUAL DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : Y92

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00							
TEEN:	0.00E+00							
CHILD:	0.00E+00							
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00							
TEEN:	0.00E+00							
CHILD:	0.00E+00							
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00							
TEEN:	0.00E+00							
CHILD:	0.00E+00							
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00							
TEEN:	0.00E+00							
CHILD:	0.00E+00							
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00							
TEEN:	0.00E+00							
CHILD:	0.00E+00							
INFANT:	0.00E+00							

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T.	BODY	SKIN
ADULT:	0.00E+00	0.00E+00	
TEEN:	0.00E+00	0.00E+00	
CHILD:	0.00E+00	0.00E+00	
INFANT:	0.00E+00	0.00E+00	

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T.	BODY	SKIN
ADULT:	0.00E+00	0.00E+00	
TEEN:	0.00E+00	0.00E+00	
CHILD:	0.00E+00	0.00E+00	
INFANT:	0.00E+00	0.00E+00	

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T.	BODY	SKIN
ADULT:	0.00E+00	0.00E+00	
TEEN:	0.00E+00	0.00E+00	
CHILD:	0.00E+00	0.00E+00	
INFANT:	0.00E+00	0.00E+00	

Table B4-7a Continued

INDIVIDUAL DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : Y93

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00	7.57E-17	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
TEEN:	0.00E+00	7.94E-17	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CHILD:	0.00E+00	4.98E-17	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00	3.78E-18	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
TEEN:	0.00E+00	3.96E-18	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CHILD:	0.00E+00	2.48E-18	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00	3.83E-20	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
TEEN:	0.00E+00	4.01E-20	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CHILD:	0.00E+00	2.52E-20	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00	3.60E-17	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
TEEN:	0.00E+00	3.77E-17	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CHILD:	0.00E+00	2.45E-17	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00	3.65E-19	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
TEEN:	0.00E+00	3.81E-19	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CHILD:	0.00E+00	2.48E-19	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
INFANT:	0.00E+00						

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T. BODY	SKIN
ADULT:	0.00E+00	0.00E+00
TEEN:	0.00E+00	0.00E+00
CHILD:	0.00E+00	0.00E+00
INFANT:	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T. BODY	SKIN
ADULT:	0.00E+00	0.00E+00
TEEN:	0.00E+00	0.00E+00
CHILD:	0.00E+00	0.00E+00
INFANT:	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T. BODY	SKIN
ADULT:	0.00E+00	0.00E+00
TEEN:	0.00E+00	0.00E+00
CHILD:	0.00E+00	0.00E+00
INFANT:	0.00E+00	0.00E+00

Table B4-7a Continued

INDIVIDUAL DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : ZR95

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	5.25E-09	2.46E-05	2.42E-08	7.76E-09	1.22E-08	0.00E+00	0.00E+00	0.00E+00
TEEN:	5.42E-09	1.82E-05	2.50E-08	7.88E-09	1.16E-08	0.00E+00	0.00E+00	0.00E+00
CHILD:	5.93E-09	6.95E-06	3.03E-08	6.67E-09	9.54E-09	0.00E+00	0.00E+00	0.00E+00
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	1.59E-08	7.44E-05	7.32E-08	2.35E-08	3.68E-08	0.00E+00	0.00E+00	0.00E+00
TEEN:	1.64E-08	5.50E-05	7.56E-08	2.38E-08	3.50E-08	0.00E+00	0.00E+00	0.00E+00
CHILD:	1.80E-08	2.10E-05	9.18E-08	2.02E-08	2.89E-08	0.00E+00	0.00E+00	0.00E+00
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	1.61E-10	7.53E-07	7.41E-10	2.38E-10	3.73E-10	0.00E+00	0.00E+00	0.00E+00
TEEN:	1.66E-10	5.57E-07	7.65E-10	2.41E-10	3.55E-10	0.00E+00	0.00E+00	0.00E+00
CHILD:	1.82E-10	2.13E-07	9.29E-10	2.04E-10	2.92E-10	0.00E+00	0.00E+00	0.00E+00
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	1.51E-09	7.09E-06	6.97E-09	2.24E-09	3.51E-09	0.00E+00	0.00E+00	0.00E+00
TEEN:	1.56E-09	5.23E-06	7.18E-09	2.27E-09	3.33E-09	0.00E+00	0.00E+00	0.00E+00
CHILD:	1.77E-09	2.07E-06	9.04E-09	1.99E-09	2.85E-09	0.00E+00	0.00E+00	0.00E+00
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	1.53E-11	7.17E-08	7.06E-11	2.26E-11	3.55E-11	0.00E+00	0.00E+00	0.00E+00
TEEN:	1.58E-11	5.29E-08	7.27E-11	2.29E-11	3.37E-11	0.00E+00	0.00E+00	0.00E+00
CHILD:	1.79E-11	2.10E-08	9.16E-11	2.01E-11	2.88E-11	0.00E+00	0.00E+00	0.00E+00
INFANT:	0.00E+00							

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T.	BODY	SKIN
ADULT:	8.92E-07	1.03E-06	
TEEN:	4.98E-06	5.78E-06	
CHILD:	1.04E-06	1.21E-06	
INFANT:	0.00E+00	0.00E+00	

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T.	BODY	SKIN
ADULT:	4.45E-08	5.17E-08	
TEEN:	2.49E-07	2.88E-07	
CHILD:	5.20E-08	6.03E-08	
INFANT:	0.00E+00	0.00E+00	

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T.	BODY	SKIN
ADULT:	1.13E-09	1.31E-09	
TEEN:	6.29E-09	7.30E-09	
CHILD:	1.31E-09	1.53E-09	
INFANT:	0.00E+00	0.00E+00	

Table B4-7a Continued

INDIVIDUAL DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : ZR97

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	6.30E-19	4.27E-13	6.83E-18	1.38E-18	2.08E-18	0.00E+00	0.00E+00	
TEEN:	6.69E-19	3.93E-13	7.34E-18	1.45E-18	2.20E-18	0.00E+00	0.00E+00	
CHILD:	7.96E-19	2.04E-13	9.33E-18	1.35E-18	1.94E-18	0.00E+00	0.00E+00	
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	1.91E-18	1.29E-12	2.07E-17	4.17E-18	6.30E-18	0.00E+00	0.00E+00	
TEEN:	2.02E-18	1.19E-12	2.22E-17	4.40E-18	6.66E-18	0.00E+00	0.00E+00	
CHILD:	2.41E-18	6.18E-13	2.82E-17	4.08E-18	5.86E-18	0.00E+00	0.00E+00	
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	1.93E-20	1.31E-14	2.09E-19	4.22E-20	6.38E-20	0.00E+00	0.00E+00	
TEEN:	2.05E-20	1.20E-14	2.25E-19	4.45E-20	6.75E-20	0.00E+00	0.00E+00	
CHILD:	2.44E-20	6.26E-15	2.86E-19	4.13E-20	5.93E-20	0.00E+00	0.00E+00	
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	1.82E-19	1.23E-13	1.97E-18	3.97E-19	6.00E-19	0.00E+00	0.00E+00	
TEEN:	1.92E-19	1.13E-13	2.11E-18	4.18E-19	6.33E-19	0.00E+00	0.00E+00	
CHILD:	2.37E-19	6.09E-14	2.78E-18	4.02E-19	5.78E-19	0.00E+00	0.00E+00	
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00	1.25E-15	1.99E-20	0.00E+00	0.00E+00	0.00E+00	0.00E+00	
TEEN:	0.00E+00	1.14E-15	2.14E-20	0.00E+00	0.00E+00	0.00E+00	0.00E+00	
CHILD:	0.00E+00	6.17E-16	2.82E-20	0.00E+00	0.00E+00	0.00E+00	0.00E+00	
INFANT:	0.00E+00							

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T.	BODY	SKIN
ADULT:	1.46E-16	1.70E-16	
TEEN:	8.15E-16	9.48E-16	
CHILD:	1.70E-16	1.98E-16	
INFANT:	0.00E+00	0.00E+00	

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T.	BODY	SKIN
ADULT:	7.28E-18	8.48E-18	
TEEN:	4.07E-17	4.73E-17	
CHILD:	8.50E-18	9.89E-18	
INFANT:	0.00E+00	0.00E+00	

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T.	BODY	SKIN
ADULT:	1.84E-19	2.15E-19	
TEEN:	1.03E-18	1.20E-18	
CHILD:	2.15E-19	2.50E-19	
INFANT:	0.00E+00	0.00E+00	

Table B4-7a Continued

INDIVIDUAL DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : NB95

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	6.50E-06	7.34E-02	2.17E-05	1.21E-05	1.20E-05	0.00E+00	0.00E+00	0.00E+00
TEEN:	6.69E-06	5.19E-02	2.19E-05	1.21E-05	1.18E-05	0.00E+00	0.00E+00	0.00E+00
CHILD:	7.19E-06	1.86E-02	2.58E-05	1.01E-05	9.45E-06	0.00E+00	0.00E+00	0.00E+00
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	3.25E-07	3.67E-03	1.09E-06	6.04E-07	5.97E-07	0.00E+00	0.00E+00	0.00E+00
TEEN:	3.34E-07	2.59E-03	1.09E-06	6.07E-07	5.88E-07	0.00E+00	0.00E+00	0.00E+00
CHILD:	3.59E-07	9.29E-04	1.29E-06	5.03E-07	4.72E-07	0.00E+00	0.00E+00	0.00E+00
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	3.29E-09	3.71E-05	1.10E-08	6.12E-09	6.04E-09	0.00E+00	0.00E+00	0.00E+00
TEEN:	3.38E-09	2.63E-05	1.11E-08	6.14E-09	5.95E-09	0.00E+00	0.00E+00	0.00E+00
CHILD:	3.64E-09	9.41E-06	1.31E-08	5.09E-09	4.78E-09	0.00E+00	0.00E+00	0.00E+00
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	2.58E-10	2.91E-06	8.62E-10	4.79E-10	4.74E-10	0.00E+00	0.00E+00	0.00E+00
TEEN:	2.64E-10	2.05E-06	8.66E-10	4.80E-10	4.65E-10	0.00E+00	0.00E+00	0.00E+00
CHILD:	2.95E-10	7.63E-07	1.06E-09	4.13E-10	3.88E-10	0.00E+00	0.00E+00	0.00E+00
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	2.61E-12	2.95E-08	8.72E-12	4.85E-12	4.80E-12	0.00E+00	0.00E+00	0.00E+00
TEEN:	2.68E-12	2.08E-08	8.76E-12	4.86E-12	4.71E-12	0.00E+00	0.00E+00	0.00E+00
CHILD:	2.99E-12	7.73E-09	1.07E-11	4.18E-12	3.92E-12	0.00E+00	0.00E+00	0.00E+00
INFANT:	0.00E+00							

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T.	BODY	SKIN
ADULT:	2.43E-07	2.86E-07	
TEEN:	1.36E-06	1.60E-06	
CHILD:	2.84E-07	3.34E-07	
INFANT:	0.00E+00	0.00E+00	

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T.	BODY	SKIN
ADULT:	1.22E-08	1.43E-08	
TEEN:	6.79E-08	7.98E-08	
CHILD:	1.42E-08	1.67E-08	
INFANT:	0.00E+00	0.00E+00	

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T.	BODY	SKIN
ADULT:	3.08E-10	3.62E-10	
TEEN:	1.72E-09	2.02E-09	
CHILD:	3.59E-10	4.22E-10	
INFANT:	0.00E+00	0.00E+00	

Table B4-7a Continued

INDIVIDUAL DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : MO99

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	2.31E-09	2.82E-08	0.00E+00	1.22E-08	2.75E-08	0.00E+00	0.00E+00
TEEN:	2.47E-09	2.32E-08	0.00E+00	1.30E-08	2.97E-08	0.00E+00	0.00E+00
CHILD:	3.05E-09	1.02E-08	0.00E+00	1.23E-08	2.63E-08	0.00E+00	0.00E+00
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	1.16E-10	1.41E-09	0.00E+00	6.07E-10	1.37E-09	0.00E+00	0.00E+00
TEEN:	1.23E-10	1.16E-09	0.00E+00	6.47E-10	1.48E-09	0.00E+00	0.00E+00
CHILD:	1.52E-10	5.09E-10	0.00E+00	6.16E-10	1.31E-09	0.00E+00	0.00E+00
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	1.17E-12	1.42E-11	0.00E+00	6.15E-12	1.39E-11	0.00E+00	0.00E+00
TEEN:	1.25E-12	1.17E-11	0.00E+00	6.55E-12	1.50E-11	0.00E+00	0.00E+00
CHILD:	1.54E-12	5.15E-12	0.00E+00	6.23E-12	1.33E-11	0.00E+00	0.00E+00
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	2.75E-11	3.35E-10	0.00E+00	1.45E-10	3.27E-10	0.00E+00	0.00E+00
TEEN:	2.93E-11	2.75E-10	0.00E+00	1.54E-10	3.52E-10	0.00E+00	0.00E+00
CHILD:	3.75E-11	1.25E-10	0.00E+00	1.52E-10	3.24E-10	0.00E+00	0.00E+00
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	2.78E-13	3.39E-12	0.00E+00	1.46E-12	3.31E-12	0.00E+00	0.00E+00
TEEN:	2.97E-13	2.79E-12	0.00E+00	1.55E-12	3.56E-12	0.00E+00	0.00E+00
CHILD:	3.80E-13	1.27E-12	0.00E+00	1.54E-12	3.28E-12	0.00E+00	0.00E+00
INFANT:	0.00E+00						

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T. BODY	SKIN
ADULT:	2.17E-11	2.51E-11
TEEN:	1.21E-10	1.40E-10
CHILD:	2.53E-11	2.93E-11
INFANT:	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T. BODY	SKIN
ADULT:	1.08E-12	1.25E-12
TEEN:	6.04E-12	7.00E-12
CHILD:	1.26E-12	1.46E-12
INFANT:	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T. BODY	SKIN
ADULT:	2.74E-14	3.17E-14
TEEN:	1.53E-13	1.77E-13
CHILD:	3.20E-14	3.70E-14
INFANT:	0.00E+00	0.00E+00

Table B4-7a Continued

INDIVIDUAL DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : TC99M

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00							
TEEN:	0.00E+00							
CHILD:	0.00E+00							
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00							
TEEN:	0.00E+00							
CHILD:	0.00E+00							
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00							
TEEN:	0.00E+00							
CHILD:	0.00E+00							
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00							
TEEN:	0.00E+00							
CHILD:	0.00E+00							
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THY	JID	LUNG
ADULT:	0.00E+00								
TEEN:	0.00E+00								
CHILD:	0.00E+00								
INFANT:	0.00E+00								

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T.	BODY	SKIN
ADULT:	0.00E+00	0.00E+00	
TEEN:	0.00E+00	0.00E+00	
CHILD:	0.00E+00	0.00E+00	
INFANT:	0.00E+00	0.00E+00	

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T.	BODY	SKIN
ADULT:	0.00E+00	0.00E+00	
TEEN:	0.00E+00	0.00E+00	
CHILD:	0.00E+00	0.00E+00	
INFANT:	0.00E+00	0.00E+00	

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T.	BODY	SKIN
ADULT:	0.00E+00	0.00E+00	
TEEN:	0.00E+00	0.00E+00	
CHILD:	0.00E+00	0.00E+00	
INFANT:	0.00E+00	0.00E+00	

Table B4-7a Continued

INDIVIDUAL DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : TC101

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00							
TEEN:	0.00E+00							
CHILD:	0.00E+00							
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00							
TEEN:	0.00E+00							
CHILD:	0.00E+00							
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00							
TEEN:	0.00E+00							
CHILD:	0.00E+00							
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00							
TEEN:	0.00E+00							
CHILD:	0.00E+00							
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00							
TEEN:	0.00E+00							
CHILD:	0.00E+00							
INFANT:	0.00E+00							

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T.	BODY	SKIN
ADULT:	0.00E+00	0.00E+00	
TEEN:	0.00E+00	0.00E+00	
CHILD:	0.00E+00	0.00E+00	
INFANT:	0.00E+00	0.00E+00	

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T.	BODY	SKIN
ADULT:	0.00E+00	0.00E+00	
TEEN:	0.00E+00	0.00E+00	
CHILD:	0.00E+00	0.00E+00	
INFANT:	0.00E+00	0.00E+00	

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T.	BODY	SKIN
ADULT:	0.00E+00	0.00E+00	
TEEN:	0.00E+00	0.00E+00	
CHILD:	0.00E+00	0.00E+00	
INFANT:	0.00E+00	0.00E+00	

Table B4-7a Continued

INDIVIDUAL DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : RU103

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	1.07E-07	2.91E-05	2.49E-07	0.00E+00	9.50E-07	0.00E+00	0.00E+00	0.00E+00
TEEN:	1.12E-07	2.18E-05	2.61E-07	0.00E+00	9.22E-07	0.00E+00	0.00E+00	0.00E+00
CHILD:	1.24E-07	8.36E-06	3.23E-07	0.00E+00	8.14E-07	0.00E+00	0.00E+00	0.00E+00
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	1.61E-09	4.35E-07	3.73E-09	0.00E+00	1.42E-08	0.00E+00	0.00E+00	0.00E+00
TEEN:	1.67E-09	3.27E-07	3.92E-09	0.00E+00	1.38E-08	0.00E+00	0.00E+00	0.00E+00
CHILD:	1.86E-09	1.25E-07	4.84E-09	0.00E+00	1.22E-08	0.00E+00	0.00E+00	0.00E+00
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	1.63E-11	4.41E-09	3.78E-11	0.00E+00	1.44E-10	0.00E+00	0.00E+00	0.00E+00
TEEN:	1.69E-11	3.31E-09	3.97E-11	0.00E+00	1.40E-10	0.00E+00	0.00E+00	0.00E+00
CHILD:	1.88E-11	1.27E-09	4.90E-11	0.00E+00	1.23E-10	0.00E+00	0.00E+00	0.00E+00
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	1.28E-07	3.46E-05	2.96E-07	0.00E+00	1.13E-06	0.00E+00	0.00E+00	0.00E+00
TEEN:	1.33E-07	2.59E-05	3.10E-07	0.00E+00	1.09E-06	0.00E+00	0.00E+00	0.00E+00
CHILD:	1.53E-07	1.03E-05	3.98E-07	0.00E+00	1.00E-06	0.00E+00	0.00E+00	0.00E+00
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	1.29E-09	3.50E-07	3.00E-09	0.00E+00	1.14E-08	0.00E+00	0.00E+00	0.00E+00
TEEN:	1.34E-09	2.62E-07	3.14E-09	0.00E+00	1.11E-08	0.00E+00	0.00E+00	0.00E+00
CHILD:	1.55E-09	1.04E-07	4.03E-09	0.00E+00	1.01E-08	0.00E+00	0.00E+00	0.00E+00
INFANT:	0.00E+00							

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T.	BODY	SKIN
ADULT:	2.22E-07	2.59E-07	
TEEN:	1.24E-06	1.44E-06	
CHILD:	2.59E-07	3.02E-07	
INFANT:	0.00E+00	0.00E+00	

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T.	BODY	SKIN
ADULT:	1.11E-08	1.29E-08	
TEEN:	6.18E-08	7.21E-08	
CHILD:	1.29E-08	1.51E-08	
INFANT:	0.00E+00	0.00E+00	

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T.	BODY	SKIN
ADULT:	2.80E-10	3.27E-10	
TEEN:	1.56E-09	1.83E-09	
CHILD:	3.27E-10	3.81E-10	
INFANT:	0.00E+00	0.00E+00	

Table B4-7a Continued

INDIVIDUAL DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : RU105

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00							
TEEN:	0.00E+00							
CHILD:	0.00E+00							
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00							
TEEN:	0.00E+00							
CHILD:	0.00E+00							
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00							
TEEN:	0.00E+00							
CHILD:	0.00E+00							
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00							
TEEN:	0.00E+00							
CHILD:	0.00E+00							
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00							
TEEN:	0.00E+00							
CHILD:	0.00E+00							
INFANT:	0.00E+00							

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T.	BODY	SKIN
ADULT:	0.00E+00	0.00E+00	
TEEN:	0.00E+00	0.00E+00	
CHILD:	0.00E+00	0.00E+00	
INFANT:	0.00E+00	0.00E+00	

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T.	BODY	SKIN
ADULT:	0.00E+00	0.00E+00	
TEEN:	0.00E+00	0.00E+00	
CHILD:	0.00E+00	0.00E+00	
INFANT:	0.00E+00	0.00E+00	

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T.	BODY	SKIN
ADULT:	0.00E+00	0.00E+00	
TEEN:	0.00E+00	0.00E+00	
CHILD:	0.00E+00	0.00E+00	
INFANT:	0.00E+00	0.00E+00	

Table B4-7a Continued

INDIVIDUAL DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : RU106

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	5.15E-06	2.63E-03	4.07E-05	0.00E+00	7.86E-05	0.00E+00	0.00E+00	
TEEN:	5.57E-06	2.12E-03	4.42E-05	0.00E+00	8.52E-05	0.00E+00	0.00E+00	
CHILD:	7.10E-06	8.85E-04	5.69E-05	0.00E+00	7.68E-05	0.00E+00	0.00E+00	
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	7.71E-08	3.95E-05	6.10E-07	0.00E+00	1.18E-06	0.00E+00	0.00E+00	
TEEN:	8.34E-08	3.18E-05	6.62E-07	0.00E+00	1.28E-06	0.00E+00	0.00E+00	
CHILD:	1.06E-07	1.33E-05	8.52E-07	0.00E+00	1.15E-06	0.00E+00	0.00E+00	
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	7.81E-10	3.99E-07	6.17E-09	0.00E+00	1.19E-08	0.00E+00	0.00E+00	
TEEN:	8.45E-10	3.21E-07	6.70E-09	0.00E+00	1.29E-08	0.00E+00	0.00E+00	
CHILD:	1.08E-09	1.34E-07	8.63E-09	0.00E+00	1.16E-08	0.00E+00	0.00E+00	
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	6.12E-06	3.13E-03	4.84E-05	0.00E+00	9.34E-05	0.00E+00	0.00E+00	
TEEN:	6.61E-06	2.51E-03	5.24E-05	0.00E+00	1.01E-04	0.00E+00	0.00E+00	
CHILD:	8.73E-06	1.09E-03	7.00E-05	0.00E+00	9.45E-05	0.00E+00	0.00E+00	
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	6.20E-08	3.17E-05	4.90E-07	0.00E+00	9.46E-07	0.00E+00	0.00E+00	
TEEN:	6.69E-08	2.54E-05	5.31E-07	0.00E+00	1.02E-06	0.00E+00	0.00E+00	
CHILD:	8.84E-08	1.10E-05	7.08E-07	0.00E+00	9.57E-07	0.00E+00	0.00E+00	
INFANT:	0.00E+00							

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T.	BODY	SKIN
ADULT:	9.36E-06	1.12E-05	
TEEN:	5.23E-05	6.27E-05	
CHILD:	1.09E-05	1.31E-05	
INFANT:	0.00E+00	0.00E+00	

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T.	BODY	SKIN
ADULT:	4.67E-07	5.61E-07	
TEEN:	2.61E-06	3.13E-06	
CHILD:	5.45E-07	6.54E-07	
INFANT:	0.00E+00	0.00E+00	

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T.	BODY	SKIN
ADULT:	1.18E-08	1.42E-08	
TEEN:	6.61E-08	7.93E-08	
CHILD:	1.38E-08	1.66E-08	
INFANT:	0.00E+00	0.00E+00	

Table B4-7a Continued

INDIVIDUAL DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : AG110M

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00						
TEEN:	0.00E+00						
CHILD:	0.00E+00						
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00						
TEEN:	0.00E+00						
CHILD:	0.00E+00						
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00						
TEEN:	0.00E+00						
CHILD:	0.00E+00						
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00						
TEEN:	0.00E+00						
CHILD:	0.00E+00						
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00						
TEEN:	0.00E+00						
CHILD:	0.00E+00						
INFANT:	0.00E+00						

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T. BODY	SKIN
ADULT:	5.29E-05	6.18E-05
TEEN:	2.96E-04	3.45E-04
CHILD:	6.18E-05	7.21E-05
INFANT:	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T. BODY	SKIN
ADULT:	2.64E-06	3.08E-06
TEEN:	1.48E-05	1.72E-05
CHILD:	3.08E-06	3.60E-06
INFANT:	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T. BODY	SKIN
ADULT:	6.69E-08	7.81E-08
TEEN:	3.74E-07	4.36E-07
CHILD:	7.81E-08	9.11E-08
INFANT:	0.00E+00	0.00E+00

Table B4-7a Continued

INDIVIDUAL DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : TE125M

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	3.09E-05	9.20E-04	2.30E-04	8.35E-05	9.37E-04	6.93E-05	0.00E+00
TEEN:	3.35E-05	7.40E-04	2.51E-04	9.04E-05	0.00E+00	7.01E-05	0.00E+00
CHILD:	4.29E-05	3.11E-04	3.22E-04	8.73E-05	0.00E+00	9.04E-05	0.00E+00
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	3.85E-08	1.15E-06	2.88E-07	1.04E-07	1.17E-06	8.65E-08	0.00E+00
TEEN:	4.19E-08	9.24E-07	3.13E-07	1.13E-07	0.00E+00	8.75E-08	0.00E+00
CHILD:	5.36E-08	3.88E-07	4.02E-07	1.09E-07	0.00E+00	1.13E-07	0.00E+00
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	3.90E-10	1.16E-08	2.91E-09	1.06E-09	1.18E-08	8.76E-10	0.00E+00
TEEN:	4.24E-10	9.36E-09	3.17E-09	1.14E-09	0.00E+00	8.86E-10	0.00E+00
CHILD:	5.43E-10	3.93E-09	4.07E-09	1.10E-09	0.00E+00	1.14E-09	0.00E+00
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	9.18E-08	2.74E-06	6.85E-07	2.48E-07	2.79E-06	2.06E-07	0.00E+00
TEEN:	9.95E-08	2.20E-06	7.44E-07	2.68E-07	0.00E+00	2.08E-07	0.00E+00
CHILD:	1.32E-07	9.56E-07	9.91E-07	2.69E-07	0.00E+00	2.78E-07	0.00E+00
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	9.29E-10	2.77E-08	6.93E-09	2.51E-09	2.82E-08	2.09E-09	0.00E+00
TEEN:	1.01E-09	2.22E-08	7.53E-09	2.71E-09	0.00E+00	2.10E-09	0.00E+00
CHILD:	1.34E-09	9.68E-09	1.00E-08	2.72E-09	0.00E+00	2.82E-09	0.00E+00
INFANT:	0.00E+00						

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T. BODY	SKIN
ADULT:	5.05E-09	6.92E-09
TEEN:	2.82E-08	3.86E-08
CHILD:	5.89E-09	8.08E-09
INFANT:	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T. BODY	SKIN
ADULT:	2.52E-10	3.46E-10
TEEN:	1.41E-09	1.93E-09
CHILD:	2.94E-10	4.03E-10
INFANT:	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T. BODY	SKIN
ADULT:	6.38E-12	8.75E-12
TEEN:	3.56E-11	4.88E-11
CHILD:	7.44E-12	1.02E-11
INFANT:	0.00E+00	0.00E+00

Table B4-7a Continued

INDIVIDUAL DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : TE127M

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	1.43E-04	3.94E-03	1.18E-03	4.20E-04	4.78E-03	3.00E-04	0.00E+00	
TEEN:	1.52E-04	3.19E-03	1.28E-03	4.54E-04	5.19E-03	3.04E-04	0.00E+00	
CHILD:	1.96E-04	1.34E-03	1.65E-03	4.44E-04	4.70E-03	3.94E-04	0.00E+00	
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	1.79E-07	4.92E-06	1.47E-06	5.25E-07	5.96E-06	3.75E-07	0.00E+00	
TEEN:	1.90E-07	3.98E-06	1.60E-06	5.67E-07	6.47E-06	3.80E-07	0.00E+00	
CHILD:	2.44E-07	1.67E-06	2.06E-06	5.54E-07	5.87E-06	4.92E-07	0.00E+00	
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	1.81E-09	4.98E-08	1.49E-08	5.31E-09	6.04E-08	3.80E-09	0.00E+00	
TEEN:	1.92E-09	4.03E-08	1.62E-08	5.74E-09	6.55E-08	3.85E-09	0.00E+00	
CHILD:	2.47E-09	1.69E-08	2.08E-08	5.61E-09	5.94E-08	4.98E-09	0.00E+00	
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	4.26E-07	1.17E-05	3.49E-06	1.25E-06	1.42E-05	8.93E-07	0.00E+00	
TEEN:	4.51E-07	9.45E-06	3.79E-06	1.35E-06	1.54E-05	9.02E-07	0.00E+00	
CHILD:	6.02E-07	4.11E-06	5.07E-06	1.37E-06	1.45E-05	1.21E-06	0.00E+00	
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	4.31E-09	1.19E-07	3.54E-08	1.26E-08	1.44E-07	9.04E-09	0.00E+00	
TEEN:	4.57E-09	9.57E-08	3.84E-08	1.36E-08	1.56E-07	9.13E-09	0.00E+00	
CHILD:	6.09E-09	4.15E-08	5.13E-08	1.38E-08	1.46E-07	1.23E-08	0.00E+00	
INFANT:	0.00E+00							

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T.	BODY	SKIN
ADULT:	5.99E-10	7.07E-10	
TEEN:	3.34E-09	3.95E-09	
CHILD:	6.98E-10	8.25E-10	
INFANT:	0.00E+00	0.00E+00	

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T.	BODY	SKIN
ADULT:	2.99E-11	3.53E-11	
TEEN:	1.67E-10	1.97E-10	
CHILD:	3.49E-11	4.12E-11	
INFANT:	0.00E+00	0.00E+00	

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T.	BODY	SKIN
ADULT:	7.57E-13	8.94E-13	
TEEN:	4.22E-12	4.99E-12	
CHILD:	8.83E-13	1.04E-12	
INFANT:	0.00E+00	0.00E+00	

Table B4-7a Continued

INDIVIDUAL DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : TE127

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	4.34E-20	1.58E-17	2.00E-19	7.20E-20	8.16E-19	1.48E-19	0.00E+00	
TEEN:	4.72E-20	1.69E-17	2.19E-19	7.77E-20	8.88E-19	1.51E-19	0.00E+00	
CHILD:	6.05E-20	1.10E-17	2.82E-19	7.60E-20	8.02E-19	1.95E-19	0.00E+00	
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00	1.97E-20	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
TEEN:	0.00E+00	2.11E-20	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CHILD:	0.00E+00	1.37E-20	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00							
TEEN:	0.00E+00							
CHILD:	0.00E+00							
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00	4.70E-20	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
TEEN:	0.00E+00	5.02E-20	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CHILD:	0.00E+00	3.39E-20	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00							
TEEN:	0.00E+00							
CHILD:	0.00E+00							
INFANT:	0.00E+00							

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T.	BODY	SKIN
ADULT:	0.00E+00	0.00E+00	
TEEN:	0.00E+00	0.00E+00	
CHILD:	0.00E+00	0.00E+00	
INFANT:	0.00E+00	0.00E+00	

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T.	BODY	SKIN
ADULT:	0.00E+00	0.00E+00	
TEEN:	0.00E+00	0.00E+00	
CHILD:	0.00E+00	0.00E+00	
INFANT:	0.00E+00	0.00E+00	

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T.	BODY	SKIN
ADULT:	0.00E+00	0.00E+00	
TEEN:	0.00E+00	0.00E+00	
CHILD:	0.00E+00	0.00E+00	
INFANT:	0.00E+00	0.00E+00	

Table B4-7a Continued

INDIVIDUAL DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : TE129M

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	8.00E-05	2.55E-03	5.05E-04	1.89E-04	2.11E-03	1.74E-04	0.00E+00
TEEN:	8.64E-05	2.05E-03	5.46E-04	2.03E-04	2.28E-03	1.76E-04	0.00E+00
CHILD:	1.09E-04	8.58E-04	7.04E-04	1.96E-04	2.07E-03	2.27E-04	0.00E+00
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	9.99E-08	3.18E-06	6.31E-07	2.35E-07	2.63E-06	2.17E-07	0.00E+00
TEEN:	1.08E-07	2.56E-06	6.82E-07	2.53E-07	2.85E-06	2.20E-07	0.00E+00
CHILD:	1.36E-07	1.07E-06	8.78E-07	2.45E-07	2.58E-06	2.83E-07	0.00E+00
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	1.01E-09	3.22E-08	6.39E-09	2.38E-09	2.67E-08	2.19E-09	0.00E+00
TEEN:	1.09E-09	2.59E-08	6.90E-09	2.56E-09	2.89E-08	2.23E-09	0.00E+00
CHILD:	1.38E-09	1.08E-08	8.89E-09	2.48E-09	2.61E-08	2.87E-09	0.00E+00
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	2.38E-07	7.57E-06	1.50E-06	5.61E-07	6.27E-06	5.16E-07	0.00E+00
TEEN:	2.56E-07	6.08E-06	1.62E-06	6.01E-07	6.77E-06	5.22E-07	0.00E+00
CHILD:	3.36E-07	2.64E-06	2.16E-06	6.04E-07	6.35E-06	6.98E-07	0.00E+00
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	2.41E-09	7.66E-08	1.52E-08	5.68E-09	6.35E-08	5.23E-09	0.00E+00
TEEN:	2.59E-09	6.15E-08	1.64E-08	6.08E-09	6.86E-08	5.29E-09	0.00E+00
CHILD:	3.40E-09	2.67E-08	2.19E-08	6.12E-09	6.43E-08	7.06E-09	0.00E+00
INFANT:	0.00E+00						

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T. BODY	SKIN
ADULT:	3.32E-08	3.88E-08
TEEN:	1.85E-07	2.16E-07
CHILD:	3.87E-08	4.52E-08
INFANT:	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T. BODY	SKIN
ADULT:	1.66E-09	1.94E-09
TEEN:	9.25E-09	1.08E-08
CHILD:	1.93E-09	2.26E-09
INFANT:	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T. BODY	SKIN
ADULT:	4.19E-11	4.90E-11
TEEN:	2.34E-10	2.73E-10
CHILD:	4.89E-11	5.71E-11
INFANT:	0.00E+00	0.00E+00

Table B4-7a Continued

INDIVIDUAL DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : TE129

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00						
TEEN:	0.00E+00						
CHILD:	0.00E+00						
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00						
TEEN:	0.00E+00						
CHILD:	0.00E+00						
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00						
TEEN:	0.00E+00						
CHILD:	0.00E+00						
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00						
TEEN:	0.00E+00						
CHILD:	0.00E+00						
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00						
TEEN:	0.00E+00						
CHILD:	0.00E+00						
INFANT:	0.00E+00						

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T. BODY	SKIN
ADULT:	0.00E+00	0.00E+00
TEEN:	0.00E+00	0.00E+00
CHILD:	0.00E+00	0.00E+00
INFANT:	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T. BODY	SKIN
ADULT:	0.00E+00	0.00E+00
TEEN:	0.00E+00	0.00E+00
CHILD:	0.00E+00	0.00E+00
INFANT:	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T. BODY	SKIN
ADULT:	0.00E+00	0.00E+00
TEEN:	0.00E+00	0.00E+00
CHILD:	0.00E+00	0.00E+00
INFANT:	0.00E+00	0.00E+00

Table B4-7a Continued

INDIVIDUAL DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : TE131M

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	3.88E-10	4.62E-08	9.51E-10	4.65E-10	4.71E-09	7.37E-10	0.00E+00	
TEEN:	4.09E-10	3.93E-08	1.02E-09	4.90E-10	5.11E-09	7.37E-10	0.00E+00	
CHILD:	4.79E-10	1.82E-08	1.30E-09	4.50E-10	4.35E-09	9.25E-10	0.00E+00	
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	4.84E-13	5.77E-11	1.19E-12	5.81E-13	5.88E-12	9.20E-13	0.00E+00	
TEEN:	5.10E-13	4.91E-11	1.28E-12	6.12E-13	6.38E-12	9.20E-13	0.00E+00	
CHILD:	5.98E-13	2.28E-11	1.62E-12	5.62E-13	5.44E-12	1.15E-12	0.00E+00	
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	4.90E-15	5.84E-13	1.20E-14	5.88E-15	5.96E-14	9.31E-15	0.00E+00	
TEEN:	5.17E-15	4.97E-13	1.29E-14	6.19E-15	6.46E-14	9.32E-15	0.00E+00	
CHILD:	6.05E-15	2.31E-13	1.64E-14	5.69E-15	5.50E-14	1.17E-14	0.00E+00	
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	1.15E-12	1.37E-10	2.83E-12	1.38E-12	1.40E-11	2.19E-12	0.00E+00	
TEEN:	1.71E-12	1.17E-10	3.03E-12	1.45E-12	1.52E-11	2.19E-12	0.00E+00	
CHILD:	1.47E-12	5.61E-11	4.00E-12	1.38E-12	1.34E-11	2.85E-12	0.00E+00	
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	1.17E-14	1.39E-12	2.86E-14	1.40E-14	1.42E-13	2.22E-14	0.00E+00	
TEEN:	1.23E-14	1.18E-12	3.07E-14	1.47E-14	1.53E-13	2.21E-14	0.00E+00	
CHILD:	1.49E-14	5.68E-13	4.05E-14	1.40E-14	1.36E-13	2.88E-14	0.00E+00	
INFANT:	0.00E+00							

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T.	BODY	SKIN
ADULT:	2.87E-13	3.39E-13	
TEEN:	1.60E-12	1.89E-12	
CHILD:	3.35E-13	3.95E-13	
INFANT:	0.00E+00	0.00E+00	

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T.	BODY	SKIN
ADULT:	1.43E-14	1.69E-14	
TEEN:	8.01E-14	9.44E-14	
CHILD:	1.67E-14	1.97E-14	
INFANT:	0.00E+00	0.00E+00	

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T.	BODY	SKIN
ADULT:	3.63E-16	4.28E-16	
TEEN:	2.03E-15	2.39E-15	
CHILD:	4.23E-16	4.99E-16	
INFANT:	0.00E+00	0.00E+00	

Table B4-7a Continued

INDIVIDUAL DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : TE131

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00							
TEEN:	0.00E+00							
CHILD:	0.00E+00							
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00							
TEEN:	0.00E+00							
CHILD:	0.00E+00							
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00							
TEEN:	0.00E+00							
CHILD:	0.00E+00							
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00							
TEEN:	0.00E+00							
CHILD:	0.00E+00							
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00							
TEEN:	0.00E+00							
CHILD:	0.00E+00							
INFANT:	0.00E+00							

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T.	BODY	SKIN
ADULT:	0.00E+00	0.00E+00	
TEEN:	0.00E+00	0.00E+00	
CHILD:	0.00E+00	0.00E+00	
INFANT:	0.00E+00	0.00E+00	

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T.	BODY	SKIN
ADULT:	0.00E+00	0.00E+00	
TEEN:	0.00E+00	0.00E+00	
CHILD:	0.00E+00	0.00E+00	
INFANT:	0.00E+00	0.00E+00	

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T.	BODY	SKIN
ADULT:	0.00E+00	0.00E+00	
TEEN:	0.00E+00	0.00E+00	
CHILD:	0.00E+00	0.00E+00	
INFANT:	0.00E+00	0.00E+00	

Table B4-7a Continued

INDIVIDUAL DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : TE132

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	3.69E-07	1.86E-05	6.08E-07	3.93E-07	3.79E-06	4.34E-07	0.00E+00	
TEEN:	3.82E-07	1.29E-05	6.42E-07	4.06E-07	3.90E-06	4.28E-07	0.00E+00	
CHILD:	4.28E-07	3.57E-06	8.01E-07	3.54E-07	3.29E-06	5.16E-07	0.00E+00	
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	4.61E-10	2.32E-08	7.59E-10	4.91E-10	4.73E-09	5.42E-10	0.00E+00	
TEEN:	4.77E-10	1.61E-08	8.01E-10	5.07E-10	4.87E-09	5.35E-10	0.00E+00	
CHILD:	5.34E-10	4.45E-09	1.00E-09	4.42E-10	4.11E-09	6.44E-10	0.00E+00	
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	4.67E-12	2.35E-10	7.68E-12	4.97E-12	4.79E-11	5.49E-12	0.00E+00	
TEEN:	4.83E-12	1.63E-10	8.11E-12	5.13E-12	4.93E-11	5.41E-12	0.00E+00	
CHILD:	5.41E-12	4.51E-11	1.01E-11	4.48E-12	4.16E-11	6.52E-12	0.00E+00	
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	1.10E-09	5.53E-08	1.81E-09	1.17E-09	1.13E-08	1.29E-09	0.00E+00	
TEEN:	1.13E-09	3.82E-08	1.90E-09	1.20E-09	1.16E-08	1.27E-09	0.00E+00	
CHILD:	1.32E-09	1.10E-08	2.46E-09	1.09E-09	1.01E-08	1.59E-09	0.00E+00	
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	1.11E-11	5.60E-10	1.83E-11	1.18E-11	1.14E-10	1.31E-11	0.00E+00	
TEEN:	1.15E-11	3.86E-10	1.93E-11	1.22E-11	1.17E-10	1.29E-11	0.00E+00	
CHILD:	1.33E-11	1.11E-10	2.49E-11	1.10E-11	1.02E-10	1.61E-11	0.00E+00	
INFANT:	0.00E+00							

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T.	BODY	SKIN
ADULT:	4.73E-11	5.56E-11	
TEEN:	2.64E-10	3.10E-10	
CHILD:	5.51E-11	6.49E-11	
INFANT:	0.00E+00	0.00E+00	

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T.	BODY	SKIN
ADULT:	2.36E-12	2.78E-12	
TEEN:	1.32E-11	1.55E-11	
CHILD:	2.75E-12	3.24E-12	
INFANT:	0.00E+00	0.00E+00	

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T.	BODY	SKIN
ADULT:	5.97E-14	7.03E-14	
TEEN:	3.33E-13	3.92E-13	
CHILD:	6.97E-14	8.20E-14	
INFANT:	0.00E+00	0.00E+00	

Table B4-7a Continued

INDIVIDUAL DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : I130

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	5.18E-17	1.13E-16	4.45E-17	1.31E-16	2.05E-16	1.11E-14	0.00E+00	
TEEN:	5.33E-17	1.03E-16	4.62E-17	1.34E-16	2.06E-16	1.09E-14	0.00E+00	
CHILD:	5.88E-17	5.33E-17	5.64E-17	1.14E-16	1.70E-16	1.26E-14	0.00E+00	
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	1.72E-18	3.76E-18	1.48E-18	4.37E-18	6.82E-18	3.70E-16	0.00E+00	
TEEN:	1.78E-18	3.42E-18	1.54E-18	4.45E-18	6.85E-18	3.63E-16	0.00E+00	
CHILD:	1.95E-18	1.78E-18	1.88E-18	3.80E-18	5.58E-18	4.18E-16	0.00E+00	
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	1.74E-20	3.81E-20	1.50E-20	4.42E-20	6.90E-20	3.75E-18	0.00E+00	
TEEN:	1.80E-20	3.46E-20	1.56E-20	4.50E-20	6.93E-20	3.67E-18	0.00E+00	
CHILD:	1.98E-20	1.80E-20	1.90E-20	3.84E-20	5.75E-20	4.23E-18	0.00E+00	
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	2.05E-18	4.48E-18	1.76E-18	5.20E-18	8.11E-18	4.41E-16	0.00E+00	
TEEN:	2.11E-18	4.06E-18	1.82E-18	5.28E-18	8.13E-18	4.31E-16	0.00E+00	
CHILD:	2.41E-18	2.19E-18	2.31E-18	4.68E-18	6.99E-18	5.15E-16	0.00E+00	
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	2.08E-20	4.53E-20	1.78E-20	5.26E-20	8.21E-20	4.46E-18	0.00E+00	
TEEN:	2.13E-20	4.11E-20	1.85E-20	5.35E-20	8.23E-20	4.36E-18	0.00E+00	
CHILD:	2.44E-20	2.21E-20	2.34E-20	4.73E-20	7.08E-20	5.22E-18	0.00E+00	
INFANT:	0.00E+00							

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T.	BODY	SKIN
ADULT:	1.24E-18	1.51E-18	
TEEN:	6.93E-18	8.42E-18	
CHILD:	1.45E-18	1.76E-18	
INFANT:	0.00E+00	0.00E+00	

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T.	BODY	SKIN
ADULT:	6.20E-20	7.53E-20	
TEEN:	3.46E-19	4.20E-19	
CHILD:	7.23E-20	8.78E-20	
INFANT:	0.00E+00	0.00E+00	

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T.	BODY	SKIN
ADULT:	0.00E+00	0.00E+00	
TEEN:	0.00E+00	1.06E-20	
CHILD:	0.00E+00	0.00E+00	
INFANT:	0.00E+00	0.00E+00	

Table B4-7a Continued

INDIVIDUAL DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : I131

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	5.07E-07	2.34E-07	6.19E-07	8.85E-07	1.52E-06	2.90E-04	0.00E+00
TEEN:	4.99E-07	1.84E-07	6.63E-07	9.28E-07	1.60E-06	2.71E-04	0.00E+00
CHILD:	4.80E-07	7.53E-08	8.41E-07	8.45E-07	1.39E-06	2.80E-04	0.00E+00
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	1.69E-08	7.77E-09	2.06E-08	2.95E-08	5.05E-08	9.65E-06	0.00E+00
TEEN:	1.66E-08	6.11E-09	2.21E-08	3.09E-08	5.32E-08	9.02E-06	0.00E+00
CHILD:	1.60E-08	2.51E-09	2.80E-08	2.81E-08	4.62E-08	9.31E-06	0.00E+00
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	1.71E-10	7.87E-11	2.09E-10	2.98E-10	5.11E-10	9.77E-08	0.00E+00
TEEN:	1.68E-10	6.19E-11	2.23E-10	3.13E-10	5.38E-10	9.13E-08	0.00E+00
CHILD:	1.62E-10	2.54E-11	2.83E-10	2.85E-10	4.68E-10	9.42E-08	0.00E+00
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	2.01E-08	9.25E-09	2.45E-08	3.51E-08	6.01E-08	1.15E-05	0.00E+00
TEEN:	1.97E-08	7.26E-09	2.62E-08	3.67E-08	6.32E-08	1.07E-05	0.00E+00
CHILD:	1.97E-08	3.09E-09	3.45E-08	3.47E-08	5.69E-08	1.15E-05	0.00E+00
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	2.03E-10	9.37E-11	2.48E-10	3.55E-10	6.09E-10	1.16E-07	0.00E+00
TEEN:	2.00E-10	7.35E-11	2.65E-10	3.71E-10	6.39E-10	1.08E-07	0.00E+00
CHILD:	1.99E-10	3.12E-11	3.49E-10	3.51E-10	5.76E-10	1.16E-07	0.00E+00
INFANT:	0.00E+00						

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T. BODY	SKIN
ADULT:	2.78E-09	3.38E-09
TEEN:	1.55E-08	1.89E-08
CHILD:	3.25E-09	3.94E-09
INFANT:	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T. BODY	SKIN
ADULT:	1.39E-10	1.69E-10
TEEN:	7.75E-10	9.42E-10
CHILD:	1.62E-10	1.97E-10
INFANT:	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T. BODY	SKIN
ADULT:	3.52E-12	4.27E-12
TEEN:	1.96E-11	2.38E-11
CHILD:	4.10E-12	4.98E-12
INFANT:	0.00E+00	0.00E+00

Table B4-7a Continued

INDIVIDUAL DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : I132

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00							
TEEN:	0.00E+00							
CHILD:	0.00E+00							
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00							
TEEN:	0.00E+00							
CHILD:	0.00E+00							
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00							
TEEN:	0.00E+00							
CHILD:	0.00E+00							
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00							
TEEN:	0.00E+00							
CHILD:	0.00E+00							
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00							
TEEN:	0.00E+00							
CHILD:	0.00E+00							
INFANT:	0.00E+00							

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T.	BODY	SKIN
ADULT:	0.00E+00	0.00E+00	
TEEN:	0.00E+00	0.00E+00	
CHILD:	0.00E+00	0.00E+00	
INFANT:	0.00E+00	0.00E+00	

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T.	BODY	SKIN
ADULT:	0.00E+00	0.00E+00	
TEEN:	0.00E+00	0.00E+00	
CHILD:	0.00E+00	0.00E+00	
INFANT:	0.00E+00	0.00E+00	

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T.	BODY	SKIN
ADULT:	0.00E+00	0.00E+00	
TEEN:	0.00E+00	0.00E+00	
CHILD:	0.00E+00	0.00E+00	
INFANT:	0.00E+00	0.00E+00	

Table B4-7a Continued

INDIVIDUAL DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : I133

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	2.74E-13	8.07E-13	5.16E-13	8.98E-13	1.57E-12	1.32E-10	0.00E+00	
TEEN:	2.88E-13	7.15E-13	5.57E-13	9.45E-13	1.66E-12	1.32E-10	0.00E+00	
CHILD:	3.31E-13	3.53E-13	7.07E-13	8.75E-13	1.46E-12	1.63E-10	0.00E+00	
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	9.12E-15	2.69E-14	1.72E-14	2.99E-14	5.22E-14	4.40E-12	0.00E+00	
TEEN:	9.59E-15	2.38E-14	1.85E-14	3.15E-14	5.52E-14	4.39E-12	0.00E+00	
CHILD:	1.10E-14	1.17E-14	2.36E-14	2.91E-14	4.85E-14	5.41E-12	0.00E+00	
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	9.23E-17	2.72E-16	1.74E-16	3.03E-16	5.28E-16	4.45E-14	0.00E+00	
TEEN:	9.71E-17	2.41E-16	1.88E-16	3.18E-16	5.58E-16	4.45E-14	0.00E+00	
CHILD:	1.12E-16	1.19E-16	2.38E-16	2.95E-16	4.91E-16	5.48E-14	0.00E+00	
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	1.09E-14	3.20E-14	2.05E-14	3.56E-14	6.21E-14	5.23E-12	0.00E+00	
TEEN:	1.14E-14	2.83E-14	2.20E-14	3.74E-14	6.55E-14	5.21E-12	0.00E+00	
CHILD:	1.36E-14	1.45E-14	2.90E-14	3.59E-14	5.98E-14	6.67E-12	0.00E+00	
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	1.10E-16	3.24E-16	2.07E-16	3.60E-16	6.29E-16	5.30E-14	0.00E+00	
TEEN:	1.15E-16	2.86E-15	2.23E-16	3.78E-16	6.63E-16	5.28E-14	0.00E+00	
CHILD:	1.37E-16	1.46E-16	2.94E-16	3.63E-16	6.05E-16	6.75E-14	0.00E+00	
INFANT:	0.00E+00							

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T.	BODY	SKIN
ADULT:	1.98E-15	2.41E-15	
TEEN:	1.10E-14	1.34E-14	
CHILD:	2.31E-15	2.81E-15	
INFANT:	0.00E+00	0.00E+00	

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T.	BODY	SKIN
ADULT:	9.87E-17	1.20E-16	
TEEN:	5.51E-16	6.71E-16	
CHILD:	1.15E-16	1.40E-16	
INFANT:	0.00E+00	0.00E+00	

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T.	BODY	SKIN
ADULT:	2.50E-18	3.04E-18	
TEEN:	1.40E-17	1.70E-17	
CHILD:	2.92E-18	3.55E-18	
INFANT:	0.00E+00	0.00E+00	

Table B4-7a Continued

INDIVIDUAL DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : I134

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00							
TEEN:	0.00E+00							
CHILD:	0.00E+00							
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00							
TEEN:	0.00E+00							
CHILD:	0.00E+00							
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00							
TEEN:	0.00E+00							
CHILD:	0.00E+00							
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00							
TEEN:	0.00E+00							
CHILD:	0.00E+00							
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00							
TEEN:	0.00E+00							
CHILD:	0.00E+00							
INFANT:	0.00E+00							

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T.	BODY	SKIN
ADULT:	0.00E+00	0.00E+00	
TEEN:	0.00E+00	0.00E+00	
CHILD:	0.00E+00	0.00E+00	
INFANT:	0.00E+00	0.00E+00	

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T.	BODY	SKIN
ADULT:	0.00E+00	0.00E+00	
TEEN:	0.00E+00	0.00E+00	
CHILD:	0.00E+00	0.00E+00	
INFANT:	0.00E+00	0.00E+00	

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T.	BODY	SKIN
ADULT:	0.00E+00	0.00E+00	
TEEN:	0.00E+00	0.00E+00	
CHILD:	0.00E+00	0.00E+00	
INFANT:	0.00E+00	0.00E+00	

Table B4-7a Continued

INDIVIDUAL DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : I135

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00	0.00E+00	0.00E+00	0.00E+00	C.00E+00	0.00E+00	0.00E+00
TEEN:	0.00E+00						
CHILD:	0.00E+00						
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00						
TEEN:	0.00E+00						
CHILD:	0.00E+00						
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00						
TEEN:	0.00E+00						
CHILD:	0.00E+00						
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00						
TEEN:	0.00E+00						
CHILD:	0.00E+00						
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00						
TEEN:	0.00E+00						
CHILD:	0.00E+00						
INFANT:	0.00E+00						

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T. BODY	SKIN
ADULT:	0.00E+00	0.00E+00
TEEN:	0.00E+00	0.00E+00
CHILD:	0.00E+00	0.00E+00
INFANT:	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T. BODY	SKIN
ADULT:	0.00E+00	0.00E+00
TEEN:	0.00E+00	0.00E+00
CHILD:	0.00E+00	0.00E+00
INFANT:	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T. BODY	SKIN
ADULT:	0.00E+00	0.00E+00
TEEN:	0.00E+00	0.00E+00
CHILD:	0.00E+00	0.00E+00
INFANT:	0.00E+00	0.00E+00

Table B4-7a Continued

INDIVIDUAL DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : CS134

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00						
TEEN:	0.00E+00						
CHILD:	0.00E+00						
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	6.83E-04	1.46E-05	3.51E-04	8.35E-04	2.70E-04	0.00E+00	8.97E-05
TEEN:	3.93E-04	1.05E-05	3.60E-04	8.47E-04	2.69E-04	0.00E+00	1.03E-04
CHILD:	1.50E-04	3.84E-06	4.34E-04	7.12E-04	2.21E-04	0.00E+00	7.92E-05
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	4.19E-06	8.97E-08	2.15E-06	5.13E-06	1.66E-06	0.00E+00	5.51E-07
TEEN:	2.41E-06	6.46E-08	2.21E-06	5.20E-06	1.65E-06	0.00E+00	6.31E-07
CHILD:	9.22E-07	2.36E-08	2.66E-06	4.37E-06	1.35E-06	0.00E+00	4.86E-07
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	1.02E-04	2.18E-06	5.22E-05	1.24E-04	4.02E-05	0.00E+00	1.34E-05
TEEN:	5.83E-05	1.56E-06	5.34E-05	1.26E-04	4.00E-05	0.00E+00	1.53E-05
CHILD:	2.31E-05	5.91E-07	6.68E-05	1.10E-04	3.40E-05	0.00E+00	1.22E-05
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	6.24E-07	1.33E-08	3.21E-07	7.63E-07	2.47E-07	0.00E+00	8.19E-08
TEEN:	3.58E-07	9.60E-09	3.28E-07	7.72E-07	2.45E-07	0.00E+00	9.36E-08
CHILD:	1.42E-07	3.63E-09	4.10E-07	6.73E-07	2.09E-07	0.00E+00	7.48E-08
INFANT:	0.00E+00						

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T. BODY	SKIN
ADULT:	0.00E+00	0.00E+00
TEEN:	0.00E+00	0.00E+00
CHILD:	0.00E+00	0.00E+00
INFANT:	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T. BODY	SKIN
ADULT:	1.45E-05	1.69E-05
TEEN:	8.08E-05	9.43E-05
CHILD:	1.69E-05	1.97E-05
INFANT:	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T. BODY	SKIN
ADULT:	2.22E-07	2.59E-07
TEEN:	1.24E-06	1.45E-06
CHILD:	2.59E-07	3.02E-07
INFANT:	0.00E+00	0.00E+00

Table B4-7a Continued

INDIVIDUAL DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : CS136

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00						
TEEN:	0.00E+00						
CHILD:	0.00E+00						
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	9.85E-07	1.55E-07	3.47E-07	1.37E-06	7.61E-07	0.00E+00	1.04E-07
TEEN:	9.21E-07	1.10E-07	3.48E-07	1.37E-06	7.46E-07	0.00E+00	1.18E-07
CHILD:	7.31E-07	3.97E-08	4.11E-07	1.13E-06	6.02E-07	0.00E+00	8.97E-08
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	6.04E-09	9.54E-10	2.13E-09	8.39E-09	4.67E-09	0.00E+00	6.40E-10
TEEN:	5.65E-09	6.77E-10	2.14E-09	8.41E-09	4.58E-09	0.00E+00	7.22E-10
CHILD:	4.49E-09	2.44E-10	2.52E-09	6.93E-09	3.69E-09	0.00E+00	5.51E-10
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	1.47E-07	2.31E-08	5.16E-08	2.04E-07	1.13E-07	0.00E+00	1.55E-08
TEEN:	1.37E-07	1.64E-08	5.17E-08	2.04E-07	1.11E-07	0.00E+00	1.75E-08
CHILD:	1.13E-07	6.11E-09	6.33E-08	1.74E-07	9.27E-08	0.00E+00	1.38E-08
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	8.99E-10	1.42E-10	3.16E-10	1.25E-09	6.95E-10	0.00E+00	9.53E-11
TEEN:	8.39E-10	1.00E-10	3.17E-10	1.25E-09	6.80E-10	0.00E+00	1.07E-10
CHILD:	6.91E-10	3.75E-11	3.88E-10	1.07E-09	5.68E-10	0.00E+00	8.48E-11
INFANT:	0.00E+00						

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T. BODY	SKIN
ADULT:	0.00E+00	0.00E+00
TEEN:	0.00E+00	0.00E+00
CHILD:	0.00E+00	0.00E+00
INFANT:	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T. BODY	SKIN
ADULT:	3.16E-09	3.58E-09
TEEN:	1.76E-08	2.00E-08
CHILD:	3.68E-09	4.18E-09
INFANT:	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T. BODY	SKIN
ADULT:	4.84E-11	5.49E-11
TEEN:	2.70E-10	3.06E-10
CHILD:	5.65E-11	6.40E-11
INFANT:	0.00E+00	0.00E+00

Table B4-7a Continued

INDIVIDUAL DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : CS137

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00							
TEEN:	0.00E+00							
CHILD:	0.00E+00							
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	1.94E-03	5.73E-05	2.16E-03	2.96E-03	1.00E-03	0.00E+00	3.34E-04	
TEEN:	1.07E-03	4.39E-05	2.32E-03	3.08E-03	1.05E-03	0.00E+00	4.08E-04	
CHILD:	4.12E-04	1.75E-05	2.92E-03	2.79E-03	9.10E-04	0.00E+00	3.27E-04	
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	1.19E-05	3.51E-07	1.33E-05	1.82E-05	6.16E-06	0.00E+00	2.05E-06	
TEEN:	6.59E-06	2.69E-07	1.42E-05	1.89E-05	6.43E-06	0.00E+00	2.50E-06	
CHILD:	2.53E-06	1.07E-07	1.79E-05	1.71E-05	5.58E-06	0.00E+00	2.01E-06	
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	2.88E-04	8.53E-06	3.22E-04	4.40E-04	1.49E-04	0.00E+00	4.97E-05	
TEEN:	1.59E-04	6.51E-06	3.44E-04	4.58E-04	1.56E-04	0.00E+00	6.05E-05	
CHILD:	6.35E-05	2.69E-06	4.49E-04	4.30E-04	1.40E-04	0.00E+00	5.04E-05	
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	1.77E-06	5.23E-08	1.98E-06	2.70E-06	9.17E-07	0.00E+00	3.05E-07	
TEEN:	9.78E-07	3.99E-08	2.11E-06	2.81E-06	9.55E-07	0.00E+00	3.71E-07	
CHILD:	3.89E-07	1.65E-08	2.76E-06	2.64E-06	8.60E-07	0.00E+00	3.09E-07	
INFANT:	0.00E+00							

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T.	BODY	SKIN
ADULT:	0.00E+00	0.00E+00	
TEEN:	0.00E+00	0.00E+00	
CHILD:	0.00E+00	0.00E+00	
INFANT:	0.00E+00	0.00E+00	

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T.	BODY	SKIN
ADULT:	1.05E-04	1.22E-04	
TEEN:	5.84E-04	6.81E-04	
CHILD:	1.22E-04	1.42E-04	
INFANT:	0.00E+00	0.00E+00	

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T.	BODY	SKIN
ADULT:	1.60E-06	1.87E-06	
TEEN:	8.96E-06	1.05E-05	
CHILD:	1.87E-06	2.18E-06	
INFANT:	0.00E+00	0.00E+00	

Table B4-7a Continued

INDIVIDUAL DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : CS138

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00						
TEEN:	0.00E+00						
CHILD:	0.00E+00						
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00						
TEEN:	0.00E+00						
CHILD:	0.00E+00						
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00						
TEEN:	0.00E+00						
CHILD:	0.00E+00						
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00						
TEEN:	0.00E+00						
CHILD:	0.00E+00						
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00						
TEEN:	0.00E+00						
CHILD:	0.00E+00						
INFANT:	0.00E+00						

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T. BODY	SKIN
ADULT:	0.00E+00	0.00E+00
TEEN:	0.00E+00	0.00E+00
CHILD:	0.00E+00	0.00E+00
INFANT:	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T. BODY	SKIN
ADULT:	0.00E+00	0.00E+00
TEEN:	0.00E+00	0.00E+00
CHILD:	0.00E+00	0.00E+00
INFANT:	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T. BODY	SKIN
ADULT:	0.00E+00	0.00E+00
TEEN:	0.00E+00	0.00E+00
CHILD:	0.00E+00	0.00E+00
INFANT:	0.00E+00	0.00E+00

Table B4-7a Continued

INDIVIDUAL DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : BA139

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00							
TEEN:	0.00E+00							
CHILD:	0.00E+00							
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00							
TEEN:	0.00E+00							
CHILD:	0.00E+00							
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00							
TEEN:	0.00E+00							
CHILD:	0.00E+00							
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00							
TEEN:	0.00E+00							
CHILD:	0.00E+00							
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00							
TEEN:	0.00E+00							
CHILD:	0.00E+00							
INFANT:	0.00E+00							

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T.	BODY	SKIN
ADULT:	0.00E+00	0.00E+00	
TEEN:	0.00E+00	0.00E+00	
CHILD:	0.00E+00	0.00E+00	
INFANT:	0.00E+00	0.00E+00	

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T.	BODY	SKIN
ADULT:	0.00E+00	0.00E+00	
TEEN:	0.00E+00	0.00E+00	
CHILD:	0.00E+00	0.00E+00	
INFANT:	0.00E+00	0.00E+00	

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T.	BODY	SKIN
ADULT:	0.00E+00	0.00E+00	
TEEN:	0.00E+00	0.00E+00	
CHILD:	0.00E+00	0.00E+00	
INFANT:	0.00E+00	0.00E+00	

Table B4-7a Continued

INDIVIDUAL DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : BA140

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	1.35E-07	4.25E-06	2.06E-06	2.59E-09	8.81E-10	0.00E+00	1.48E-09	
TEEN:	1.42E-07	3.39E-06	2.20E-06	2.69E-09	9.13E-10	0.00E+00	1.81E-09	
CHILD:	1.62E-07	1.41E-06	2.77E-06	2.43E-09	7.91E-10	0.00E+00	1.45E-09	
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	1.69E-08	5.30E-07	2.57E-07	3.23E-10	1.10E-10	0.00E+00	1.85E-10	
TEEN:	1.77E-08	4.23E-07	2.74E-07	3.36E-10	1.14E-10	0.00E+00	2.26E-10	
CHILD:	2.02E-08	1.75E-07	3.46E-07	3.03E-10	9.87E-11	0.00E+00	1.81E-10	
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	1.71E-10	5.37E-09	2.61E-09	3.27E-12	1.11E-12	0.00E+00	1.87E-12	
TEEN:	1.79E-10	4.28E-09	2.78E-09	3.40E-12	1.15E-12	0.00E+00	2.29E-12	
CHILD:	2.05E-10	1.78E-09	3.51E-09	3.07E-12	1.00E-12	0.00E+00	1.83E-12	
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	4.02E-08	1.26E-06	6.13E-07	7.70E-10	2.62E-10	0.00E+00	4.41E-10	
TEEN:	4.20E-08	1.01E-06	6.52E-07	7.99E-10	2.71E-10	0.00E+00	5.37E-10	
CHILD:	4.98E-08	4.32E-07	8.53E-07	7.47E-10	2.43E-10	0.00E+00	4.46E-10	
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	4.07E-10	1.28E-08	6.20E-09	7.79E-12	2.65E-12	0.00E+00	4.46E-12	
TEEN:	4.25E-10	1.02E-08	6.60E-09	8.08E-12	2.74E-12	0.00E+00	5.44E-12	
CHILD:	5.04E-10	4.37E-09	8.64E-09	7.57E-12	2.46E-12	0.00E+00	4.51E-12	
INFANT:	0.00E+00							

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T.	BODY	SKIN
ADULT:	8.22E-09	9.40E-09	
TEEN:	4.59E-08	5.25E-08	
CHILD:	9.59E-09	1.10E-08	
INFANT:	0.00E+00	0.00E+00	

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T.	BODY	SKIN
ADULT:	4.11E-10	4.69E-10	
TEEN:	2.29E-09	2.62E-09	
CHILD:	4.79E-10	5.47E-10	
INFANT:	0.00E+00	0.00E+00	

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T.	BODY	SKIN
ADULT:	1.04E-11	1.19E-11	
TEEN:	5.80E-11	6.63E-11	
CHILD:	1.21E-11	1.39E-11	
INFANT:	0.00E+00	0.00E+00	

Table B4-7a Continued

INDIVIDUAL DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : BA141

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00							
TEEN:	0.00E+00							
CHILD:	0.00E+00							
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00							
TEEN:	0.00E+00							
CHILD:	0.00E+00							
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00							
TEEN:	0.00E+00							
CHILD:	0.00E+00							
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00							
TEEN:	0.00E+00							
CHILD:	0.00E+00							
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00							
TEEN:	0.00E+00							
CHILD:	0.00E+00							
INFANT:	0.00E+00							

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T.	BODY	SKIN
ADULT:	0.00E+00	0.00E+00	
TEEN:	0.00E+00	0.00E+00	
CHILD:	0.00E+00	0.00E+00	
INFANT:	0.00E+00	0.00E+00	

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T.	BODY	SKIN
ADULT:	0.00E+00	0.00E+00	
TEEN:	0.00E+00	0.00E+00	
CHILD:	0.00E+00	0.00E+00	
INFANT:	0.00E+00	0.00E+00	

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T.	BODY	SKIN
ADULT:	0.00E+00	0.00E+00	
TEEN:	0.00E+00	0.00E+00	
CHILD:	0.00E+00	0.00E+00	
INFANT:	0.00E+00	0.00E+00	

Table B4-7a Continued

INDIVIDUAL DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : BA142

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00							
TEEN:	0.00E+00							
CHILD:	0.00E+00							
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00							
TEEN:	0.00E+00							
CHILD:	0.00E+00							
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00							
TEEN:	0.00E+00							
CHILD:	0.00E+00							
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00							
TEEN:	0.00E+00							
CHILD:	0.00E+00							
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00							
TEEN:	0.00E+00							
CHILD:	0.00E+00							
INFANT:	0.00E+00							

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T.	BODY	SKIN
ADULT:	0.00E+00	0.00E+00	
TEEN:	0.00E+00	0.00E+00	
CHILD:	0.00E+00	0.00E+00	
INFANT:	0.00E+00	0.00E+00	

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T.	BODY	SKIN
ADULT:	0.00E+00	0.00E+00	
TEEN:	0.00E+00	0.00E+00	
CHILD:	0.00E+00	0.00E+00	
INFANT:	0.00E+00	0.00E+00	

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T.	BODY	SKIN
ADULT:	0.00E+00	0.00E+00	
TEEN:	0.00E+00	0.00E+00	
CHILD:	0.00E+00	0.00E+00	
INFANT:	0.00E+00	0.00E+00	

Table B4-7a Continued

INDIVIDUAL DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : LA140

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	1.29E-13	3.57E-08	9.65E-13	4.86E-13	0.00E+00	0.00E+00	0.00E+00	0.00E+00
TEEN:	1.34E-13	2.89E-08	1.02E-12	5.03E-13	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CHILD:	1.51E-13	1.25E-08	1.28E-12	4.48E-13	0.00E+00	0.00E+00	0.00E+00	0.00E+00
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	6.42E-15	1.78E-09	4.82E-14	2.43E-14	0.00E+00	0.00E+00	0.00E+00	0.00E+00
TEEN:	6.68E-15	1.44E-09	5.11E-14	2.51E-14	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CHILD:	7.54E-15	6.23E-10	6.40E-14	2.24E-14	0.00E+00	0.00E+00	0.00E+00	0.00E+00
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	6.50E-17	1.80E-11	4.88E-16	2.46E-16	0.00E+00	0.00E+00	0.00E+00	0.00E+00
TEEN:	6.76E-17	1.46E-11	5.17E-16	2.54E-16	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CHILD:	7.63E-17	6.31E-12	6.48E-16	2.26E-16	0.00E+00	0.00E+00	0.00E+00	0.00E+00
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	6.11E-14	1.70E-08	4.59E-13	2.31E-13	0.00E+00	0.00E+00	0.00E+00	0.00E+00
TEEN:	6.35E-14	1.37E-08	4.86E-13	2.39E-13	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CHILD:	7.43E-14	6.14E-09	6.30E-13	2.20E-13	0.00E+00	0.00E+00	0.00E+00	0.00E+00
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	6.19E-16	1.72E-10	4.65E-15	2.34E-15	0.00E+00	0.00E+00	0.00E+00	0.00E+00
TEEN:	6.43E-16	1.39E-10	4.92E-15	2.42E-15	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CHILD:	7.52E-16	6.22E-11	6.38E-15	2.23E-15	0.00E+00	0.00E+00	0.00E+00	0.00E+00
INFANT:	0.00E+00							

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T.	BODY	SKIN
ADULT:	6.72E-12	7.61E-12	
TEEN:	3.75E-11	4.25E-11	
CHILD:	7.84E-12	8.88E-12	
INFANT:	0.00E+00	0.00E+00	

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T.	BODY	SKIN
ADULT:	3.35E-13	3.80E-13	
TEEN:	1.87E-12	2.12E-12	
CHILD:	3.91E-13	4.43E-13	
INFANT:	0.00E+00	0.00E+00	

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T.	BODY	SKIN
ADULT:	8.49E-15	9.62E-15	
TEEN:	4.74E-14	5.37E-14	
CHILD:	9.90E-15	1.12E-14	
INFANT:	0.00E+00	0.00E+00	

Table B4-7a Continued

INDIVIDUAL DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : LA142

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00						
TEEN:	0.00E+00						
CHILD:	0.00E+00						
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00						
TEEN:	0.00E+00						
CHILD:	0.00E+00						
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00						
TEEN:	0.00E+00						
CHILD:	0.00E+00						
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00						
TEEN:	0.00E+00						
CHILD:	0.00E+00						
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00						
TEEN:	0.00E+00						
CHILD:	0.00E+00						
INFANT:	0.00E+00						

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T. BODY	SKIN
ADULT:	0.00E+00	0.00E+00
TEEN:	0.00E+00	0.00E+00
CHILD:	0.00E+00	0.00E+00
INFANT:	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T. BODY	SKIN
ADULT:	0.00E+00	0.00E+00
TEEN:	0.00E+00	0.00E+00
CHILD:	0.00E+00	0.00E+00
INFANT:	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T. BODY	SKIN
ADULT:	0.00E+00	0.00E+00
TEEN:	0.00E+00	0.00E+00
CHILD:	0.00E+00	0.00E+00
INFANT:	0.00E+00	0.00E+00

Table B4-7a Continued

INDIVIDUAL DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : CE141

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	7.56E-11	2.55E-06	9.85E-10	6.66E-10	3.09E-10	0.00E+00	0.00E+00
TEEN:	8.18E-11	2.04E-06	1.07E-09	7.12E-10	3.35E-10	0.00E+00	0.00E+00
CHILD:	1.02E-10	8.54E-07	1.37E-09	6.85E-10	3.00E-10	0.00E+00	0.00E+00
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	3.77E-11	1.27E-06	4.92E-10	3.33E-10	1.55E-10	0.00E+00	0.00E+00
TEEN:	4.08E-11	1.02E-06	5.33E-10	3.56E-10	1.67E-10	0.00E+00	0.00E+00
CHILD:	5.08E-11	4.27E-07	6.86E-10	3.42E-10	1.50E-10	0.00E+00	0.00E+00
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	3.82E-13	1.29E-08	4.98E-12	3.37E-12	1.56E-12	0.00E+00	0.00E+00
TEEN:	4.14E-13	1.03E-08	5.39E-12	3.60E-12	1.69E-12	0.00E+00	0.00E+00
CHILD:	5.14E-13	4.32E-09	6.94E-12	3.46E-12	1.52E-12	0.00E+00	0.00E+00
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	5.39E-10	1.82E-05	7.03E-09	4.75E-09	2.21E-09	0.00E+00	0.00E+00
TEEN:	5.82E-10	1.45E-05	7.59E-09	5.07E-09	2.39E-09	0.00E+00	0.00E+00
CHILD:	7.51E-10	6.31E-06	1.01E-08	5.05E-09	2.22E-09	0.00E+00	0.00E+00
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	5.46E-12	1.84E-07	7.11E-11	4.81E-11	2.23E-11	0.00E+00	0.00E+00
TEEN:	5.89E-12	1.47E-07	7.68E-11	5.13E-11	2.41E-11	0.00E+00	0.00E+00
CHILD:	7.60E-12	6.38E-08	1.03E-10	5.12E-11	2.24E-11	0.00E+00	0.00E+00
INFANT:	0.00E+00						

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T. BODY	SKIN
ADULT:	2.20E-08	2.48E-08
TEEN:	1.23E-07	1.38E-07
CHILD:	2.56E-08	2.89E-08
INFANT:	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T. BODY	SKIN
ADULT:	1.10E-09	1.24E-09
TEEN:	6.12E-09	6.90E-09
CHILD:	1.38E-09	1.44E-09
INFANT:	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T. BODY	SKIN
ADULT:	2.77E-11	3.13E-11
TEEN:	1.55E-10	1.75E-10
CHILD:	3.24E-11	3.65E-11
INFANT:	0.00E+00	0.00E+00

Table B4-7a Continued

INDIVIDUAL DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : CE143

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	4.35E-16	1.47E-10	5.31E-15	3.93E-12	1.73E-15	0.00E+00	0.00E+00
TEEN:	4.69E-16	1.26E-10	5.77E-15	4.20E-12	1.88E-15	0.00E+00	0.00E+00
CHILD:	5.81E-16	5.87E-11	7.40E-15	4.01E-12	1.68E-15	0.00E+00	0.00E+00
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	2.17E-16	7.33E-11	2.65E-15	1.96E-12	8.64E-16	0.00E+00	0.00E+00
TEEN:	2.34E-16	6.30E-11	2.88E-15	2.10E-12	9.40E-16	0.00E+00	0.00E+00
CHILD:	2.90E-16	2.93E-11	3.69E-15	2.00E-12	8.40E-16	0.00E+00	0.00E+00
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	2.20E-18	7.42E-13	2.69E-17	1.99E-14	8.74E-18	0.00E+00	0.00E+00
TEEN:	2.37E-18	6.37E-13	2.91E-17	2.12E-14	9.51E-18	0.00E+00	0.00E+00
CHILD:	2.94E-18	2.97E-13	3.74E-17	2.03E-14	8.50E-18	0.00E+00	0.00E+00
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	3.10E-15	1.05E-09	3.79E-14	2.80E-11	1.23E-14	0.00E+00	0.00E+00
TEEN:	3.33E-15	8.97E-10	4.10E-14	2.99E-11	1.34E-14	0.00E+00	0.00E+00
CHILD:	4.29E-15	4.33E-10	5.46E-14	2.96E-11	1.24E-14	0.00E+00	0.00E+00
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	3.14E-17	1.06E-11	3.84E-16	2.84E-13	1.25E-16	0.00E+00	0.00E+00
TEEN:	3.38E-17	9.08E-12	4.15E-16	3.02E-13	1.36E-16	0.00E+00	0.00E+00
CHILD:	4.34E-17	4.39E-12	5.53E-16	3.00E-13	1.26E-16	0.00E+00	0.00E+00
INFANT:	0.00E+00						

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T. BODY	SKIN
ADULT:	1.84E-13	2.09E-13
TEEN:	1.03E-12	1.17E-12
CHILD:	2.15E-13	2.44E-13
INFANT:	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T. BODY	SKIN
ADULT:	9.20E-15	1.05E-14
TEEN:	5.14E-14	5.84E-14
CHILD:	1.07E-14	1.22E-14
INFANT:	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T. BODY	SKIN
ADULT:	2.33E-16	2.65E-16
TEEN:	1.30E-15	1.48E-15
CHILD:	2.72E-16	3.09E-16
INFANT:	0.00E+00	0.00E+00

Table B4-7a Continued

INDIVIDUAL DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : CE144

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	3.01E-08	1.90E-04	5.61E-07	2.34E-07	1.39E-07	0.00E+00	0.00E+00	
TEEN:	3.28E-08	1.53E-04	6.09E-07	2.52E-07	1.51E-07	0.00E+00	0.00E+00	
CHILD:	4.19E-08	6.42E-05	7.85E-07	2.46E-07	1.36E-07	0.00E+00	0.00E+00	
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	1.50E-08	9.47E-05	2.80E-07	1.17E-07	6.94E-08	0.00E+00	0.00E+00	
TEEN:	1.64E-08	7.65E-05	3.04E-07	1.26E-07	7.52E-08	0.00E+00	0.00E+00	
CHILD:	2.09E-08	3.21E-05	3.92E-07	1.23E-07	6.81E-08	0.00E+00	0.00E+00	
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	1.52E-10	9.59E-07	2.84E-09	1.19E-09	7.03E-10	0.00E+00	0.00E+00	
TEEN:	1.66E-10	7.75E-07	3.08E-09	1.27E-09	7.61E-10	0.00E+00	0.00E+00	
CHILD:	2.12E-10	3.25E-07	3.97E-09	1.24E-09	6.89E-10	0.00E+00	0.00E+00	
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	2.15E-07	1.35E-03	4.00E-06	1.67E-06	9.92E-07	0.00E+00	0.00E+00	
TEEN:	2.33E-07	1.09E-03	4.34E-06	1.79E-06	1.07E-06	0.00E+00	0.00E+00	
CHILD:	3.09E-07	4.74E-04	5.80E-06	1.82E-06	1.01E-06	0.00E+00	0.00E+00	
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	2.17E-09	1.37E-05	4.05E-08	1.69E-08	1.00E-08	0.00E+00	0.00E+00	
TEEN:	2.36E-09	1.10E-05	4.39E-08	1.82E-08	1.08E-08	0.00E+00	0.00E+00	
CHILD:	3.13E-09	4.80E-06	5.87E-08	1.84E-08	1.02E-08	0.00E+00	0.00E+00	
INFANT:	0.00E+00							

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T.	BODY	SKIN
ADULT:	1.19E-06	1.38E-06	
TEEN:	6.66E-06	7.70E-06	
CHILD:	1.39E-06	1.61E-06	
INFANT:	0.00E+00	0.00E+00	

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T.	BODY	SKIN
ADULT:	5.96E-08	6.89E-08	
TEEN:	3.33E-07	3.85E-07	
CHILD:	6.95E-08	8.04E-08	
INFANT:	0.00E+00	0.00E+00	

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T.	BODY	SKIN
ADULT:	1.51E-09	1.74E-09	
TEEN:	8.42E-09	9.73E-09	
CHILD:	1.76E-09	2.03E-09	
INFANT:	0.00E+00	0.00E+00	

Table B4-7a Continued

INDIVIDUAL DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : PR143

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	3.22E-10	2.84E-05	6.49E-09	2.60E-09	1.50E-09	0.00E+00	0.00E+00	
TEEN:	3.51E-10	2.32E-05	7.04E-09	2.81E-09	1.63E-09	0.00E+00	0.00E+00	
CHILD:	4.52E-10	9.83E-06	9.11E-09	2.74E-09	1.48E-09	0.00E+00	0.00E+00	
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	1.61E-11	1.42E-06	3.24E-10	1.30E-10	7.51E-11	0.00E+00	0.00E+00	
TEEN:	1.75E-11	1.16E-06	3.52E-10	1.40E-10	8.16E-11	0.00E+00	0.00E+00	
CHILD:	2.26E-11	4.91E-07	4.55E-10	1.37E-10	7.40E-11	0.00E+00	0.00E+00	
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	1.63E-13	1.44E-08	3.28E-12	1.32E-12	7.50E-13	0.00E+00	0.00E+00	
TEEN:	1.77E-13	1.17E-08	3.56E-12	1.42E-12	8.26E-13	0.00E+00	0.00E+00	
CHILD:	2.29E-13	4.97E-09	4.61E-12	1.38E-12	7.49E-13	0.00E+00	0.00E+00	
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	1.53E-10	1.35E-05	3.09E-09	1.24E-09	7.15E-10	0.00E+00	0.00E+00	
TEEN:	1.66E-10	1.10E-05	3.34E-09	1.33E-09	7.75E-10	0.00E+00	0.00E+00	
CHILD:	2.23E-10	4.84E-06	4.48E-09	1.35E-09	7.29E-10	0.00E+00	0.00E+00	
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	1.55E-12	1.37E-07	3.13E-11	1.25E-11	7.24E-12	0.00E+00	0.00E+00	
TEEN:	1.68E-12	1.11E-07	3.38E-11	1.35E-11	7.85E-12	0.00E+00	0.00E+00	
CHILD:	2.25E-12	4.90E-08	4.54E-11	1.36E-11	7.38E-12	0.00E+00	0.00E+00	
INFANT:	0.00E+00							

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T.	BODY	SKIN
ADULT:	0.00E+00	0.00E+00	
TEEN:	0.00E+00	0.00E+00	
CHILD:	0.00E+00	0.00E+00	
INFANT:	0.00E+00	0.00E+00	

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T.	BODY	SKIN
ADULT:	0.00E+00	0.00E+00	
TEEN:	0.00E+00	0.00E+00	
CHILD:	0.00E+00	0.00E+00	
INFANT:	0.00E+00	0.00E+00	

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T.	BODY	SKIN
ADULT:	0.00E+00	0.00E+00	
TEEN:	0.00E+00	0.00E+00	
CHILD:	0.00E+00	0.00E+00	
INFANT:	0.00E+00	0.00E+00	

Table B4-7a Continued

INDIVIDUAL DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : PR144

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00							
TEEN:	0.00E+00							
CHILD:	0.00E+00							
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00							
TEEN:	0.00E+00							
CHILD:	0.00E+00							
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00							
TEEN:	0.00E+00							
CHILD:	0.00E+00							
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00							
TEEN:	0.00E+00							
CHILD:	0.00E+00							
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	0.00E+00							
TEEN:	0.00E+00							
CHILD:	0.00E+00							
INFANT:	0.00E+00							

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T.	BODY	SKIN
ADULT:	0.00E+00	0.00E+00	
TEEN:	0.00E+00	0.00E+00	
CHILD:	0.00E+00	0.00E+00	
INFANT:	0.00E+00	0.00E+00	

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T.	BODY	SKIN
ADULT:	0.00E+00	0.00E+00	
TEEN:	0.00E+00	0.00E+00	
CHILD:	0.00E+00	0.00E+00	
INFANT:	0.00E+00	0.00E+00	

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T.	BODY	SKIN
ADULT:	0.00E+00	0.00E+00	
TEEN:	0.00E+00	0.00E+00	
CHILD:	0.00E+00	0.00E+00	
INFANT:	0.00E+00	0.00E+00	

Table B4-7a Continued

INDIVIDUAL DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : ND147

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	2.11E-10	1.69E-05	3.05E-09	3.52E-09	2.06E-09	0.00E+00	0.00E+00
TEEN:	2.26E-10	1.36E-05	3.47E-09	3.77E-09	2.21E-09	0.00E+00	0.00E+00
CHILD:	2.79E-10	5.70E-06	4.44E-09	3.60E-09	1.98E-09	0.00E+00	0.00E+00
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	1.05E-11	8.45E-07	1.52E-10	1.76E-10	1.03E-10	0.00E+00	0.00E+00
TEEN:	1.13E-11	6.79E-07	1.73E-10	1.88E-10	1.10E-10	0.00E+00	0.00E+00
CHILD:	1.39E-11	2.85E-07	2.22E-10	1.80E-10	9.86E-11	0.00E+00	0.00E+00
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	1.07E-13	8.55E-09	1.54E-12	1.78E-12	1.04E-12	0.00E+00	0.00E+00
TEEN:	1.14E-13	6.87E-09	1.75E-12	1.90E-12	1.12E-12	0.00E+00	0.00E+00
CHILD:	1.41E-13	2.88E-09	2.25E-12	1.82E-12	9.99E-13	0.00E+00	0.00E+00
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	1.00E-10	8.05E-06	1.45E-09	1.68E-09	9.80E-10	0.00E+00	0.00E+00
TEEN:	1.07E-10	6.45E-06	1.64E-09	1.79E-09	1.05E-09	0.00E+00	0.00E+00
CHILD:	1.37E-10	2.81E-06	2.19E-09	1.77E-09	9.72E-10	0.00E+00	0.00E+00
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	1.02E-12	8.15E-08	1.47E-11	1.70E-11	9.92E-12	0.00E+00	0.00E+00
TEEN:	1.08E-12	6.53E-08	1.66E-11	1.81E-11	1.06E-11	0.00E+00	0.00E+00
CHILD:	1.39E-12	2.84E-08	2.21E-11	1.79E-11	9.84E-12	0.00E+00	0.00E+00
INFANT:	0.00E+00						

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T. BODY	SKIN
ADULT:	2.61E-09	3.13E-09
TEEN:	1.45E-09	1.75E-08
CHILD:	3.05E-09	3.66E-09
INFANT:	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T. BODY	SKIN
ADULT:	1.30E-10	1.56E-10
TEEN:	7.28E-10	8.74E-10
CHILD:	1.52E-10	1.83E-10
INFANT:	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T. BODY	SKIN
ADULT:	3.30E-12	3.96E-12
TEEN:	1.84E-11	2.21E-11
CHILD:	3.85E-12	4.62E-12
INFANT:	0.00E+00	0.00E+00

Table B4-7a Continued

INDIVIDUAL DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : W187

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	4.73E-12	4.43E-09	1.62E-11	1.35E-11	0.00E+00	0.00E+00	0.00E+00
TEEN:	4.99E-12	3.85E-09	1.75E-11	1.42E-11	0.00E+00	0.00E+00	0.00E+00
CHILD:	5.88E-12	1.84E-09	2.21E-11	1.31E-11	0.00E+00	0.00E+00	0.00E+00
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	5.90E-15	5.53E-12	2.02E-14	1.69E-14	0.00E+00	0.00E+00	0.00E+00
TEEN:	6.23E-15	4.81E-12	2.18E-14	1.78E-14	0.00E+00	0.00E+00	0.00E+00
CHILD:	7.35E-15	2.30E-12	2.76E-14	1.64E-14	0.00E+00	0.00E+00	0.00E+00
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	5.98E-17	5.60E-14	2.04E-16	1.71E-16	0.00E+00	0.00E+00	0.00E+00
TEEN:	6.31E-17	4.87E-14	2.21E-16	1.80E-16	0.00E+00	0.00E+00	0.00E+00
CHILD:	7.44E-17	2.33E-14	2.80E-16	1.66E-16	0.00E+00	0.00E+00	0.00E+00
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	1.41E-15	1.32E-12	4.81E-15	4.02E-15	0.00E+00	0.00E+00	0.00E+00
TEEN:	1.48E-15	1.14E-12	5.18E-15	4.22E-15	0.00E+00	0.00E+00	0.00E+00
CHILD:	1.81E-15	5.67E-13	6.81E-15	4.03E-15	0.00E+00	0.00E+00	0.00E+00
INFANT:	0.00E+00						

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	1.42E-17	1.33E-14	4.87E-17	4.07E-17	0.00E+00	0.00E+00	0.00E+00
TEEN:	1.50E-17	1.16E-14	5.24E-17	4.28E-17	0.00E+00	0.00E+00	0.00E+00
CHILD:	1.83E-17	5.74E-15	6.89E-17	4.08E-17	0.00E+00	0.00E+00	0.00E+00
INFANT:	0.00E+00						

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T. BODY	SKIN
ADULT:	9.26E-15	1.08E-14
TEEN:	5.17E-14	6.01E-14
CHILD:	1.08E-14	1.26E-14
INFANT:	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T. BODY	SKIN
ADULT:	4.63E-16	5.57E-16
TEEN:	2.58E-15	3.00E-15
CHILD:	5.40E-16	6.27E-16
INFANT:	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T. BODY	SKIN
ADULT:	1.17E-17	1.36E-17
TEEN:	6.54E-17	7.59E-17
CHILD:	1.37E-17	1.59E-17
INFANT:	0.00E+00	0.00E+00

Table B4-7a Continued

INDIVIDUAL DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : NP239

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	8.13E-14	3.02E-08	1.50E-12	1.47E-13	4.60E-13	0.00E+00	0.00E+00	
TEEN:	8.85E-14	2.55E-08	1.69E-12	1.59E-13	5.00E-13	0.00E+00	0.00E+00	
CHILD:	1.10E-13	1.15E-08	2.17E-12	1.56E-13	4.51E-13	0.00E+00	0.00E+00	
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	4.06E-15	1.51E-09	7.49E-14	7.36E-15	2.30E-14	0.00E+00	0.00E+00	
TEEN:	4.42E-15	1.28E-09	8.44E-14	7.96E-15	2.50E-14	0.00E+00	0.00E+00	
CHILD:	5.48E-15	5.77E-10	1.09E-13	7.79E-15	2.25E-14	0.00E+00	0.00E+00	
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	4.11E-17	1.53E-11	7.58E-16	7.45E-17	2.32E-16	0.00E+00	0.00E+00	
TEEN:	4.47E-17	1.30E-11	8.54E-16	8.05E-17	2.53E-16	0.00E+00	0.00E+00	
CHILD:	5.55E-17	5.84E-12	1.10E-15	7.89E-17	2.28E-16	0.00E+00	0.00E+00	
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	9.66E-16	3.59E-10	1.78E-14	1.75E-15	5.47E-15	0.00E+00	0.00E+00	
TEEN:	1.05E-15	3.04E-10	2.00E-14	1.89E-15	5.93E-15	0.00E+00	0.00E+00	
CHILD:	1.35E-15	1.42E-10	2.67E-14	1.92E-15	5.55E-15	0.00E+00	0.00E+00	
INFANT:	0.00E+00							

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ADULT:	9.78E-18	3.64E-12	1.80E-16	1.77E-17	5.53E-17	0.00E+00	0.00E+00	
TEEN:	1.06E-17	3.08E-12	2.03E-16	1.91E-17	6.00E-17	0.00E+00	0.00E+00	
CHILD:	1.37E-17	1.44E-12	2.71E-16	1.94E-17	5.62E-17	0.00E+00	0.00E+00	
INFANT:	0.00E+00							

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T.	BODY	SKIN
ADULT:	4.31E-12	5.00E-12	
TEEN:	2.41E-11	2.79E-11	
CHILD:	5.03E-12	5.83E-12	
INFANT:	0.00E+00	0.00E+00	

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T.	BODY	SKIN
ADULT:	2.15E-13	2.49E-13	
TEEN:	1.20E-12	1.39E-12	
CHILD:	2.51E-13	2.91E-13	
INFANT:	0.00E+00	0.00E+00	

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T.	BODY	SKIN
ADULT:	5.45E-15	6.31E-15	
TEEN:	3.04E-14	3.53E-14	
CHILD:	6.36E-15	7.37E-15	
INFANT:	0.00E+00	0.00E+00	

Table B4-7b

INDIVIDUAL DOSE FACTORS FOR GASEOUS EFFLUENTS -- FOR ISOTOPE: H3

PATHWAY: PLUME

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00							
TEEN	0.000E+00							
CHILD	0.000E+00							
INFANT	0.000E+00							

PATHWAY: GROUND

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00							
TEEN	0.000E+00							
CHILD	0.000E+00							
INFANT	0.000E+00							

PATHWAY: VEGETABLE

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	4.180E+01	4.180E+01	0.000E+00	4.180E+01	4.180E+01	4.180E+01	4.180E+01	0.000E+00
TEEN	4.780E+01	4.780E+01	0.000E+00	4.780E+01	4.780E+01	4.780E+01	4.780E+01	0.000E+00
CHILD	7.410E+01	7.410E+01	0.000E+00	7.410E+01	7.410E+01	7.410E+01	7.410E+01	0.000E+00
INFANT	0.000E+00							

PATHWAY: MEAT

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	6.040E+00	6.040E+00	0.000E+00	6.040E+00	6.040E+00	6.040E+00	6.040E+00	0.000E+00
TEEN	3.600E+00	3.600E+00	0.000E+00	3.600E+00	3.600E+00	3.600E+00	3.600E+00	0.000E+00
CHILD	4.350E+00	4.350E+00	0.000E+00	4.350E+00	4.350E+00	4.350E+00	4.350E+00	0.000E+00
INFANT	0.000E+00							

PATHWAY: COW MILK

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	1.420E+01	1.420E+01	0.000E+00	1.420E+01	1.420E+01	1.420E+01	1.420E+01	0.000E+00
TEEN	1.850E+01	1.850E+01	0.000E+00	1.850E+01	1.850E+01	1.850E+01	1.850E+01	0.000E+00
CHILD	2.930E+01	2.930E+01	0.000E+00	2.930E+01	2.930E+01	2.930E+01	2.930E+01	0.000E+00
INFANT	4.440E+01	4.440E+01	0.000E+00	4.440E+01	4.440E+01	4.440E+01	4.440E+01	0.000E+00

PATHWAY: GOAT MILK

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	2.900E+01	2.900E+01	0.000E+00	2.900E+01	2.900E+01	2.900E+01	2.900E+01	0.000E+00
TEEN	3.780E+01	3.780E+01	0.000E+00	3.780E+01	3.780E+01	3.780E+01	3.780E+01	0.000E+00
CHILD	5.970E+01	5.970E+01	0.000E+00	5.970E+01	5.970E+01	5.970E+01	5.970E+01	0.000E+00
INFANT	9.060E+01	9.060E+01	0.000E+00	9.060E+01	9.060E+01	9.060E+01	9.060E+01	0.000E+00

PATHWAY: INHALATION

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	4.010E+01	4.010E+01	0.000E+00	4.010E+01	4.010E+01	4.010E+01	4.010E+01	0.000E+00
TEEN	4.030E+01	4.030E+01	0.000E+00	4.030E+01	4.030E+01	4.030E+01	4.030E+01	0.000E+00
CHILD	3.570E+01	3.570E+01	0.000E+00	3.570E+01	3.570E+01	3.570E+01	3.570E+01	0.000E+00
INFANT	2.050E+01	2.050E+01	0.000E+00	2.050E+01	2.050E+01	2.050E+01	2.050E+01	0.000E+00

Table B4-7b Continued

INDIVIDUAL DOSE FACTORS FOR GASEOUS EFFLUENTS -- FOR ISOTOPE: C14

PATHWAY: PLUME

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00							
TEEN	0.000E+00							
CHILD	0.000E+00							
INFANT	0.000E+00							

PATHWAY: GROUND

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00							
TEEN	0.000E+00							
CHILD	0.000E+00							
INFANT	0.000E+00							

PATHWAY: VEGETABLE

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	5.680E+03	5.680E+03	2.840E+04	5.680E+03	5.680E+03	5.680E+03	5.680E+03	0.000E+00
TEEN	9.220E+03	9.220E+03	4.610E+04	9.220E+03	9.220E+03	9.220E+03	9.220E+03	0.000E+00
CHILD	2.220E+04	2.220E+04	1.110E+05	2.220E+04	2.220E+04	2.220E+04	2.220E+04	0.000E+00
INFANT	0.000E+00							

PATHWAY: MEAT

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	2.110E+03	2.110E+03	1.060E+04	2.110E+03	2.110E+03	2.110E+03	2.110E+03	0.000E+00
TEEN	1.780E+03	1.780E+03	8.910E+03	1.780E+03	1.780E+03	1.780E+03	1.780E+03	0.000E+00
CHILD	3.350E+03	3.350E+03	1.680E+04	3.350E+03	3.350E+03	3.350E+03	3.350E+03	0.000E+00
INFANT	0.000E+00							

PATHWAY: COW MILK

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	2.300E+03	2.300E+03	1.150E+04	2.300E+03	2.300E+03	2.300E+03	2.300E+03	0.000E+00
TEEN	4.250E+03	4.250E+03	2.120E+04	4.250E+03	4.250E+03	4.250E+03	4.250E+03	0.000E+00
CHILD	1.040E+04	1.040E+04	5.220E+04	1.040E+04	1.040E+04	1.040E+04	1.040E+04	0.000E+00
INFANT	2.180E+04	2.180E+04	1.020E+05	2.180E+04	2.180E+04	2.180E+04	2.180E+04	0.000E+00

PATHWAY: GOAT MILK

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	2.300E+03	2.300E+03	1.150E+04	2.300E+03	2.300E+03	2.300E+03	2.300E+03	0.000E+00
TEEN	4.250E+03	4.250E+03	2.120E+04	4.250E+03	4.250E+03	4.250E+03	4.250E+03	0.000E+00
CHILD	1.040E+04	1.040E+04	5.220E+04	1.040E+04	1.040E+04	1.040E+04	1.040E+04	0.000E+00
INFANT	2.180E+04	2.180E+04	1.020E+05	2.180E+04	2.180E+04	2.180E+04	2.180E+04	0.000E+00

PATHWAY: INHALATION

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	1.080E+02	1.080E+02	5.760E+02	1.080E+02	1.080E+02	1.080E+02	1.080E+02	0.000E+00
TEEN	1.540E+02	1.540E+02	8.240E+02	1.540E+02	1.540E+02	1.540E+02	1.540E+02	0.000E+00
CHILD	2.130E+02	2.130E+02	1.140E+03	2.130E+02	2.130E+02	2.130E+02	2.130E+02	0.000E+00
INFANT	1.680E+02	1.680E+02	8.390E+02	1.680E+02	1.680E+02	1.680E+02	1.680E+02	0.000E+00

Table B4-7b Continued

INDIVIDUAL DOSE FACTORS FOR GASEOUS EFFLUENTS -- FOR ISOTOPE: AR41

PATHWAY: PLUME

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	1.960E+02	3.140E+02						
TEEN	1.960E+02	3.140E+02						
CHILD	1.960E+02	3.140E+02						
INFANT	1.960E+02	3.140E+02						

PATHWAY: GROUND

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00							
TEEN	0.000E+00							
CHILD	0.000E+00							
INFANT	0.000E+00							

PATHWAY: VEGETABLE

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00							
TEEN	0.000E+00							
CHILD	0.000E+00							
INFANT	0.000E+00							

PATHWAY: MEAT

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00							
TEEN	0.000E+00							
CHILD	0.000E+00							
INFANT	0.000E+00							

PATHWAY: COW MILK

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00							
TEEN	0.000E+00							
CHILD	0.000E+00							
INFANT	0.000E+00							

PATHWAY: GOAT MILK

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00							
TEEN	0.000E+00							
CHILD	0.000E+00							
INFANT	0.000E+00							

PATHWAY: INHALATION

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00							
TEEN	0.000E+00							
CHILD	0.000E+00							
INFANT	0.000E+00							

Table B4-7b Continued

INDIVIDUAL DOSE FACTORS FOR GASEOUS EFFLUENTS -- FOR ISOTOPE: KR83M

PATHWAY: PLUME

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	1.680E-03	1.680E-03	1.680E-03	1.680E-03	1.680E-03	1.680E-03	9.390E-02	4.750E-01
TEEN	1.680E-03	1.680E-03	1.680E-03	1.680E-03	1.680E-03	1.680E-03	9.390E-02	4.750E-01
CHILD	1.680E-03	1.680E-03	1.680E-03	1.680E-03	1.680E-03	1.680E-03	9.390E-02	4.750E-01
INFANT	1.680E-03	1.680E-03	1.680E-03	1.680E-03	1.680E-03	1.680E-03	9.390E-02	4.750E-01

PATHWAY: GROUND

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00							
TEEN	0.000E+00							
CHILD	0.000E+00							
INFANT	0.000E+00							

PATHWAY: VEGETABLE

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00							
TEEN	0.000E+00							
CHILD	0.000E+00	0.000E+00	0.000E+00	0.300E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
INFANT	0.000E+00							

PATHWAY: MEAT

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.060E+00	0.000E+00
TEEN	0.000E+00							
CHILD	0.000E+00							
INFANT	0.000E+00							

PATHWAY: COW MILK

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00							
TEEN	0.000E+00							
CHILD	0.000E+00							
INFANT	0.000E+00							

PATHWAY: GOAT MILK

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00							
TEEN	0.000E+00							
CHILD	0.000E+00							
INFANT	0.000E+00							

PATHWAY: INHALATION

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00							
TEEN	0.000E+00							
CHILD	0.000E+00							
INFANT	0.000E+00							

Table B4-7b Continued

INDIVIDUAL DOSE FACTORS FOR GASEOUS EFFLUENTS -- FOR ISOTOPE: KR85M

PATHWAY: PLUME

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	2.600E+01	2.600E+01	2.600E+01	2.600E+01	2.600E+01	2.600E+01	2.660E+01	7.660E+01
TEEN	2.600E+01	2.600E+01	2.600E+01	2.600E+01	2.600E+01	2.600E+01	2.660E+01	7.660E+01
CHILD	2.600E+01	2.600E+01	2.600E+01	2.600E+01	2.600E+01	2.600E+01	2.660E+01	7.660E+01
INFANT	2.600E+01	2.600E+01	2.600E+01	2.600E+01	2.600E+01	2.600E+01	2.660E+01	7.660E+01

PATHWAY: GROUND

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00							
TEEN	0.000E+00							
CHILD	0.000E+00							
INFANT	0.000E+00							

PATHWAY: VEGETABLE

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00							
TEEN	0.000E+00							
CHILD	0.000E+00							
INFANT	0.000E+00							

PATHWAY: MEAT

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00							
TEEN	0.000E+00							
CHILD	0.000E+00							
INFANT	0.000E+00							

PATHWAY: COW MILK

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00							
TEEN	0.000E+00							
CHILD	0.000E+00							
INFANT	0.000E+00							

PATHWAY: GOAT MILK

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00							
TEEN	0.000E+00							
CHILD	0.000E+00							
INFANT	0.000E+00							

PATHWAY: INHALATION

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00							
TEEN	0.000E+00							
CHILD	0.000E+00							
INFANT	0.000E+00							

Table B4-7b Continued

INDIVIDUAL DOSE FACTORS FOR GASEOUS EFFLUENTS -- FOR ISOTOPE: KR85

PATHWAY: PLUME

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	3.570E-01	3.570E-01	3.570E-01	3.570E-01	3.570E-01	3.570E-01	9.500E-01	4.290E+01
TEEN	3.570E-01	3.570E-01	3.570E-01	3.570E-01	3.570E-01	3.570E-01	9.500E-01	4.290E+01
CHILD	3.570E-01	3.570E-01	3.570E-01	3.570E-01	3.570E-01	3.570E-01	9.500E-01	4.290E+01
INFANT	3.570E-01	3.570E-01	3.570E-01	3.570E-01	3.570E-01	3.570E-01	9.500E-01	4.290E+01

PATHWAY: GROUND

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00							
TEEN	0.000E+00							
CHILD	0.000E+00							
INFANT	0.000E+00							

PATHWAY: VEGETABLE

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00							
TEEN	0.000E+00							
CHILD	0.000E+00							
INFANT	0.000E+00							

PATHWAY: MEAT

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00							
TEEN	0.000E+00							
CHILD	0.000E+00							
INFANT	0.000E+00							

PATHWAY: COW MILK

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00							
TEEN	0.000E+00							
CHILD	0.000E+00							
INFANT	0.000E+00							

PATHWAY: GOAT MILK

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00							
TEEN	0.000E+00							
CHILD	0.000E+00							
INFANT	0.000E+00							

PATHWAY: INHALATION

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00							
TEEN	0.000E+00							
CHILD	0.000E+00							
INFANT	0.000E+00							

Table B4-7b Continued

INDIVIDUAL DOSE FACTORS FOR GASEOUS EFFLUENTS -- FOR ISOTOPE: KR87

PATHWAY: PLUME

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	1.310E+02	1.310E+02	1.310E+02	1.310E+02	1.310E+02	1.310E+02	1.350E+02	4.600E+02
TEEN	1.310E+02	1.310E+02	1.310E+02	1.310E+02	1.310E+02	1.310E+02	1.350E+02	4.600E+02
CHILD	1.310E+02	1.310E+02	1.310E+02	1.310E+02	1.310E+02	1.310E+02	1.350E+02	4.600E+02
INFANT	1.310E+02	1.310E+02	1.310E+02	1.310E+02	1.310E+02	1.310E+02	1.350E+02	4.600E+02

PATHWAY: GROUND

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00							
TEEN	0.000E+00							
CHILD	0.000E+00							
INFANT	0.000E+00							

PATHWAY: VEGETABLE

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00							
TEEN	0.000E+00							
CHILD	0.000E+00							
INFANT	0.000E+00							

PATHWAY: MEAT

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00							
TEEN	0.000E+00							
CHILD	0.000E+00							
INFANT	0.000E+00							

PATHWAY: COW MILK

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00							
TEEN	0.000E+00							
CHILD	0.000E+00							
INFANT	0.000E+00							

PATHWAY: GOAT MILK

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00							
TEEN	0.000E+00							
CHILD	0.000E+00							
INFANT	0.000E+00							

PATHWAY: INHALATION

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00							
TEEN	0.000E+00							
CHILD	0.000E+00							
INFANT	0.000E+00							

Table B4-7b Continued

INDIVIDUAL DOSE FACTORS FOR GASEOUS EFFLUENTS -- FOR ISOTOPE: KR88

PATHWAY: PLUME

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	3.260E+02	3.260E+02	3.260E+02	3.260E+02	3.260E+02	3.260E+02	3.270E+02	4.500E+02
TEEN	3.260E+02	3.260E+02	3.260E+02	3.260E+02	3.260E+02	3.260E+02	3.270E+02	4.500E+02
CHILD	3.260E+02	3.260E+02	3.260E+02	3.260E+02	3.260E+02	3.260E+02	3.270E+02	4.500E+02
INFANT	3.260E+02	3.260E+02	3.260E+02	3.260E+02	3.260E+02	3.260E+02	3.270E+02	4.500E+02

PATHWAY: GROUND

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00							
TEEN	0.000E+00							
CHILD	0.000E+00							
INFANT	0.000E+00							

PATHWAY: VEGETABLE

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00							
TEEN	0.000E+00							
CHILD	0.000E+00							
INFANT	0.000E+00							

PATHWAY: MEAT

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00							
TEEN	0.000E+00							
CHILD	0.000E+00							
INFANT	0.000E+00							

PATHWAY: COW MILK

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00							
TEEN	0.000E+00							
CHILD	0.000E+00							
INFANT	0.000E+00							

PATHWAY: GOAT MILK

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00							
TEEN	0.000E+00							
CHILD	0.000E+00							
INFANT	0.000E+00							

PATHWAY: INHALATION

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00							
TEEN	0.000E+00							
CHILD	0.000E+00							
INFANT	0.000E+00							

Table B4-7b Continued

INDIVIDUAL DOSE FACTORS FOR GASEOUS EFFLUENTS -- FOR ISOTOPE: KR89

PATHWAY: PLUME

	T.	BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	3.680E+02	3.680E+02	3.680E+02	3.680E+02	3.680E+02	3.680E+02	3.720E+02	7.460E+02	
TEEN	3.680E+02	3.680E+02	3.680E+02	3.680E+02	3.680E+02	3.680E+02	3.720E+02	7.460E+02	
CHILD	3.680E+02	3.680E+02	3.680E+02	3.680E+02	3.680E+02	3.680E+02	3.720E+02	7.460E+02	
INFANT	3.680E+02	3.680E+02	3.680E+02	3.680E+02	3.680E+02	3.680E+02	3.720E+02	7.460E+02	

PATHWAY: GROUND

	T.	BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00								
TEEN	0.000E+00								
CHILD	0.000E+00								
INFANT	0.000E+00								

PATHWAY: VEGETABLE

	T.	BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00								
TEEN	0.000E+00								
CHILD	0.000E+00								
INFANT	0.000E+00								

PATHWAY: MEAT

	T.	BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00								
TEEN	0.000E+00								
CHILD	0.000E+00								
INFANT	0.000E+00								

PATHWAY: COW MILK

	T.	BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00								
TEEN	0.000E+00								
CHILD	0.000E+00								
INFANT	0.000E+00								

PATHWAY: GOAT MILK

	T.	BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00								
TEEN	0.000E+00								
CHILD	0.000E+00								
INFANT	0.000E+00								

PATHWAY: INHALATION

	T.	BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00								
TEEN	0.000E+00								
CHILD	0.000E+00								
INFANT	0.000E+00								

Table B4-7b Continued

INDIVIDUAL DOSE FACTORS FOR GASEOUS EFFLUENTS -- FOR ISOTOPE: KR90

PATHWAY: PLUME

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	3.460E+02	3.460E+02	3.460E+02	3.460E+02	3.460E+02	3.460E+02	3.490E+02	6.330E+02
TEEN	3.460E+02	3.460E+02	3.460E+02	3.460E+02	3.460E+02	3.460E+02	3.490E+02	6.330E+02
CHILD	3.460E+02	3.460E+02	3.460E+02	3.460E+02	3.460E+02	3.460E+02	3.490E+02	6.330E+02
INFANT	3.460E+02	3.460E+02	3.460E+02	3.460E+02	3.460E+02	3.460E+02	3.490E+02	6.330E+02

PATHWAY: GROUND

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00							
TEEN	0.000E+00							
CHILD	0.000E+00							
INFANT	0.000E+00							

PATHWAY: VEGETABLE

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00							
TEEN	0.000E+00							
CHILD	0.000E+00							
INFANT	0.000E+00							

PATHWAY: MEAT

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00							
TEEN	0.000E+00							
CHILD	0.000E+00							
INFANT	0.000E+00							

PATHWAY: COW MILK

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00							
TEEN	0.000E+00							
CHILD	0.000E+00							
INFANT	0.000E+00							

PATHWAY: GOAT MILK

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00							
TEEN	0.000E+00							
CHILD	0.000E+00							
INFANT	0.000E+00							

PATHWAY: INHALATION

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.17E+00	0.000E+00	0.000E+00
TEEN	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.17E+00	0.000E+00	0.000E+00
CHILD	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.17E+00	0.000E+00	0.000E+00
INFANT	0.000E+00							

Table B4-7b Continued

INDIVIDUAL DOSE FACTORS FOR GASEOUS EFFLUENTS -- FOR ISOTOPE: XE131M

PATHWAY: PLUME

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	2.030E+00	2.030E+00	2.030E+00	2.030E+00	2.030E+00	2.030E+00	2.380E+00	1.890E+01
TEEN	2.030E+00	2.030E+00	2.030E+00	2.030E+00	2.030E+00	2.030E+00	2.380E+00	1.890E+01
CHILD	2.030E+00	2.030E+00	2.030E+00	2.030E+00	2.030E+00	2.030E+00	2.380E+00	1.890E+01
INFANT	2.030E+00	2.030E+00	2.030E+00	2.030E+00	2.030E+00	2.030E+00	2.380E+00	1.890E+01

PATHWAY: GROUND

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00							
TEEN	0.000E+00							
CHILD	0.000E+00							
INFANT	0.000E+00							

PATHWAY: VEGETABLE

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00							
TEEN	0.000E+00							
CHILD	0.000E+00							
INFANT	0.000E+00							

PATHWAY: MEAT

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00							
TEEN	0.000E+00							
CHILD	0.000E+00							
INFANT	0.000E+00							

PATHWAY: COW MILK

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00							
TEEN	0.000E+00							
CHILD	0.000E+00							
INFANT	0.000E+00							

PATHWAY: GOAT MILK

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00							
TEEN	0.000E+00							
CHILD	0.000E+00							
INFANT	0.000E+00							

PATHWAY: INHALATION

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00							
TEEN	0.000E+00							
CHILD	0.000E+00							
INFANT	0.000E+00							

Table B4-7b Continued

INDIVIDUAL DOSE FACTORS FOR GASEOUS EFFLUENTS -- FOR ISOTOPE: XE133M

PATHWAY: PLUME

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	5.570E+00	5.570E+00	5.570E+00	5.570E+00	5.570E+00	5.570E+00	6.030E+00	3.960E+01
TEEN	5.570E+00	5.570E+00	5.570E+00	5.570E+00	5.570E+00	5.570E+00	6.030E+00	3.960E+01
CHILD	5.570E+00	5.570E+00	5.570E+00	5.570E+00	5.570E+00	5.570E+00	6.030E+00	3.960E+01
INFANT	5.570E+00	5.570E+00	5.570E+00	5.570E+00	5.570E+00	5.570E+00	6.030E+00	3.960E+01

PATHWAY: GROUND

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00							
TEEN	0.000E+00							
CHILD	0.000E+00							
INFANT	0.000E+00							

PATHWAY: VEGETABLE

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00							
TEEN	0.000E+00							
CHILD	0.000E+00							
INFANT	0.000E+00							

PATHWAY: MEAT

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00							
TEEN	0.000E+00							
CHILD	0.000E+00							
INFANT	0.000E+00							

PATHWAY: COW MILK

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00							
TEEN	0.000E+00							
CHILD	0.000E+00							
INFANT	0.000E+00							

PATHWAY: GOAT MILK

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00							
TEEN	0.000E+00							
CHILD	0.000E+00							
INFANT	0.000E+00							

PATHWAY: INHALATION

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00							
TEEN	0.000E+00							
CHILD	0.000E+00							
INFANT	0.000E+00							

Table B4-7b Continued

INDIVIDUAL DOSE FACTORS FOR GASEOUS EFFLUENTS -- FOR ISOTOPE: XE133

PATHWAY: PLUME

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	6.520E+00	6.520E+00	6.520E+00	6.520E+00	6.520E+00	6.520E+00	6.860E+00	1.840E+01
TEEN	6.520E+00	6.520E+00	6.520E+00	6.520E+00	6.520E+00	6.520E+00	6.860E+00	1.840E+01
CHILD	6.520E+00	6.520E+00	6.520E+00	6.520E+00	6.520E+00	6.520E+00	6.860E+00	1.840E+01
INFANT	6.520E+00	6.520E+00	6.520E+00	6.520E+00	6.520E+00	6.520E+00	6.860E+00	1.840E+01

PATHWAY: GROUND

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00							
TEEN	0.000E+00							
CHILD	0.000E+00							
INFANT	0.000E+00							

PATHWAY: VEGETABLE

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00							
TEEN	0.000E+00							
CHILD	0.000E+00							
INFANT	0.000E+00							

PATHWAY: MEAT

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00							
TEEN	0.000E+00							
CHILD	0.000E+00							
INFANT	0.000E+00							

PATHWAY: COW MILK

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00							
TEEN	0.000E+00							
CHILD	0.000E+00							
INFANT	0.000E+00							

PATHWAY: GOAT MILK

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00							
TEEN	0.000E+00							
CHILD	0.000E+00							
INFANT	0.000E+00							

PATHWAY: INHALATION

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00							
TEEN	0.000E+00							
CHILD	0.000E+00							
INFANT	0.000E+00							

Table B4-7b Continued

INDIVIDUAL DOSE FACTORS FOR GASEOUS EFFLUENTS -- FOR ISOTOPE: XE135M

PATHWAY: PLUME

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	6.920E+01	6.920E+01	6.920E+01	6.920E+01	6.920E+01	6.920E+01	6.950E+01	1.050E+02
TEEN	6.920E+01	6.920E+01	6.920E+01	6.920E+01	6.920E+01	6.920E+01	6.950E+01	1.050E+02
CHILD	6.920E+01	6.920E+01	6.920E+01	6.920E+01	6.920E+01	6.920E+01	6.950E+01	1.050E+02
INFANT	6.920E+01	6.920E+01	6.920E+01	6.920E+01	6.920E+01	6.920E+01	6.950E+01	1.050E+02

PATHWAY: GROUND

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00							
TEEN	0.000E+00							
CHILD	0.000E+00							
INFANT	0.000E+00							

PATHWAY: VEGETABLE

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00							
TEEN	0.000E+00							
CHILD	0.000E+00							
INFANT	0.000E+00							

PATHWAY: MEAT

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00							
TEEN	0.000E+00							
CHILD	0.000E+00							
INFANT	0.000E+00							

PATHWAY: COW MILK

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00							
TEEN	0.000E+00							
CHILD	0.000E+00							
INFANT	0.000E+00							

PATHWAY: GOAT MILK

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00							
TEEN	0.000E+00							
CHILD	0.000E+00							
INFANT	0.000E+00							

PATHWAY: INHALATION

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00							
TEEN	0.000E+00							
CHILD	0.000E+00							
INFANT	0.000E+00							

Table B4-7b Continued

INDIVIDUAL DOSE FACTORS FOR GASEOUS EFFLUENTS -- FOR ISOTOPE: XE135

PATHWAY: PLUME

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	4.020E+01	4.020E+01	4.020E+01	4.020E+01	4.020E+01	4.020E+01	4.090E+01	1.060E+02
TEEN	4.020E+01	4.020E+01	4.020E+01	4.020E+01	4.020E+01	4.020E+01	4.090E+01	1.060E+02
CHILD	4.020E+01	4.020E+01	4.020E+01	4.020E+01	4.020E+01	4.020E+01	4.090E+01	1.060E+02
INFANT	4.020E+01	4.020E+01	4.020E+01	4.020E+01	4.020E+01	4.020E+01	4.090E+01	1.060E+02

PATHWAY: GROUND

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00							
TEEN	0.000E+00							
CHILD	0.000E+00							
INFANT	0.000E+00							

PATHWAY: VEGETABLE

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00							
TEEN	0.000E+00							
CHILD	0.000E+00							
INFANT	0.000E+00							

PATHWAY: MEAT

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00							
TEEN	0.000E+00							
CHILD	0.000E+00							
INFANT	0.000E+00							

PATHWAY: COW MILK

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00							
TEEN	0.000E+00							
CHILD	0.000E+00							
INFANT	0.000E+00							

PATHWAY: GOAT MILK

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00							
TEEN	0.000E+00							
CHILD	0.000E+00							
INFANT	0.000E+00							

PATHWAY: INHALATION

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00							
TEEN	0.000E+00							
CHILD	0.000E+00							
INFANT	0.000E+00							

Table B4-7b Continued

INDIVIDUAL DOSE FACTORS FOR GASEOUS EFFLUENTS -- FOR ISOTOPE: XE137

PATHWAY: PLUME

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	3.150E+01	3.150E+01	3.150E+01	3.150E+01	3.150E+01	3.150E+01	3.540E+01	4.240E+02
TEEN	3.150E+01	3.150E+01	3.150E+01	3.150E+01	3.150E+01	3.150E+01	3.540E+01	4.240E+02
CHILD	3.150E+01	3.150E+01	3.150E+01	3.150E+01	3.150E+01	3.150E+01	3.540E+01	4.240E+02
INFANT	3.150E+01	3.150E+01	3.150E+01	3.150E+01	3.150E+01	3.150E+01	3.540E+01	4.240E+02

PATHWAY: GROUND

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00							
TEEN	0.000E+00							
CHILD	0.000E+00							
INFANT	0.000E+00							

PATHWAY: VEGETABLE

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00							
TEEN	0.000E+00							
CHILD	0.000E+00							
INFANT	0.000E+00							

PATHWAY: MEAT

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00							
TEEN	0.000E+00							
CHILD	0.000E+00							
INFANT	0.000E+00							

PATHWAY: COW MILK

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00							
TEEN	0.000E+00							
CHILD	0.000E+00							
INFANT	0.000E+00							

PATHWAY: GOAT MILK

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00							
TEEN	0.000E+00							
CHILD	0.000E+00							
INFANT	0.000E+00							

PATHWAY: INHALATION

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00							
TEEN	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.300E+00	0.000E+00	0.000E+00
CHILD	0.000E+00							
INFANT	0.000E+00							

Table B4-7b Continued

INDIVIDUAL DOSE FACTORS FOR GASEOUS EFFLUENTS -- FOR ISOTOPE: XE138

PATHWAY: PLUME

	T.	BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	1.960E+02	1.960E+02	1.960E+02	1.960E+02	1.960E+02	1.960E+02	1.980E+02	3.580E+02	
TEEN	1.960E+02	1.960E+02	1.960E+02	1.960E+02	1.960E+02	1.960E+02	1.980E+02	3.580E+02	
CHILD	1.960E+02	1.960E+02	1.960E+02	1.960E+02	1.960E+02	1.960E+02	1.980E+02	3.580E+02	
INFANT	1.960E+02	1.960E+02	1.960E+02	1.960E+02	1.960E+02	1.960E+02	1.980E+02	3.580E+02	

PATHWAY: GROUND

	T.	BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00								
TEEN	0.000E+00								
CHILD	0.000E+00								
INFANT	0.000E+00								

PATHWAY: VEGETABLE

	T.	BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00								
TEEN	0.000E+00								
CHILD	0.000E+00								
INFANT	0.000E+00								

PATHWAY: MEAT

	T.	BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00								
TEEN	0.000E+00								
CHILD	0.000E+00								
INFANT	0.000E+00								

PATHWAY: COW MILK

	T.	BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00								
TEEN	0.000E+00								
CHILD	0.000E+00								
INFANT	0.000E+00								

PATHWAY: GOAT MILK

	T.	BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00								
TEEN	0.000E+00								
CHILD	0.000E+00								
INFANT	0.000E+00								

PATHWAY: INHALATION

	T.	BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00								
TEEN	0.000E+00								
CHILD	0.000E+00								
INFANT	0.000E+00								

Table B4-7b Continued

INDIVIDUAL DOSE FACTORS FOR GASEOUS EFFLUENTS -- FOR ISOTOPE: CR51

PATHWAY: PLUME

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00							
TEEN	0.000E+00							
CHILD	0.000E+00							
INFANT	0.000E+00							

PATHWAY: GROUND

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	1.430E+05	1.690E+05						
TEEN	1.430E+05	1.690E+05						
CHILD	1.430E+05	1.690E+05						
INFANT	1.430E+05	1.690E+05						

PATHWAY: VEGETABLE

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	1.390E+03	3.500E+05	0.000E+00	0.000E+00	3.060E+02	8.310E+02	1.840E+03	0.000E+00
TEEN	1.850E+03	3.100E+05	0.000E+00	0.000E+00	4.050E+02	1.030E+03	2.640E+03	0.000E+00
CHILD	3.510E+03	1.860E+05	0.000E+00	0.000E+00	5.320E+02	1.950E+03	3.560E+03	0.000E+00
INFANT	0.000E+00							

PATHWAY: MEAT

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	1.910E+02	4.810E+04	0.000E+00	0.000E+00	4.210E+01	1.140E+02	2.540E+02	0.000E+00
TEEN	1.530E+02	2.570E+04	0.000E+00	0.000E+00	3.350E+01	8.490E+01	2.180E+02	0.000E+00
CHILD	2.380E+02	1.260E+04	0.000E+00	0.000E+00	3.610E+01	1.320E+02	2.420E+02	0.000E+00
INFANT	0.000E+00							

PATHWAY: COW MILK

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	7.740E+02	1.950E+05	0.000E+00	0.000E+00	1.700E+02	4.620E+02	1.030E+03	0.000E+00
TEEN	1.350E+03	2.270E+05	0.000E+00	0.000E+00	2.960E+02	7.510E+02	1.930E+03	0.000E+00
CHILD	2.760E+03	1.450E+05	0.000E+00	0.000E+00	4.180E+02	1.530E+03	2.790E+03	0.000E+00
INFANT	4.370E+03	1.270E+05	0.000E+00	0.000E+00	6.320E+02	2.850E+03	5.540E+03	0.000E+00

PATHWAY: GOAT MILK

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	9.280E+01	2.330E+04	0.000E+00	0.000E+00	2.050E+01	5.550E+01	1.230E+02	0.000E+00
TEEN	1.620E+02	2.720E+04	0.000E+00	0.000E+00	3.550E+01	9.010E+01	2.310E+02	0.000E+00
CHILD	3.310E+02	1.750E+04	0.000E+00	0.000E+00	5.020E+01	1.840E+02	3.350E+02	0.000E+00
INFANT	5.240E+02	1.530E+04	0.000E+00	0.000E+00	7.470E+01	3.420E+02	6.650E+02	0.000E+00

PATHWAY: INHALATION

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	3.170E+00	1.050E+02	0.000E+00	0.000E+00	7.230E-01	1.890E+00	4.560E+02	0.000E+00
TEEN	4.290E+00	9.510E+01	0.000E+00	0.000E+00	9.740E-01	2.380E+00	6.640E+02	0.000E+00
CHILD	4.890E+00	3.440E+01	0.000E+00	0.000E+00	7.710E-01	2.710E+00	5.380E+02	0.000E+00
INFANT	2.840E+00	1.130E+01	0.000E+00	0.000E+00	4.190E-01	1.820E+00	4.070E+02	0.000E+00

Table B4-7b Continued

INDIVIDUAL DOSE FACTORS FOR GASEOUS EFFLUENTS -- FOR ISOTOPE: MN54

PATHWAY: PLUME

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00							
TEEN	0.000E+00							
CHILD	0.000E+00							
INFANT	0.000E+00							

PATHWAY: GROUND

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	4.230E+07	4.960E+07						
TEEN	4.230E+07	4.960E+07						
CHILD	4.230E+07	4.960E+07						
INFANT	4.230E+07	4.960E+07						

PATHWAY: VEGETABLE

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	1.770E+06	2.840E+07	0.000E+00	9.270E+06	2.760E+06	0.000E+00	0.000E+00	0.000E+00
TEEN	2.670E+06	2.760E+07	0.000E+00	1.350E+07	4.010E+06	0.000E+00	0.000E+00	0.000E+00
CHILD	5.240E+06	1.650E+07	0.000E+00	1.970E+07	5.520E+06	0.000E+00	0.000E+00	0.000E+00
INFANT	0.000E+00							

PATHWAY: MEAT

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	4.230E+04	6.790E+05	0.000E+00	2.220E+05	6.600E+04	0.000E+00	0.000E+00	0.000E+00
TEEN	3.350E+04	3.470E+05	0.000E+00	1.690E+05	5.040E+04	0.000E+00	0.000E+00	0.000E+00
CHILD	5.150E+04	1.620E+05	0.000E+00	1.930E+05	5.420E+04	0.000E+00	0.000E+00	0.000E+00
INFANT	0.000E+00							

PATHWAY: COW MILK

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	3.880E+04	6.220E+05	0.000E+00	2.030E+05	6.050E+04	0.000E+00	0.000E+00	0.000E+00
TEEN	6.710E+04	6.940E+05	0.000E+00	3.380E+05	1.010E+05	0.000E+00	0.000E+00	0.000E+00
CHILD	1.350E+05	4.250E+05	0.000E+00	5.060E+05	1.420E+05	0.000E+00	0.000E+00	0.000E+00
INFANT	2.130E+05	3.460E+05	0.000E+00	9.420E+05	2.090E+05	0.000E+00	0.000E+00	0.000E+00

PATHWAY: GOAT MILK

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	4.650E+03	7.470E+04	0.000E+00	2.440E+04	7.250E+03	0.000E+00	0.000E+00	0.000E+00
TEEN	8.050E+03	8.330E+04	0.000E+00	4.060E+04	1.210E+04	0.000E+00	0.000E+00	0.000E+00
CHILD	1.620E+04	5.100E+04	0.000E+00	6.080E+04	1.700E+04	0.000E+00	0.000E+00	0.000E+00
INFANT	2.560E+04	4.150E+04	0.000E+00	1.130E+05	2.500E+04	0.000E+00	0.000E+00	0.000E+00

PATHWAY: INHALATION

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	2.000E+02	2.450E+03	0.000E+00	1.260E+03	3.120E+02	0.000E+00	4.440E+04	0.000E+00
TEEN	2.660E+02	2.120E+03	0.000E+00	1.620E+03	4.030E+02	0.000E+00	6.290E+04	0.000E+00
CHILD	3.010E+02	7.260E+02	0.000E+00	1.360E+03	3.180E+02	0.000E+00	5.000E+04	0.000E+00
INFANT	1.580E+02	2.240E+02	0.000E+00	8.030E+02	1.580E+02	0.000E+00	3.170E+04	0.000E+00

Table B4-7b Continued

INDIVIDUAL DOSE FACTORS FOR GASEOUS EFFLUENTS -- FOR ISOTOPE: FE59

PATHWAY: PLUME

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00							
TEEN	0.000E+00							
CHILD	0.000E+00							
INFANT	0.000E+00							

PATHWAY: GROUND

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	8.340E+06	9.800E+06						
TEEN	8.340E+06	9.800E+06						
CHILD	8.340E+06	9.800E+06						
INFANT	8.340E+06	9.800E+06						

PATHWAY: VEGETABLE

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	3.360E+06	2.920E+07	3.730E+06	8.760E+06	0.000E+00	0.000E+00	2.450E+06	0.000E+00
TEEN	4.780E+06	2.930E+07	5.300E+06	1.240E+07	0.000E+00	0.000E+00	3.900E+06	0.000E+00
CHILD	9.470E+06	1.980E+07	1.170E+07	1.900E+07	0.000E+00	0.000E+00	5.510E+06	0.000E+00
INFANT	0.000E+00							

PATHWAY: MEAT

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	6.220E+06	5.410E+07	6.900E+06	1.620E+07	0.000E+00	0.000E+00	4.530E+06	0.000E+00
TEEN	4.970E+06	3.040E+07	5.510E+06	1.290E+07	0.000E+00	0.000E+00	4.060E+06	0.000E+00
CHILD	7.880E+06	1.650E+07	9.780E+06	1.580E+07	0.000E+00	0.000E+00	4.590E+06	0.000E+00
INFANT	0.000E+00							

PATHWAY: COW MILK

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	6.950E+05	6.040E+06	7.710E+05	1.810E+06	0.000E+00	0.000E+00	5.070E+05	0.000E+00
TEEN	1.210E+06	7.430E+06	1.350E+06	3.140E+06	0.000E+00	0.000E+00	9.910E+05	0.000E+00
CHILD	2.520E+06	5.260E+06	3.120E+06	5.050E+06	0.000E+00	0.000E+00	1.460E+06	0.000E+00
INFANT	4.010E+06	4.860E+06	5.830E+06	1.020E+07	0.000E+00	0.000E+00	3.010E+06	0.000E+00

PATHWAY: GOAT MILK

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	9.040E+03	7.860E+04	1.000E+04	2.360E+04	0.000E+00	0.000E+00	6.590E+03	0.000E+00
TEEN	1.580E+04	9.660E+04	1.750E+04	4.090E+04	0.000E+00	0.000E+00	1.290E+04	0.000E+00
CHILD	3.270E+04	6.840E+04	4.060E+04	6.570E+04	0.000E+00	0.000E+00	1.900E+04	0.000E+00
INFANT	5.220E+04	6.320E+04	7.580E+04	1.320E+05	0.000E+00	0.000E+00	3.910E+04	0.000E+00

PATHWAY: INHALATION

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	3.350E+02	5.960E+03	3.730E+02	8.800E+02	0.000E+00	0.000E+00	3.220E+04	0.000E+00
TEEN	4.540E+02	5.660E+03	5.050E+02	1.170E+03	0.000E+00	0.000E+00	4.840E+04	0.000E+00
CHILD	5.290E+02	2.240E+03	6.560E+02	1.060E+03	0.000E+00	0.000E+00	4.020E+04	0.000E+00
INFANT	3.000E+02	7.860E+02	4.300E+02	7.460E+02	0.000E+00	0.000E+00	3.220E+04	0.000E+00

Table B4-7b Continued

INDIVIDUAL DOSE FACTORS FOR GASEOUS EFFLUENTS -- FOR ISOTOPE: C058

PATHWAY: PLUME

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00							
TEEN	0.000E+00							
CHILD	0.000E+00							
INFANT	0.000E+00							

PATHWAY: GROUND

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	1.160E+07	1.360E+07						
TEEN	1.160E+07	1.360E+07						
CHILD	1.160E+07	1.360E+07						
INFANT	1.160E+07	1.360E+07						

PATHWAY: VEGETABLE

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	2.020E+06	1.830E+07	0.000E+00	9.020E+05	0.000E+00	0.000E+00	0.000E+00	0.000E+00
TEEN	2.950E+06	1.760E+07	0.000E+00	1.280E+06	0.000E+00	0.000E+00	0.000E+00	0.000E+00
CHILD	5.780E+06	1.100E+07	0.000E+00	1.890E+06	0.000E+00	0.000E+00	0.000E+00	0.000E+00
INFANT	0.000E+00							

PATHWAY: MEAT

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	1.030E+06	9.300E+06	0.000E+00	4.590E+05	0.000E+00	0.000E+00	0.000E+00	0.000E+00
TEEN	8.160E+05	4.880E+06	0.000E+00	3.540E+05	0.000E+00	0.000E+00	0.000E+00	0.000E+00
CHILD	1.270E+06	2.410E+06	0.000E+00	4.130E+05	0.000E+00	0.000E+00	0.000E+00	0.000E+00
INFANT	0.000E+00							

PATHWAY: COW MILK

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	2.660E+05	2.410E+06	0.000E+00	1.190E+05	0.000E+00	0.000E+00	0.000E+00	0.000E+00
TEEN	4.610E+05	2.750E+06	0.000E+00	2.000E+05	0.000E+00	0.000E+00	0.000E+00	0.000E+00
CHILD	9.350E+05	1.780E+06	0.000E+00	3.050E+05	0.000E+00	0.000E+00	0.000E+00	0.000E+00
INFANT	1.520E+06	1.520E+06	0.000E+00	6.110E+05	0.000E+00	0.000E+00	0.000E+00	0.000E+00

PATHWAY: GOAT MILK

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	3.190E+04	2.890E+05	0.000E+00	1.420E+04	0.000E+00	0.000E+00	0.000E+00	0.000E+00
TEEN	5.530E+04	3.310E+05	0.000E+00	2.400E+04	0.000E+00	0.000E+00	0.000E+00	0.000E+00
CHILD	1.120E+05	2.140E+05	0.000E+00	3.660E+04	0.000E+00	0.000E+00	0.000E+00	0.000E+00
INFANT	1.810E+05	1.830E+05	0.000E+00	7.330E+04	0.000E+00	0.000E+00	0.000E+00	0.000E+00

PATHWAY: INHALATION

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	6.570E+01	3.370E+03	0.000E+00	5.020E+01	0.000E+00	0.000E+00	2.940E+04	0.000E+00
TEEN	8.800E+01	3.020E+03	0.000E+00	6.570E+01	0.000E+00	0.000E+00	4.260E+04	0.000E+00
CHILD	1.000E+02	1.090E+03	0.000E+00	5.620E+01	0.000E+00	0.000E+00	3.510E+04	0.000E+00
INFANT	5.770E+01	3.530E+02	0.000E+00	3.870E+01	0.000E+00	0.000E+00	2.460E+04	0.000E+00

Table B4-7b Continued

INDIVIDUAL DOSE FACTORS FOR GASEOUS EFFLUENTS -- FOR ISOTOPE: CO60

PATHWAY: PLUME

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00							
TEEN	0.000E+00							
CHILD	0.000E+00							
INFANT	0.000E+00							

PATHWAY: GROUND

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	6.580E+08	7.740E+08						
TEEN	6.580E+08	7.740E+08						
CHILD	6.580E+08	7.740E+08						
INFANT	6.580E+08	7.740E+08						

PATHWAY: VEGETABLE

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	1.110E+07	9.420E+07	0.000E+00	5.020E+06	0.000E+00	0.000E+00	0.000E+00	0.000E+00
TEEN	1.680E+07	9.720E+07	0.000E+00	7.460E+06	0.000E+00	0.000E+00	0.000E+00	0.000E+00
CHILD	3.350E+07	6.290E+07	0.000E+00	1.140E+07	0.000E+00	0.000E+00	0.000E+00	0.000E+00
INFANT	0.000E+00							

PATHWAY: MEAT

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	3.980E+06	3.390E+07	0.000E+00	1.800E+06	0.000E+00	0.000E+00	0.000E+00	0.000E+00
TEEN	3.150E+06	1.820E+07	0.000E+00	1.400E+06	0.000E+00	0.000E+00	0.000E+00	0.000E+00
CHILD	4.900E+06	9.200E+06	0.000E+00	1.660E+06	0.000E+00	0.000E+00	0.000E+00	0.000E+00
INFANT	0.000E+00							

PATHWAY: COW MILK

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	8.680E+05	7.390E+06	0.000E+00	3.930E+05	0.000E+00	0.000E+00	0.000E+00	0.000E+00
TEEN	1.500E+06	8.680E+06	0.000E+00	6.660E+05	0.000E+00	0.000E+00	0.000E+00	0.000E+00
CHILD	3.050E+06	5.730E+06	0.000E+00	1.030E+06	0.000E+00	0.000E+00	0.000E+00	0.000E+00
INFANT	4.990E+06	5.030E+06	0.000E+00	2.110E+06	0.000E+00	0.000E+00	0.000E+00	0.000E+00

PATHWAY: GOAT MILK

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	1.040E+05	8.870E+05	0.000E+00	4.720E+04	0.000E+00	0.000E+00	0.000E+00	0.000E+00
TEEN	1.800E+05	1.040E+06	0.000E+00	8.000E+04	0.000E+00	0.000E+00	0.000E+00	0.000E+00
CHILD	3.660E+05	6.880E+05	0.000E+00	1.240E+05	0.000E+00	0.000E+00	0.000E+00	0.000E+00
INFANT	5.990E+05	6.030E+05	0.000E+00	2.540E+05	0.000E+00	0.000E+00	0.000E+00	0.000E+00

PATHWAY: INHALATION

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	4.690E+02	9.030E+03	0.000E+00	3.650E+02	0.000E+00	0.000E+00	1.890E+05	0.000E+00
TEEN	6.290E+02	8.220E+03	0.000E+00	4.790E+02	0.000E+00	0.000E+00	2.760E+05	0.000E+00
CHILD	7.180E+02	3.050E+03	0.000E+00	4.160E+02	0.000E+00	0.000E+00	2.240E+05	0.000E+00
INFANT	3.730E+02	1.010E+03	0.000E+00	2.540E+02	0.000E+00	0.000E+00	1.430E+05	0.000E+00

Table B4-7b Continued

INDIVIDUAL DOSE FACTORS FOR GASEOUS EFFLUENTS -- FOR ISOTOPE: ZN65

PATHWAY: PLUME

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00							
TEEN	0.000E+00							
CHILD	0.000E+00							
INFANT	0.000E+00							

PATHWAY: GROUND

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	2.290E+07	2.630E+07						
TEEN	2.290E+07	2.630E+07						
CHILD	2.290E+07	2.630E+07						
INFANT	2.290E+07	2.630E+07						

PATHWAY: VEGETABLE

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	1.740E+07	2.430E+07	1.210E+07	3.860E+07	2.580E+07	0.000E+00	0.000E+00	0.000E+00
TEEN	2.620E+07	2.380E+07	1.620E+07	5.630E+07	3.600E+07	0.000E+00	0.000E+00	0.000E+00
CHILD	5.150E+07	1.450E+07	3.110E+07	8.280E+07	5.220E+07	0.000E+00	0.000E+00	0.000E+00
INFANT	0.000E+00							

PATHWAY: MEAT

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	1.390E+07	1.940E+07	9.700E+06	3.090E+07	2.060E+07	0.000E+00	0.000E+00	0.000E+00
TEEN	1.100E+07	1.000E+07	6.820E+06	2.370E+07	1.520E+07	0.000E+00	0.000E+00	0.000E+00
CHILD	1.700E+07	4.790E+06	1.020E+07	2.730E+07	1.720E+07	0.000E+00	0.000E+00	0.000E+00
INFANT	0.000E+00							

PATHWAY: COW MILK

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	5.380E+07	7.490E+07	3.740E+07	1.190E+08	7.960E+07	0.000E+00	0.000E+00	0.000E+00
TEEN	9.300E+07	8.440E+07	5.740E+07	1.990E+08	1.280E+08	0.000E+00	0.000E+00	0.000E+00
CHILD	1.870E+08	5.270E+07	1.130E+08	3.000E+08	1.890E+08	0.000E+00	0.000E+00	0.000E+00
INFANT	2.390E+08	4.380E+08	1.510E+08	5.190E+08	2.520E+08	0.000E+00	0.000E+00	0.000E+00

PATHWAY: GOAT MILK

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	6.450E+06	8.990E+06	4.490E+06	1.430E+07	9.550E+06	0.000E+00	0.000E+00	0.000E+00
TEEN	1.120E+07	1.010E+07	6.890E+06	2.390E+07	1.530E+07	0.000E+00	0.000E+00	0.000E+00
CHILD	2.240E+07	6.330E+06	1.350E+07	3.600E+07	2.270E+07	0.000E+00	0.000E+00	0.000E+00
INFANT	2.870E+07	5.260E+07	1.820E+07	6.230E+07	3.020E+07	0.000E+00	0.000E+00	0.000E+00

PATHWAY: INHALATION

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	1.480E+03	1.690E+03	1.030E+03	3.270E+03	2.190E+03	0.000E+00	2.740E+04	0.000E+00
TEEN	1.980E+03	1.480E+03	1.220E+03	4.240E+03	2.740E+03	0.000E+00	3.930E+04	0.000E+00
CHILD	2.230E+03	5.170E+02	1.350E+03	3.590E+03	2.260E+03	0.000E+00	3.160E+04	0.000E+00
INFANT	9.850E+02	1.630E+03	6.120E+02	1.980E+03	1.030E+03	0.000E+00	2.050E+04	0.000E+00

Table B4-7b Continued

INDIVIDUAL DOSE FACTORS FOR GASEOUS EFFLUENTS -- FOR ISOTOPE: SR89

PATHWAY: PLUME

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00							
TEEN	0.000E+00							
CHILD	0.000E+00							
INFANT	0.000E+00							

PATHWAY: GROUND

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	6.620E+02	7.680E+02						
TEEN	6.620E+02	7.680E+02						
CHILD	6.620E+02	7.680E+02						
INFANT	6.620E+02	7.680E+02						

PATHWAY: VEGETABLE

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	8.770E+06	4.900E+07	3.060E+03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
TEEN	1.330E+07	5.530E+07	4.640E+08	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
CHILD	3.150E+07	4.270E+07	1.100E+09	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
INFANT	0.000E+00							

PATHWAY: MEAT

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	2.410E+05	1.340E+06	8.380E+06	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
TEEN	2.030E+05	8.430E+05	7.080E+06	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
CHILD	3.820E+05	5.180E+05	1.340E+07	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
INFANT	0.000E+00							

PATHWAY: COW MILK

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	1.160E+06	6.470E+06	4.030E+07	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
TEEN	2.130E+06	8.850E+06	7.430E+07	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
CHILD	5.250E+06	7.120E+06	1.840E+08	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
INFANT	1.000E+07	7.190E+06	3.500E+08	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

PATHWAY: GOAT MILK

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	2.430E+06	1.360E+07	8.470E+07	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
TEEN	4.470E+06	1.860E+07	1.560E+08	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
CHILD	1.100E+07	1.500E+07	3.860E+08	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
INFANT	2.110E+07	1.510E+07	7.340E+08	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

PATHWAY: INHALATION

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	2.760E+01	1.110E+04	9.640E+03	0.000E+00	0.000E+00	0.000E+00	4.440E+04	0.000E+00
TEEN	3.960E+02	1.180E+04	1.380E+04	0.000E+00	0.000E+00	0.000E+00	7.660E+04	0.000E+00
CHILD	5.470E+02	5.300E+03	1.900E+04	0.000E+00	0.000E+00	0.000E+00	6.840E+04	0.000E+00
INFANT	3.620E+02	2.030E+03	1.260E+04	0.000E+00	0.000E+00	0.000E+00	6.440E+04	0.000E+00


1

IMAGE EVALUATION TEST TARGET (MT-3)



150mm

6"



1

IMAGE EVALUATION TEST TARGET (MT-3)



150mm

9"





1

IMAGE EVALUATION TEST TARGET (MT-3)



Table B4-7b Continued

INDIVIDUAL DOSE FACTORS FOR GASEOUS EFFLUENTS -- FOR ISOTOPE: SR90

PATHWAY: PLUME

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00							
TEEN	0.000E+00							
CHILD	0.000E+00							
INFANT	0.000E+00							

PATHWAY: GROUND

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00							
TEEN	0.000E+00							
CHILD	0.000E+00							
INFANT	0.000E+00							

PATHWAY: VEGETABLE

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	1.280E+10	1.510E+09	5.230E+10	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
TEEN	1.600E+10	1.820E+09	6.490E+10	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
CHILD	2.730E+10	1.450E+09	1.080E+11	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
INFANT	0.000E+00							

PATHWAY: MEAT

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	3.810E+08	4.480E+07	1.550E+09	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
TEEN	2.480E+08	2.820E+07	1.000E+09	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
CHILD	3.290E+08	1.750E+07	1.300E+09	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
INFANT	0.000E+00							

PATHWAY: COW MILK

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	1.430E+09	1.690E+08	5.840E+09	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
TEEN	2.040E+09	2.320E+08	8.250E+09	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
CHILD	3.530E+09	1.880E+08	1.390E+10	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
INFANT	3.860E+09	1.890E+08	1.520E+10	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

PATHWAY: GOAT MILK

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	3.010E+09	3.540E+08	1.230E+10	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
TEEN	4.280E+09	4.860E+08	1.730E+10	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
CHILD	7.420E+09	3.940E+08	2.930E+10	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
INFANT	8.110E+09	3.980E+08	3.190E+10	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

PATHWAY: INHALATION

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	1.930E+05	2.290E+04	3.140E+06	0.000E+00	0.000E+00	0.000E+00	3.040E+05	0.000E+00
TEEN	2.120E+05	2.420E+04	3.420E+06	0.000E+00	0.000E+00	0.000E+00	5.220E+05	0.000E+00
CHILD	2.040E+05	1.090E+04	3.200E+06	0.000E+00	0.000E+00	0.000E+00	4.680E+05	0.000E+00
INFANT	8.210E+04	4.150E+03	1.300E+06	0.000E+00	0.000E+00	0.000E+00	3.560E+05	0.000E+00

Table B4-7b Continued

INDIVIDUAL DOSE FACTORS FOR GASEOUS EFFLUENTS -- FOR ISOTOPE: ZR95

PATHWAY: PLUME

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00							
TEEN	0.000E+00							
CHILD	0.000E+00							
INFANT	0.000E+00							

PATHWAY: GROUND

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	7.480E+06	8.670E+06						
TEEN	7.480E+06	8.670E+06						
CHILD	7.480E+06	8.670E+06						
INFANT	7.480E+06	8.670E+06						

PATHWAY: VEGETABLE

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	7.480E+03	3.500E+07	3.450E+04	1.110E+04	1.730E+04	0.000E+00	0.000E+00	0.000E+00
TEEN	1.100E+04	3.680E+07	5.050E+04	1.590E+04	2.340E+04	0.000E+00	0.000E+00	0.000E+00
CHILD	2.210E+04	2.600E+07	1.130E+05	2.490E+04	3.560E+04	0.000E+00	0.000E+00	0.000E+00
INFANT	0.000E+00							

PATHWAY: MEAT

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	1.030E+04	4.820E+07	4.740E+04	1.520E+04	2.390E+04	0.000E+00	0.000E+00	0.000E+00
TEEN	8.240E+03	2.770E+07	3.800E+04	1.200E+04	1.760E+04	0.000E+00	0.000E+00	0.000E+00
CHILD	1.320E+04	1.550E+07	6.740E+04	1.480E+04	2.120E+04	0.000E+00	0.000E+00	0.000E+00
INFANT	0.000E+00							

PATHWAY: COW MILK

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	5.180E+00	2.430E+04	2.390E+01	7.660E+00	1.200E+01	0.000E+00	0.000E+00	0.000E+00
TEEN	9.060E+00	3.040E+04	4.180E+01	1.320E+01	1.940E+01	0.000E+00	0.000E+00	0.000E+00
CHILD	1.900E+01	2.220E+04	9.700E+01	2.130E+01	3.050E+01	0.000E+00	0.000E+00	0.000E+00
INFANT	2.980E+01	2.090E+04	1.720E+02	4.200E+01	4.520E+01	0.000E+00	0.000E+00	0.000E+00

PATHWAY: GOAT MILK

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	6.220E-01	2.910E+03	2.870E+00	9.190E-01	1.440E+00	0.000E+00	0.000E+00	0.000E+00
TEEN	1.090E+00	3.650E+03	5.010E+00	1.580E+00	2.320E+00	0.000E+00	0.000E+00	0.000E+00
CHILD	2.280E+00	2.670E+03	1.160E+01	2.560E+00	3.660E+00	0.000E+00	0.000E+00	0.000E+00
INFANT	3.570E+00	2.510E+03	2.070E+01	5.040E+00	5.430E+00	0.000E+00	0.000E+00	0.000E+00

PATHWAY: INHALATION

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	7.380E+02	4.770E+03	3.400E+03	1.090E+03	1.720E+03	0.000E+00	5.600E+04	0.000E+00
TEEN	9.990E+02	4.720E+03	4.620E+03	1.450E+03	2.140E+03	0.000E+00	8.520E+04	0.000E+00
CHILD	1.170E+03	1.940E+03	6.020E+03	1.330E+03	1.890E+03	0.000E+00	7.070E+04	0.000E+00
INFANT	6.440E+02	6.880E+02	3.660E+03	8.830E+02	9.850E+02	0.000E+00	5.550E+04	0.000E+00

Table B4-7b Continued

INDIVIDUAL DOSE FACTORS FOR GASEOUS EFFLUENTS -- FOR ISOTOPE: SB124

PATHWAY: PLUME

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00							
TEEN	0.000E+00							
CHILD	0.000E+00							
INFANT	0.000E+00							

PATHWAY: GROUND

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00							
TEEN	0.000E+00							
CHILD	0.000E+00							
INFANT	0.000E+00							

PATHWAY: VEGETABLE

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00							
TEEN	0.000E+00							
CHILD	0.000E+00							
INFANT	0.000E+00							

PATHWAY: MEAT

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00							
TEEN	0.000E+00							
CHILD	0.000E+00							
INFANT	0.000E+00							

PATHWAY: COW MILK

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00							
TEEN	0.000E+00							
CHILD	0.000E+00							
INFANT	0.000E+00							

PATHWAY: GOAT MILK

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00							
TEEN	0.000E+00							
CHILD	0.000E+00							
INFANT	0.000E+00							

PATHWAY: INHALATION

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00							
TEEN	0.000E+00							
CHILD	0.000E+00							
INFANT	0.000E+00							

Table B4-7b Continued

INDIVIDUAL DOSE FACTORS FOR GASEOUS EFFLUENTS -- FOR ISOTOPE: CS134

PATHWAY: PLUME

	T.	BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00								
TEEN	0.000E+00								
CHILD	0.000E+00								
INFANT	0.000E+00								

PATHWAY: GROUND

	T.	BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	2.090E+08	2.440E+08							
TEEN	2.090E+08	2.440E+08							
CHILD	2.090E+08	2.440E+08							
INFANT	2.090E+08	2.440E+08							

PATHWAY: VEGETABLE

	T.	BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	2.730E+08	5.830E+06	1.400E+08	3.330E+08	1.080E+08	0.000E+00	3.580E+07	0.000E+00	
TEEN	2.330E+08	6.240E+06	2.130E+08	5.020E+08	1.590E+08	0.000E+00	6.090E+07	0.000E+00	
CHILD	1.670E+08	4.260E+06	4.810E+08	7.900E+08	2.450E+08	0.000E+00	8.790E+07	0.000E+00	
INFANT	0.000E+00								

PATHWAY: MEAT

	T.	BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	3.080E+07	6.590E+05	1.580E+07	3.770E+07	1.220E+07	0.000E+00	4.050E+06	0.000E+00	
TEEN	1.370E+07	3.680E+05	1.260E+07	2.960E+07	9.410E+06	0.000E+00	3.590E+06	0.000E+00	
CHILD	7.680E+06	1.960E+05	2.220E+07	3.640E+07	1.130E+07	0.000E+00	4.050E+06	0.000E+00	
INFANT	0.000E+00								

PATHWAY: COW MILK

	T.	BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	2.650E+08	5.670E+06	1.360E+08	3.240E+08	1.050E+08	0.000E+00	3.480E+07	0.000E+00	
TEEN	2.580E+08	6.920E+06	2.360E+08	5.560E+08	1.770E+08	0.000E+00	6.750E+07	0.000E+00	
CHILD	1.890E+08	4.820E+06	5.450E+08	8.940E+08	2.770E+08	0.000E+00	9.940E+07	0.000E+00	
INFANT	1.650E+08	4.450E+06	8.780E+08	1.640E+09	4.210E+08	0.000E+00	1.730E+08	0.000E+00	

PATHWAY: GOAT MILK

	T.	BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	7.940E+08	1.700E+07	4.080E+08	9.710E+08	3.140E+08	0.000E+00	1.040E+08	0.000E+00	
TEEN	7.740E+08	2.070E+07	7.090E+08	1.670E+09	5.300E+08	0.000E+00	2.020E+08	0.000E+00	
CHILD	5.660E+08	1.450E+07	1.630E+09	2.680E+09	8.310E+08	0.000E+00	2.980E+08	0.000E+00	
INFANT	4.960E+08	1.330E+07	2.630E+09	4.910E+09	1.260E+09	0.000E+00	5.180E+08	0.000E+00	

PATHWAY: INHALATION

	T.	BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	2.310E+04	3.300E+02	1.180E+04	2.690E+04	9.100E+03	0.000E+00	3.090E+03	0.000E+00	
TEEN	1.740E+04	3.090E+02	1.590E+04	3.580E+04	1.190E+04	0.000E+00	4.640E+03	0.000E+00	
CHILD	7.120E+03	1.220E+02	2.060E+04	3.210E+04	1.050E+04	0.000E+00	3.840E+03	0.000E+00	
INFANT	2.360E+03	4.230E+01	1.260E+04	2.230E+04	6.040E+03	0.000E+00	2.530E+03	0.000E+00	

Table B4-7b Continued

INDIVIDUAL DOSE FACTORS FOR GASEOUS EFFLUENTS -- FOR ISOTOPE: CS136

PATHWAY: PLUME

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00							
TEEN	0.000E+00							
CHILD	0.000E+00							
INFANT	0.000E+00							

PATHWAY: GROUND

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	4.600E+06	5.210E+06						
TEEN	4.600E+06	5.210E+06						
CHILD	4.600E+06	5.210E+06						
INFANT	4.600E+06	5.210E+06						

PATHWAY: VEGETABLE

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	3.660E+06	5.770E+05	1.290E+06	5.080E+06	2.830E+06	0.000E+00	3.880E+05	0.000E+00
TEEN	3.480E+06	4.170E+05	1.320E+06	5.190E+06	2.820E+06	0.000E+00	4.450E+05	0.000E+00
CHILD	4.410E+06	2.400E+05	2.480E+06	6.820E+06	3.630E+06	0.000E+00	5.420E+05	0.000E+00
INFANT	0.000E+00							

PATHWAY: MEAT

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	9.890E+05	1.560E+05	3.480E+05	1.370E+06	7.640E+05	0.000E+00	1.050E+05	0.000E+00
TEEN	7.170E+05	8.590E+04	2.710E+05	1.070E+06	5.810E+05	0.000E+00	9.160E+04	0.000E+00
CHILD	8.330E+05	4.520E+04	4.680E+05	1.290E+06	6.850E+05	0.000E+00	1.020E+05	0.000E+00
INFANT	0.000E+00							

PATHWAY: COW MILK

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	2.160E+07	3.410E+06	7.610E+06	3.000E+07	1.670E+07	0.000E+00	2.290E+06	0.000E+00
TEEN	3.420E+07	4.100E+06	1.300E+07	5.100E+07	2.770E+07	0.000E+00	4.370E+06	0.000E+00
CHILD	5.200E+07	2.820E+06	2.920E+07	8.040E+07	4.280E+07	0.000E+00	6.380E+06	0.000E+00
INFANT	6.270E+07	2.550E+06	5.710E+07	1.680E+08	6.690E+07	0.000E+00	1.370E+07	0.000E+00

PATHWAY: GOAT MILK

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	6.490E+07	1.020E+07	2.280E+07	9.010E+07	5.010E+07	0.000E+00	6.870E+06	0.000E+00
TEEN	1.030E+08	1.230E+07	3.890E+07	1.530E+08	8.320E+07	0.000E+00	1.310E+07	0.000E+00
CHILD	1.560E+08	8.470E+06	8.770E+07	2.410E+08	1.280E+08	0.000E+00	1.910E+07	0.000E+00
INFANT	1.880E+08	7.650E+06	1.710E+08	5.040E+08	2.010E+08	0.000E+00	4.110E+07	0.000E+00

PATHWAY: INHALATION

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	3.500E+03	3.700E+02	1.240E+03	4.640E+03	2.710E+03	0.000E+00	3.800E+02	0.000E+00
TEEN	4.340E+03	3.450E+02	1.630E+03	6.140E+03	3.500E+03	0.000E+00	5.630E+02	0.000E+00
CHILD	3.680E+03	1.330E+02	2.060E+03	5.420E+03	3.030E+03	0.000E+00	4.610E+02	0.000E+00
INFANT	1.680E+03	4.530E+01	1.530E+03	4.260E+03	1.790E+03	0.000E+00	3.730E+02	0.000E+00

Table B4-7b Continued

INDIVIDUAL DOSE FACTORS FOR GASEOUS EFFLUENTS -- FOR ISOTOPE: CS137

PATHWAY: PLUME

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00							
TEEN	0.000E+00							
CHILD	0.000E+00							
INFANT	0.000E+00							

PATHWAY: GROUND

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	3.150E+08	3.670E+08						
TEEN	3.150E+08	3.670E+08						
CHILD	3.150E+08	3.670E+08						
INFANT	3.150E+08	3.670E+08						

PATHWAY: VEGETABLE

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	1.960E+08	5.790E+06	2.190E+08	2.990E+08	1.020E+08	0.000E+00	3.380E+07	0.000E+00
TEEN	1.620E+08	6.600E+06	3.490E+08	4.640E+08	1.580E+08	0.000E+00	6.130E+07	0.000E+00
CHILD	1.160E+08	4.930E+06	8.230E+08	7.880E+08	2.570E+08	0.000E+00	9.240E+07	0.000E+00
INFANT	0.000E+00							

PATHWAY: MEAT

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	1.990E+07	5.880E+05	2.220E+07	3.040E+07	1.030E+07	0.000E+00	3.430E+06	0.000E+00
TEEN	8.540E+06	3.490E+05	1.840E+07	2.450E+07	8.350E+06	0.000E+00	3.240E+06	0.000E+00
CHILD	4.800E+06	2.030E+05	3.390E+07	3.250E+07	1.060E+07	0.000E+00	3.810E+06	0.000E+00
INFANT	0.000E+00							

PATHWAY: COW MILK

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	1.680E+08	4.970E+06	1.880E+08	2.570E+08	8.720E+07	0.000E+00	2.900E+07	0.000E+00
TEEN	1.580E+08	6.450E+06	3.410E+08	4.530E+08	1.540E+08	0.000E+00	5.990E+07	0.000E+00
CHILD	1.160E+08	4.920E+06	8.210E+08	7.860E+08	2.560E+08	0.000E+00	9.210E+07	0.000E+00
INFANT	1.090E+08	4.790E+06	1.310E+09	1.530E+09	4.120E+08	0.000E+00	1.670E+08	0.000E+00

PATHWAY: GOAT MILK

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	5.050E+08	1.490E+07	5.640E+08	7.710E+08	2.620E+08	0.000E+00	8.700E+07	0.000E+00
TEEN	4.740E+08	1.930E+07	1.020E+09	1.360E+09	4.630E+08	0.000E+00	1.800E+08	0.000E+00
CHILD	3.480E+08	1.480E+07	2.460E+09	2.360E+09	7.680E+08	0.000E+00	2.760E+08	0.000E+00
INFANT	3.260E+08	1.440E+07	3.930E+09	4.600E+09	1.230E+09	0.000E+00	5.000E+08	0.000E+00

PATHWAY: INHALATION

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	1.360E+04	2.660E+02	1.520E+04	1.970E+04	7.050E+03	0.000E+00	2.380E+03	0.000E+00
TEEN	9.870E+03	2.690E+02	2.130E+04	2.690E+04	9.640E+03	0.000E+00	3.830E+03	0.000E+00
CHILD	4.070E+03	1.150E+02	2.870E+04	2.620E+04	8.950E+03	0.000E+00	3.300E+03	0.000E+00
INFANT	1.440E+03	4.230E+01	1.740E+04	1.940E+04	5.460E+03	0.000E+00	2.260E+03	0.000E+00

Table B4-7b Continued

INDIVIDUAL DOSE FACTORS FOR GASEOUS EFFLUENTS -- FOR ISOTOPE: BA140

PATHWAY: PLUME

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00							
TEEN	0.000E+00							
CHILD	0.000E+00							
INFANT	0.000E+00							

PATHWAY: GROUND

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	6.270E+05	7.160E+05						
TEEN	6.270E+05	7.160E+05						
CHILD	6.270E+05	7.160E+05						
INFANT	6.270E+05	7.160E+05						

PATHWAY: VEGETABLE

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	2.540E+05	7.990E+06	3.880E+06	4.870E+03	1.660E+03	0.000E+00	2.790E+03	0.000E+00
TEEN	2.690E+05	6.430E+06	4.170E+06	5.110E+03	1.730E+03	0.000E+00	3.430E+03	0.000E+00
CHILD	4.870E+05	4.230E+06	8.350E+06	7.310E+03	2.380E+03	0.000E+00	4.360E+03	0.000E+00
INFANT	0.000E+00							

PATHWAY: MEAT

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	5.460E+04	1.710E+06	8.330E+05	1.050E+03	3.560E+02	0.000E+00	5.990E+02	0.000E+00
TEEN	4.440E+04	1.060E+06	6.880E+05	8.440E+02	2.860E+02	0.000E+00	5.670E+02	0.000E+00
CHILD	7.420E+04	6.440E+05	1.270E+06	1.110E+03	3.620E+02	0.000E+00	6.640E+02	0.000E+00
INFANT	0.000E+00							

PATHWAY: COW MILK

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	5.100E+04	1.600E+06	7.790E+05	9.780E+02	3.330E+02	0.000E+00	5.600E+02	0.000E+00
TEEN	9.060E+04	2.170E+06	1.410E+06	1.720E+03	5.840E+02	0.000E+00	1.160E+03	0.000E+00
CHILD	1.980E+05	1.720E+06	3.390E+06	2.970E+03	9.680E+02	0.000E+00	1.770E+03	0.000E+00
INFANT	3.600E+05	1.720E+06	6.980E+06	6.980E+03	1.660E+03	0.000E+00	4.290E+03	0.000E+00

PATHWAY: GOAT MILK

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	6.120E+03	1.920E+05	9.350E+04	1.170E+02	3.990E+01	0.000E+00	6.720E+01	0.000E+00
TEEN	1.090E+04	2.600E+05	1.690E+05	2.070E+02	7.010E+01	0.000E+00	1.390E+02	0.000E+00
CHILD	2.380E+04	2.060E+05	4.070E+05	3.570E+02	1.160E+02	0.000E+00	2.130E+02	0.000E+00
INFANT	4.320E+04	2.060E+05	8.380E+05	8.380E+02	1.990E+02	0.000E+00	5.150E+02	0.000E+00

PATHWAY: INHALATION

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	8.140E+01	6.920E+03	1.240E+03	1.550E+00	5.300E-01	0.000E+00	4.030E+04	0.000E+00
TEEN	1.120E+02	7.250E+03	1.730E+03	2.130E+00	7.230E-01	0.000E+00	6.440E+04	0.000E+00
CHILD	1.370E+02	3.230E+03	2.350E+03	2.050E+00	6.700E-01	0.000E+00	5.520E+04	0.000E+00
INFANT	9.190E+01	1.220E+03	1.780E+03	1.780E+00	4.260E-01	0.000E+00	5.060E+04	0.000E+00

Table B4-7b Continued

INDIVIDUAL DOSE FACTORS FOR GASEOUS EFFLUENTS -- FOR ISOTOPE: CE141

PATHWAY: PLUME

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00							
TEEN	0.000E+00							
CHILD	0.000E+00							
INFANT	0.000E+00							

PATHWAY: GROUND

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	4.170E+05	4.700E+05						
TEEN	4.170E+05	4.700E+05						
CHILD	4.170E+05	4.700E+05						
INFANT	4.170E+05	4.700E+05						

PATHWAY: VEGETABLE

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	4.500E+02	1.520E+07	5.860E+03	3.970E+03	1.840E+03	0.000E+00	0.000E+00	0.000E+00
TEEN	6.450E+02	1.610E+07	8.410E+03	5.620E+03	2.640E+03	0.000E+00	0.000E+00	0.000E+00
CHILD	1.440E+03	1.210E+07	1.950E+04	9.730E+03	4.270E+03	0.000E+00	0.000E+00	0.000E+00
INFANT	0.000E+00							

PATHWAY: MEAT

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	2.870E+01	9.690E+05	3.750E+02	2.530E+02	1.180E+02	0.000E+00	0.000E+00	0.000E+00
TEEN	2.410E+01	6.010E+05	3.150E+02	2.100E+02	9.890E+01	0.000E+00	0.000E+00	0.000E+00
CHILD	4.390E+01	3.690E+05	5.920E+02	2.950E+02	1.300E+02	0.000E+00	0.000E+00	0.000E+00
INFANT	0.000E+00							

PATHWAY: COW MILK

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	9.910E+00	3.340E+05	1.290E+02	8.740E+01	4.060E+01	0.000E+00	0.000E+00	0.000E+00
TEEN	1.820E+01	4.520E+05	2.370E+02	1.580E+02	7.450E+01	0.000E+00	0.000E+00	0.000E+00
CHILD	4.320E+01	3.630E+05	5.830E+02	2.910E+02	1.280E+02	0.000E+00	0.000E+00	0.000E+00
INFANT	8.300E+01	3.640E+05	1.160E+03	7.050E+02	2.170E+02	0.000E+00	0.000E+00	0.000E+00

PATHWAY: GOAT MILK

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	1.190E+00	4.010E+04	1.550E+01	1.050E+01	4.870E+00	0.000E+00	0.000E+00	0.000E+00
TEEN	2.180E+00	5.430E+04	2.840E+01	1.900E+01	8.930E+00	0.000E+00	0.000E+00	0.000E+00
CHILD	5.180E+00	4.360E+04	7.000E+01	3.490E+01	1.530E+01	0.000E+00	0.000E+00	0.000E+00
INFANT	9.960E+00	4.370E+04	1.390E+02	8.460E+01	2.610E+01	0.000E+00	0.000E+00	0.000E+00

PATHWAY: INHALATION

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	4.840E+01	3.800E+03	6.310E+02	4.290E+02	1.990E+02	0.000E+00	1.150E+04	0.000E+00
TEEN	6.870E+01	4.010E+03	9.000E+02	6.010E+02	2.810E+02	0.000E+00	1.950E+04	0.000E+00
CHILD	9.180E+01	1.790E+03	1.240E+03	6.190E+02	2.710E+02	0.000E+00	1.720E+04	0.000E+00
INFANT	6.300E+01	6.830E+02	8.790E+02	5.280E+02	1.660E+02	0.000E+00	1.640E+04	0.000E+00

Table B4-7b Continued

INDIVIDUAL DOSE FACTORS FOR GASEOUS EFFLUENTS -- FOR ISOTOPE: CE144

PATHWAY: PLUME

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00							
TEEN	0.000E+00							
CHILD	0.000E+00							
INFANT	0.000E+00							

PATHWAY: GROUND

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	2.120E+06	2.450E+06						
TEEN	2.120E+06	2.450E+06						
CHILD	2.120E+06	2.450E+06						
INFANT	2.120E+06	2.450E+06						

PATHWAY: VEGETABLE

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	5.090E+04	3.210E+08	9.480E+05	3.960E+05	2.350E+05	0.000E+00	0.000E+00	0.000E+00
TEEN	8.170E+04	3.820E+08	1.520E+06	6.290E+05	3.760E+05	0.000E+00	0.000E+00	0.000E+00
CHILD	1.950E+05	2.990E+08	3.660E+06	1.150E+06	6.360E+05	0.000E+00	0.000E+00	0.000E+00
INFANT	0.000E+00							

PATHWAY: MEAT

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	1.870E+03	1.180E+07	3.480E+04	1.460E+04	8.640E+03	0.000E+00	0.000E+00	0.000E+00
TEEN	1.580E+03	7.380E+06	2.940E+04	1.210E+04	7.260E+03	0.000E+00	0.000E+00	0.000E+00
CHILD	2.950E+03	4.520E+06	5.530E+04	1.740E+04	9.610E+03	0.000E+00	0.000E+00	0.000E+00
INFANT	0.000E+00							

PATHWAY: COW MILK

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	4.590E+02	2.890E+06	8.550E+03	3.570E+03	2.120E+03	0.000E+00	0.000E+00	0.000E+00
TEEN	8.460E+02	3.960E+06	1.570E+04	6.510E+03	3.890E+03	0.000E+00	0.000E+00	0.000E+00
CHILD	2.070E+03	3.170E+06	3.880E+04	1.220E+04	6.730E+03	0.000E+00	0.000E+00	0.000E+00
INFANT	3.110E+03	3.190E+06	5.560E+04	2.280E+04	9.200E+03	0.000E+00	0.000E+00	0.000E+00

PATHWAY: GOAT MILK

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	5.510E+01	3.470E+05	1.030E+03	4.290E+02	2.540E+02	0.000E+00	0.000E+00	0.000E+00
TEEN	1.010E+02	4.750E+05	1.890E+03	7.810E+02	4.670E+02	0.000E+00	0.000E+00	0.000E+00
CHILD	2.480E+02	3.810E+05	4.660E+03	1.460E+03	8.080E+02	0.000E+00	0.000E+00	0.000E+00
INFANT	3.740E+02	3.830E+05	6.670E+03	2.730E+03	1.100E+03	0.000E+00	0.000E+00	0.000E+00

PATHWAY: INHALATION

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	5.830E+03	2.590E+04	1.090E+05	4.540E+04	2.690E+04	0.000E+00	2.460E+05	0.000E+00
TEEN	8.320E+03	2.740E+04	1.550E+05	6.420E+04	3.830E+04	0.000E+00	4.240E+05	0.000E+00
CHILD	1.150E+04	1.230E+04	2.150E+05	6.710E+04	3.720E+04	0.000E+00	3.790E+05	0.000E+00
INFANT	5.590E+03	4.700E+03	1.010E+05	3.840E+04	1.700E+04	0.000E+00	3.120E+05	0.000E+00

Table B4-7b Continued

INDIVIDUAL DOSE FACTORS FOR GASEOUS EFFLUENTS -- FOR ISOTOPE: I131

PATHWAY: PLUME

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00							
TEEN	0.000E+00							
CHILD	0.000E+00							
INFANT	0.000E+00							

PATHWAY: GROUND

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	2.630E+05	3.190E+05						
TEEN	2.630E+05	3.190E+05						
CHILD	2.630E+05	3.190E+05						
INFANT	2.630E+05	3.190E+05						

PATHWAY: VEGETABLE

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	1.000E+06	4.630E+05	1.230E+06	1.750E+06	3.010E+06	5.750E+08	0.000E+00	0.000E+00
TEEN	8.770E+05	3.230E+05	1.170E+06	1.630E+06	2.810E+06	4.770E+08	0.000E+00	0.000E+00
CHILD	1.240E+06	1.940E+05	2.170E+06	2.180E+06	3.580E+06	7.220E+08	0.000E+00	0.000E+00
INFANT	0.000E+00							

PATHWAY: MEAT

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	1.320E+05	6.070E+04	1.610E+05	2.300E+05	3.940E+05	7.540E+07	0.000E+00	0.000E+00
TEEN	1.010E+05	3.700E+04	1.340E+05	1.870E+05	3.220E+05	5.460E+07	0.000E+00	0.000E+00
CHILD	1.420E+05	2.220E+04	2.480E+05	2.490E+05	4.090E+05	8.240E+07	0.000E+00	0.000E+00
INFANT	0.000E+00							

PATHWAY: COW MILK

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	3.630E+06	1.670E+06	4.420E+06	6.330E+06	1.080E+07	2.070E+09	0.000E+00	0.000E+00
TEEN	6.040E+06	2.220E+06	8.020E+06	1.120E+07	1.930E+07	3.280E+09	0.000E+00	0.000E+00
CHILD	1.110E+07	1.740E+06	1.950E+07	1.960E+07	3.210E+07	6.470E+09	0.000E+00	0.000E+00
INFANT	2.100E+07	1.710E+06	4.060E+07	4.790E+07	5.590E+07	1.570E+10	0.000E+00	0.000E+00

PATHWAY: GOAT MILK

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	4.350E+06	2.000E+06	5.310E+06	7.590E+06	1.300E+07	2.490E+09	0.000E+00	0.000E+00
TEEN	7.240E+06	2.670E+06	9.630E+06	1.350E+07	2.320E+07	3.930E+09	0.000E+00	0.000E+00
CHILD	1.330E+07	2.090E+06	2.340E+07	2.350E+07	3.860E+07	7.770E+09	0.000E+00	0.000E+00
INFANT	2.530E+07	2.050E+06	4.880E+07	5.740E+07	6.710E+07	1.890E+10	0.000E+00	0.000E+00

PATHWAY: INHALATION

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	6.490E+02	1.990E+02	7.990E+02	1.130E+03	1.940E+03	3.780E+05	0.000E+00	0.000E+00
TEEN	8.370E+02	2.060E+02	1.120E+03	1.560E+03	2.660E+03	4.640E+05	0.000E+00	0.000E+00
CHILD	8.640E+02	9.010E+01	1.520E+03	1.520E+03	2.500E+03	5.150E+05	0.000E+00	0.000E+00
INFANT	6.210E+02	3.360E+01	1.200E+03	1.410E+03	1.640E+03	4.700E+05	0.000E+00	0.000E+00

Table B4-7b Continued

INDIVIDUAL DOSE FACTORS FOR GASEOUS EFFLUENTS -- FOR ISOTOPE: I133

PATHWAY: PLUME

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	0.000E+00							
TEEN	0.000E+00							
CHILD	0.000E+00							
INFANT	0.000E+00							

PATHWAY: GROUND

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	3.750E+04	4.560E+04						
TEEN	3.750E+04	4.560E+04						
CHILD	3.750E+04	4.560E+04						
INFANT	3.750E+04	4.560E+04						

PATHWAY: VEGETABLE

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	1.680E+04	4.960E+04	3.180E+04	5.520E+04	9.640E+04	8.120E+06	0.000E+00	0.000E+00
TEEN	1.530E+04	3.790E+04	2.950E+04	5.000E+04	8.780E+04	6.990E+06	0.000E+00	0.000E+00
CHILD	2.520E+04	2.680E+04	5.380E+04	6.650E+04	1.110E+05	1.240E+07	0.000E+00	0.000E+00
INFANT	0.000E+00							

PATHWAY: MEAT

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	3.050E-03	8.990E-03	5.750E-03	1.000E-02	1.740E-02	1.470E+00	0.000E+00	0.000E+00
TEEN	2.490E-03	6.170E-03	4.810E-03	8.160E-03	1.430E-02	1.140E+00	0.000E+00	0.000E+00
CHILD	4.180E-03	4.450E-03	8.930E-03	1.100E-02	1.840E-02	2.050E+00	0.000E+00	0.000E+00
INFANT	0.000E+00							

PATHWAY: COW MILK

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	3.140E+04	9.270E+04	5.930E+04	1.030E+05	1.800E+05	1.520E+07	0.000E+00	0.000E+00
TEEN	5.600E+04	1.390E+05	1.080E+05	1.840E+05	3.220E+05	2.560E+07	0.000E+00	0.000E+00
CHILD	1.230E+05	1.310E+05	2.630E+05	3.250E+05	5.420E+05	6.040E+07	0.000E+00	0.000E+00
INFANT	2.370E+05	1.370E+05	5.550E+05	8.090E+05	9.510E+05	1.470E+08	0.000E+00	0.000E+00

PATHWAY: GOAT MILK

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	3.770E+04	1.110E+05	7.110E+04	1.240E+05	2.160E+05	1.820E+07	0.000E+00	0.000E+00
TEEN	6.720E+04	1.670E+05	1.300E+05	2.200E+05	3.870E+05	3.080E+07	0.000E+00	0.000E+00
CHILD	1.480E+05	1.570E+05	3.160E+05	3.900E+05	6.510E+05	7.250E+07	0.000E+00	0.000E+00
INFANT	2.840E+05	1.640E+05	6.670E+05	9.710E+05	1.140E+06	1.770E+08	0.000E+00	0.000E+00

PATHWAY: INHALATION

	T. BODY	GI	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ADULT	1.430E+02	2.810E+02	2.740E+02	4.690E+02	8.190E+02	6.820E+04	0.000E+00	0.000E+00
TEEN	1.970E+02	3.270E+02	3.850E+02	6.490E+02	1.140E+03	9.260E+04	0.000E+00	0.000E+00
CHILD	2.440E+02	1.740E+02	5.250E+02	6.440E+02	1.070E+03	1.220E+05	0.000E+00	0.000E+00
INFANT	1.780E+02	6.830E+01	4.200E+02	6.080E+02	7.100E+02	1.130E+05	0.000E+00	0.000E+00

Table B4-8: Liquid Parameter Values for Eq. 4.2a and 4.2b
Population Dose Estimates

Parameter	Parameter Value				
U	Adult Teen Child Infant				
Colorado River	6.9	5.2	2.2	0	kg/y saltwater fish
	1	0.75	0.33	0	kg/y saltwater invertebrate
Matagorda Bay	6.9	5.2	2.2	0	kg/y saltwater fish
	1	0.75	0.33	0	kg/y saltwater invertebrate
Ub	Adult Teen Child Infant				
Colorado River	8.3	47	9.5	0	hr/y
Matagorda Bay	8.3	47	9.5	0	hr/y
M					
Colorado River	1.00				
Matagorda Bay	163				
F					
Colorado River	600 cfs				
N(i)					
Colorado River	values by nuclide "i" and pathway from				
Matagorda Bay	Table B4-1				
T					
fish ingestion	168 hr				
shell fish ingestion	240 hr				
shoreline exposure	0 hr				
Tb	1.31E+05 hr				
W					
Colorado River	0.2				
Matagorda Bay	0.5				
B(i)	nuclide specific from Table A-1, Regulatory Guide 1.109				
D(a, i, j)	nuclide specific from Table E-11 or E-6, Regulatory Guide 1.109				

Table B4-9: Pathways for Calculating Population
Doses from Liquid Effluents

<u>PATHWAYS</u>	NUMBER OF RECEPTORS AT LOCATIONS:		
	Colorado River	Matagorda Bay	Little Robbins
Shore Exposure	151,500	151,500	0
Salt Water Fish Ingestion	18,500	18,500	0
Salt Water Invertebrate Ingestion	0	303,000	0

Table B4-10a: Population Distribution

Direction	Distance (miles)									
	1 - 2	2 - 3	3 - 4	4 - 5	5 - 10	10 - 20	20 - 30	30 - 40	40 - 50	
N	0.	4.	0.	0.	30.	2,982.	1,867.	14,992.	5,947.	
NNE	0.	0.	0.	0.	90.	22,707.	2,298.	6,893.	7,719.	
NE	0.	0.	0.	0.	37.	2,810.	7,937.	21,189.	16,726.	
ENE	0.	0.	0.	3.	482.	1,889.	3,509.	21,856.	67,308.	
E	0.	0.	2.	0.	47.	864.	1,067.	0.	407.	
ESE	0.	0.	112.	82.	64.	233.	0.	0.	0.	
SE	0.	0.	51.	59.	461.	0.	0.	0.	0.	
SSE	0.	0.	0.	4.	149.	45.	0.	0.	0.	
S	0.	0.	0.	0.	0.	0.	0.	0.	0.	
SSW	0.	0.	0.	2.	7.	171.	0.	0.	0.	
S ^w	0.	0.	0.	13.	64.	220.	0.	2,027.	1,453.	
WSW	0.	6.	2.	21.	120.	5,334.	1,592.	14,096.	8,797.	
W	0.	0.	0.	12.	127.	642.	845.	1,922.	4,672.	
WNW	0.	0.	0.	32.	404.	732.	1,515.	8,805.	2,611.	
NW	0.	25.	0.	20.	245.	819.	1,430.	1,751.	2,579.	
NNW	0.	0.	12.	11.	7.	941.	4,967.	13,907.	3,592.	

The population distribution of this table reflects the estimated 1990 population within 50 miles of STPEGS from the UFSAR, Rev. 0, and is applicable for the plume, ground and inhalation pathways.

Table B4-10b: Vegetation Ingestion Pathway Population Distribution

Direction	Distance (miles)								
	1 - 2	2 - 3	3 - 4	4 - 5	5 - 10	10 - 20	20 - 30	30 - 40	40 - 50
N	124.	207.	289.	372.	3,141.	6,778.	11,656.	3,472.	5,621.
NNE	124.	207.	289.	322.	3,141.	7,109.	10,912.	7,522.	9,010.
NE	124.	207.	289.	372.	3,141.	7,109.	4,877.	9,341.	11,656.
ENE	107.	182.	256.	198.	2,067.	1,157.	1,405.	0.	0.
E	107.	182.	256.	198.	2,067.	992.	1,323.	83.	0.
ESE	107.	182.	256.	198.	2,067.	248.	0.	0.	0.
SE	0.	0.	0.	198.	2,067.	0.	0.	0.	0.
SSE	0.	0.	0.	0.	0.	0.	0.	0.	0.
S	0.	0.	0.	0.	0.	0.	0.	0.	0.
SSW	0.	0.	0.	0.	0.	827.	0.	0.	0.
SW	0.	0.	0.	99.	827.	827.	0.	4,133.	7,109.
WSW	41.	66.	99.	99.	827.	3,555.	0.	149.	9,010.
W	41.	66.	99.	99.	827.	2,811.	0.	413.	3,224.
WNW	41.	66.	99.	99.	827.	3,224.	0.	0.	248.
NW	41.	66.	99.	100.	827.	5,621.	12,730.	17,277.	18,351.
NNW	124.	207.	289.	372.	3,141.	6,778.	16,863.	23,229.	28,106.

The population distribution of this table has been normalized to reflect the non-leafy vegetable (rice) production within 50 miles of STPEGS (Wyle Research Report WR 84-34, Table 13(a)).

Table B4-10c: Beef Ingestion Pathway Population Distribution

Direction	Distance (miles)									
	1 - 2	2 - 3	3 - 4	4 - 5	5 - 10	10 - 20	20 - 30	30 - 40	40 - 50	
N	36.	57.	83.	108.	877.	3,353.	6,344.	9,594.	13,669.	
NNE	36.	57.	83.	108.	877.	4,539.	6,551.	6,809.	18,930.	
NE	36.	57.	83.	108.	877.	4,539.	6,344.	7,376.	9,594.	
ENE	62.	103.	144.	139.	1,186.	5,364.	7,273.	7,376.	8,872.	
E	62.	103.	144.	139.	1,186.	4,849.	6,344.	1,805.	206.	
ESE	62.	103.	144.	139.	1,186.	1,135.	0.	0.	0.	
SE	0.	0.	0.	139.	1,186.	0.	0.	0.	0.	
SSE	0.	0.	0.	103.	928.	0.	0.	0.	0.	
S	0.	0.	0.	103.	928.	0.	0.	0.	0.	
SSW	0.	0.	0.	103.	928.	1,032.	0.	0.	0.	
SW	0.	0.	0.	103.	928.	464.	258.	4,745.	10,058.	
WSW	21.	36.	52.	67.	567.	2,115.	4,849.	2,631.	5,261.	
W	21.	36.	52.	67.	567.	2,218.	5,261.	6,912.	7,170.	
WNW	21.	36.	52.	67.	567.	2,424.	5,261.	7,376.	8,872.	
NW	21.	36.	52.	67.	567.	2,218.	6,344.	8,872.	12,637.	
NNW	36.	57.	83.	108.	877.	3,456.	6,757.	9,594.	13,823.	

The population distribution of this table has been normalized to reflect the Beef production within 50 miles of STPEGS (Wyle Research Report WR 84-34, Table 12(h)).

Table B4-11: Population Dose Factors

NOTES:

Liquid Pathway Dose Factors - Table B4-11a

This table consists of two sections. The first is a listing of pathway dose factors by nuclide and pathway for liquid effluents. The product of a particular factor and a quantity of activity (Ci) released to the reservoir will yield the dose (mrem) to an individual. The product of the pathway dose and the number of people exposed via the pathway determines the population dose from the pathway (man-mrem).

The units for all liquid dose factors are (mrem/Ci).

The factors used by the computer codes that perform these calculations may differ by a few percent due to round-off errors. Furthermore, for nuclides with vanishing small factors (typically less than 1.0E-20 mrem/Ci) very large computational differences may exist, but these have no impact on the dose calculations and are inconsequential.

Gaseous Pathway Dose Factors - Table B4-11b

The second section of this table consists of a listing by nuclide of the gaseous pathway dose factors. These factors were calculated using a code similar to GASPAR and are based on the methods of Regulatory Guide 1.109.

The units used for noble gases, tritium, and all nuclides for the inhalation pathway are ($\text{mrem} \cdot \text{m}^3/\text{Ci} \cdot \text{sec}$). The product of this pathway dose factor, the release (Ci), and the appropriate depleted X/Q (sec/m^3) or X/Q (for noble gases, tritium and carbon 14) yields the dose in (mrem) to a member of the general population at a given location.

The units used for all other nuclides in all other pathways are ($\text{mrem} \cdot \text{m}^2/\text{Ci}$). The product of this pathway dose factor, the release (Ci), and the appropriate D/Q yields the dose (mrem) to an individual at a given location.

Table B4-11a

POPULATION DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : H3

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	1.70E-06	1.70E-06	0.00E+00	1.70E-06	1.70E-06	1.70E-06	1.70E-06

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	8.50E-08	8.50E-08	0.00E+00	8.50E-08	8.50E-08	8.50E-08	8.50E-08

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	8.61E-10	8.61E-10	0.00E+00	8.61E-10	8.61E-10	8.61E-10	8.61E-10

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	1.28E-08	1.28E-08	0.00E+00	1.28E-08	1.28E-08	1.28E-08	1.28E-08

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	1.29E-10	1.29E-10	0.00E+00	1.29E-10	1.29E-10	1.29E-10	1.29E-10

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T. BODY	SKIN
ALL	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T. BODY	SKIN
ALL	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T. BODY	SKIN
ALL	0.00E+00	0.00E+00

Table B4-11a Continued

POPULATION DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : C14

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	1.72E-02	1.72E-02	8.62E-02	1.72E-02	1.72E-02	1.72E-02

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	3.37E-04	3.37E-04	1.68E-03	3.37E-04	3.37E-04	3.37E-04

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	3.41E-06	3.41E-06	1.71E-05	3.41E-06	3.41E-06	3.41E-06

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	3.83E-05	3.83E-05	1.91E-04	3.83E-05	3.83E-05	3.83E-05

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	3.87E-07	3.87E-07	1.94E-06	3.87E-07	3.87E-07	3.87E-07

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T. BODY	SKIN
ALL	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T. BODY	SKIN
ALL	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T. BODY	SKIN
ALL	0.00E+00	0.00E+00

Table B4-11a Continued

POPULATION DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : NA24

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	1.23E-17	1.23E-17	1.23E-17	1.23E-17	1.23E-17	1.23E-17

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T. BODY	SKIN
ALL	9.69E-17	1.12E-16

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T. BODY	SKIN
ALL	4.84E-18	5.61E-18

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T. BODY	SKIN
ALL	1.22E-19	1.42E-19

Table B4-11a Continued

POPULATION DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : P32

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	6.09E-03	1.42E-02	1.58E-01	9.24E-03	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	8.82E-05	2.05E-04	2.28E-03	1.34E-04	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	8.93E-07	2.08E-06	2.31E-05	1.36E-06	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	1.15E-05	2.67E-05	2.98E-04	1.75E-05	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	1.17E-07	2.70E-07	3.02E-06	1.77E-07	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T. BODY	SKIN
ALL	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T. BODY	SKIN
ALL	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T. BODY	SKIN
ALL	0.00E+00	0.00E+00

Table B4-11a Continued

POPULATION DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : CR51

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	1.30E-08	2.67E-06	0.00E+00	0.00E+00	2.70E-09	7.62E-09
						1.67E-08

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	1.30E-09	2.66E-07	0.00E+00	0.00E+00	2.69E-10	7.61E-10
						1.66E-09

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	1.32E-11	2.69E-09	0.00E+00	0.00E+00	2.73E-12	7.70E-12
						1.68E-11

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	8.80E-10	1.79E-07	0.00E+00	0.00E+00	1.82E-10	5.14E-10
						1.12E-09

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	8.90E-12	1.81E-09	0.00E+00	0.00E+00	1.84E-12	5.21E-12
						1.14E-11

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T. BODY	SKIN
ALL	6.50E-09	7.68E-09

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T. BODY	SKIN
ALL	3.25E-10	3.84E-10

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T. BODY	SKIN
ALL	8.22E-12	9.71E-12

Table B4-11a Continued

POPULATION DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : MN54

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	1.44E-04	1.88E-03	0.00E+00	7.13E-04	2.11E-04	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	9.91E-06	1.29E-04	0.00E+00	4.90E-05	1.45E-05	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	1.00E-07	1.31E-06	0.00E+00	4.96E-07	1.46E-07	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	1.04E-06	1.35E-05	0.00E+00	5.15E-06	1.52E-06	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	1.06E-08	1.37E-07	0.00E+00	5.21E-08	1.54E-08	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T. BODY	SKIN
ALL	2.80E-05	3.28E-05

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T. BODY	SKIN
ALL	1.40E-06	1.64E-06

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T. BODY	SKIN
ALL	3.53E-08	4.14E-08

Table B4-11a Continued

POPULATION DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : MN56

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T. BODY	SKIN
ALL	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T. BODY	SKIN
ALL	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T. BODY	SKIN
ALL	0.00E+00	0.00E+00

Table B4-11a Continued

POPULATION DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : FE55

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	5.51E-05	1.09E-04	3.40E-04	2.23E-04	0.00E+00	0.00E+00	1.27E-04

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	8.26E-05	1.63E-04	5.09E-04	3.34E-04	0.00E+00	0.00E+00	1.90E-04

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	8.36E-07	1.65E-06	5.15E-06	3.38E-06	0.00E+00	0.00E+00	1.92E-06

FOR PATHWAY: SALTWATER INVERTEBRATES - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	8.02E-05	1.57E-04	4.94E-04	3.24E-04	0.00E+00	0.00E+00	1.84E-04

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	8.12E-07	1.59E-06	5.00E-06	3.28E-06	0.00E+00	0.00E+00	1.86E-06

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T. BODY	SKIN
ALL	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T. BODY	SKIN
ALL	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T. BODY	SKIN
ALL	0.00E+00	0.00E+00

Table B4-11a Continued

POPULATION DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : FE59

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	1.87E-05	1.34E-04	2.13E-05	4.67E-05	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	2.81E-05	2.01E-04	3.19E-05	6.99E-05	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	2.84E-07	2.03E-06	3.22E-07	7.08E-07	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	2.60E-05	1.85E-04	2.96E-05	6.48E-05	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	2.64E-07	1.87E-06	2.99E-07	6.56E-07	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T. BODY	SKIN
ALL	6.94E-07	8.16E-07

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T. BODY	SKIN
ALL	3.47E-08	4.07E-08

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T. BODY	SKIN
ALL	8.77E-10	1.03E-09

Table B4-11a Continued

POPULATION DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : CO58

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	7.07E-06	5.21E-05	0.00E+00	2.98E-06	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	7.06E-07	5.20E-06	0.00E+00	2.98E-07	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	7.14E-09	5.26E-08	0.00E+00	3.02E-09	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	9.99E-07	7.33E-06	0.00E+00	4.21E-07	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	1.01E-08	7.42E-08	0.00E+00	4.27E-09	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T. BODY	SKIN
ALL	1.64E-06	1.93E-06

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T. BODY	SKIN
ALL	8.21E-08	9.62E-08

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T. BODY	SKIN
ALL	2.08E-09	2.44E-09

Table B4-11a Continued

POPULATION DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : CO60

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	4.61E-04	3.21E-03	0.00E+00	1.99E-04	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	4.60E-05	3.21E-04	0.00E+00	1.98E-05	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	4.66E-07	3.25E-06	0.00E+00	2.01E-07	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	6.70E-05	4.65E-04	0.00E+00	2.88E-05	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	6.79E-07	4.71E-06	0.00E+00	2.92E-07	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T. BODY	SKIN
ALL	2.02E-03	2.38E-03

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T. BODY	SKIN
ALL	1.01E-04	1.19E-04

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T. BODY	SKIN
ALL	2.55E-06	3.00E-06

Table B4-11a Continued

POPULATION DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : NI63

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	2.56E-03	8.87E-04	7.59E-02	5.00E-03	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	1.38E-04	4.43E-05	3.79E-03	2.50E-04	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	1.29E-06	4.48E-07	3.84E-05	2.53E-06	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	4.66E-05	1.61E-05	1.38E-03	9.10E-05	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	4.72E-07	1.63E-07	1.40E-05	9.21E-07	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T. BODY	SKIN
ALL	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T. BODY	SKIN
ALL	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T. BODY	SKIN
ALL	0.00E+00	0.00E+00

Table B4-11a Continued

POPULATION DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : NI65

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		0.00E+0	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T. BODY	SKIN
ALL	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T. BODY	SKIN
ALL	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T. BODY	SKIN
ALL	0.00E+00	0.00E+00

Table B4-11a Continued

POPULATION DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : CU64

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		0.00E+00	2.82E-19	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		0.00E+00	1.88E-19	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T. BODY	SKIN
ALL	2.47E-19	2.80E-19

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T. BODY	SKIN
ALL	5.00E-21	7.54E-21

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T. BODY	SKIN
ALL	0.00E+00	0.00E+00

Table B4-11a Continued

POPULATION DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : ZN65

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	4.52E-03	5.12E-03	3.03E-03	9.45E-03	6.24E-03	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	2.26E-04	2.56E-04	1.51E-04	4.72E-04	3.12E-04	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	2.28E-06	2.59E-06	1.53E-06	4.78E-06	3.15E-06	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	8.15E-04	9.20E-04	5.46E-04	1.70E-03	1.12E-03	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	8.25E-06	9.31E-06	5.52E-06	1.72E-05	1.14E-05	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T. BODY	SKIN
ALL	1.19E-05	1.37E-05

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T. BODY	SKIN
ALL	5.94E-07	6.83E-07

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T. BODY	SKIN
ALL	1.50E-08	1.73E-08

Table B4-11a Continued

POPULATION DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : ZN69

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T. BODY	SKIN
ALL	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T. BODY	SKIN
ALL	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T. BODY	SKIN
ALL	0.00E+00	0.00E+00

Table B4-11a Continued

POPULATION DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : BR83

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T. BODY	SKIN
ALL	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T. BODY	SKIN
ALL	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T. BODY	SKIN
ALL	0.00E+00	0.00E+00

Table B4-11a Continued

POPULATION DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : BR84

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T. BODY	SKIN
ALL	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T. BODY	SKIN
ALL	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T. BODY	SKIN
ALL	0.00E+00	0.00E+00

Table B4-11a Continued

POPULATION DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : BR85

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	0.00E+00						

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	0.00E+00						

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	0.00E+00						

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	0.00E+00						

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	0.00E+00						

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T. BODY	SKIN
ALL	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T. BODY	SKIN
ALL	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T. BODY	SKIN
ALL	0.00E+00	0.00E+00

Table B4-11a Continued

POPULATION DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : RB86

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	2.64E-04	8.95E-05	0.00E+00	5.34E-04	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	5.46E-08	1.85E-08	0.00E+00	1.11E-07	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	5.53E-10	1.88E-10	0.00E+00	1.12E-09	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	1.46E-08	4.93E-09	0.00E+00	2.96E-08	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	1.48E-10	5.00E-11	0.00E+00	2.99E-10	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T. BODY	SKIN
ALL	7.08E-09	8.09E-09

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T. BODY	SKIN
ALL	3.53E-10	4.04E-10

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T. BODY	SKIN
ALL	8.94E-12	1.02E-11

Table B4-11a Continued

POPULATION DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : RB88

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T. BODY	SKIN
ALL	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T. BODY	SKIN
ALL	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T. BODY	SKIN
ALL	0.00E+00	0.00E+00

Table B4-11a Continued

POPULATION DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : RB89

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T. BODY	SKIN
ALL	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T. BODY	SKIN
ALL	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T. BODY	SKIN
ALL	0.00E+00	0.00E+00

Table B4-11a Continued

POPULATION DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : SR89

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		1.58E-05	7.04E-05	5.50E-04	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		5.24E-08	2.34E-07	1.83E-06	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		5.31E-10	2.37E-09	1.85E-08	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		7.35E-08	3.26E-07	2.56E-06	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		7.44E-10	3.30E-09	2.60E-08	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T. BODY	SKIN
ALL	6.39E-11	7.42E-11

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T. BODY	SKIN
ALL	3.19E-12	3.70E-12

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T. BODY	SKIN
ALL	8.08E-14	9.38E-14

Table B4-11a Continued

POPULATION DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : SR90

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	2.29E-01	2.48E-02	9.29E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	7.63E-04	8.25E-05	3.09E-03	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	7.72E-06	8.35E-07	3.13E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	1.11E-03	1.20E-04	4.50E-03	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	1.12E-05	1.21E-06	4.56E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T. BODY	SKIN
ALL	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T. BODY	SKIN
ALL	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T. BODY	SKIN
ALL	0.00E+00	0.00E+00

Table B4-11a Continued

POPULATION DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : SR91

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T. BODY	SKIN
ALL	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T. BODY	SKIN
ALL	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T. BODY	SKIN
ALL	0.00E+00	0.00E+00

Table B4-11a Continued

POPULATION DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : SR92

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T. BODY	SKIN
ALL		0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T. BODY	SKIN
ALL		0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T. BODY	SKIN
ALL		0.00E+00

Table B4-11a Continued

POPULATION DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : Y90

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	1.18E-13	3.78E-08	4.41E-12	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	5.90E-15	1.89E-09	2.20E-13	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	5.98E-17	1.91E-11	2.23E-15	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	1.58E-14	5.04E-09	5.91E-13	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	1.60E-16	5.10E-11	5.98E-15	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T. BODY	SKIN
ALL	2.28E-14	2.70E-14

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T. BODY	SKIN
ALL	1.14E-15	1.35E-15

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T. BODY	SKIN
ALL	2.89E-17	3.41E-17

Table B4-11a Continued

POPULATION DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : Y91M

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T. BODY	SKIN
ALL	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T. BODY	SKIN
ALL	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T. BODY	SKIN
ALL	0.00E+00	0.00E+00

Table B4-11a Continued

POPULATION DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : Y91

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	6.72E-09	1.10E-04	2.51E-07	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	3.36E-10	5.52E-06	1.25E-08	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	3.40E-12	5.58E-08	1.27E-10	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	1.89E-09	3.09E-05	7.07E-08	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	1.91E-11	3.13E-07	7.16E-10	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T. BODY	SKIN
ALL	3.75E-09	4.22E-09

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T. BODY	SKIN
ALL	1.87E-10	2.11E-10

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T. BODY	SKIN
ALL	4.74E-12	5.33E-12

Table B4-11a Continued

POPULATION DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : Y92

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T. BODY	SKIN
ALL	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T. BODY	SKIN
ALL	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T. BODY	SKIN
ALL	0.00E+00	0.00E+00

Table B4-11a Continued

POPULATION DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : Y93

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T. BODY	SKIN
ALL	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T. BODY	SKIN
ALL	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T. BODY	SKIN
ALL	0.00E+00	0.00E+00

Table B4-11a Continued

POPULATION DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : ZR95

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		1.65E-09	6.36E-06	7.76E-09	2.32E-09	3.56E-09	0.00E+00

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		4.99E-09	1.92E-05	2.35E-08	7.02E-09	1.08E-08	0.00E+00

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		5.05E-11	1.95E-07	2.38E-10	7.10E-11	1.09E-10	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		2.82E-10	1.08E-06	1.33E-09	3.96E-10	6.08E-10	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		2.85E-12	1.09E-08	1.34E-11	4.01E-12	6.15E-12	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T. BODY	SKIN
ALL		9.49E-07

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T. BODY	SKIN
ALL		4.74E-08

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T. BODY	SKIN
ALL		1.20E-09

Table B4-11a Continued

POPULATION DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : ZR97

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	0.00E+00	3.42E-16	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	0.00E+00	1.03E-15	1.97E-20	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	0.00E+00	1.05E-17	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	0.00E+00	3.14E-18	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	0.00E+00	3.18E-20	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T. BODY	SKIN
ALL	1.55E-16	1.81E-16

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T. BODY	SKIN
ALL	7.75E-18	9.02E-18

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T. BODY	SKIN
ALL	1.96E-19	2.28E-19

Table B4-11a Continued

POPULATION DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : NB95

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		1.93E-06	1.78E-02	6.52E-06	3.41E-06	3.33E-06	0.00E+00

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		9.62E-08	8.90E-04	3.26E-07	1.70E-07	1.66E-07	0.00E+00

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		9.74E-10	9.01E-06	3.30E-09	1.72E-09	1.69E-09	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		4.41E-11	4.06E-07	1.49E-10	7.78E-11	7.61E-11	0.00E+00

FOR PATHWAY: SALTWATER INVLTABRATES - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		4.46E-13	4.11E-09	1.51E-12	7.88E-13	7.71E-13	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T. BODY	SKIN
ALL		2.59E-07

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T. BODY	SKIN
ALL		1.29E-08

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T. BODY	SKIN
ALL		3.27E-10

Table B4-11a Continued

POPULATION DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : MO99

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		1.77E-10	1.76E-09	0.00E+00	8.83E-10	1.98E-09	0.00E+00

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		8.84E-12	8.80E-11	0.00E+00	4.41E-11	9.90E-11	0.00E+00

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		8.95E-14	8.90E-13	0.00E+00	4.47E-13	1.00E-12	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		6.06E-13	6.00E-12	0.00E+00	3.02E-12	6.77E-12	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		6.13E-15	6.07E-14	0.00E+00	3.06E-14	6.86E-14	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T. BODY	SKIN
ALL		2.31E-11

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T. BODY	SKIN
ALL		1.15E-12

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T. BODY	SKIN
ALL		2.92E-14

Table B4-11a Continued

POPULATION DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : TC99M

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T. BODY	SKIN
ALL		0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T. BODY	SKIN
ALL		0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T. BODY	SKIN
ALL		0.00E+00

Table B4-11a Continued

POPULATION DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : TC101

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T. BODY	SKIN
ALL		0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T. BODY	SKIN
ALL		0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T. BODY	SKIN
ALL		0.00E+00

Table B4-11a Continued

POPULATION DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : RU103

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	3.25E-08	7.24E-06	7.74E-08	0.00E+00	2.71E-07	0.00E+00

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	4.87E-10	1.08E-07	1.16E-09	0.00E+00	4.06E-09	0.00E+00

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	4.93E-12	1.10E-09	1.17E-11	0.00E+00	4.11E-11	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	2.25E-08	4.97E-06	5.35E-08	0.00E+00	1.87E-07	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	2.27E-10	5.04E-08	5.41E-10	0.00E+00	1.89E-09	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T. BODY	SKIN
ALL	2.36E-07	2.75E-07

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T. BODY	SKIN
ALL	1.18E-08	1.38E-08

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T. BODY	SKIN
ALL	2.98E-10	3.48E-10

Table B4-11a Continued

POPULATION DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : RU105

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T. BODY	SKIN
ALL		0.00E+00 0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T. BODY	SKIN
ALL		0.00E+00 0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T. BODY	SKIN
ALL		0.00E+00 0.00E+00

Table B4-11a Continued

POPULATION DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : RU106

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	1.79E-06	7.33E-04	1.42E-05	0.00E+00	2.55E-05	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	2.68E-08	1.10E-05	2.12E-07	0.00E+00	3.82E-07	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	2.71E-10	1.11E-07	2.15E-09	0.00E+00	3.87E-09	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	1.30E-06	5.28E-04	1.03E-05	0.00E+00	1.84E-05	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	1.31E-08	5.35E-06	1.04E-07	0.00E+00	1.87E-07	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T. BODY	SKIN
ALL	9.97E-06	1.20E-05

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T. BODY	SKIN
ALL	4.98E-07	5.97E-07

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T. BODY	SKIN
ALL	1.26E-08	1.51E-08

Table B4-11a Continued

POPULATION DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : AG110M

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T. BODY	SKIN
ALL	5.64E-05	6.57E-05

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T. BODY	SKIN
ALL	2.81E-06	3.28E-06

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T. BODY	SKIN
ALL	7.12E-08	8.31E-08

Table B4-11a Continued

POPULATION DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : TE125M

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	1.01E-05	2.41E-04	7.56E-05	2.58E-05	2.04E-04	2.22E-05	0.00E+00

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	1.26E-08	3.01E-07	9.44E-08	3.22E-08	2.54E-07	2.77E-08	0.00E+00

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	1.28E-10	3.05E-09	9.55E-10	3.26E-10	2.57E-09	2.81E-10	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	1.78E-08	4.22E-07	1.33E-07	4.53E-08	3.55E-07	3.91E-08	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	1.80E-10	4.27E-09	1.35E-09	4.59E-10	3.60E-09	3.95E-10	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T. BODY	SKIN
ALL	5.37E-09	7.37E-09

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T. BODY	SKIN
ALL	2.68E-10	3.68E-10

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T. BODY	SKIN
ALL	6.79E-12	9.31E-12

Table B4-11a Continued

POPULATION DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : TE127M

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	4.82E-05	1.07E-03	3.99E-04	1.35E-04	1.51E-03	9.97E-05	0.00E+00

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	6.02E-08	1.33E-06	4.98E-07	1.68E-07	1.89E-06	1.24E-07	0.00E+00

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	6.09E-10	1.35E-08	5.04E-09	1.70E-09	1.91E-08	1.26E-09	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	8.62E-08	1.90E-06	7.14E-07	2.40E-07	2.70E-06	1.78E-07	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	8.73E-10	1.92E-08	7.23E-09	2.43E-09	2.73E-08	1.80E-09	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T. BODY	SKIN
ALL	6.37E-10	7.53E-10

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T. BODY	SKIN
ALL	3.18E-11	3.76E-11

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T. BODY	SKIN
ALL	8.05E-13	9.52E-13

Table B4-11a Continued

POPULATION DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : TE127

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T. BODY	SKIN
ALL	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T. BODY	SKIN
ALL	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T. BODY	SKIN
ALL	0.00E+00	0.00E+00

Table B4-11a Continued

POPULATION DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : TE129M

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	2.48E-05	6.33E-04	1.57E-04	5.52E-05	6.12E-04	5.29E-05

0.00E+00

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	3.09E-08	7.90E-07	1.96E-07	6.90E-08	7.64E-07	6.60E-08

0.00E+00

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	3.13E-10	8.00E-09	1.99E-09	6.98E-10	7.73E-09	6.68E-10

0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	4.24E-08	1.08E-06	2.69E-07	9.45E-08	1.05E-06	9.05E-08

0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	4.29E-10	1.09E-08	2.73E-09	9.56E-10	1.06E-08	9.17E-10

0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T. BODY	SKIN
ALL	3.53E-08	4.13E-08

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T. BODY	SKIN
ALL	1.76E-09	2.06E-09

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T. BODY	SKIN
ALL	4.46E-11	5.21E-11

Table B4-11a Continued

POPULATION DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : TE129

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T. BODY	SKIN
ALL	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T. BODY	SKIN
ALL	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T. BODY	SKIN
ALL	0.00E+00	0.00E+00

Table B4-11a Continued

POPULATION DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : TE131M

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	4.76E-12	4.75E-10	1.20E-11	5.46E-12	5.50E-11	9.03E-12	0.00E+00

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	5.94E-15	5.93E-13	1.49E-14	6.81E-15	6.87E-14	1.13E-14	0.00E+00

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	6.02E-17	6.01E-15	1.51E-16	6.89E-17	6.95E-16	1.14E-16	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	1.64E-15	1.63E-13	4.13E-15	1.88E-15	1.90E-14	3.12E-15	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	1.66E-17	1.65E-15	4.18E-17	1.90E-17	1.92E-16	3.16E-17	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T. BODY	SKIN
ALL	3.06E-13	3.60E-13

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T. BODY	SKIN
ALL	1.53E-14	1.80E-14

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T. BODY	SKIN
ALL	3.86E-16	4.55E-16

Table B4-11a Continued

POPULATION DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : TE131

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T. BODY	SKIN
ALL	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T. BODY	SKIN
ALL	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T. BODY	SKIN
ALL	0.00E+00	0.00E+00

Table B4-11a Continued

POPULATION DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : TE132

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	3.47E-08	1.40E-06	5.88E-08	3.54E-08	3.38E-07	4.08E-08	0.00E+00

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	4.33E-11	1.74E-09	7.35E-11	4.41E-11	4.22E-10	5.10E-11	0.00E+00

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	4.39E-13	1.77E-11	7.44E-13	4.47E-13	4.28E-12	5.16E-13	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	3.34E-11	1.34E-09	5.67E-11	3.40E-11	3.25E-10	3.93E-11	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	3.38E-13	1.35E-11	5.74E-13	3.44E-13	3.29E-12	3.98E-13	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T. BODY	SKIN
ALL	5.03E-11	5.92E-11

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T. BODY	SKIN
ALL	2.51E-12	2.96E-12

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T. BODY	SKIN
ALL	6.36E-14	7.48E-14

Table B4-11a Continued

POPULATION DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : I130

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	0.00E+00	9.31E-21	0.00E+00	1.30E-20	2.01E-20	1.15E-18

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	3.82E-20

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T. BODY	SKIN
ALL	1.32E-18	1.60E-18

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T. BODY	SKIN
ALL	6.60E-20	8.01E-20

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T. BODY	SKIN
ALL	0.00E+00	0.00E+00

Table B4-11a Continued

POPULATION DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : I131

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		9.76E-08	3.90E-08	1.29E-07	1.72E-07	2.93E-07	5.57E-05
							0.00E+00

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		3.25E-09	1.30E-09	4.29E-09	5.72E-09	9.74E-09	1.85E-06
							0.00E+00

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		3.29E-11	1.31E-11	4.35E-11	5.79E-11	9.86E-11	1.88E-08
							0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		1.83E-09	7.27E-10	2.42E-09	3.22E-09	5.48E-09	1.04E-06
							0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		1.85E-11	7.36E-12	2.45E-11	3.26E-11	5.55E-11	1.06E-08
							0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T. BODY	SKIN
ALL		2.96E-09
		3.60E-09

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T. BODY	SKIN
ALL		1.48E-10
		1.80E-10

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T. BODY	SKIN
ALL		3.74E-12
		4.54E-12

Table B4-11a Continued

POPULATION DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : I132

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T. BODY	SKIN
ALL	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T. BODY	SKIN
ALL	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T. BODY	SKIN
ALL	0.00E+00	0.00E+00

Table B4-11a Continued

POPULATION DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : 1133

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	7.71E-16	1.94E-15	1.50E-15	2.43E-15	4.21E-15	3.71E-13	0.00E+00

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	2.57E-17	6.45E-17	4.98E-17	8.08E-17	1.40E-16	1.23E-14	0.00E+00

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	2.60E-19	6.53E-19	5.04E-19	8.18E-19	1.42E-18	1.25E-16	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	1.70E-18	4.26E-18	3.31E-18	5.35E-18	9.27E-18	8.19E-16	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	1.72E-20	4.31E-20	3.35E-20	5.42E-20	9.39E-20	8.29E-18	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T. BODY	SKIN
ALL	2.10E-15	2.56E-15

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T. BODY	SKIN
ALL	1.05E-16	1.28E-16

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T. BODY	SKIN
ALL	2.66E-18	3.24E-18

Table B4-11a Continued

POPULATION DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : I134

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T. BODY	SKIN
ALL	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T. BODY	SKIN
ALL	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T. BODY	SKIN
ALL	0.00E+00	0.00E+00

Table B4-11a Continued

POPULATION DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : I135

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	0.00E+00						

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	0.00E+00						

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	0.00E+00						

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	0.00E+00						

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	0.00E+00						

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T. BODY	SKIN
ALL	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T. BODY	SKIN
ALL	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T. BODY	SKIN
ALL	0.00E+00	0.00E+00

Table B4-11a Continued

POPULATION DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : CS134

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	1.81E-04	3.99E-06	1.19E-04	2.65E-04	8.49E-05	0.00E+00	2.90E-05

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	1.11E-06	2.45E-08	7.30E-07	1.62E-06	5.21E-07	0.00E+00	1.78E-07

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	1.64E-05	3.61E-07	1.08E-05	2.40E-05	7.70E-06	0.00E+00	2.63E-06

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	1.00E-07	2.21E-09	6.64E-08	1.47E-07	4.73E-08	0.00E+00	1.61E-08

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T. BODY	SKIN
ALL	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T. BODY	SKIN
ALL	1.54E-05	1.80E-05

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T. BODY	SKIN
ALL	2.36E-07	2.76E-07

Table B4-11a Continued

POPULATION DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : CS136

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	2.22E-07	3.10E-08	8.52E-08	3.15E-07	1.74E-07	0.00E+00
						2.45E-08

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	1.36E-09	1.90E-10	5.22E-10	1.94E-09	1.07E-09	0.00E+00
						1.51E-10

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	1.72E-08	2.40E-09	6.63E-09	2.45E-08	1.35E-08	0.00E+00
						1.91E-09

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	1.06E-10	1.47E-11	4.07E-11	1.50E-10	8.29E-11	0.00E+00
						1.17E-11

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T. BODY	SKIN
ALL	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T. BODY	SKIN
ALL	3.36E-09	3.81E-09

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T. BODY	SKIN
ALL	5.71E-11	5.84E-11

Table B4-11a Continued

POPULATION DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : CS137

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	5.14E-04	1.59E-05	7.55E-04	9.60E-04	3.24E-04	0.00E+00
						1.11E-04

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	3.15E-06	9.77E-08	4.63E-06	5.89E-06	1.99E-06	0.00E+00
						6.82E-07

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	4.66E-05	1.45E-06	6.89E-05	8.74E-05	2.95E-05	0.00E+00
						1.01E-05

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	2.86E-07	8.87E-09	4.22E-07	5.36E-07	1.81E-07	0.00E+00
						6.21E-08

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T. BODY	SKIN
ALL	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T. BODY	SKIN
ALL	1.11E-04	1.30E-04

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T. BODY	SKIN
ALL	1.71E-06	1.99E-06

Table B4-11a Continued

POPULATION DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : CS138

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	0.00E+00						

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	0.00E+00						

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	0.00E+00						

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	0.00E+00						

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	0.00E+00						

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T. BODY	SKIN
ALL	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T. BODY	SKIN
ALL	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T. BODY	SKIN
ALL	0.00E+00	0.00E+00

Table B4-11a Continued

POPULATION DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : BA139

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T. BODY	SKIN
ALL	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T. BODY	SKIN
ALL	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T. BODY	SKIN
ALL	0.00E+00	0.00E+00

Table B4-11a Continued

POPULATION DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : BA140

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		3.31E-08	8.61E-07	5.19E-07	6.07E-10	2.05E-10	0.00E+00
							3.57E-10

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		4.14E-09	1.07E-07	6.48E-08	7.57E-11	2.56E-11	0.00E+00
							4.45E-11

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		4.19E-11	1.09E-09	6.56E-10	7.67E-13	2.59E-13	0.00E+00
							4.51E-13

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		5.13E-09	1.33E-07	8.04E-08	9.38E-11	3.16E-11	0.00E+00
							5.51E-11

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		5.19E-11	1.34E-09	8.14E-10	9.49E-13	3.20E-13	0.00E+00
							5.58E-13

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T. BODY	SKIN
ALL		8.75E-09
		1.00E-08

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T. BODY	SKIN
ALL		4.37E-10
		4.99E-10

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T. BODY	SKIN
ALL		1.11E-11
		1.26E-11

Table B4-11a Continued

POPULATION DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : BA141

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	0.00E+00						

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	0.00E+00						

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	0.00E+00						

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	0.00E+00						

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	0.00E+00						

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T. BODY	SKIN
ALL	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T. BODY	SKIN
ALL	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T. BODY	SKIN
ALL	0.00E+00	0.00E+00

Table B4-11a Continued

POPULATION DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : BA142

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T. BODY	SKIN
ALL	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T. BODY	SKIN
ALL	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T. BODY	SKIN
ALL	0.00E+00	0.00E+00

Table B4-11a Continued

POPULATION DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : LA140

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	3.65E-15	8.47E-10	2.82E-14	1.32E-14	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	1.82E-16	4.23E-11	1.41E-15	6.59E-16	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	1.84E-18	4.28E-13	1.42E-17	6.67E-18	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	3.08E-16	7.12E-11	2.38E-15	1.11E-15	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	3.12E-18	7.21E-13	2.41E-17	1.13E-17	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T. BODY	SKIN
ALL	7.15E-12	8.10E-12

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T. BODY	SKIN
ALL	3.57E-13	4.05E-13

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T. BODY	SKIN
ALL	9.03E-15	1.02E-14

Table B4-11a Continued

POPULATION DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : LA142

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T. BODY	SKIN
ALL	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T. BODY	SKIN
ALL	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T. BODY	SKIN
ALL	0.00E+00	0.00E+00

Table B4-11a Continued

POPULATION DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : CE141

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	2.32E-11	6.30E-07	3.05E-10	1.94E-10	8.92E-11	0.00E+00
						0.00E+00

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	1.16E-11	3.15E-07	1.52E-10	9.67E-11	4.46E-11	0.00E+00
						0.00E+00

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	1.17E-13	3.18E-09	1.54E-12	9.79E-13	4.51E-13	0.00E+00
						0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	9.53E-11	2.57E-06	1.25E-09	7.94E-10	3.65E-10	0.00E+00
						0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	9.64E-13	2.60E-08	1.27E-11	8.03E-12	3.70E-12	0.00E+00
						0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T. BODY	SKIN
ALL	2.34E-08	2.63E-08

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T. BODY	SKIN
ALL	1.17E-09	1.32E-09

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T. BODY	SKIN
ALL	2.95E-11	3.33E-11

Table B4-11a Continued

POPULATION DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : CE143

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	7.36E-18	2.05E-12	9.09E-17	6.30E-14	2.76E-17	0.00E+00

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	3.68E-18	1.02E-12	4.54E-17	3.15E-14	1.38E-17	0.00E+00

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	3.72E-20	1.04E-14	4.60E-19	3.19E-16	1.39E-19	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	7.10E-18	1.97E-12	8.77E-17	6.07E-14	2.65E-17	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	7.19E-20	1.99E-14	8.87E-19	6.14E-16	2.69E-19	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T. BODY	SKIN
ALL	1.96E-13	2.23E-13

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T. BODY	SKIN
ALL	9.80E-15	1.11E-14

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T. BODY	SKIN
ALL	2.48E-16	2.82E-16

Table B4-11a Continued

POPULATION DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : CE144

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	1.04E-08	5.26E-05	1.95E-07	7.67E-08	4.50E-08	0.00E+00

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	5.22E-09	2.63E-05	9.73E-08	3.83E-08	2.25E-08	0.00E+00

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	5.28E-11	2.66E-07	9.85E-10	3.88E-10	2.27E-10	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	4.54E-08	2.27E-04	8.46E-07	3.33E-07	1.95E-07	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	4.59E-10	2.30E-06	8.56E-09	3.37E-09	1.97E-09	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T. BODY	SKIN
ALL	1.27E-06	1.47E-06

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T. BODY	SKIN
ALL	6.34E-08	7.33E-08

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T. BODY	SKIN
ALL	1.60E-09	1.86E-09

Table B4-11a Continued

POPULATION DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : PR143

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	8.36E-11	5.91E-06	1.68E-09	6.37E-10	3.64E-10	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	4.17E-12	2.95E-07	8.41E-11	3.18E-11	1.82E-11	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	4.22E-14	2.99E-09	8.52E-13	3.22E-13	1.84E-13	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	2.09E-11	1.47E-06	4.21E-10	1.59E-10	9.08E-11	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	2.12E-13	1.49E-08	4.27E-12	1.61E-12	9.19E-13	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T. BODY	SKIN
ALL	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T. BODY	SKIN
ALL	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T. BODY	SKIN
ALL	0.00E+00	0.00E+00

Table B4-11a Continued

POPULATION DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : PR144

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T. BODY	SKIN
ALL	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T. BODY	SKIN
ALL	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T. BODY	SKIN
ALL	0.00E+00	0.00E+00

Table B4-11a Continued

POPULATION DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : ND147

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	5.03E-11	3.27E-06	7.49E-10	7.99E-10	4.62E-10	0.00E+00

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	2.51E-12	1.63E-07	3.74E-11	3.99E-11	2.31E-11	0.00E+00

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	2.54E-14	1.65E-09	3.79E-13	4.04E-13	2.34E-13	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	1.22E-11	7.86E-07	1.81E-10	1.93E-10	1.11E-10	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	1.23E-13	7.95E-09	1.83E-12	1.95E-12	1.13E-12	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T. BODY	SKIN
ALL	2.78E-09	3.34E-09

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T. BODY	SKIN
ALL	1.39E-10	1.67E-10

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T. BODY	SKIN
ALL	3.51E-12	4.21E-12

Table B4-11a Continued

POPULATION DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : W187

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	2.49E-14	1.96E-11	8.71E-14	6.78E-14	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	3.10E-17	2.45E-14	1.09E-16	8.47E-17	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	3.14E-19	2.48E-16	1.10E-18	8.57E-19	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	5.61E-19	4.41E-16	1.97E-18	1.53E-18	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	0.00E+00	4.46E-18	1.99E-20	1.55E-20	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T. BODY	SKIN
ALL	9.86E-15	1.15E-14

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T. BODY	SKIN
ALL	4.92E-16	5.72E-16

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T. BODY	SKIN
ALL	1.25E-17	1.45E-17

Table B4-11a Continued

POPULATION DOSE FACTORS FOR LIQUID EFFLUENTS -- FOR ISOTOPE : NP239

FOR PATHWAY: FRESHWATER FISH - LITTLE ROBBINS SLOUGH

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	4.83E-15	1.47E-09	9.10E-14	8.34E-15	2.57E-14	0.00E+00

FOR PATHWAY: SALTWATER FISH - COLORADO RIVER

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	2.41E-16	7.33E-11	4.54E-15	4.17E-16	1.28E-15	0.00E+00

FOR PATHWAY: SALTWATER FISH - MATAGORDA BAY

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	2.44E-18	7.42E-13	4.60E-17	4.22E-18	1.30E-17	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - COLORADO RIVER

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	1.45E-17	4.39E-12	2.74E-16	2.50E-17	7.71E-17	0.00E+00

FOR PATHWAY: SALTWATER INVERTABRATES - MATAGORDA BAY

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG
ALL	1.47E-19	4.45E-14	2.77E-18	2.54E-19	7.81E-19	0.00E+00

FOR PATHWAY: SHORELINE EXPOSURE - LITTLE ROBBINS SLOUGH

	T. BODY	SKIN
ALL	4.59E-12	5.32E-12

FOR PATHWAY: SHORELINE EXPOSURE - COLORADO RIVER

	T. BODY	SKIN
ALL	2.29E-13	2.66E-13

FOR PATHWAY: SHORELINE EXPOSURE - MATAGORDA BAY

	T. BODY	SKIN
ALL	5.80E-15	6.72E-15

Table B-11b

POPULATION DOSE FACTORS FOR GASEOUS EFFLUENTS -- FOR ISOTOPE : H3

FOR PATHWAY: PLUME

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: GROUND

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: VEGETABLE

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	2.05E+01	2.05E+01	0.00E+00	2.05E+01	2.05E+01	2.05E+01	2.05E+01

FOR PATHWAY: MEAT

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	4.69E+00	4.69E+00	0.00E+00	4.69E+00	4.69E+00	4.69E+00	4.69E+00

FOR PATHWAY: COW MILK

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	7.01E+00	7.01E+00	0.00E+00	7.01E+00	7.01E+00	7.01E+00	7.01E+00

FOR PATHWAY: GOAT MILK

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: INHALATION

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	3.90E+01	3.90E+01	0.00E+00	3.90E+01	3.90E+01	3.90E+01	3.90E+01

Table B4-11b Continued

POPULATION DOSE FACTORS FOR GASEOUS EFFLUENTS -- FOR ISOTOPE : C14

FOR PATHWAY: PLUME

T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	0.00E+00							

FOR PATHWAY: GROUND

T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	0.00E+00							

FOR PATHWAY: VEGETABLE

T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	3.82E+03	3.82E+03	1.91E+04	3.82E+03	3.82E+03	3.82E+03	3.82E+03	0.00E+00

FOR PATHWAY: MEAT

T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	1.96E+03	1.96E+03	9.78E+03	1.96E+03	1.96E+03	1.96E+03	1.96E+03	0.00E+00

FOR PATHWAY: COW MILK

T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	1.67E+03	1.67E+03	8.37E+03	1.67E+03	1.67E+03	1.67E+03	1.67E+03	0.00E+00

FOR PATHWAY: GOAT MILK

T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	0.00E+00							

FOR PATHWAY: INHALATION

T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	1.31E+02	1.31E+02	6.98E+02	1.31E+02	1.31E+02	1.31E+02	1.31E+02	0.00E+00

Table B4-11b Continued

POPULATION DOSE FACTORS FOR GASEOUS EFFLUENTS -- FOR ISOTOPE : AR41

FOR PATHWAY: PLUME

T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES 1.40E+02	1.40E+02	1.40E+02	1.40E+02	1.40E+02	1.40E+02	2.48E+02

FOR PATHWAY: GROUND

T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES 0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: VEGETABLE

T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES 0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: MEAT

T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES 0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: COW MILK

T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES 0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: GOAT MILK

T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES 0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: INHALATION

T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES 0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

Table B4-11b Continued

POPULATION DOSE FACTORS FOR GASEOUS EFFLUENTS -- FOR ISOTOPE : KR83M

FOR PATHWAY: PLUME

T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	1.20E-03	1.20E-03	1.20E-03	1.20E-03	1.20E-03	1.20E-03	9.34E-02	3.39E-01

FOR PATHWAY: GROUND

T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	0.00E+00							

FOR PATHWAY: VEGETABLE

T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	0.00E+00							

FOR PATHWAY: MEAT

T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	0.00E+00							

FOR PATHWAY: COW MILK

T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	0.00E+00							

FOR PATHWAY: GOAT MILK

T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	0.00E+00							

FOR PATHWAY: INHALATION

T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	0.00E+00							

Table B4-11b Continued

POPULATION DOSE FACTORS FOR GASEOUS EFFLUENTS -- FOR ISOTOPE : KR85M

FOR PATHWAY: PLUME

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	1.85E+01	1.85E+01	1.85E+01	1.85E+01	1.85E+01	1.85E+01	1.92E+01

FOR PATHWAY: GROUND

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: VEGETABLE

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: MEAT

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: COW MILK

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: GOAT MILK

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: INHALATION

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

Table B4-11b Continued

POPULATION DOSE FACTORS FOR GASEOUS EFFLUENTS -- FOR ISOTOPE : KR85

FOR PATHWAY: PLUME

T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES 2.55E-01	2.55E-01	2.55E-01	2.55E-01	2.55E-01	2.55E-01	8.48E-01 4.28E+01

FOR PATHWAY: GROUND

T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES 0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00 0.00E+00

FOR PATHWAY: VEGETABLE

T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES 0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00 0.00E+00

FOR PATHWAY: MEAT

T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES 0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00 0.00E+00

FOR PATHWAY: COW MILK

T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES 0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00 0.00E+00

FOR PATHWAY: GOAT MILK

T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES 0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00 0.00E+00

FOR PATHWAY: INHALATION

T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES 0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00 0.00E+00

Table B4-11b Continued

POPULATION DOSE FACTORS FOR GASEOUS EFFLUENTS -- FOR ISOTOPE : KR87

FOR PATHWAY: PLUME

T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES 9.35E+01	9.35E+01	9.35E+01	9.35E+01	9.35E+01	9.35E+01	9.75E+01 4.16E+02

FOR PATHWAY: GROUND

T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES 0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00 0.00E+00

FOR PATHWAY: VEGETABLE

T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES 0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00 0.00E+00

FOR PATHWAY: MEAT

T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES 0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00 0.00E+00

FOR PATHWAY: COW MILK

T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES 0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00 0.00E+00

FOR PATHWAY: GOAT MILK

T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES 0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00 0.00E+00

FOR PATHWAY: INHALATION

T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES 0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00 0.00E+00

Table B4-11b Continued

POPULATION DOSE FACTORS FOR GASEOUS EFFLUENTS -- FOR ISOTOPE : KR88

FOR PATHWAY: PLUME

T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	2.33E+02	2.33E+02	2.33E+02	2.33E+02	2.33E+02	2.34E+02

FOR PATHWAY: GROUND

T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: VEGETABLE

T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: MEAT

T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: COW MILK

T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: GOAT MILK

T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: INHALATION

T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

Table B4-11b Continued

POPULATION DOSE FACTORS FOR GASEOUS EFFLUENTS -- FOR ISOTOPE : KR89

FOR PATHWAY: PLUME

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	2.63E+02	2.63E+02	2.63E+02	2.63E+02	2.63E+02	2.67E+02	6.24E+02

FOR PATHWAY: GROUND

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: VEGETABLE

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: MEAT

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: COW MILK

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: GOAT MILK

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: INHALATION

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

Table B4-11b Continued

POPULATION DOSE FACTORS FOR GASEOUS EFFLUENTS -- FOR ISOTOPE : KR90

FOR PATHWAY: PLUME

T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	2.47E+02	2.47E+02	2.47E+02	2.47E+02	2.47E+02	2.47E+02	2.50E+02	5.18E+02

FOR PATHWAY: GROUND

T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	0.00E+00							

FOR PATHWAY: VEGETABLE

T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	0.00E+00							

FOR PATHWAY: MEAT

T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	0.00E+00							

FOR PATHWAY: COW MILK

T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	0.00E+00							

FOR PATHWAY: GOAT MILK

T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	0.00E+00							

FOR PATHWAY: INHALATION

T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	0.00E+00							

Table B4-11b Continued

POPULATION DOSE FACTORS FOR GASEOUS EFFLUENTS -- FOR ISOTOPE : XE131M

FOR PATHWAY: PLUME

T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN	
ALL AGES	1.45E+00	1.45E+00	1.45E+00	1.45E+00	1.45E+00	1.80E+00	1.78E+01

FOR PATHWAY: GROUND

T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN	
ALL AGES	0.00E+00						

FOR PATHWAY: VEGETABLE

T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN	
ALL AGES	0.00E+00						

FOR PATHWAY: MEAT

T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN	
ALL AGES	0.00E+00						

FOR PATHWAY: COW MILK

T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN	
ALL AGES	0.00E+00						

FOR PATHWAY: GOAT MILK

T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN	
ALL AGES	0.00E+00						

FOR PATHWAY: INHALATION

T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN	
ALL AGES	0.00E+00						

Table B4-11b Continued

POPULATION DOSE FACTORS FOR GASEOUS EFFLUENTS -- FOR ISOTOPE : XE133M

FOR PATHWAY: PLUME

T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES 3.98E+00	3.98E+00	3.98E+00	3.98E+00	3.98E+00	4.44E+00	3.73E+01

FOR PATHWAY: GROUND

T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES 0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: VEGETABLE

T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES 0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: MEAT

T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES 0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: COW MILK

T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES 0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: GOAT MILK

T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES 0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: INHALATION

T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES 0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

Table B4-11b Continued

POPULATION DOSE FACTORS FOR GASEOUS EFFLUENTS -- FOR ISOTOPE : XE133

FOR PATHWAY: PLUME

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN	
ALL AGES	4.66E+00	4.66E+00	4.66E+00	4.66E+00	4.66E+00	4.66E+00	5.00E+00	1.59E+01

FOR PATHWAY: GROUND

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: VEGETABLE

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: MEAT

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: COW MILK

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: GOAT MILK

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: INHALATION

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

Table B4-11b Continued

POPULATION DOSE FACTORS FOR GASEOUS EFFLUENTS -- FOR ISOTOPE : XE135M

FOR PATHWAY: PLUME

T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	4.94E+01	4.94E+01	4.94E+01	4.94E+01	4.94E+01	4.97E+01

FOR PATHWAY: GROUND

T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: VEGETABLE

T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: MEAT

T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: COW MILK

T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: GOAT MILK

T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: INHALATION

T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

Table B4-11b Continued

POPULATION DOSE FACTORS FOR GASEOUS EFFLUENTS -- FOR ISOTOPE : XE135

FOR PATHWAY: PLUME

T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	2.87E+01	2.87E+01	2.87E+01	2.87E+01	2.87E+01	2.94E+01

FOR PATHWAY: GROUND

T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: VEGETABLE

T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: MEAT

T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: COW MILK

T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: GOAT MILK

T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: INHALATION

T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

Table B4-11b Continued

POPULATION DOSE FACTORS FOR GASEOUS EFFLUENTS -- FOR ISOTOPE : XE137

FOR PATHWAY: PLUME

T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES 2.25E+01	2.25E+01	2.25E+01	2.25E+01	2.25E+01	2.25E+01	4.13E+02

FOR PATHWAY: GROUND

T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES 0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: VEGETABLE

T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES 0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: MEAT

T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES 0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: COW MILK

T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES 0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: GOAT MILK

T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES 0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: INHALATION

T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES 0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

Table B4-11b Continued

POPULATION DOSE FACTORS FOR GASEOUS EFFLUENTS -- FOR ISOTOPE : XE138

FOR PATHWAY: PLUME

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	1.40E+02	1.40E+02	1.40E+02	1.40E+02	1.40E+02	1.40E+02	2.93E+02

FOR PATHWAY: GROUND

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: VEGETABLE

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: MEAT

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: COW MILK

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: GOAT MILK

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: INHALATION

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

Table B4-11b Continued

POPULATION DOSE FACTORS FOR GASEOUS EFFLUENTS -- FOR ISOTOPE : CR51

FOR PATHWAY: PLUME

T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	0.00E+00							

FOR PATHWAY: GROUND

T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	1.02E+05	1.20E+05						

FOR PATHWAY: VEGETABLE

T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	1.80E+03	2.96E+05	0.00E+00	0.00E+00	3.50E+02	1.04E+03	2.20E+03	0.00E+00

FOR PATHWAY: MEAT

T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	1.67E+02	3.39E+04	0.00E+00	0.00E+00	3.44E+01	9.76E+01	2.12E+02	0.00E+00

FOR PATHWAY: COW MILK

T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	4.72E+02	7.00E+04	0.00E+00	0.00E+00	8.91E+01	2.70E+02	5.66E+02	0.00E+00

FOR PATHWAY: GOAT MILK

T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	0.00E+00							

FOR PATHWAY: INHALATION

T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	3.56E+00	9.09E+01	0.00E+00	0.00E+00	7.52E-01	2.07E+00	4.91E+02	0.00E+00

Table B4-11b Continued

POPULATION DOSE FACTORS FOR GASEOUS EFFLUENTS -- FOR ISOTOPE : MN54

FOR PATHWAY: PLUME

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: GROUND

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	3.02E+07	3.02E+07	3.02E+07	3.02E+07	3.02E+07	3.02E+07	3.55E+07

FOR PATHWAY: VEGETABLE

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	1.15E+06	1.20E+07	0.00E+00	5.35E+06	1.56E+06	0.00E+00	0.00E+00

FOR PATHWAY: MEAT

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	3.67E+04	4.74E+05	0.00E+00	1.81E+05	5.33E+04	0.00E+00	0.00E+00

FOR PATHWAY: COW MILK

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	2.45E+04	2.29E+05	0.00E+00	1.11E+05	3.23E+04	0.00E+00	0.00E+00

FOR PATHWAY: COAT MILK

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: INHALATION

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	2.22E+02	2.09E+03	0.00E+00	1.30E+03	3.20E+02	0.00E+00	4.71E+04

Table B4-11b Continued

POPULATION DOSE FACTORS FOR GASEOUS EFFLUENTS -- FOR ISOTOPE : FE59

FOR PATHWAY: PLUME

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: GROUND

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	5.96E+06	5.96E+06	5.96E+06	5.96E+06	5.96E+06	5.96E+06	7.00E+06

FOR PATHWAY: VEGETABLE

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	3.45E+06	2.00E+07	4.01E+06	8.19E+06	0.00E+00	0.00E+00	2.36E+06

FOR PATHWAY: MEAT

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	5.45E+06	3.86E+07	6.19E+06	1.35E+07	0.00E+00	0.00E+00	3.85E+06

FOR PATHWAY: COW MILK

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	4.36E+05	2.29E+06	5.10E+05	1.01E+06	0.00E+00	0.00E+00	2.94E+05

FOR PATHWAY: GOAT MILK

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: INHALATION

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	3.78E+02	5.23E+03	4.34E+02	9.38E+02	0.00E+00	0.00E+00	3.53E+04

Table B4-11b Continued

POPULATION DOSE FACTORS FOR GASEOUS EFFLUENTS -- FOR ISOTOPE : CO58

FOR PATHWAY: PLUME

T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	0.00E+00							

FOR PATHWAY: GROUND

T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	8.27E+06	9.68E+06						

FOR PATHWAY: VEGETABLE

T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	1.72E+06	1.02E+07	0.00E+00	6.85E+05	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: MEAT

T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	8.95E+05	6.54E+06	0.00E+00	3.77E+05	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: COW MILK

T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	1.66E+05	8.87E+05	0.00E+00	6.48E+04	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: GOAT MILK

T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	0.00E+00							

FOR PATHWAY: INHALATION

T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	7.35E+01	2.91E+03	0.00E+00	5.26E+01	0.00E+00	0.00E+00	3.17E+04	0.00E+00

Table B4-11b Continued

POPULATION DOSE FACTORS FOR GASEOUS EFFLUENTS -- FOR ISOTOPE : CO60

FOR PATHWAY: PLUME

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: GROUND

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	4.70E+08	4.70E+08	4.70E+08	4.70E+08	4.70E+08	4.70E+08	5.53E+08

FOR PATHWAY: VEGETABLE

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	6.74E+06	3.79E+07	0.00E+00	2.75E+06	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: MEAT

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	3.46E+06	2.39E+07	0.00E+00	1.48E+06	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: COW MILK

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	5.52E+05	2.81E+06	0.00E+00	2.21E+05	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: GOAT MILK

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: INHALATION

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	5.25E+02	7.82E+03	0.00E+00	3.84E+02	0.00E+00	0.00E+00	2.03E+05

Table B4-11b Continued

POPULATION DOSE FACTORS FOR GASEOUS EFFLUEN S -- FOR ISOTOPE : ZN65

FOR PATHWAY: PLUME

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: GROUND

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	1.63E+07	1.63E+07	1.63E+07	1.63E+07	1.63E+07	1.63E+07	1.88E+07

FOR PATHWAY: VEGETABLE

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	1.16E+07	1.05E+07	7.54E+06	2.29E+07	1.49E+07	0.00E+00	0.00E+00

FOR PATHWAY: MEAT

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	1.21E+07	1.36E+07	8.11E+06	2.52E+07	1.67E+07	0.00E+00	0.00E+00

FOR PATHWAY: COW MILK

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	3.39E+07	2.77E+07	2.17E+07	6.53E+07	4.24E+07	0.00E+00	0.00E+00

FOR PATHWAY: GOAT MILK

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: INHALATION

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	1.64E+03	1.48E+03	1.09E+03	3.40E+03	2.24E+03	0.00E+00	2.92E+04

Table B4-11b Continued

POPULATION DOSE FACTORS FOR GASEOUS EFFLUENTS -- FOR ISOTOPE : SR89

FOR PATHWAY: PLUME

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: GROUND

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	4.73E+02	4.73E+02	4.73E+02	4.73E+02	4.73E+02	4.73E+02	5.48E+02

FOR PATHWAY: VEGETABLE

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	9.45E+06	3.35E+07	3.30E+08	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: MEAT

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	2.23E+05	9.84E+05	7.78E+06	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: COW MILK

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	8.19E+05	2.63E+06	2.86E+07	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: GOAT MILK

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: INHALATION

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	3.34E+02	1.01E+04	1.16E+04	0.00E+00	0.00E+00	0.00E+00	5.22E+04

Table B4-11b Continued

POPULATION DOSE FACTORS FOR GASEOUS EFFLUENTS -- FOR ISOTOPE : SR90

FOR PATHWAY: PLUME

T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	0.00E+00							

FOR PATHWAY: GROUND

T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	0.00E+00							

FOR PATHWAY: VEGETABLE

T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	6.67E+09	6.48E+08	2.69E+10	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: MEAT

T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	3.06E+08	3.28E+07	1.24E+09	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: COW MILK

T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	7.64E+08	7.07E+07	3.07E+09	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: GOAT MILK

T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	0.00E+00							

FOR PATHWAY: INHALATION

T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	1.95E+05	2.07E+04	3.15E+06	0.00E+00	0.00E+00	0.00E+00	3.56E+05	0.00E+00

Table B4-11b Continued

POPULATION DOSE FACTORS FOR GASEOUS EFFLUENTS -- FOR ISOTOPE : ZR95

FOR PATHWAY: PLUME

T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: GROUND

T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	5.34E+06	5.34E+06	5.34E+06	5.34E+06	5.34E+06	5.34E+06

FOR PATHWAY: VEGETABLE

T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	6.69E+03	2.10E+07	3.21E+04	8.94E+03	1.35E+04	0.00E+00

FOR PATHWAY: MEAT

T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	9.04E+03	3.45E+07	4.26E+04	1.27E+04	1.95E+04	0.00E+00

FOR PATHWAY: COW MILK

T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	3.30E+00	9.41E+03	1.60E+01	4.32E+00	6.47E+00	0.00E+00

FOR PATHWAY: GOAT MILK

T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: INHALATION

T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	8.34E+02	4.23E+03	3.96E+03	1.16E+03	1.78E+03	0.00E+00

Table B4-11b Continued

POPULATION DOSE FACTORS FOR GASEOUS EFFLUENTS -- FOR ISOTOPE : SB124

FOR PATHWAY: PLUME

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: GROUND

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: VEGETABLE

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: MEAT

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: COW MILK

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: GOAT MILK

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: INHALATION

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

Table B4-11b Continued

POPULATION DOSE FACTORS FOR GASEOUS EFFLUENTS -- FOR ISOTOPE : CS134

FOR PATHWAY: PLUME

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: GROUND

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	1.50E+08	1.50E+08	1.50E+08	1.50E+08	1.50E+08	1.50E+08	1.75E+08

FOR PATHWAY: VEGETABLE

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	1.08E+08	2.44E+06	9.19E+07	1.90E+08	6.05E+07	0.00E+00	2.10E+07

FOR PATHWAY: MEAT

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	2.14E+07	4.69E+05	1.42E+07	3.13E+07	1.00E+07	0.00E+00	3.42E+06

FOR PATHWAY: COW MILK

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	9.62E+07	2.20E+06	9.20E+07	1.86E+08	5.88E+07	0.00E+00	2.06E+07

FOR PATHWAY: GOAT MILK

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: INHALATION

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	1.95E+04	2.88E+02	1.37E+04	2.86E+04	9.57E+03	0.00E+00	3.37E+03

Table B4-11b Continued

POPULATION DOSE FACTORS FOR GASEOUS EFFLUENTS -- FOR ISOTOPE : CS136

FOR PATHWAY: PLUME

T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	0.00E+00							

FOR PATHWAY: GROUND

T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	3.29E+06	3.72E+06						

FOR PATHWAY: VEGETABLE

T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	5.41E+06	6.57E+05	2.27E+06	7.85E+06	4.29E+06	0.00E+00	6.17E+05	0.00E+00

FOR PATHWAY: MEAT

T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	7.98E+05	1.11E+05	3.08E+05	1.13E+06	6.25E+05	0.00E+00	8.81E+04	0.00E+00

FOR PATHWAY: COW MILK

T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	1.05E+07	1.19E+06	4.53E+06	1.53E+07	8.33E+06	0.00E+00	1.21E+06	0.00E+00

FOR PATHWAY: GOAT MILK

T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	0.00E+00							

FOR PATHWAY: INHALATION

T.	BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	3.58E+03	3.23E+02	1.42E+03	4.92E+03	2.83E+03	0.00E+00	4.13E+02	0.00E+00

Table B4-11b Continued

POPULATION DOSE FACTORS FOR GASEOUS EFFLUENTS -- FOR ISOTOPE : CS137

FOR PATHWAY: PLUME

T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES 0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: GROUND

T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES 2.25E+08	2.25E+08	2.25E+08	2.25E+08	2.25E+08	2.25E+08	2.62E+08

FOR PATHWAY: VEGETABLE

T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES 7.48E+07	2.42E+06	1.45E+08	1.72E+08	5.75E+07	0.00E+00	2.01E+07

FOR PATHWAY: MEAT

T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES 1.37E+07	4.25E+05	2.04E+07	2.58E+07	8.68E+06	0.00E+00	2.97E+06

FOR PATHWAY: COW MILK

T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES 6.06E+07	2.01E+06	1.34E+08	1.54E+08	5.16E+07	0.00E+00	1.82E+07

FOR PATHWAY: GOAT MILK

T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES 0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: INHALATION

T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES 1.14E+04	2.38E+02	1.81E+04	2.15E+04	7.61E+03	0.00E+00	2.69E+03

Table B4-11b Continued

POPULATION DOSE FACTORS FOR GASEOUS EFFLUENTS -- FOR ISOTOPE : BA140

FOR PATHWAY: PLUME

T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: GROUND

T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	4.48E+05	4.48E+05	4.48E+05	4.48E+05	4.48E+05	4.48E+05

FOR PATHWAY: VEGETABLE

T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	4.51E+05	9.60E+06	7.25E+06	7.88E+03	2.64E+03	0.00E+00

FOR PATHWAY: MEAT

T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	4.86E+04	1.25E+06	7.63E+05	8.86E+02	2.99E+02	0.00E+00

FOR PATHWAY: COW MILK

T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	3.07E+04	5.97E+05	4.96E+05	5.26E+02	1.76E+02	0.00E+00

FOR PATHWAY: GOAT MILK

T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: INHALATION

T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	9.39E+01	6.25E+03	1.48E+03	1.70E+00	5.71E-01	0.00E+00

Table B4-11b Continued

POPULATION DOSE FACTORS FOR GASEOUS EFFLUENTS -- FOR ISOTOPE : CE141

FOR PATHWAY: PLUME

T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: GROUND

T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	2.98E+05	2.98E+05	2.98E+05	2.98E+05	2.98E+05	2.98E+05

FOR PATHWAY: VEGETABLE

T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	5.87E+02	1.27E+07	7.77E+03	4.64E+03	2.11E+03	0.00E+00

FOR PATHWAY: MEAT

T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	2.64E+01	7.07E+05	3.47E+02	2.19E+02	1.01E+02	0.00E+00

FOR PATHWAY: COW MILK

T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	6.76E+00	1.33E+05	8.97E+01	5.24E+01	2.38E+01	0.00E+00

FOR PATHWAY: GOAT MILK

T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: INHALATION

T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	5.79E+01	3.44E+03	7.64E+02	4.80E+02	2.19E+02	0.00E+00

Table B4-11b Continued

POPULATION DOSE FACTORS FOR GASEOUS EFFLUENTS -- FOR ISOTOPE : CE144

FOR PATHWAY: PLUME

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: GROUND

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	1.51E+06	1.51E+06	1.51E+06	1.51E+06	1.51E+06	1.51E+06	1.51E+06

FOR PATHWAY: VEGETABLE

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	3.74E+04	1.50E+08	6.99E+05	2.60E+05	1.50E+05	0.00E+00	0.00E+00

FOR PATHWAY: MEAT

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	1.73E+03	8.61E+06	3.23E+04	1.26E+04	7.41E+03	0.00E+00	0.00E+00

FOR PATHWAY: COW MILK

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	3.31E+02	1.20E+06	6.19E+03	2.25E+03	1.30E+03	0.00E+00	0.00E+00

FOR PATHWAY: GOAT MILK

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: INHALATION

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	7.00E+03	2.34E+04	1.31E+05	5.08E+04	2.96E+04	0.00E+00	2.88E+05

Table B4-11b Continued

POPULATION DOSE FACTORS FOR GASEOUS EFFLUENTS -- FOR ISOTOPE : I131

FOR PATHWAY: PLUME

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: GROUND

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	1.88E+05	1.88E+05	1.88E+05	1.88E+05	1.88E+05	1.88E+05	2.28E+05

FOR PATHWAY: VEGETABLE

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	1.29E+06	4.40E+05	1.83E+06	2.27E+06	3.84E+06	7.37E+08	0.00E+00

FOR PATHWAY: MEAT

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	1.11E+05	4.41E+04	1.48E+05	1.96E+05	3.33E+05	6.36E+07	0.00E+00

FOR PATHWAY: COW MILK

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	1.82E+06	5.78E+05	2.66E+06	3.22E+06	5.42E+06	1.04E+09	0.00E+00

FOR PATHWAY: GOAT MILK

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: INHALATION

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	7.04E+02	1.79E+02	9.59E+02	1.25E+03	2.10E+03	4.11E+05	0.00E+00

Table B4-11b Continued

POPULATION DOSE FACTORS FOR GASEOUS EFFLUENTS -- FOR ISOTOPE : I133

FOR PATHWAY: PLUME

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: GROUND

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	2.68E+04	2.68E+04	2.68E+04	2.68E+04	2.68E+04	2.68E+04	3.26E+04

FOR PATHWAY: VEGETABLE

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	2.34E+00	4.96E+00	4.66E+00	7.06E+00	1.21E+01	1.13E+03	0.00E+00

FOR PATHWAY: MEAT

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	2.72E-03	6.77E-03	5.29E-03	8.54E-03	1.48E-02	1.31E+00	0.00E+00

FOR PATHWAY: COW MILK

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	4.28E+03	8.45E+03	8.61E+03	1.27E+04	2.18E+04	2.06E+06	0.00E+00

FOR PATHWAY: GOAT MILK

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

FOR PATHWAY: INHALATION

	T. BODY GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
ALL AGES	1.66E+02	2.65E+02	3.29E+02	5.20E+02	8.92E+02	8.04E+04	0.00E+00

APPENDIX TO PART B, SECTION 4

01/01/94

B4-245

Rev. 6

Model of the Release of Radioactive Materials from the STPEGS
Reservoir for Use in Off-site Dose Calculations

Assumptions:

1. Activity released to the reservoir is not available for release off-site for two weeks, during which time it becomes mixed with previous releases. The mass flow of the reservoir water is such that it should take about two weeks for water to work its way around to the spillway. After one complete circuit of the reservoir (about three weeks), a given release should have mixed into a much larger volume of water than was the original batch release.
2. Batch releases of liquid effluents to the reservoir are made every day or two and are about the same magnitude and thus approximate a constant discharge rate (Ci/yr). This assumption along with the travel time of assumption #1 above helps assure that the radionuclides in the reservoir are fairly uniformly mixed.
3. The releases due to seepage and blowdown are constant and continuous (any release over the spillway is small and considered to be part of the routine blowdown activity). This assumption is accurate for the seepage, but is only accurate for blowdown if large averaging times are considered. The model is based on annual averages which helps to smooth the discrete blowdown operations each year to approximate a continuous activity.
4. The rate that radioactivity is lost from the reservoir is proportional to the amount of activity in the reservoir at any time. This assumption allows all losses from the reservoir to be treated mathematically the same way as radioactive decay. This assumption is accurate insofar as long averaging times allow discrete discharges to the reservoir and discrete releases from the reservoir off-site to approximate continuous processes.
5. Evaporation from the reservoir offers a release method for tritium and noble gases, but does not affect any other radionuclides.
6. The volume of the reservoir remains constant.

Mathematical Relations:

Estimation of Remaining Batch Discharge as a Function of Time

The remaining radioactivity, $A(t)$, for a given radionuclide as a function of time after a single discharge of plant effluent into the reservoir is related to the initial discharge activity, A_0 , as described below:

$$A(t) = A_0 * e^{[-(Y+Yr) * t]}$$

where:

Y = release rate constant for water from the reservoir;
= (annual blowdown flow rate + seepage)/reservoir volume)
= 2.427E-03 per year;

Yr = the radioactive decay rate for the given nuclide;
= $0.693 / (\text{radioactive half-life in years})$;

$(\text{Y} + \text{Yr})$ = total loss rate (release plus radioactive) from the reservoir;

t = time since discharge (less 14 days) in years;

A_o = activity of a given radionuclide 14 days after discharge from the plant to the reservoir, Ci;

$A(t)$ = current activity for a given radionuclide in the reservoir following a particular discharge event, Ci.

Reservoir Concentration

The concentration of a given radionuclide in the reservoir at a particular time since discharge is simply the activity remaining for the radionuclide, $A(t)$, divided by the reservoir volume, V.

$$\text{concentration} = A(t)/V$$

Release Rate From the Reservoir

The rate of release for a given nuclide from the reservoir is a function of time since discharge from the plant to the reservoir as shown below:

release rate = (activity in the reservoir) * (release rate constant)

since Y = release rate constant (reservoir volumes per year)

and $A(t)$ = amount of activity in the reservoir at time "t"

then

$$\text{release rate} = A(t) * Y$$

and substituting for $A(t)$

$$\text{release rate} = Y * A_o * e^{[-(Y + \text{Yr}) * t]}$$

Integrated Release From the Reservoir

The total release during any period of time can be estimated by integrating the release rate function above and evaluating it for that time period.

$$\text{Total release} = \int_{t=a}^b (\text{release rate}) dt$$

$$= \int_{t=a}^b A_o * Y * e^{[-(Y + \text{Yr}) * t]} dt$$

$$\begin{aligned}
 &= \frac{A_0 * Y * \int_{-(Y+Yr)}^b e^{[-(Y+Yr) * t]} dt}{-(Y+Yr)} \\
 &= \frac{A_0 * Y * (e^{[-(Y+Yr)*b]} - e^{[-(Y+Yr)*a]})}{-(Y+Yr)} \\
 &= \frac{A_0 * Y * (e^{[-(Y+Yr)*a]} - e^{[-(Y+Yr)*b]})}{(Y+Yr)}
 \end{aligned}$$

Example Release Calculation

Examples of how one would expect activity to leave STPEGS following a discharge to the reservoir from the plant follow. Three radionuclides are illustrated; a long-lived nuclide such as Cs-137; a nuclide of moderate half-life such as Co-60; and a short-lived nuclide such as Fe-59. The reservoir release rate constant is $Y = 2.427E-03$ as described previously.

Value of integral from year "a" to year "b" $Yr = *.*$

a	b	Yr=0.023 per year	Yr=0.125 per year	Yr=8.32 per year
0	1	0.0024 A _o	0.0023 A _o	2.92E-04 A _o
1	2	0.0023 A _o	0.0020 A _o	0.000 A _o
2	3	0.0023 A _o	0.0018 A _o	0.00
3	4	0.0022 A _o	0.0016 A _o	0.00
.
.
19	20	0.0015 A _o	0.0000 A _o	0.00
.
.
.
Total =		0.00 A _o	0.000 A _o	0.000 A _o
		0.095 A _o	0.019 A _o	2.92E-04 A _o

Discussion:

Note from the table above that the release (and hence the off-site dose) following a plant discharge to the reservoir is spread out in time, particularly for the longer-lived nuclides. If we assume that all of a given nuclide which is destined to leave STPEGS does so in the first year, we would assign the dose associated with the release indicated in the last line of the table in the first year and omit the releases listed for subsequent years.

This method is generally conservative since for nuclides with half-lives greater than a couple of years, the dose estimate corresponding to the integrated release is several times larger than the true dose corresponding to the actual release in the first year. The only instance where the method might not be conservative is if in a given year a long-lived nuclide accounted for a large fraction of the 3-mrem limit.

If in the following year a short-lived nuclide accounted for the dose, the dose estimate in that second year might be only about 90% of the dose actually delivered that year. This is because the long-lived nuclide from the previous year would still be delivering off-site dose the second year even though the model assigned all that dose the first year. In turn, the short-lived nuclide would deliver virtually all its off-site dose in the year it was actually released to the reservoir.

Conclusion:

Considering the uncertainties in estimating off-site flow rates, the possibility of making a 10% error in the off-site doses in consecutive years seems unimportant. Therefore, the ODCM will assign all dose related to the integrated release from the reservoir for a given discharge into the reservoir in the year of the discharge to the reservoir. This integrated release is simply

$$\text{total release} = A_o * Y * \frac{e^{[-(Y+Yr)*a]} - e^{[-(Y+Yr)*b]}}{(Y+Yr)}$$

evaluated with $b = \infty$ (years) and
 $a = 0$ (years).

$$\text{total release} = A_o * \frac{Y}{Y + Yr}$$

This total release from the reservoir assumes that "a" above is measured from the time a radionuclide becomes available for release from the reservoir. Since 14 days must elapse before liquid effluents mix throughout the reservoir, an additional radioactive decay term, $\text{EXP}[-Yr*14]$, should be applied to be strictly correct mathematically. Hence the fraction, Floss, from a given release, A_i , which eventually leaves the site is

$$\text{Floss} = \frac{\text{total release from site}}{\text{initial release to reservoir}} = \frac{A_o * \frac{Y}{Y+Yr}}{A_i}$$

$$\text{since } A_o = A_i * \text{EXP}[-Yr*14]$$

$$\text{Floss} = \frac{\frac{Y}{Y+Yr} * A_i * \text{EXP}[-Yr*14]}{A_i} = \frac{Y}{Y+Yr} * \text{EXP}[-Yr*14]$$




Figure B4-1: Lower Colorado River




Figure B4-2 - STPEGS Site

5.0 Radiological Environmental Monitoring Program

The emphasis of the operational Radiological Environmental Monitoring Program is to verify source control at the plant. In meeting this objective, certain findings have been considered in formulating the operational Radiological Environmental Monitoring Program. Among these the most important in relation to critical exposure paths and population groups are the following:

As of the most recent land use census no commercial dairies exist within ten (10) miles of the plant nor any individual cows or goats within five (5) miles whose milk is consumed by humans; however, there are six ranches with about 3,600 head of beef cattle within a 10-mile radius.

There are extensive commercial crops grown, mainly rice, soybeans, grain sorghum, and cotton in the region immediately surrounding the plant. The major portion of irrigation in this region is from the canal and levee systems with water controlled by the Lower Colorado River Authority in Bay City. Alternate irrigation comes from deep water wells 300 ft. or greater in depth. Although three irrigation permits have been issued by the Lower Colorado River Authority for irrigation with Colorado River water taken downstream from the plant, these permits have not been exercised due to the brackish quality of the river in this area.

Local towns derive their drinking water from ground-water wells; there is no population consumption of water from the Colorado River below the plant.

There is substantial commercial harvesting of shellfish in Matagorda Bay, with the potential of harvesting fin fish as well depending on state controls. The Colorado River estuary is limited to sport fishing for human consumption and commercial fishing for bait species.

Prevailing winds are from the south to east-south-east.

5.1 Program Summary

The design and implementation of the Radiological Environmental Monitoring Program, related surveillance activities, sample analysis, and reporting is performed by Houston Lighting & Power Company. The monitoring program is a tiered system in which the level of surveillance is in part determined by effluent releases.

The minimum program is outlined in the following sections and in Table B5-1. The results of this program are routinely reported in the Annual Radiological Environmental Operating Report as indicated in Control 6.9.1.3.

In support of this report, a land use census will be conducted annually.

In the event plant releases result in environmental measurements exceeding Table A5-3 values or the results of an analysis indicate unexpected concentrations of radionuclides in the environment, a more vigorous sampling program may be instituted.

In the event of an incident involving large releases of activity from STPEGS, an intensive sampling program would be initiated. This program would include special studies as appropriate for the particular incident and might include special reporting.

The following paragraphs describe the general program instituted including the types of samples, the collection frequency, and the analysis to be accomplished on each sample type.

5.2 Sampling Program Description

5.2.1 Airborne Iodine and Particulates

Airborne iodine and particulates are sampled by continuous low volume air samplers (approximately 2.0 cfm) fitted with charcoal canisters. The air sampling network will consist of 5 stations. Three stations are located at the exclusion zone boundary, one each in the N, NNW, and NW sectors. Since all releases will be at ground level or from roof vents, the highest calculated off-site ground level concentration of airborne releases occurs at the site boundary regardless of wind direction. An air sampling system is located in the community of Bay City. A control station is located at least ten (10) miles west of the site in a minimal wind direction. The filters are changed weekly and analyzed.

5.2.2 Soil Sampling

Soil samples were collected from the same locations as airborne particulates as well as from two farms within five miles of the site for a total of seven locations. Soils are no longer routinely collected but samples may be taken if deemed necessary.

A sediment sample shall be collected semiannually at locations upstream (control) and downstream of the MCR spillway and in the Main Cooling reservoir.

5.2.3 Ambient Radiation Measurements

Background ionizing radiation levels are measured by a network of approximately forty TLD stations. Two dosimeters are placed at each station and are collected and analyzed quarterly. The TLD stations are located adjacent to air monitoring stations and in generally concentric rings about the plant at one and five mile ranges in sixteen sectors. The balance of the stations are placed in special interest areas and control locations ten to fifteen miles from the site.

5.2.4 Surface Water Sampling

Each unit discharges its liquid radioactive waste into the cooling reservoir. The radionuclides in the reservoir are assumed to mix uniformly and subsequent blowdown releases to the Colorado River may contain these radionuclides. The Colorado River is sampled continuously both above and below the plant discharge structure. In order to help affirm the liquid effluent pathway dose model, STPEGS also samples the reservoir near the spillway structure. Results of these samples may be compared with off-site measurements to help assess the adequacy of dose projection models. These composite samples are analyzed for gamma isotopes monthly and for tritium quarterly.

Radionuclides may also diffuse through the bottom of the reservoir and may be discharged to collection ditches which run into Little Robbins Slough. Grab samples may be taken semiannually at locations near the site boundary where these surface flows enter off-site surface waters.

5.2.5 Ground Water Sampling

Since seepage from the bottom of the reservoir is expected to occur, some chance exists for radionuclides to enter ground water. Two aquifers underlie the site: a shallow aquifer above about 90 feet, and a deeper one below about 300 feet. Drinking water used in the area is drawn from the aquifer below 300 feet which is separated from the shallow aquifer by an impermeable strata of clay. Due to the existence of one unfilled Sondex pipe that passes from the surface through the shallow and into the deep aquifer, the possibility exists for nuclides to migrate down this Sondex structure into the drinking water. Therefore, wells on-site are sampled and analyzed for tritium and gamma emitting nuclides from both the shallow and deep aquifers.

5.2.6 Fish/Aquatic Wildlife

Radioactivity in the liquid effluent from the plant may be available to the fish of the Colorado River and Little Robbins Slough. The Colorado River is used by sports fishermen and hence, radionuclides may find their way into the human food chain. Fish and/or aquatic wildlife samples are taken twice annually downstream and at a control location beyond plant influence. Fish samples shall be taken in the main cooling reservoir as necessary to comply with STPEGS license agreements. These samples are analyzed for gamma emitting nuclides.

5.2.7 Agricultural Products

The Lower Colorado River Authority which regulates the majority of irrigation water in the vicinity of STPEGS indicates that these waters originate upstream from the dam on the Colorado River near Bay City. Hence, plant liquid discharges do not affect local agriculture.

The broadleaf vegetation samples are taken monthly when available. HL&P collects broadleaf vegetation samples near the site boundary in two of the three highest predicted X/Q sectors in place of sampling private garden plots. Milk samples may be taken depending on the presence of milk animals and the success of obtaining samples. Gamma isotopic analysis is performed on the vegetation samples and iodine analyses will be performed if any milk samples

are identified and taken.

5.2.8 Domestic Meat

At least one sample of meat is taken annually from farms located within ten miles of the plant. The edible tissue is analyzed for gamma-emitting radionuclides.

5.2.9 Game

Game is obtained on site or within ten miles of the site, when available. The edible tissue is analyzed for gamma-emitting radionuclides.

5.3 Sampling Frequency

The sampling frequencies given in Table B5-1 were selected so that the results of the radiological environmental monitoring may complement the results of the radiological effluent monitoring. In some cases the sampling frequency is determined by inherent characteristics of the medium; e.g., air filters can be run only 7-10 days before excessive pressure-drop arises.

5.4 Sample Station Locations

Table B5-2 identifies sample stations by an ID number, location, brief location description and type of media that might be collected. This list is not limiting and may be modified to satisfy requirements described in Table B5-1.

5.5 Quality Control

Control checks and tests are applied to the analytical operations by means of duplicate and/or split analyses of selected samples, and by the introduction of environmental samples such as provided through the USEPA Environmental Radioactivity Laboratory Intercomparison Studies Program. Analytical procedures are similar to those reported in HASL-300 or equivalent commercial practice.

5.6 Analytical Sensitivity

The detection sensitivities of the various program elements are listed in Table A5-2. Samples are analyzed as described in the program summary.

5.7 Data Presentation

Typically, reporting units are pCi/m^3 for air and pCi/kg for liquid and solid samples. The standard deviation of the net counting rate is computed using

the gross counting rate and the background rate. Suitable statistical methods are used to determine whether a count is significant as described in references 1 and 6.

5.8 Routine Reporting Requirements

Reports on radiological environmental monitoring sample analyses are submitted in accordance with the requirements of Control 6.9.1.3. These reports are summaries of the results of the environmental activities and assessments of the observed impacts of plant operation on the environment.

Table B5-1
MINIMUM OPERATIONAL RADIOLOGICAL ENVIRONMENTAL MONITORING PROGRAM

EXPOSURE: DIRECT RADIATION

40 TOTAL SAMPLING STATIONS

Sample Media, Number, Approximate Location and Distance of Sample Stations from Containment.	Routine Sampling Mode	Nominal Collection Frequency	Analysis Type	Minimum Analysis Frequency
<p>Exposure Media: TLD</p> <p><u>16</u>- Located in all 16 meteorological sectors, 1 mile.</p> <p><u>16</u>- Located in all 16 meteorological sectors, 4-6 miles.</p> <p><u>6</u>- Located in special interest areas (e.g. school, population centers), within 14 miles.</p> <p><u>2</u>- Control stations located in areas of minimal wind direction (W,ENE), 10-15 miles.</p>	Continuously	Quarterly	Gamma	Quarterly

Table B5-1
 MINIMUM OPERATIONAL RADIOLOGICAL ENVIRONMENTAL MONITORING PROGRAM
 Cont'd

EXPOSURE: AIRBORNE

5 TOTAL SAMPLING STATIONS

Sample Media, Number, Approximate Location, and Distance of Sample Stations from Containment.	Routine Sampling Mode	Nominal Collection Frequency	Analysis Type	Minimum Analysis Frequency
<u>Charcoal and Particulate Filters</u> <u>3</u> - Located at the exclusion zone, N, NNW, NW Sectors, 1 mile. <u>1</u> - Located in Bay City, 14 miles. <u>1</u> - Control Station, located in a minimal wind direction (W), 11 miles.	Continuously	Weekly	Charcoal: Iodine: I-131 Particulate: Gross Beta and Gamma- Isotopic	Weekly Weekly Quarterly Composite

Table B5-1
 MINIMUM OPERATIONAL RADIOLOGICAL ENVIRONMENTAL MONITORING PROGRAM
 Cont'd

EXPOSURE: WATERBORNE

10 TOTAL SAMPLING STATIONS

Sample Media, Number And Approximate Location of Sample Stations	Routine Sampling Mode	Nominal Collection Frequency	Analysis Type	Minimum Analysis Frequency
<u>Surface</u> 1- Located in MCR at point of MCR blowdown to Colorado River. 1- Located above the site on the Colorado River not influenced by plant discharge. 1- Located downstream from blowdown entrance into the Colorado River, 2 miles.	Composite (grab if not available)	Monthly	Gamma- Isotopic and Tritium	Monthly Quarterly Composite
<u>Ground</u> 1- Located at well downgradient in the shallow aquifer.	Grab	Quarterly	Gamma- Isotopic and Tritium	As collected

Table B5-1
 MINIMUM OPERATIONAL RADIOLOGICAL ENVIRONMENTAL MONITORING PROGRAM
 Cont'd

EXPOSURE: WATERBORNE

10 TOTAL SAMPLING STATIONS

Sample Media, Number And Approximate Location of Sample Stations	Routine Sampling Mode	Nominal Collection Frequency	Analysis Type	Minimum Analysis Frequency
<u>Drinking Water</u> <u>1</u> - Located on site. <u>1</u> - Located at a control station.	Grab	Monthly	Gamma-Isotopic and Gross Beta Tritium	Monthly
<u>Sediment</u> <u>1</u> - Located above the site on the Colorado River, not influenced by plant discharge. <u>1</u> - Located downstream from blowdown entrance into the Colorado River. <u>1</u> - Located in drainage ditch NE of protected area that crosses Hwy. 521 south of maintenance road and empties into Kelly Lake (a soil sample maybe taken in lieu of sediment sample when needed). <u>1</u> - Located in MCR.	Grab	Semi-annually	Gamma-Isotopic	Quarney Composites As collected

Table B5-1
MINIMUM OPERATIONAL RADIOLOGICAL ENVIRONMENTAL MONITORING PROGRAM
Cont'd

EXPOSURE: INGESTION

7 TOTAL SAMPLING STATIONS

Sample Media, Number And Approximate Location of Sample Stations	Routine Sampling Mode	Nominal Collection Frequency	Analysis Type	Minimum Analysis Frequency
<u>Milk</u> * <u>Broadleaf Vegetation</u> 2- Located at the exclusion zone, N, NW, or NNW sectors. 1- Located in a minimal wind direction.	Grab	Semi-monthly on pasture, monthly at other times.	Gamma-Isotopic Low Level I-131	As collected
<u>Agricultural Products</u> **	Grab	Monthly during growing season (When available)	Gamma-Isotopic	As collected

* Limited source of sample in vicinity of STPEGS. (Attempts will be made to obtain samples when available.)

** No sample stations have been identified in the vicinity of the site. Presently no agricultural land is irrigated by water into which liquid plant wastes will be discharged. Agricultural products will be considered if these conditions change.

Table B5-1
 MINIMUM OPERATIONAL RADIOLOGICAL ENVIRONMENTAL MONITORING PROGRAM
 Cont'd

EXPOSURE: INGESTION

7 TOTAL SAMPLING STATIONS

Sample Media, Number And Approximate Location of Sample Stations	Routine Sampling Mode	Nominal Collection Frequency	Analysis Type	Minimum Analysis Frequency
<u>Terrestrial & Aquatic Animals (edible portions)</u> 1- Representing commercially and/or recreational important species in vicinity of STPEGS that maybe influenced by plant operation. 1- Same or analogous species in area not influenced by STPEGS.* 1- Same or analogous species in the MCR.	Grab	Sample in season or semi-annually if not seasonal	Gamma-Isotopic	As collected
<u>Domestic Meat</u> 1- Represents domestic stock fed on crops grown exclusively within 10 miles of the plant.	Grab	Annually	Gamma-Isotopic	As collected

* Applied to aquatic samples only.

NOTE: Collection frequency may vary to accommodate sample media availability, equipment availability, and/or weather conditions.

Table B5-2

Sample Media Codes			
AI	AIRBORNE RADIOIODINE	ML	(MIXED LIQUID) AERATION TANK
AL	ALGAE	ml	(WATER PORTION OF ML)
AP	AIRBORNE PARTICULATE	M1	BEEF MEAT
AS	(ASH SLUDGE) ASH TANK	M2	POULTRY MEAT
as	(WATER PORTION OF AS)	M3	WILD SWINE
BE	WILD BLACKBERRIES	M4	DOMESTIC SWINE
B1	RESIDENT DABBLEDUCK	M5	EGGS
B2	RESIDENT DIVER DUCK	M6	GAME DEER
B3	MIGRATORY DABBLEDUCK	M7	ALLIGATOR
B4	MIGRATORY DIVER DUCK	M8	RABBIT
B5	GOOSE	N1	PECANS
B6	DOVE	N2	ACORNS
B7	QUAIL	OY	OYSTER
B8	PIGEON	PK	PLANKTON
CC	CRUSTACEAN CRAB	RA	ROOTED AQUATIC VEGETATION
CS	CRUSTACEAN SHRIMP	R4	TURNIP
C1	CRAB SHELL	SB	SOYBEAN
DR	DIRECT RADIATION	SO	SOIL
FD	FOOD	SS	SHORELINE SEDIMENT
F1	FISH - PISCIVOROUS	UR	URINE
F2	FISH - CRUSTACEAN & INSECT FEEDERS	VB	BROADLEAF VEGETATION
F3	FISH - PLANTIVORES & DETRITUS FEEDERS	VC	CORN
L1	BANANA LEAVES	VP	PASTURE GRASS
L2	CANNA LEAVES	VR	RICE
L3	LETTUCE	VS	GRAIN SORGHUM
L4	TURNIP GREENS	WD	DRINKING WATER
L5	CABBAGE	WG	GROUND WATER
L6	COLIARD GREENS	WR	RAIN WATER
MC	COW MILK	WS	SURFACE WATER
MG	GOAT MILK		

Table B5-2: Sample Station Locations

SAMPLE SUBMISSION CODE INFORMATION LIST			
MEDIA CODE	STATION CODE	VECTOR	LOCATION DESCRIPTION
DR AI AP VB VP SO	001	1 mile N	Exclusion Zone - FM 521
DR	002	1 mile NNE	Exclusion Zone - FM 521
DR	003	1 mile NE	Exclusion Zone - Fm 521
DR	004	1 mile ENE	Exclusion Zone - FM 521
DR	005	1 mile E	STPEGS Visitor Center - FM 521
DR AI AP SO	006	3.5 miles ESE	Site near reservoir makeup pumping facility
DR	007	3.5 miles SE	Site on MCR Dike
DR	008	0.25 mile SSE	Site on MCR Dike
DR	009	0.25 mile S	Site on MCR Dike
DR	010	0.25 mile SSW	Site on MCR Dike
DR	011	0.5 mile SW	Site on MCR Dike
DR	012	1 mile WSW	Site on MCR Dike
DR	013	1 mile W	Exclusion Zone - FM 521
DR	014	1 mile WNW	Exclusion Zone - FM 521
DR AI AP VB SO VP	015	1 mile NW	Exclusion Zone - FM 521
DR AI AP VB SO VP	016	1 mile NNW	Exclusion Zone - FM 521

♦ This station may be used to obtain the required aquatic samples in the vicinity of STPEGS that may be influenced by plant operations.

* Control Station

MCR - STPEGS Main Cooling Reservoir

Media codes typed in bold satisfy collection requirement described in Table B5-1.

Station codes printed in bold identify offsite locations.

Table B5-2: Sample Station Locations
Cont'd

SAMPLE SUBMISSION CODE INFORMATION LIST			
MEDIA CODE	STATION CODE	VECTOR	LOCATION DESCRIPTION
DR	017	6 miles N	Buckeye - FM 1468
DR AI AP SO	018	5.5 miles NNE	Hoescht Celanese Plant - FM 3057
DR	019	5 miles NE	FM 2668
DR	020	5 miles ENE	FM 2668
DR	021	5 miles E	FM 521
DR	022	7 miles ESE	Cain Chemical Plant, TX 60
DR	*023	16 miles ENE	Intersection of FM 521 and FM 2540
DR	024	4 miles SSE	Site on MCR Dike
DR	025	4 miles S	Site on MCR Dike
DR	026	4 miles SSW	Site on MCR Dike
DR	027	2.5 miles SW	Site on MCR Dike
DR	028	5 miles WSW	FM 1095
DR SO	029	4.5 miles W	FM 1095
DR	030	6 miles WNW	Tres Palacious Oaks, FM 2853
DR	031	5.6 miles NW	Wilson Creek Road
DR	032	3.5 miles NNW	FM 1468
DR AI AP SO	033	14 miles NNE	Bay City

- ◆ This station may be used to obtain the required aquatic samples in the vicinity of STPEGS that may be influenced by plant operations.
- * Control Station
- MCR - STPEGS Main Cooling Reservoir
- Media codes typed in bold satisfy collection requirement described in Table B5-1.
- Station codes printed in bold identify offsite locations.

Table 5-2: Sample Station Locations
Cont'd

SAMPLE SUBMISSION CODE INFORMATION LIST			
MEDIA CODE	STATION CODE	VECTOR	LOCATION DESCRIPTION
DR	034	8 miles ENE	Wadsworth
DR AI AP SO	035	8.5 miles SSE	Matagorda
DR	036	10 miles WSW	College Port
DR AI AP VB VP SO	*037	11 miles W	Palacious Substation
DR	038	11 miles NW	Blessing
DR AI AP SO	039	9 miles NW	E1 Maton
DR	040	4.5 miles SW	Citrus Grove
DR	041	2.6 miles ESE	Site on Dike
DR	042	8.2 miles NW	FM 459 at Tidehaven Intermediate School
DR	094	On site	REMP Storage Building (TLD Control)
DR	095	On site	REMP Storage Building (TLD Control)
DR	096	N/A	Storage Control
DR	097	N/A	Storage Control
DR	098	N/A	Travel Control
DR	099	N/A	Travel Control
WG	205	4 miles SE	Well #446A, .5 mile north of MCR blowdown canal (30' deep)

- ◆ This station may be used to obtain the required aquatic samples in the vicinity of STPEGS that may be influenced by plant operations.
- * Control Station
- MCR - STPEGS Main Cooling Reservoir
- Media codes typed in bold satisfy collection requirement described in Table B5-1.
- Station codes printed in bold identify offsite locations.

Table B5-2: Sample Station Locations
Cont'd

SAMPLE SUBMISSION CODE INFORMATION LIST			
MEDIA CODE	STATION CODE	VECTOR	LOCATION DESCRIPTION
WG	206	4 miles SE	Well #446, .5 mile north of MCR blowdown canal (75' deep)
WG	*207	1.5 miles W	Well #603A, .25 mile west of TX 521 (75' deep)
WG	*208	1.5 miles W	Well #603B, .25 mile west of TX 521 (150' deep)
WS	209	2 miles E	Kelly Lake
WD	210	On Site	Approved drinking water supply from STPEGS
WS SS	211 ♦	3.5 miles S	Site, E. Branch Little Robbins Slough
WS SS	212 ♦	3.5 miles S	Little Robbins Slough
WS SS	213	3 miles SE	Site, W. Branch Colorado River
	214	2 miles E	MCR Makeup Water Discharge
SS	215	1 mile SW	MCR Circulating Water Discharge
WS SS	216	3 miles SSE	MCR blowdown
WS SS	217 ♦	3 miles SSE	Region 1 (mouth of Colorado River to marker 1)
WS	218 ♦	3 miles SSE	Region 2 (marker #1 to marker #27)

- ♦ This station may be used to obtain the required aquatic samples in the vicinity of STPEGS that may be influenced by plant operations.
- * Control Station
- MCR - STPEGS Main Cooling Reservoir
- Media codes typed in bold satisfy collection requirement described in Table B5-1.
- Station codes printed in bold identify offsite locations.

Table B5-2: Sample Station Locations
Cont'd

SAMPLE SUBMISSION CODE INFORMATION LIST			
MEDIA CODE	STATION CODE	VECTOR	LOCATION DESCRIPTION
WS F (1, 2, or 3)	219♦	3 miles SSE	Region 3 (marker #27 to Highway 521 overpass)
F (1, 2, or 3)	*220♦	3 miles SSE	Region 4 (Highway 521 overpass to Bay City Dam)
SS F (1, 2, or 3) WS	*221	3 miles SSE	Region 5 (Above Bay City Dam)
F (1, 2, or 3) CC CS OY	222♦	> 10 miles	West Matagorda Bay
F (1, 2, or 3)	223♦	> 10 miles	East Matagorda Bay
F (1, 2, or 3)	224♦	> 10 miles	West Intercoastal Canal
F (1, 2, or 3)	225♦	> 10 miles	East Intercoastal Canal
WS	*226	5.5 miles NNE	Colorado River at Hoescht Celanese Plant
WS SS	227	6 miles SE	West bank of Colorado River 1.5 miles downstream of STPEGS across from channel marker #22
WD	*228	14 miles NNE	Bay City Public water supply
WS SS	229	1 mile SE	Drainage ditch north of reservoir that empties into the Colorado River upstream of the reservoir makeup pumping facility

- ♦ This station may be used to obtain the required aquatic samples in the vicinity of STPEGS that may be influenced by plant operations.
- * Control Station
- MCR - STPEGS Main Cooling Reservoir
- Media codes typed in bold satisfy collection requirement described in Table B5-1.
- Station codes printed in bold identify offsite locations.

Table B5-2: Sample Station Locations
Cont'd

SAMPLE SUBMISSION CODE INFORMATION LIST			
MEDIA CODE	STATION CODE	VECTOR	LOCATION DESCRIPTION
SS	230♦	3.5 miles ESE	Colorado River at point where drainage ditch (station #229) empties into it
SO	231	11 miles W	Soil in vegetation plot at station #37
SO	232	9 miles NW	Farmland behind station #39
SS, WS	233♦	4.3 miles SE	Colorado River where MCR blowdown discharge channel empties into it
SO	234	1 mile NW	Farm across from station #15
WG	235	3.8 miles S	Well B-3 directly south from MCR
B8	236	N/A	STPEGS Protected Area
WS	237	3.7 miles SE	Blowdown discharge channel from MCR
WG	238	3.7 miles S	MCR relief well (East side of south wall)
WG	*239	1 mile NW	Well B-1B, near REMP sampling station #15
WS SO SS	240	1 mile E	Drainage ditch originating NE of protected area that crosses Hwy 521 south of main entrance road and empties into Kelly Lake

♦ This station may be used to obtain the required aquatic samples in the vicinity of STPEGS that may be influenced by plant operations.

* Control Station

MCR - STPEGS Main Cooling Reservoir

Media codes typed in bold satisfy collection requirement described in Table B5-1.

Station codes printed in bold identify offsite locations.

Table B5-2: Sample Station Locations
Cont'd

SAMPLE SUBMISSION CODE INFORMATION LIST			
MEDIA CODE	STATION CODE	VECTOR	LOCATION DESCRIPTION
F (1, 2, or 3)	241	< 1 mile S	MCR circulating water intake
SS WS	*242	> 10 miles NNE	Colorado River where it intersects Highway 35
WS	243	> 10 miles N	Colorado River upstream of Bay City Dam at the LCRA pumping station
WG	244	3.7 miles SSW	MCR relief wells (west side of south wall)
F (1, 2, or 3) CC SS	300	< 1 mile S	STPEGS Main Cooling Reservoir
SS	301-631	< 1 mile S	Grids located in main cooling reservoir. One SS shall be taken at any of the grids 304, 305, 312-314, 323-326 and another one at any of the grids 364-566 or 584-586.

- ◆ This station may be used to obtain the required aquatic samples in the vicinity of STPEGS that may be influenced by plant operations.
- * Control Station
- MCR - STPEGS Main Cooling Reservoir
- Media codes typed in bold satisfy collection requirement described in Table B5-1.
- Station codes printed in bold identify offsite locations.