

New Hampshire Yankee

Ted C. Feigenbaum
President and
Chief Executive Officer

NYN-91022

February 8, 1991

United States Nuclear Regulatory Commission
Washington, D.C. 20555

Attention: Document Control Desk

Reference: Facility Operating License No. NPF-86, Docket No. 50-443


Subject: Annual Report of Personnel Doses in Excess of 100 mrem

Gentlemen:

Seabrook Station Technical Specification 6.8.1.2.a requires that an annual tabulation of personnel receiving exposure greater than 100 mrem/year and their associated man-rem exposure according to work and job functions be submitted to the NRC. The New Hampshire Yankee Annual Report of Personnel Doses in Excess of 100 mrem for 1990 is provided as Enclosure 1.

Should you have any questions regarding this report, please contact Mr. James M. Peschel, Regulatory Compliance Manager, at (603) 474-9521, extension 3772.

Very truly yours,


Ted C. Feigenbaum

TCF:WJT/act/ssl

Enclosure

9102150200 901231
FDR ADOCK 05000443
R FDR

IE56
11

United States Nuclear Regulatory Commission
Attention: Document Control Desk

February 8, 1991
Page two

cc: Mr. Thomas T. Martin
Regional Administrator
United States Nuclear Regulatory Commission
Region 1
475 Allendale Road
King of Prussia, PA 19406

Mr. Gordon Edison, Sr. Project Mgr.
Project Directorate I-3
Division of Reactor Projects
U.S. Nuclear Regulatory Commission
Washington, DC 20555

Mr. Noel Dudley
NRC Senior Resident Inspector
P.O. Box 1149
Seabrook, NH 03874

New Hampshire Yankee
February 8, 1991

ENCLOSURE 1 TO NYN-91022

NUMBER OF PERSONNEL (> 100 MILLIREM)*

TOTAL MAN-REM

WORK & JOB FUNCTION	STATION EMPLOYEES	UTILITY EMPLOYEES	CONTRACT WORKERS	TOTAL PERSONS	STATION EMPLOYEES	UTILITY EMPLOYEES	CONTRACT WORKERS	TOTAL MAN-REMS
REACTOR OPERATIONS & SURVEILLANCE								
MAINTENANCE PERSONNEL	2	0	0		0.000	0.000	0.000	0.000
OPERATING PERSONNEL	0	0	0		0.000	0.000	0.000	0.000
HEALTH PHYSICS PERSONNEL	7	0	0		0.380	0.000	0.000	0.000
SUPERVISORY PERSONNEL	2	0	0		0.130	0.000	0.000	0.000
ENGINEERING PERSONNEL	0	0	1		0.000	0.000	0.025	0.000
TOTAL	11	0	1	12	0.510	0.000	0.025	0.535
ROUTINE MAINTENANCE								
MAINTENANCE PERSONNEL	2	0	0		0.500	0.000	0.000	0.000
OPERATING PERSONNEL	0	0	0		0.000	0.000	0.000	0.000
HEALTH PHYSICS PERSONNEL	7	0	0		0.345	0.000	0.000	0.000
SUPERVISORY PERSONNEL	2	0	0		0.115	0.000	0.000	0.000
ENGINEERING PERSONNEL	0	0	1		0.000	0.000	0.185	0.000
TOTAL	11	0	1	12	0.960	0.000	0.185	1.145
INSERVICE INSPECTION								
MAINTENANCE PERSONNEL	0	0	0		0.000	0.000	0.000	0.000
OPERATING PERSONNEL	0	0	0		0.000	0.000	0.000	0.000
HEALTH PHYSICS PERSONNEL	4	0	0		0.010	0.000	0.000	0.000
SUPERVISORY PERSONNEL	0	0	0		0.000	0.000	0.000	0.000
ENGINEERING PERSONNEL	0	0	0		0.000	0.000	0.000	0.000
TOTAL	4	0	0	4	0.010	0.000	0.000	0.010
SPECIAL MAINTENANCE								
MAINTENANCE PERSONNEL	0	0	0		0.000	0.000	0.000	0.000
OPERATING PERSONNEL	0	0	0		0.000	0.000	0.000	0.000
HEALTH PHYSICS PERSONNEL	0	0	0		0.000	0.000	0.000	0.000
SUPERVISORY PERSONNEL	0	0	0		0.000	0.000	0.000	0.000
ENGINEERING PERSONNEL	0	0	0		0.000	0.000	0.000	0.000
TOTAL	0	0	0	0	0.000	0.000	0.000	0.000
WASTE PROCESSING								
MAINTENANCE PERSONNEL	0	0	0		0.000	0.000	0.000	0.000
OPERATING PERSONNEL	0	0	0		0.000	0.000	0.000	0.000
HEALTH PHYSICS PERSONNEL	4	0	0		0.000	0.000	0.000	0.000
SUPERVISORY PERSONNEL	0	0	0		0.000	0.000	0.000	0.000
ENGINEERING PERSONNEL	0	0	0		0.000	0.000	0.000	0.000
TOTAL	4	0	0	4	0.000	0.000	0.000	0.000
REFUELING								
MAINTENANCE PERSONNEL	0	0	0		0.000	0.000	0.000	0.000
OPERATING PERSONNEL	0	0	0		0.000	0.000	0.000	0.000
HEALTH PHYSICS PERSONNEL	0	0	0		0.000	0.000	0.000	0.000
SUPERVISORY PERSONNEL	0	0	0		0.000	0.000	0.000	0.000
ENGINEERING PERSONNEL	0	0	0		0.000	0.000	0.000	0.000
TOTAL	0	0	0	0	0.000	0.000	0.000	0.000
TOTAL								
MAINTENANCE PERSONNEL	4(0002)	0(0000)	0(0000)	0(0000)	0.500	0.000	0.000	0.000
OPERATING PERSONNEL	0(0000)	0(0000)	0(0000)	0(0000)	0.000	0.000	0.000	0.000
HEALTH PHYSICS PERSONNEL	22(0007)	0(0000)	0(0000)	0(0000)	0.735	0.000	0.000	0.000
SUPERVISORY PERSONNEL	4(0002)	0(0000)	0(0000)	0(0000)	0.245	0.000	0.000	0.000
ENGINEERING PERSONNEL	0(0000)	0(0000)	2(0001)	2(0001)	0.000	0.000	0.210	0.000
GRAND TOTAL	30(00011)	0(00000)	2(00001)	32(00012)	1.480	0.000	0.210	1.690

* INDIVIDUALS MAY APPEAR IN MORE THAN 1 WORK FUNCTION NUMBERS IN PARENTHESES ARE TOTAL NUMBERS OF INDIVIDUALS