

MAY 24 1994

Kirksey E. Whatley, Director
Division of Radiation Control
Bureau of Health Care Standards
434 Monroe Street
Montgomery, AL 36130-3017

Dear Mr. Whatley:

Thank you for the letter of March 3, 1994, providing corrected information on the status of your adoption of regulations equivalent to 10 CFR Part 20. We regret that erroneous information was accidentally attributed to Alabama in the memorandum from Mr. James M. Taylor, Executive Director of Operations, to the Commissioners dated January 10, 1994. It appears that the information for another State was garbled, then accidentally entered for Alabama. Based on your letter, we have corrected the entry in an update memorandum (copy enclosed).

If you have any further questions, corrections or comments, please contact me or Mr. Richard Blanton of my staff at (301) 504-2322.

Sincerely,

Original Signed By
RICHARD L. BANGART
Richard L. Bangart, Director
Office of State Programs

Enclosure:
As stated

Distribution:
DIR RF (S-50)
RBangart
PHLohaus
SDroggitis
RBlanton
Alabama File

DCD (SP01)
PDR (YES NO)

OFC	SP:SA	SP:DD	SP:D		
NME	RBlanton	PLohaus	RBangart		
DTE	05/24/94	05/11/94	05/04/94		

G:\WHATLEY.RLB

9405270078 940524
PDR STPRG ESGAL
PDR

200025



UNITED STATES
NUCLEAR REGULATORY COMMISSION

WASHINGTON, D. C. 20555-0001

May 24, 1994

Kirksey E. Whatley, Director
Division of Radiation Control
Bureau of Health Care Standards
434 Monroe Street
Montgomery, AL 36130-3017

Dear Mr. Whatley:

Thank you for the letter of March 3, 1994, providing corrected information on the status of your adoption of regulations equivalent to 10 CFR Part 20. We regret that erroneous information was accidentally attributed to Alabama in the memorandum from Mr. James M. Taylor, Executive Director of Operations, to the Commissioners dated January 10, 1994. It appears that the information for another State was garbled, then accidentally entered for Alabama. Based on your letter, we have corrected the entry in an update memorandum (copy enclosed).

If you have any further questions, corrections or comments, please contact me or Mr. Richard Blanton of my staff at (301) 504-2322.

Sincerely,

Richard L. Bangart
Richard L. Bangart, Director
Office of State Programs

Enclosure:
As stated