



Laboratory of Clinical Medicine  
 Clinical Pathology  
 Anatomic Pathology  
 Nuclear Medicine  
 Diagnostic Ultrasonography

13

108

30-8451

Lic# 40-15027-01  
a Region 4 license

June 3, 1981

**Pathologists**  
 Karl H. Wegner, M.D.  
 John F. Barlow, M.D.  
 Richard D. Schultz, M.D.  
 Duward M. Lang, M.D.  
 James L. Vose, M.D.  
 Barry T. Pin Hart, M.D.  
 Richard A. Jaqua, M.D.  
 W. Alan Bode, M.D.  
 Raymond A. Santoro, M.D.  
 Delwin K. Onit, M.D.  
 John T. Todd, M.D.  
 Thomas C. Johnson, M.D.  
 Jose Crespo, M.D.  
 Beth L. Johnson, M.D.  
 Dennis D. Grenel, M.D.  
 Wesley D. Putnam, M.D.  
 David W. Onit, Ph.D., M.D.  
 Bradley B. Randall, M.D.

**Physicians**  
 Brian J. Fraser, P.A.  
 Paul E. Newby, P.A.  
 Frank M. Rance, P.A.  
 Gordon H. Herbst, P.A.

**Chief Technologist**  
 Thomas Schrabel, M.T.  
 (ASCP), NM

**Consulting Technologists**  
 Leslie C. Young, M.T.  
 (ASCP)  
 Phyllis O. Fat, M.T. (ASCP)  
 Richard L. Siewert, M.T.  
 (ASCP)  
 William K. Heier, M.T.  
 (ASCP)

**Consultants Neurology**  
 Kenneth G. Koob, M.D.  
 Warren O.V. Ophem, M.D.  
 Harlan A. Payne, M.D.  
 Jerome W. Freeman, M.D.

**Research Chemist**  
 Douglas Kintall, Ph.D.

**Consultant Electron Microscopy**  
 James A. Burbach, Ph.D.

**Consultant Microbiology**  
 Mary Jo Jaqua, MSPH, Ph.D.

**Consultant Cytogenetics**  
 Virginia Johnson, M.D.

**Consultant Veterinary Medicine**  
 Samuel H. Lukens, DVM

**Administration**  
 Charles F. Bowles, Exec. Dir.  
 Lee J. Brandt  
 Arno J. Flanders  
 Kathy Habering  
 Joel Frey  
 Karwin Mow

Nuclear Regulatory Commission Region III  
 Office of Inspection and Enforcement  
 799 Roosevelt Road  
 Glen Ellyn, Illinois 60137

RE: 35.43 Report of Diagnostic Misadministration

Gentlemen:


On 4-9-81 at 1:30 P.M. misadministration of Radiopharmaceutical.

Injection of a diagnostic radiopharmaceutical was injected to the wrong patient, 15 mCi at Tc99m MDP. Requisition slip stated Room 17. Patient was alone in room. Correct patient has been moved and technician didn't check arm band. Technician after talking with patient about symptoms and procedure was convinced he had wrong patient.

Referring Doctor, Dr. [ ] and the administrator were informed immediately and technician completed a patient incident report. There were no adverse reactions by patient noted immediately or long term.

Immediate corrective action taken. [Dr. ] discussed the incident. Technician was verbally reprimanded and a patient identification procedure was written and instigated.

Sincerely,

  
 Roger M. Rae, Supervisor  
 Mobile Medical Services

RMR:js

8303240181 830218  
 PDR FOIA  
 STOEFFLE83-64 PDR

JUN 8 1981

1212 South Euclid Avenue  
 Sioux Falls, SD 57105  
 605-339-1212

310 Belle Avenue  
 Box 3288  
 Mankato, MN 56001  
 507-625-2646

100 North Main  
 Box 1166  
 Mitchell, SD 57301  
 605-296-3771

West 4th Street  
 Box 94  
 Yankton, SD 57078  
 605-665-2962

10