

30-17306

MAR 24 1983

Brown County General Hospital
ATTN: Mr. Ronald Paczkowski
Administrator
425 Home Street
Georgetown, Ohio 45121

License No. 34-18884-01

Gentlemen:

Thank you for your letter dated March 16, 1983, informing us of the steps you have taken to correct the noncompliance identified in our letter dated February 2, 1983. While your letter states that you will file an application for an appropriate amendment to achieve corrective action for item of noncompliance No. 1, no activity is in accord with NRC regulatory requirements unless and until it is specifically authorized in an NRC license. Steps should be taken to ensure that NRC-licensed materials are hereafter possessed and used only as authorized by your license. We will examine this matter during a future inspection.

Based on a telephone conversation between Dr. Donald Shegog and Mr. Caniano of this office on March 22, 1983, it is our understanding that you will not perform any xenon-133 studies until you receive the appropriate amendment. If our understanding regarding this matter is incorrect, please contact this office.

Your cooperation with us is appreciated.

Sincerely,

S.R. Jasuk

for D. J. Sreniawski, Chief
Materials Radiation Protection
Section 2

cc w/ltr dtd 3/16/83:
DMB/Document Control Desk (RIDS)

8303280199 830324
NMS LIC30
34-18884-01 PDR

IE HQ File Copy
DMB IE-07

OFFICE ▶	RIII	RIII	RIII <i>set</i>			
SURNAME ▶	Douglas/cw	Caniano <i>RL</i>	Sreniawski			
DATE ▶	3/23/83	<i>3/23/83</i>	<i>3/23/83</i>			