

MAR 28 1983

Docket No. 030-09422

License No. 19-15440-02

Environmental Protection Agency
Radioisotope Laboratory
ATTN: Dr. Robert Jasper
ARC East, Building 402
Beltsville, Maryland 20705

Gentlemen:

Subject: Inspection No. 83-01

This refers to the routine safety inspection conducted by Mr. S. Jones of this office on March 18, 1983, of activities authorized by NRC License No. 19-15440-02 and to the discussions of our findings held by Mr. Jones with yourself at the conclusion of the inspection, and to a subsequent telephone discussion between Mr. Jones and yourself on March 23, 1983.

The inspection was an examination of activities conducted under your license as they relate to radiation safety and to compliance with the Commission's rules and regulations and the conditions of your license. The inspection consisted of selective examinations of procedures and representative records, interviews with personnel, measurements made by the inspector, and observations by the inspector.

Within the scope of this inspection, no violations were observed.

In accordance with Section 2.790 of the NRC's "Rules of Practice," Part 2, Title 10, Code of Federal Regulations, a copy of this letter will be placed in the Public Document Room.

No reply to this letter is required. Your cooperation with us in this matter is appreciated.

Sincerely,

Original Signed By
John E. Glenn, Ph.D.

Thomas T. Martin, Director
Division of Engineering and
Technical Programs

8304060214 830328
NMS LIC30
19-15440-02 PDR

1507

OFFICE							
SURNAME							
DATE							

MAR 28 1983

Environmental Protection Agency 2

cc:
Public Document Room (PDR)
Nuclear Safety Information Center (NSIC)
State of Maryland

bcc:
Region I Docket Room (w/concurrences)

OFFICE	RI:DETP	RI:DETP					
SLRNAME	Jones/Ip	Glenn					
DATE	3/24/83	3/25/83					