



UNITED STATES  
NUCLEAR REGULATORY COMMISSION

REGION IV  
611 RYAN PLAZA DRIVE, SUITE 400  
ARLINGTON, TEXAS 76011-8064

**JUN - 8 1994**

Docket: 50-397  
License: NPF-21

Washington Public Power Supply System  
ATTN: J. V. Parrish, Assistant Managing  
Director for Operations  
3000 George Washington Way  
P.O. Box 968, MD 1023  
Richland, Washington 99352

SUBJECT: NRC INSPECTION REPORT 50-397/94-18 (NOTICE OF VIOLATION)

This refers to the inspection conducted by Mr. C. E. Johnson of this office on May 16-20, 1994. The inspection included a review of activities authorized for your Washington Nuclear Project-2 facility. At the conclusion of the inspection, the findings were discussed with you and those members of your staff identified in the enclosed report.

Areas examined during the inspection are identified in the report. Within these areas, the inspection consisted of selective examinations of procedures and representative records, interviews with personnel, and observation of activities in progress. The purpose of the inspection was to determine whether activities authorized by the license were conducted safely and in accordance with NRC requirements.

Based on the results of this inspection, certain licensed activities appeared to be in violation of NRC requirements, as specified in the enclosed Notice of Violation (Notice). The violation is of concern because it was identified by the NRC and provides indication that your fire protection program was not being properly implemented.

You are required to respond to this letter and should follow the instructions specified in the enclosed Notice when preparing your response. In your response, you should document the specific actions taken and any additional actions you plan to prevent recurrence. After reviewing your response to this Notice, including your proposed corrective actions and the results of future inspections, the NRC will determine whether further NRC enforcement action is necessary to ensure compliance with NRC regulatory requirements.

In accordance with 10 CFR 2.790 of the NRC's "Rules of Practice," a copy of this letter and its enclosures will be placed in the NRC Public Document Room.

The responses directed by this letter and the enclosed Notice are not subject to the clearance procedures of the Office of Management and Budget as required by the Paperwork Reduction Act of 1980, Pub. L. No. 96.511.

9406150028 940608  
PDR ADOCK 05000397  
G PDR


*IED*

Washington Public Power Supply  
System

-2-

Should you have any questions concerning this inspection, we will be pleased to discuss them with you.

Sincerely,



Thomas P. Gwynn, Director  
Division of Reactor Safety

Enclosures:

1. Appendix A - Notice of Violation
2. Appendix B - NRC Inspection Report  
50-397/94-18 w/Attachments

cc w/enclosures:

Washington Public Power Supply System  
ATTN: J. H. Swailes, WNP-2 Plant Manager  
P.O. Box 968, MD 927M  
Richland, Washington 99352-0968

Washington Public Power Supply System  
ATTN: G. E. C. Doupe, Esq.  
3000 George Washington Way  
P.O. Box 968, MD 396  
Richland, Washington 99352-0968

Energy Facility Site Evaluation Council  
ATTN: Warren Bishop, Chairman  
P.O. Box 43172  
Olympia, Washington 98504-3172

Washington Public Power Supply System  
ATTN: H. K. Kook, WNP-2 Licensing Manager  
P.O. Box 968, MD PE20  
Richland, Washington 99352-0968

Washington Public Power Supply System  
ATTN: P. R. Bemis, Regulatory Programs  
Manager  
P.O. Box 968, (Mail Drop PE20)  
Richland, Washington 99352-0968

Benton County Board of Commissioners  
ATTN: Chairman  
P.O. Box 190  
Prosser, Washington 99350-0190

Washington Public Power Supply  
System

-3-

Winston & Strawn  
ATTN: M. H. Philips, Esq.  
1400 L Street, N.W.  
Washington, D.C. 20005-3502

Washington Public Power Supply  
System

-4-

E-Mail report to D. Sullivan (DJS)

bcc to DMB (IE01)  
bcc distrib. by RIV:

L. J. Callan	Resident Inspector
DRSS-FIPB	MIS System
Branch Chief (DRP/E, WCFO)	Senior Project Inspector (DRP/E, WCFO)
RIV File	Branch Chief (DRP/TSS)
Leah Tremper, OC/LFDCB, MS: MNBB 4503	
C. Johnson	
D. Powers	

RIV:RI:MB	C:MB	DD:DRS	D:DRP	D:DRS
C:Johnson <i>clj</i>	DAPowers <i>vb for</i>	AHowell	ABBach	TPGwynn
06/07/94	06/07/94	06/7/94	06/8/94	06/8/94

Washington Public Power Supply  
System

-4-

E-Mail report to D. Sullivan (DJS)

bcc to DMB (E01)  
bcc distrib. by RIV:

L. J. Callan	Resident Inspector
DRSS-FIPB	MIS System
Branch Chief (DRP/E, WCFO)	Senior Project Inspector (DRP/E, WCFO)
RIV File	Branch Chief (DRP/TSS)
Leah Tremper, OC/LFDCB, MS: MNBB 4503	
C. Johnson	
D. Powers	

RIV:RI:MB	C:MB	DD:DRS	D:DRP	D:DRS
CEJohnson <i>clj</i>	DAPowers <i>vb</i>	AHowell <i>AH</i>	ABBach <i>AB</i>	TPGwynn <i>TPG</i>
06/07/94	06/07/94	06/7/94	06/8/94	06/8/94