

Southern California Edison Company

SAN ONOFRE NUCLEAR GENERATING STATION

P.O. BOX 128

SAN CLEMENTE, CALIFORNIA 92672

RECEIVED
NEC

1982 OCT 18

SCE
1:26

H. B. RAY

STATION MANAGER

October 14, 1982

REGISTRATION

TELEPHONE

(714) 492-7700

U. S. Nuclear Regulatory Commission
Office of Inspection and Enforcement
Region V
1450 Maria Lane, Suite 210
Walnut Creek, California 94596-5368

Attention: Mr. R. H. Engelken, Regional Administrator

Dear Sir:

Subject: Docket No. 50-206
24-Hour Confirmation Letter
Licensee Event Report No. 82-025
San Onofre Nuclear Generating Station, Unit 1

This letter provides written confirmation of a 24-hour report made in accordance with Section 6.9.2.a(2) of Appendix A to Provisional Operating License DPR-13. The prompt notification was made to Mr. L. F. Miller, Resident Inspector for Unit 1, on October 13, 1982 and deals with the discovery, on two occasions, of failure to provide required fire watch coverage.

The first occasion took place on October 12, 1982 when the fire watch posted at the Turbine Lubrication Oil Reservoir Area was determined to not have been at his post for a period of time prior to 3:45 a.m. This condition was first noted by the resident inspector.

The second occasion occurred on October 13, 1982. While in Mode 5 at approximately 4:00 a.m. on October 13, 1982, radiographs were taken in the 4160-Volt Switchgear Room and the Turbine Lubrication Oil Reservoir Area. Fire watch patrols that had been established in these areas were secured to prevent unnecessary radiation exposure. Due to a misunderstanding, the fire watch patrols were not resumed until 5:30 a.m. when the day-shift fire watch patrols for the 4160-Volt Switchgear Room and the Turbine Lubrication Oil Reservoir Area arrived. The time period without fire watch patrol exceeded the required one-hour interval by about 30 minutes.

82102502805

IE-22
82-405


R. H. Engelken

-2-

October 14, 1982

There was no adverse effect on public health or safety as a result of these occurrences. A complete report of this matter together with Licensee Event Report No. 82-025 will be forwarded within 14 days.

Sincerely,

A handwritten signature in cursive script, appearing to read 'R. H. Engelken', written in dark ink.

cc: L. F. Miller (USNRC Resident Inspector, San Onofre Unit 1)