

DOCKET NUMBER
PROPOSED RULE PR 20
(59FR9146)

DOCKETED
USHRC

68

June 3, 1994

'94 JUN -9 P3:50

Secretary of the Commission
US Nuclear Regulatory Commission
Washington, DC 20555

OFFICE OF SECRETARY
DOCKETING & SERVICE
BRANCH

Attention: Docketing and Service Branch

Gentlemen:

This is in response to the request for comments on the current policy for disposal of radioactive material by release into sanitary sewerage systems. Following is our position on this issue:

(1) Form of material released: The most recent regulations restrict sewerage disposal materials that are soluble or readily dispersible biological materials. We believe that any prior concerns for concentration of non-biological readily dispersible material are resolved by the new restriction to biological materials and are unaware of any significant problems with soluble material. We therefore recommend continuation of this allowed release form.

(2) Total quantity of material: Although these unchanged limits easily meet the needs of most licensees, it seems appropriate, given the new restriction on form of material released and the new more restrictive release concentrations, to consider relaxation of these limits for large users since reconcentration should be much less of a concern. It may even be practical to eliminate such an upper cap totally, depending only on concentration restriction with the reduced limits now in effect. We have never seen the logic in applying the same cap to a large program with thousands of users as is applied to a small one with only a few users.

(3) Types of limits: The present method of limitation based on an individual being exposed by ingestion of water from the sewer outfall seems to be sufficiently conservative to satisfy all needs, particularly in view of the new lower release concentrations. This is readily controllable in the workplace and is easily understood for radionuclide users. Proper adherence to concentration limits would appear to negate the need for an upper cap mentioned in item 2 above.

(4) Exemption of Patient Excreta: Continuation of this important exemption is encouraged as a significant ALARA consideration. Collection and control of patient excreta would result in the deliberate reconcentration of a significant waste stream with the potential for worker exposure, spills, and emergency issues that have been avoided

9406200014 940603
PDR PR
20 59FR9146 PDR

DS10

through the judicial use of this exemption. The rapid dispersal of this soluble waste stream of short-lived material seems the most practical approach of the exemption in its current form.

We thank the Commission for the opportunity to comment on this important issue and look forward to commenting on any proposed regulations that are forthcoming.

Yours Truly,

Diane V. Johnson, RT(N)

Diane V. Johnson, RT(N)
Nuclear Medicine Dept.
Addison Gilbert Hospital
Glou., Ma. 01930



Addison Gilbert Hospital
298 Washington St Gloucester, MA 01930

Nuclear Medicine Dept