

 **Washington**
WASHINGTON UNIVERSITY IN ST. LOUIS
School of Medicine

[Handwritten signature]

Division of Radiation Safety

June 6, 1994

Roy J. Caniano, Chief
Nuclear Materials Safety Branch
U.S. Nuclear Regulatory Commission
Region III
801 Warrenville Road
Lisle, Illinois 60532-4351

Re: Response to violation Notice
dated April 8, 1994

Dear Mr. Caniano:

Washington University Medical School was granted an additional 30 days by the Commission to respond to an item of your letter of April 8, 1994 that concerned the failure to discontinue low dose rate brachytherapy patient treatment when patient viewing via a closed circuit video system was not utilized during late night and early morning nursing shifts. A request was submitted to the Region III Office in a letter dated June 3, 1994 to amend our previous commitment regarding this situation. A copy of the amendment request is enclosed.

The amendment, if approved by the Commission, will enable our institution to be in compliance with the guidance concerning patient and device monitoring that is specified in USNRC Directive FC 86-4, Revision 1.

Sincerely,

John Eichling
John Eichling, Ph.D.
Radiation Safety Officer

JE:fi

enclosure

cc: Walter W. Davis, Jr.
Carlos A. Perez, M.D.
Jeffrey F. Williamson, Ph.D.

9406220261 940613
PDR ADOCK 03002271
C PDR

Washington University School of Medicine
at Washington University Medical Center
Campus Box 8131, 660 S. Euclid Ave.
St. Louis, MO 63110-1093
(314) 362-2988 FAX: (314) 362-3333
(Location: 510 S. Kingshighway)

JUN 10 1994

201