

Official Record

DEC 19 1990

Docket No. 030-13612
License No. 52-17902-01

Caribbean Soil Testing Co., Inc.
ATTN: Mr. Alfonso Vazquez Castillo
President
P. O. Box 3967
San Juan, PR 00936

Gentlemen:

SUBJECT: NOTICE OF VIOLATION
(NRC INSPECTION REPORT NO. 52-17902-01/90-01)

This refers to the inspection conducted by H. Bermudez of this office on October 22-23, 1990. The inspection included a review of activities authorized for your Hato Rey, Puerto Rico facility. At the conclusion of the inspection, the findings were discussed with you.

The inspection was an examination of activities conducted under your license with respect to radiation safety and compliance with NRC regulations and the conditions of your license. It included selective examinations of procedures and representative records, interviews with personnel, and direct observations by the inspector.

Based on the results of this inspection, certain of your activities appeared to be in violation of NRC requirements, as specified in the enclosed Notice of Violation (Notice). We are concerned that you were unaware of the high reading on the film badge of one of your employees. Review of such records is an important aspect of the Radiation Safety Officer's job and necessary for control of personnel exposure.

You are required to respond to this letter and should follow the instructions specified in the enclosed Notice when preparing your response. In your response, you should document the specific actions taken and any additional actions you plan to prevent recurrence. After reviewing your response to this Notice, including your proposed corrective actions and the results of future inspections, the NRC will determine whether further NRC enforcement action is necessary to ensure compliance with NRC regulatory requirements.

In accordance with 10 CFR 2.790 of the NRC's "Rules of Practice," a copy of this letter and its enclosures will be placed in the NRC Public Document Room.

The responses directed by this letter and the enclosed Notice are not subject to the clearance procedures of the Office of Management and Budget as required by the Paperwork Reduction Act of 1980, Pub. L. No. 96.511.

9101110024 901219
REG2 LIC30
52-17902-01 PDR

TE0711

DEC 19 1990

The responses directed by this letter and the enclosed Notice are not subject to the clearance procedures of the Office of Management and Budget as required by the Paperwork Reduction Act of 1980, Pub. L. No. 96.511.

Should you have any questions concerning this letter, please contact us.

Sincerely,
ORIGINAL SIGNED BY
J. PHILLIP STOHR

J. Philip Stohr, Director
Division of Radiation Safety
and Safeguards

Enclosures:

- 1. Notice of Violation
- 2. NRC Inspection Report

cc w/encls:
Commonwealth of Puerto Rico

bcc w/encls:
Document Control Desk

R11:DRSS

2B
HBermudez:ser
12/12/90

R11:DRSS

2B
ser EMcAlpine
12/12/90

R11:DRSS

[Signature]
WClone
12/13/90