

DCD/PCB

JAN 3 1991

Bio-Metric Systems, Inc.
ATTN: Patrick Guire
9924 West Seventy-Fourth Street
Eden Prairie, MN 55344

License No. 22-20307-01
Docket No. 030-18228

Gentlemen:

This refers to the routine safety inspection conducted by myself and Messrs. M. Kurth and K. Andre of this office on December 12, 1990, of activities authorized by NRC Byproduct Material License No. 22-20307-01 and to the discussion of our findings with you at the conclusion of the inspection.

The inspection was an examination of activities conducted under your license as they relate to radiation safety and to compliance with the Commission's rules and regulations and with the conditions of your license. The inspection consisted of a selective examination of procedures and representative records, observations, independent measurements, and interviews with personnel.

In addition to the above areas, the inspectors examined actions taken regarding violations identified during the October 30, 1985 inspection. We have no further questions regarding these matters.

During this inspection, certain of your activities appeared to be in violation of NRC requirements, as specified in the enclosed Notice. A written response is required.

In accordance with 10 CFR 2.790 of the Commission's regulations, a copy of this letter, the enclosures, and your response to this letter will be placed in the NRC Public Document Room.

The responses directed by this letter and the accompanying Notice are not subject to the clearance procedures of the Office of Management and Budget as required by the Paperwork Reduction Act of 1980, PL 96-511.

We will gladly discuss any questions you have concerning this inspection.

Sincerely,

9101110156 910103
REG3 LIC30
22-20307-01 PDR

Roy J. Caniano, Chief
Nuclear Materials Safety
Section 2

Enclosure: Notice of Violation

cc w/enclosure:
DCD/DCB (RIDS)

RIII
MK (yes)
Kurth/mj
01/02/90

RIII
Andre
01/3/90

RIII
Caniano
01/3/90

FE07

1/0

100075