

February
January 23, 1983

PRELIMINARY NOTIFICATION OF EVENT OR UNUSUAL OCCURRENCE -- PNO-IV-83-08

This preliminary notification constitutes EARLY notice of events of POSSIBLE safety or public interest significance. The information is as initially known by NRC staff on this date.

FACILITY: Wolf Creek Generating Station Kansas Gas and Electric Company Burlington, Kansas Docket: 50-482	Licensee Emergency Classification: <input type="checkbox"/> Notification of Unusual Event <input type="checkbox"/> Alert <input type="checkbox"/> Site Area Emergency <input type="checkbox"/> General Emergency <input checked="" type="checkbox"/> Not Applicable
--	--

SUBJECT: STOP WORK ORDER ON COMPONENT/SYSTEM TURNOVER FROM CONTRACTOR TO STARTUP ORGANIZATION

On February 22, 1983, the applicant informed RIV management that a stop work order had been imposed on the turnover of safety-related systems and components from the contractor to the startup organization. The applicant stated that this action was taken as the result of an internal Quality Assurance Surveillance Report. The stop work order prohibits the testing of safety-related components until the completion of procedure reviews and revisions as required. Testing of nonsafety-related components is allowed under the stop work order, provided the test results will not be used as part of the preoperational test package.

Applicant management has further stated that review and approval of the revised procedures will be done by the Startup Manager personally. The revised and reapproved procedures will also be reviewed by the applicant's Director of Nuclear Operations.

The applicant plans to issue a press release on February 23, 1983. RIV does not plan to issue a press release but will respond to inquiries.







CONTACT: W. D. Johnson 728-8155; W. S. Schum (316)758-7212

DISTRIBUTION:

H. ST. <input checked="" type="checkbox"/>	MNBB <input type="checkbox"/>	Phillips <input checked="" type="checkbox"/>	E/W <input checked="" type="checkbox"/>	Willste <input checked="" type="checkbox"/>	MAIL:
Chmn Palladino	EDO	NRR	IE	NMSS	DOT: Trans Only
Comm. Gilinsky	PA		OIA	RES	INPO
Comm. Ahearne	MPA		AEOD		NSAC
Comm. Roberts	ELD				
Comm. Asselstine					
SECY		Air Rights			
ACRS		SP			
CA					
PDR Regions: <u>2.7D</u>				Licensee: _____	
				(Reactor Licensees)	

2135

IE34

RPS-C 	RPS-C 	RPB2 	DRRP&EP 	PAO 	RA-PIV 
JJauden: gb	WDJohnson	WCSeidle	JEGagliardo	CEwisner	JTCollins
2/23/83	2/23/83	2/23/83	2/23/83	2/23/83	2/23/83
				F. INGRAM	4y Telecom