

COMMONWEALTH OF PENNSYLVANIA

:

COUNTY OF PHILADELPHIA


:

ss.


:

S. L. Daltroff, being first duly sworn, deposes and says:

That he is Vice President of Philadelphia Electric Company, the Applicant herein; that he has read the foregoing Application for Amendment of Facility Operating Licenses and knows the contents thereof; and that the statements and matters set forth therein are true and correct to the best of his knowledge, information and belief.



Subscribed and sworn to
before me this 22nd day
of June 1983



Notary Public

PATRICIA D. SCHOLL

Notary Public, Philadelphia, Philadelphia Co.

My Commission Expires February 10, 1986

8306270268 830622
PDR ADOCK 05000277
P PDR

TABLE 3.11.D.1
Safety Related Shock Suppressors (Snubbers)

SNUBBER NUMBR	LOCATION	SYSTEM AND ELEVATION	HIGH (1) RADIATION AREA DURING SHUTDOWN	ESPECIALLY (1) DIFFICULT TO REMOVE	INACCESSIBLE (1) DURING NORMAL OPERATION	TYPE (2)
			See 4.11.D.4.d.			
6-DDNL-S-8	Feedwater	Drywell 168	"	Y	Y	H
6-DDNL-S-9	Feedwater	Drywell 168	"	Y	Y	H
6-DDNL-S-10	Feedwater	Drywell 168	"	Y	Y	H
6-DDNL-S-11	Feedwater	Drywell 155	"	Y	Y	H
6-DDNL-S-12	Feedwater	Drywell 155	"	Y	Y	H
6-DDNL-S-13	Feedwater	Drywell 155	"	Y	Y	H
6-DDNL-S-14	Feedwater	Drywell 155	"	Y	Y	H
9-HB-H51	Torus	Vac. Bkr. 116	"	N	N	M
9-HB-H53	Torus	Vac. Bkr. 116	"	N	N	M
10-HB-S-1	RHR	Torus Room 95	"	N	N	M
10-HB-S-7	RHR	B RHR Room 124	"	N	N	H
10-HB-S-8	RHR	Torus Room 95	"	N	N	M
10-GB-S-12	RHR	C RHR Room 98	"	Y	N	H
10-GB-S-43-1	RHR	Torus Room 130	"	Y	N	H
10-GB-S-43-2	RHR	Torus Room 130	"	Y	N	H
10-GB-S-44	RHR	Torus Room 128	"	Y	N	M

TABLE 3.11.D.1
Safety Related Shock Suppressors (Snubbers)

SNUBBER NUMBER	LOCATION	SYSTEM AND	ELEVATION	HIGH (1) RADIATION AREA DURING SHUTDOWN	ESPECIALLY (1) DIFFICULT TO REMOVE	INACCESSIBLE (1) DURING NORMAL OPERATION	TYPE (2)
				See 4.11.D.4.d.			
13-HB-S-23	RCIC	RCIC Room	103	"	Y	Y	H
23-DBN-S-1	HPCI	Torus Room	121	"	Y	Y	H
23-HB-S-1A	HPCI	HPCI Room	103	"	Y	Y	H
23-HB-S-2A	HPCI	HPCI Room	103	"	N	Y	H
23-HB-S-3A	HPCI	HPCI Room	99	"	Y	Y	M
23-DBN-S-6-1	HPCI	Torus Room	121	"	Y	N	H
23-DBN-S-6-2	HPCI	Torus Room	121	"	Y	N	H
23-DBN-S-22	HPCI	Drywell	155	"	Y	Y	H
23-DBN-S-23	HPCI	Drywell	155	"	Y	Y	H
23-DDN-S-29	HPCI	HPCI Room	117	"	N	N	H
23-DDN-S-33	HPCI	HPCI Room	93	"	N	N	H
23-DDN-S-47	HPCI	Torus Room	121	"	N	N	M
27-HCR-S-187	HPCI	B/D Core Spray Room	127.5	"	N	N	M
27-HCR-S-188	HPCI	Torus Room	122.8	"	N	N	M

TABLE 3.11.D.1
Safety Related Shock Suppressors (Snubbers)

SNUBBER NUMBER	LOCATION	SYSTEM AND ELEVATION	HIGH (1) RADIATION AREA DURING SHUTDOWN	ESPECIALLY (1) DIFFICULT TO REMOVE	INACCESSIBLE (1) DURING NORMAL OPERATION	TYPE (2)
			See 4.11.D.4.d.			
1-GG-S205-B	MSRV	Drywell 160	"	Y	Y	M
1-GG-S206-A	MSRV	Drywell 160	"	Y	Y	M
1-GG-S206-B	MSRV	Drywell 160	"	Y	Y	M
1-GG-S207-A	MSRV	Drywell 125	"	Y	Y	M
1-GG-S207-B	MSRV	Drywell 125	"	Y	Y	M
1-GG-S208-A	MSRV	Drywell 125	"	Y	Y	M
1-GG-S208-B	MSRV	Drywell 125	"	Y	Y	M
1-GG-S209-A	MSRV	Drywell 125	"	Y	Y	M
1-GG-S209-B	MSRV	Drywell 125	"	Y	Y	M
14-GB-S-33	Core Spray Torus Room	128	"	Y	N	M
14-GB-S-34	Core Spray Torus Room	128	"	Y	N	M
14-MO-H-57	Core Spray Torus Room	126	"	Y	N	M
14-MO-S-42A	Core Spray Torus Room	130	"	Y	N	M
14-MO-S-42B	Core Spray Torus Room	130	"	Y	N	M

Notes for Table 3.11.D.1

1) Yes (Y) or No (N)

2) Hydraulic (H) or Mechanical (M)