

Official Record Copy

JUL 23 1991

Docket No. 030-13584	License No. 52-01946-07
Docket No. 030-31462	License No. 52-01946-09
Docket No. 030-01183	License No. 52-01986-04
Docket No. 030-01182	License No. 52-01986-01
Docket No. 030-14313	License No. 52-10510-04
Docket No. 030-19550	License No. 52-19434-02

University of Puerto Rico
ATTN: Dr. Jose M. Saldana
President
G. P. O. Box 364984
San Juan, PR 00936-4984

Gentlemen:

SUBJECT: NRC INSPECTION REPORTS NOS. 52-01946-07/91-01,
52-01946-09/91-01, 52-01986-04/91-01,
52-01986-01/91-01, 52-10510-04/91-01, AND
52-19434-02/91-01

This refers to the Nuclear Regulatory Commission (NRC) inspection conducted by Ms. C. Connell, Mr. H. Bermudez, Mr. J. Ennis, and Mr. L. Franklin on June 17-21, 1991, at your university's Medical Sciences Campus, Rio Piedras Campus, Agricultural Experiment Station and Mayaguez Campus. At the conclusion of the inspection, the findings were discussed with you.

The inspection was an examination of activities conducted under your license with respect to radiation safety and compliance with NRC regulations and the conditions of your license. It included selective examinations of procedures and representative records, interviews with personnel, and direct observations by the inspectors.

The inspection findings indicate that certain activities appeared to violate NRC requirements. The apparent violations described in the enclosed report are under consideration for escalated enforcement action. Accordingly, no Notice of Violation is being issued at this time. However, please be advised the number and the character of the apparent violations described in the enclosed inspection report may change as the result of further NRC review. An Enforcement Conference to discuss these violations has been scheduled for July 26, 1991. Arrangements for this Conference were confirmed by separate correspondence. You will be advised by separate correspondence of the results of our deliberations on this matter.

9107310134 910723
REG2 LIC30
52-01986-01 PDR

111
1007

JUL 23 1991

In accordance with Section 2.790 of the NRC's "Rules of Practice," Part 2, Title 10, Code of Federal Regulations, a copy of this letter and its enclosure will be placed in the NRC Public Document Room.

Should you have any questions concerning this letter, please contact us.

Sincerely,



J. Philip Stohr, Director
Division of Radiation Safety
and Safeguards

Enclosure:
NRC Inspection Report

cc w/encl:
Commonwealth of Puerto Rico

bco w/encl:/
Document Control Desk
G. Jenkins

RII:DRSS
CConnell

7/23/91

RII:DRSS
CHosey

7/23/91

RII:DRSS
Wcline

7/23/91

RII:DRSS
BMallett

7/23/91

RII:EICS
GJenkins

7/23/91