



MISSISSIPPI POWER & LIGHT COMPANY

Helping Build Mississippi

P. O. BOX 1640, JACKSON, MISSISSIPPI 39205

83 SEP 14 AIO: 35

September 7, 1983

NUCLEAR PRODUCTION DEPARTMENT

U. S. Nuclear Regulatory Commission
Region II
101 Marietta Street, N.W., Suite 2900
Atlanta, Georgia 30303

Attention: Mr. J. P. O'Reilly, Regional Administrator

Dear Mr. O'Reilly:

SUBJECT: Grand Gulf Nuclear Station
Unit 1
Docket No. 50-416
License No. NPF-13
File 0260/L-835.0
Special Report 83-028/1 - Update
Report - Fire Rated Penetrations
Opened to Implement Design
Change Packages
AECM-83/0546

This is an update to a previous report submitted on May 4, 1983, for the following event. Beginning on March 29, 1983, the fire rated penetrations, as listed on the attached page, were opened to implement design change packages. Hourly fire watches were established within 1 hour and will be maintained for the duration of the planned maintenance activities in accordance with Technical Specification 3.7.7. The purpose of this update is to provide a revised estimated completion date for the fire rated penetrations that have not been restored.

These conditions have no affect on the health and safety of the public and do not constitute a threat to plant safety. The remainder of the work tasks are now expected to be completed by October 15, 1983. This is reported as a Special Report pursuant to Technical Specification 6.9.2.

Yours truly,

L. F. Dale

for

L. F. Dale
Manager of Nuclear Services

EBS/SHH:rg

Attachment

cc: See next page

8309190109 830907
PDR ADDCK 05000416
S PDR

OFFICIAL COPY
IE 22
1/1

MISSISSIPPI POWER & LIGHT COMPANY

cc: Mr. J. B. Richard (w/a)
Mr. R. B. McGehee (w/o)
Mr. T. B. Conner (w/o)
Mr. G. B. Taylor (w/o)

Mr. Richard C. DeYoung, Director (w/a)
Office of Inspection & Enforcement
U. S. Nuclear Regulatory Commission
Washington, D. C. 20555

Document Control Desk (w/a)
U. S. Nuclear Regulatory Commission
Washington, D. C. 20555

Beginning on March 29, 1983, the following fire rated penetrations were opened to implement design change packages. A restoration date is listed for penetrations which have been restored. The remainder are expected to be restored by October 15, 1983.

<u>PENETRATIONS</u>	<u>INCIDENT REPORT #</u>	<u>DATE RESTORED</u>
CE-15E	83-03-126	
CE-211D-02	83-03-128	07/06/83
CE-240D-12	83-03-128	07/06/83
CE-1E	83-04-03	
CE-3E	83-04-03	
CE-4E	83-04-03	
CE-7E	83-04-03	
CE-360F	83-04-11	
CE-359F	83-04-11	
CE-358F	83-04-11	
Between Auxiliary Building elevation 139 Area 8 and Control Building elevation 148	83-04-10	
AE-63E	83-4-18	
<u>CABLE TRAY COVER</u>		
1AE136C	83-04-16	05/21/83
<u>FIRE DAMS</u>		
L084/LA40 in U-733	83-04-04	
L089	83-04-09	
LA8	83-04-09	
L094	83-04-09	
LA25	83-04-09	
LA23	83-04-09	
L081/LA24	83-04-13	7/12/83
L082/LA24	83-04-13	7/12/83
L085/LA24	83-04-13	7/12/83
L077/LA24	83-04-13	7/12/83
L080/LA24	83-04-13	7/12/83
L077/LA13	83-04-13	7/12/83
L079/LA13	83-04-13	7/12/83
L086/LA24	83-04-13	7/12/83
L090/LA24	83-04-13	7/12/83
L091/LA24	83-04-13	7/12/83
L092/LA13	83-04-13	7/12/83
L059/LA48	83-04-14	7/12/83
L061/LA32	83-04-14	7/12/83
L064/LA41	83-04-14	7/12/83
L065/LA32	83-04-14	7/12/83
L060/LA32	83-04-14	7/12/83