

DUKE POWER COMPANY

P.O. BOX 33189
CHARLOTTE, N.C. 28242

HAL B. TUCKER
VICE PRESIDENT
NUCLEAR PRODUCTION

TELEPHONE
(704) 373-4531

July 25, 1983

Mr. Harold R. Denton, Director
Office of Nuclear Reactor Regulation
U. S. Nuclear Regulatory Commission
Washington, D. C. 20555


Attention: Ms. E. G. Adensam, Chief
Licensing Branch No. 4

Re: Catawba Nuclear Station
Docket Nos. 50-413 and 50-414

Dear Mr. Denton:

My letter of July 5, 1983 included a description of Catawba's Standby Shutdown System. The tables and figures which should have been included with Attachment 3 were inadvertently omitted and are transmitted herewith.

Very truly yours,



Hal B. Tucker

ROS/php

Attachment

cc: Mr. James P. O'Reilly, Regional Administrator
U. S. Nuclear Regulatory Commission
Region II
101 Marietta Street, NW, Suite 2900
Atlanta, Georgia 30303

NRC Resident Inspector
Catawba Nuclear Station

Mr. Robert Guild, Esq.
Attorney-at-Law
P. O. Box 12097
Charleston, South Carolina 29412

Palmetto Alliance
2135½ Devine Street
Columbia, South Carolina 29205

Mr. Jesse L. Riley
Carolina Environmental Study Group
854 Henley Place
Charlotte, North Carolina 28207

13001
111

8308010310 830725
PDR ADDCK 05000413
F PDR

DUKE POWER COMPANY
CATAWBA NUCLEAR STATION
ELECTRICAL ONE-LINE LIST
CNLT-1752-03.17
SMXG

Table 4.2-1

NORMAL POWER SOURCE
BUS 1SLXG
COMPT NONE

MOTOR CONTROL CENTER
SSF BLDG ELEV 594+00 COORD LOC A-2

ALTERNATE POWER SOURCE
BUS NONE
COMPT NONE

MOTOR CTL CTR ONE-LINE DWG NO. 1
MOTOR CTL CTR DUKE BILL OF MAT'L
MOTOR CTL CTR WIRE TAB DWG NO. CNWT-1752-03.17

REV	BUS	COMPT	SYS	S-CL	TRN	BLDG ELEV COORD SF	HP/FLA LRA/KW KVA	TYPE UNIT OL HTR Y-PHASE	NEMA SIZE X	-----BREAKER----- TYPE TRIP CATALOG # FRAME MAG- TRIP UNIT CONT POS POLE ELEM	AUX- CONTS STR BKR FUSE SIZE	----CABLE--- SIZE/CLASS	ONE-LINE DWG NO. VEND WIRING DIAG DUKE WIRING DIAG REMARKS
08 06 01	SMXG	F02E	AD	NE	SSF 594+00 1.25	0.50 0.88 4.60	CFVNR 2418	1 1.0	MCP 150 15 3	50 50 IM	MCP03150	X8 1-3/C #10 C	ALJ-374-NS1A CNM 1314.02-0005 R2
08 06 01	SMXG	R03F	AD	NE	SSF 594+00 1.00	1.50 2.64 21.00	CFVNR 2429	1 1.0	MCP 150 15 3	50 50 IM	MCP03150	X8 1-3/C #10 C	ALJ-374-NS1A CNM 1314.02-0005 R2
08 06 01	SMXG	R04A	AD	NE	SSF 594+00		FDBKR	0.5	HFB 150 20 3		HFB3020	1-3/C #10 C	ALJ-374-NFCA CNM 1314.02-0016 R1
08 06 04	SMXG	R05A	CA	NE	TB 568+00 1E-32 1.00	0.13 0.44 2.10	CFVR 2411	1 1.5	MCP 150 7 3	18 18 IM	MCP0358	X7/X7 1-3/C #10 C	ALJ-374-NR1A-A CNM 1314.02-0274 R1
08 06 00	SMXG	R01F	CA	NE	TB 568 1.00	0.13 0.44 2.10	CFVR 2411	1 1.5	MCP 150 7 3	18 18 IM	MCP0358	X7/X7 1-3/C #10 C	ALJ-374-NR1A-A CNM 1314.02-0274 R1
08 06 00	SMXG	F04D	ELN	NE	SSF 594+00		FDBKR	0.5	HFB 150 50 3		HFB3050	1-3/C #6 P	ALJ-374-NFCA CNM 1314.02-0016 R1
08 06 02	SMXG	F02C	EPE	NE	AB 577+00		FDBKR	0.5	HFB 150 60 3		HFB3060	1-3/C #2 P	ALJ-374-NFCA CNM 1314.02-0016 R1
08 06 00	SMXG	R03D	EPE	NE	AB 577+00		FDBKR	0.5	HFB 150 60 3		HFB3060	1-3/C #2 P	ALJ-374-NFCA CNM 1314.02-0016 R1

[illegible]

DUKE POWER COMPANY
CATAWBA NUCLEAR STATION
ELECTRICAL ONE-LINE LIST
CNLT-1752-03.17
SMXG

Table 4.2-1

REV	BUS	COMPT	SYS	S-CL	TRN	BLDG ELEV COORD SF	HP/FLA LRA/KW KVA	TYPE UNIT OL HTR Y-PHASE	NEMA SIZE X	TYPE FRAME CONT POLE	-----BREAKER----- TRIP MAG- POS ELEM	CATALOG # TRIP UNIT	AUX- CONTS STR BKR FUSE SIZE	-----CABLE----- SIZE/CLASS	ONE-LINE DWG NO. VEND WIRING DIAG DUKE WIRING DIAG REMARKS
06 04 01	SMXG	F06A	NV	NE		CV 561+00 56/223 1.00	0.67 1.84 9.52	CFVR 2424	1 2.0	HFB 150 20 3		HFB3020	X7/X7 20	1-3/C #10 C	ALJ-374-PR1A CNM 1314.02-0027 R2
		STANDBY MAKEUP PMP TO SEAL WATER LINE ISOL VALVE 1NV877									TM				
08 06 00	SMXG	F06B	NV	NE		CV 1.00	1.10* 2.10* 10.00*	CFVR 2425	1 * 2.0	HFB 150 20 3		HFB3020	X7/X7 20	1-3/C #10 C	ALJ-374-PR1A CNM 1314.02-0027 R2
		STANDBY MAKEUP PUMP DRAIN ISOL VALVE 2NV876									TM				
06 01 00	SMXG	F06C	NV	NE		CV 1.00	0.67 1.84 9.52	CFVR 2424	1 2.0	HFB 150 20 3		HFB3020	X7/X7 20	1-3/C #10 C	ALJ-374-PR1A CNM 1314.02-0027 R2
		STANDBY MAKEUP PMP TO SEAL WATER LINE ISOL VALVE 2NV877									TM				
08 06 01	SMXG	R04E	NV	NE		ANN 578+00 1.15	50.00 54.40 282.00	CFVNR 2531	3 2.0	MCP 150 100 3	625 625 IM	MCP331000	X8	1-3/C #2 P	ALJ-374-NS3A CNM 1314.02-0007 R3
		STANDBY MAKEUP PUMP MOTOR 2													
08 06 04	SMXG	R01A	VK	NE		SSF 594+00	7.00 7.50	FDBKR	0.5	HFB 150 20 3		HFB3020		1-3/C #10 P	ALJ-374-NFCA CNM 1314.02-0016 R1
		SSF HVAC ROOM HEATER SSF-EUH-3									TM				
08 06 04	SMXG	R01B	VK	NE		SSF 594+00	7.00 7.50	FDBKR	0.5	HFB 150 20 3		HFB3020		1-3/C #10 P	ALJ-374-NFCA CNM 1314.02-0016 R1
		SSF HVAC ROOM HEATER SSF-EUH-4									TM				
08 06 04	SMXG	R01C	VK	NE		SSF 594+00	20.00	FDBKR	0.5	HFB 150 30 3		HFB3030		1-3/C #10 P	ALJ-374-NFCA CNM 1314.02-0016 R1
		SSF BATTERY ROOM HEATER SSF-H-1									TM				
08 06 04	SMXG	R02A	VK	NE		SSF 594+00	7.00 7.50	FDBKR	0.5	HFB 150 20 3		HFB3020		1-3/C #10 P	ALJ-374-NFCA CNM 1314.02-0016 R1
		SSF ELECTRICAL EQUIPMENT ROOM HEATER SSF-EUH-1									TM				
08 06 04	SMXG	R02B	VK	NE		SSF 594+00	7.00 7.50	FDBKR	0.5	HFB 150 20 3		HFB3020		1-3/C #10 P	ALJ-374-NFCA CNM 1314.02-0016 R1
		SSF ELECTRICAL EQUIPMENT ROOM HEATER SSF-EUH-2									TM				
08 06 04	SMXG	R02C	VK	NE		SSF 594+00	9.00	FDBKR	0.5	HFB 150 20 3		HFB3020		1-3/C #10 P	ALJ-374-NFCA CNM 1314.02-0016 R1
		SSF CONTROL ROOM, HEATER SSF-H-2									TM				

DUKE POWER COMPANY
CATAWBA NUCLEAR STATION
ELECTRICAL ONE-LINE LIST
CNLT-1752-03.17
SMXG

Table 4.2-1

REV	BUS	COMPT	SYS	S-CL	TRN	BLDG ELEV COORD SF	HP/FLA LRA/KW KVA	TYPE UNIT OL HTR Y-PHASE	NEMA SIZE X	-----BREAKER----- TYPE TRIP FRAME MAG- CONT POS POLE ELEM	CATALOG # TRIP UNIT	AUX- CONTS STR BKR FUSE SIZE	----CABLE---- SIZE/CLASS	ONE-LINE DWG NO. VEND WIRING DIAG DUKE WIRING DIAG REMARKS
08 06 00	SMXG	R02D	VK	NE	SSF 594+00			FDBKR	0.5	HFB 150 30 3	HFB3030		1-3/C #10 P	ALJ-374-NFCA CNM 1314.02-0016 R1
		STANDBY SHUTDOWN FACILITY A/C UNIT SSF-AHS-1					17.30			TM				
08 06 04	SMXG	R02E	VK	NE	SSF 594+00		2.00 2.40	CFVNR 2427	1 1.0	MCP 150 7 3	MCP0358	X8	1-3/C #10 P	ALJ-374-NS1A CNM 1314.02-0005 R2
		SSF HVAC ROOM VENT FAN MOTOR SSF-SF-2			1.15					IM				
08 06 04	SMXG	R02F	VK	NE	SSF 594+00		2.00 2.40	CFVNR 2427	1 1.0	MCP 150 7 3	MCP0358	X8	1-3/C #10 P	ALJ-374-NS1A CNM 1314.02-0005 R2
		SSF ELECTRICAL EQUIP ROOM VENT FAN MOTOR SSF-SF-1			1.15					IM				
08 06 04	SMXG	R03A	VK	NE	SSF 594+00			FDBKR	0.5	HFB 150 20 3	HFB3020		1-3/C #10 P	ALJ-374-NFCA CNM 1314.02-0016 R1
		SSF DIESEL ROOM HEATER SSF-EUH-5					12.50			TM				
08 06 04	SMXG	R03B	VK	NE	SSF 594+00			FDBKR	0.5	HFB 150 20 3	HFB3020		1-3/C #10 P	ALJ-374-NFCA CNM 1314.02-0016 R1
		SSF DIESEL ROOM HEATER SSF-EUH-6					12.50			TM				
08 06 04	SMXG	R03E	VK	NE	SSF 594+00		0.75 1.15	CFVNR 2421	1 1.0	MCP 150 7 3	MCP0358	X8	1-3/C #10 P	ALJ-374-NS1A CNM 1314.02-0005 R2
		SSF DIESEL ROOM VENT FAN MOTOR SSF-SF-3			1.15					IM				
08 06 00	SMXG	F01A	ZZZ	NE				FDBKR	0.5	HFB 150 60 3	HFB3060			ALJ-374-NFCA CNM 1314.02-0016 R1
		SPARE 60 AMP FEEDER BREAKER								TM				
08 06 00	SMXG	F01D	ZZZ	NE				FDBKR	0.5	HFB 150 30 3	HFB3030			ALJ-374-NFCA CNM 1314.02-0016 R1
		SPARE 30 AMP FEEDER BREAKER								TM				
08 06 00	SMXG	F01E	ZZZ	NE				FDBKR	0.5	HFB 150 20 3	HFB3020			ALJ-374-NFCA CNM 1314.02-0016 R1
		SPARE 20 AMP FEEDER BREAKER								TM				
08 06 01	SMXG	F01F	ZZZ	NE				CFVR	1 1.5	MCP 150 15 3	MCP03150	X7/X7		ALJ-374-NR1A CNM 1314.02-0010 D1
		SPARE SIZE 1 CFVR STARTER								IM				

PAGE 1
1/19/83

ALTERNATE POWER SOURCE
BUS SMXG
COMPT F02C

MOTOR CTL CTR ONE-LINE DWG NO. 1
MOTOR CTL CTR ONE-LINE DWG NO. 2 CN -1703-01.17
MOTOR CTL CTR DUKE BILL OF MAT'L CNBM-1752-01.15
MOTOR CTL CTR WIRE TAB DWG NO. CNWT-1752-01.15

REV	BUS	COMPT	SYS	S-CL	TRN	BLDG ELEV COORD SF	HP/FLA LRA/KW KVA	TYPE UNIT CL HTR Y-PHASE	NEMA SIZE X	TYPE FRAME CONT POLE	TRIP MAG- POS ELEM	CATALOG # TRIP UNIT	AUX- CONTS STR BKR FUSE SIZE	---CABLE--- SIZE/CLASS	ONE-LINE DWG NO. VEND WIRING DIAG DIKE WIRING DIAG REMARKS
-----BREAKER-----															
NAMEPLATE															
04 00	1EMXS F01A	EPE	1E	A				1BKRN	1.0	HFB 150 60 3		HFB3060	2A&2B	1-3/C #6 P	CN -1703-01.17 ALJ-372-NKCA CNM 1314.01-0053 RO
NORMAL INCOMING BKR FED FROM MOTOR CTRL CENTER 1EMXA															
04 03 00	1EMXS F01B	NV	1E	A	CV 559+03 56/167 1.00	0.38 1.40 5.10	CFVR 2422	1 2.0	HFB 150 20 3			HFB3020	X7/X7 20	1-3/C #10 P	CN -1703-01.17 ALJ-372-PR1A-A CNM 1314.01-0134 D1
NC PUMPS SEAL RTN INSIDE CONT ISOL VALVE 1NV89A															
04 01 00	1EMXS F01C	NV	1E	A	ANN 1.00 1.00	0.24 1.00 3.70	CFVR 2418	1 1.5	HFB 150 20 3			HFB3020	X7/X7	1-3/C #10 C	CN -1703-01.17 ALJ-372-NR1A-A CNM 1314.01-0133 RO
FUEL TRANSFER TUBE ISOLATION VALVE 1NV865A															
04 00	1EMXS F01D	NV	1E	A	ANN 1.00	0.67 1.84 9.52	CFVR 2418	1 1.5	HFB 150 20 3			HFB3020	X7/X7	1-3/C #10 C	CN -1703-01.17 ALJ-372-NR1A-A CNM 1314.01-0133 RO
STANDBY MAKEUP PUMP DISCHARGE PEN ISOL VALVE 1NV872A															
04 00	1EMXS F02A	ND	1E	A	CV 571+03 52/184 1.00	7.20 12.00 70.00	CFVR 2445	1 2.0	HFB 150 20 3			HFB3020	X7/X7 20	1-3/C #12 C	CN -1703-01.17 ALJ-372-PR1A-A CNM 1314.01-0134 D1
ND PUMP 1B SUCTION FROM NC LOOP C VALVE 1ND37A															
05 04 02	1EMXS F02B	NC	1E	A	CV 0.76* 4.00*	0.33* 0.76* 4.00*	CFVR 2415	* 1 2.0	HFB 150 20 3			HFB3020	X7/X7 20	1-3/C #10 C	CN -1703-01.17 ALJ-372-PR1A-A CNM 1314.01-0134 D1
REACTOR VESSEL HEAD VENT VALVE 1NC250A															
04 02 01	1EMXS F02C	WL	1E	A	AB 543+00 BB-52 1.00	7.50 8.40 47.00	CFVNR 2445 FH39	1 1.0	HFB 150 20 3			HFB3020	X8	1-3/C #10 C	CN -1703-01.17 ALJ-372-NS1A CNM 1314.01-0005 R2
CA PUMP TURBINE 1 SUMP PUMP MOTOR A															
04 00	1EMXS F02D	ZZZ	1E	A			FDBKR		0.5	HFB 150 30 3		HFB3030			CN -1703-01.17 ALJ-372-NFCA CNM 1314.01-0017 R1
SPARE 30 AMP FEEDER BREAKER															

Table 4.2-2

LIST NUMBER 2B

REVISION 05

DUKE POWER COMPANY
CATAWBA NUCLEAR STATION
ELECTRICAL ONE-LINE LIST
CNLT-1752-01.15
1EMXS

QA CONDITION 1

PAGE 2
1/19/83

REV	BUS	COMPT	SYS	S-CL	TRN	BLDG ELEV COORD SF	HP/FLA LRA/KW KVA	TYPE UNIT OL HTR Y-PHASE	NEMA SIZE X	TYPE FRAME CONT POLE	TRIP MAG- POS ELEM	CATALOG # TRIP UNIT	AUX- CONTS STR BKR FUSE SIZE	CABLE SIZE/CLASS	ONE-LINE DWG NO. DUKE WIRING DIAG REMARKS
04 00	1EMXS F02E	EPE	1E	A				CFPT	0.5					C	CN -1703-01.17 ALJ-372-NXOF CNM 1314.01-0038 R3
	CONTROL POWER TRANSFORMER														
04 02 00	1EMXS F03A	EPE	1E	A				IBKRA	1.0	HFB 150 60 3		HFB3060	2A&2B	1-3/C #2 P	CN -1703-01.17 ALJ-372-NKCA CNM 1314.01-0053 R0
	ALTERNATE INCOMING BKR FED FROM MOTOR CTRL CENTER SMXG														
04 00	1EMXS F03B	ZZZ	1E	A				FDBKR	1.0	HFB 150 30 3	TM	HFB3030	30		CN -1703-01.17 ALJ-372-PFCA CNM 1314.01-0032 R1
	SPARE 30 AMP FEEDER BREAKER														
04 00	1EMXS F03C	ND	1E	A	CV 571+3 52/176 1.00	7.20 12.00 70.00	CFVR 2445	1 2.0	HFB 150 20 3			HFB3020	X7/X7 20	1-3/C #10 P	CN -1703-01.17 ALJ-372-PR1A-A CNM 1314.01-0134 D1
	ND PUMP 1A SUCTION FROM NC LOOP B VALVE 1ND2A														
05 04 02	1EMXS F03D	NC	1E	A	CV 0.76* 4.00*	0.33* 0.76* 4.00*	CFVR 2415	1 * 2.0	HFB 150 20 3			HFB3020	X7/X7 20	1-3/C #10 C	CN -1703-01.17 ALJ-372-PR1A-A CNM 1314.01-0134 D1
	REACTOR VESSEL HEAD VENT VALVE 1NC253A														
04 02 00	1EMXS F04A	SM	1E	A	DH 583+03 GG-53 1.00	1.10 2.10 10.00	CFVR 2425	1 1.5	HFB 150 20 3			HFB3020	X7/X7 20	1-3/C #10 C	ALJ-372-NR1A-A CNM 1314.01-0133 R0
	S/G 1C OUTLET HDR BLOWDOWN CONTROL VALVE 1SM75A														
04 02 00	1EMXS F04B	ZZZ	1E	A			FDBKR	0.5	HFB 150 30 3	TM		HFB3030			ALJ-372-NFCA CNM 1314.01-0017 R1
	SPARE 30 AMP FEEDER BREAKER														
04 02 00	1EMXS F04C	BB	1E	A	CV 576+00 38/358 1.00	1.80 3.60 17.00	CFVR 2432	1 2.0	HFB 150 20 3			HFB3020	X7/X7 20	1-3/C #10 C	ALJ-372-PR1A-A CNM 1314.01-0134 D1
	S/G 1D BLOWDOWN INSIDE CONT ISOL VALVE 1DB8A														
04 02 00	1EMXS F04D	BB	1E	A	CV 576+00 35/175 1.00	1.80 3.60 17.00	CFVR 2432	1 2.0	HFB 150 20 3	TM		HFB3020	X7/X7 20	1-3/C #10 C	ALJ-372-PR1A-A CNM 1314.01-0134 D1
	S/G 1B BLOWDOWN INSIDE CONT ISOL VALVE 1BB19A														
04 02 00	1EMXS F05A	BB	1E	A	CV 576+00 38/003 1.00	1.80 3.60 17.00	CFVR 2432	1 2.0	HFB 150 20 3	TM		HFB3020	X7/X7 20	1-3/C #10 C	ALJ-372-PR1A-A CNM 1314.01-0134 D1
	S/G 1A BLOWDOWN INSIDE CONT ISOL VALVE 1BB56A														

QA CONDITION 1

MOTOR CONTROL CENTER
AB BLDG ELEV 577+00 COORD LOC BB-65

ALTERNATE POWER SOURCE
BUS SMXG
COMPT R03D

MOTOR CTL CTR ONE-LINE DWG NO. 1 CN -2703-01.17
MOTOR CTL CTR DUKE BILL OF MAT'L CNBM-2752-01.15
MOTOR CTL CTR WIRE TAB DWG NO. CNWT-2752-01.15

REV	BUS	COMPT	SYS	S-CL	TRN	BLDG ELEV COORD SF	HP/FLA LRA/KW KVA	TYPE UNIT OL HTR Y-PHASE	NEMA SIZE X	TYPE FRAME CONT POLE	TRIP MAG- POS ELEM	CATALOG # TRIP UNIT	AUX- CONTS STR BKR FUSE SIZE	----CABLE--- SIZE/CLASS	ONE-LINE DWG NO. VEND WIRING DIAG DUKE WIRING DIAG REMARKS
04 00	2EMXS F01A	EPE	1E	A				1BKRN	1.0	HFB 150 60 3		HFB3060	2A&2B	1-3/C #6 P	CN -2703-01.17 ALJ-372-NKCA CNM 1314.01-0053 R0
	NORMAL INCOMING BKR FED FROM MOTOR CTRL CENTER 2E14XA														
04 01 00	2EMXS F01B	NV	1E	A	CV 559+09 55/16 1.00	0.38 1.46 5.10	CFVR 2422	1 2.0	HFB 150 20 3		TM	HFB3020	X7/X7 20	1-3/C #10 P	CN -2703-01.17 ALJ-372-PR1A-A CNM 1314.01-0134 D1
	NC PUMPS SEAL RTN INSIDE CONT ISOL VALVE 2NV89A														
04 01 00	2EMXS F01C	NV	1E	A	ANN 1.00	0.24 1.00 3.70	CFVR 2418	1 1.5	HFB 150 20 3		TM	HFB3020	X7/X7	1-3/C #10 C	CN -2703-01.17 ALJ-372-NR1A-A CNM 1314.01-0133 R0
	FUEL TRANSFER TUBE ISOLATION VALVE 2NV865A														
04 01 00	2EMXS F01D	NV	1E	A	ANN 1.00	0.67 1.84 9.52	CFVR 2418	1 1.5	HFB 150 20 3		TM	HFB3020	X7/X7	1-3/C #10 C	CN -2703-01.17 ALJ-372-NR1A-A CNM 1314.01-0133 R0
	STANDBY MAKEUP PUMP DISCHARGE PEN ISOL VALVE 2NV872A														
04 01 00	2EMXS F02A	ND	1E	A	CV 1.00	7.20 12.00 70.00	CFVR 2445	1 2.0	HFB 150 20 3		TM	HFB3020	X7/X7 20	1-3/C #12 C	CN -2703-01.17 ALJ-372-PR1A-A CNM 1314.01-0134 D1
	ND PUMP 2B SUCTION FROM NC LOOP C VALVE 2ND37A														
05 04 02	2EMXS F02B	NC	1E	A	CV 4.00*	0.33* 0.76* 4.00*	CFVR 2415	1 * 2.0	HFB 150 20 3		TM	HFB3020	X7/X7 20	1-3/C #10 C	CN -2703-01.17 ALJ-372-PR1A-A CNM 1314.01-0134 D1
	REACTOR VESSEL HEAD VENT VALVE 2NC272A														
04 02 01	2EMXS F02C	WL	1E	A	AB 543+00 BB-62 1.00	7.50 8.40 47.00	CFVNR 2445 FM39	1 1.0	HFB 150 20 3		TM	HFB3020	X8	1-3/C #10 C	CN -2703-01.17 ALJ-372-NS1A CNM 1314.01-0005 R2
	CA PUMP TURBINE 2 SUMP PUMP MOTOR A														
04 00	2EMXS F02D	ZZZ	1E	A			FDBKR	0.5	HFB 150 30 3		TM	HFB3030			CN -2703-01.17 ALJ-372-NFCA CNM 1314.01-0017 R1
	SPARE 30 AMP FEEDER BREAKER														

Table 4.2-3

PAGE 2
1/19/83DUKE POWER COMPANY
CATAWBA NUCLEAR STATION
ELECTRICAL ONE-LINE LIST
CNLT-2752-01.15
2EMXS

QA CONDITION 1

REVISION 05

LIST NUMBER 2B

REV	BUS	COMPT	SYS	S-CL	TRN	BLDG ELEV COORD SF	HP/FLA LRA/KW KVA	TYPE UNIT OL HTR Y-PHASE	NEMA SIZE X	-----BREAKER----- TYPE TRIP CATALOG # FRAME MAG- POS CONT ELE	AUX- CONTS STR BKR FUSE SIZE	-----CABLE----- SIZE/CLASS	ONE-LINE DWG NO. VEND WIRING DIAG DUKE WIRING DIAG REMARKS
NAMEPLATE													
04 00	2EMXS F02E	EPE	1E	A				CFPT	0.5			C	CN -2703-01.17 ALJ-372-NXOF CNM 1314.01-0038 R3
	CONTROL POWER TRANSFORMER												
04 02 00	2EMXS F03A	EPE	1E	A				IBKRA	1.0	HFB 150 60 3	TM	2A&2B 1-3/C #2 P	CN -2703-01.17 ALJ-372-NKCA CNM 1314.01-0053 R0
	ALTERNATE INCOMING BKR FED FROM MOTOR CTRL CENTER SMXG												
04 00	2EMXS F03B	ZZZ	1E	A				FDBKR	1.0	HFB 150 30 3	TM	30	CN -2703-01.17 ALJ-372-PFCA CNM 1314.01-0032 R1
	SPARE 30 AMP FEEDER BREAKER												
04 01 00	2EMXS F03C	ND	1E	A	CV		7.20 12.00 70.00	CFVR 2445	1 2.0	HFB 150 20 3	TM	X7/X7 1-3/C #10 P	CN -2703-01.17 ALJ-372-PR1A-A CNM 1314.01-0134 D1
	ND PUMP 2A SUCTION FROM NC LOOP B VALVE 2ND2A				1.00								
05 04 02	2EMXS F03D	NC	1E	A	CV		0.33* 0.76* 4.00*	CFVR 2415	1 * 2.0	HFB 150 20 3	TM	X7/X7 1-3/C #10 C	CN -2703-01.17 ALJ-372-PR1A-A CNM 1314.01-0134 D1
	REACTOR VESSEL HEAD VENT VALVE 2NC253A												
04 02 00	2EMXS F04A	SM	1E	A	DH 583+03 GG-61 1.00		1.10 2.10 10.00	CFVR 2425	1 1.5	HFB 150 20 3	TM	X7/X7 1-3/C #10 C	ALJ-372-NR1A-A CNM 1314.01-0133 R0
	S/G 2C OUTLET HDR BLOWDOWN CONTROL VALVE 2SM75A												
04 02 00	2EMXS F04B	ZZZ	1E	A				FDBKR	0.5	HFB 150 30 3	TM		ALJ-372-NFCA CNM 1314.01-0017 R1
	SPARE 30 AMP FEEDER BREAKER												
04 02 00	2EMXS F04C	BB	1E	A	CV		1.80 3.60 17.00	CFVR 2432	1 2.0	HFB 150 20 3	TM	X7/X7 1-3/C #10 C	ALJ-372-PR1A-A CNM 1314.01-0134 D1
	S/G 2D BLOWDOWN INSIDE CONT ISOL VALVE 2BD8A				1.00								
04 02 00	2EMXS F04D	BB	1E	A	CV		1.80 3.60 17.00	CFVR 2432	1 2.0	HFB 150 20 3	TM	X7/X7 1-3/C #10 C	ALJ-372-PR1A-A CNM 1314.01-0134 D1
	S/G 2B BLOWDOWN INSIDE CONT ISOL VALVE 2BB19A				1.00								
04 02 00	2EMXS F05A	BB	1E	A	CV		1.80 3.60 17.00	CFVR 2432	1 2.0	HFB 150 20 3	TM	X7/X7 1-3/C #10 C	ALJ-372-PR1A-A CNM 1314.01-0134 D1
	S/G 2A BLOWDOWN INSIDE CONT ISOL VALVE 2BB56A				1.00								

DUKE POWER COMPANY
CATAWBA NUCLEAR STATION
ELECTRICAL ONE-LINE LIST
CNLT-2752-01.15
2EMXS

Table 4.2-3

QA CONDITION 1

PAGE 3
1/19/83

REV	BUS	COMPT	SYS	S-CL	TRN	BLDG ELEV COORD SF	HP/FLA LRA/KW KVA	TYPE UNIT OL HTR Y-PHASE	NEMA SIZE X	TYPE FRAME CONT POLE	TRIP MAG- POS ELEM	CATALOG # TRIP UNIT	AUX- CONTS STR BKR	-----CABLE----- SIZE/CLASS	ONE-LINE DWG NO. VEND WIRING DIAG DUKE WIRING DIAG REMARKS
NAMEPLATE													FUSE SIZE		
04 03 00	2EMXS	F05B	DB	1E	A	CV	1.80 3.60 17.00	CFVR 2432	1 2.0	HFB 150 20 3		HFB3020	X7/X7 20	1-3/C #10 C	ALJ-372-PR1A-A CNM 1314.01-0134 D1
S/G 2C BLOWDOWN INSIDE CONT ISOL VALVE 2BB60A						1.00					TM				
04 03 02	2EMXS	F05C	NM	1E	A	CV	0.33 0.76 4.00	CFVR 2415	1 2.0	HFB 150 20 3		HFB3020	X7/X7 20	1-3/C #10 P	ALJ-372-PR1A-A CNM 1314.01-0134 D1
PZR LIQUID SAMPLE LINE INSIDE CONT ISOL VALVE 2NM3A						1.00					TM				
04 03 02	2EMXS	F06A	NM	1E	A	CV	0.33 0.76 4.00	CFVR 2415	1 2.0	HFB 150 20 3		HFB3020	X7/X7 20	1-3/C #10 P	ALJ-372-PR1A-A CNM 1314.01-0134 D1
PZR STEAM SAMPLE LINE INSIDE CONT ISOL VALVE 2NM6A						1.00					TM				
04 03 02	2EMXS	F06B	NM	1E	A	CV	0.33 0.76 4.00	CFVR 2415	1 2.0	HFB 150 20 3		HFB3020	X7/X7 20	1-3/C #10 P	ALJ-372-PR1A-A CNM 1314.01-0134 D1
NC HOT LEG A SMPL LINE INSIDE CONT ISOL VALVE 2NM22A						1.00					TM				
04 03 02	2EMXS	F06C	NM	1E	A	CV	0.33 0.76 4.00	CFVR 2415	1 2.0	HFB 150 20 3		HFB3020	X7/X7 20	1-3/C #10 P	ALJ-372-PR1A-A CNM 1314.01-0134 D1
NC HOT LEG C SMPL LINE INSIDE CONT ISOL VALVE 2NM25A						1.00					TM				





Figure 2.1-1

FIRE PROTECTION DATA REQUIRED

NO.	DESCRIPTION	QUANTITY	UNIT	REMARKS
1	STANDARD FIRE EXTINGUISHER	10	EA	10' 0" MAX. DISTANCE
2	FIRE ALARM	1	EA	10' 0" MAX. DISTANCE
3	FIRE EXTINGUISHING EQUIPMENT	1	EA	10' 0" MAX. DISTANCE
4	FIRE EXTINGUISHING EQUIPMENT	1	EA	10' 0" MAX. DISTANCE
5	FIRE EXTINGUISHING EQUIPMENT	1	EA	10' 0" MAX. DISTANCE
6	FIRE EXTINGUISHING EQUIPMENT	1	EA	10' 0" MAX. DISTANCE
7	FIRE EXTINGUISHING EQUIPMENT	1	EA	10' 0" MAX. DISTANCE
8	FIRE EXTINGUISHING EQUIPMENT	1	EA	10' 0" MAX. DISTANCE
9	FIRE EXTINGUISHING EQUIPMENT	1	EA	10' 0" MAX. DISTANCE
10	FIRE EXTINGUISHING EQUIPMENT	1	EA	10' 0" MAX. DISTANCE
11	FIRE EXTINGUISHING EQUIPMENT	1	EA	10' 0" MAX. DISTANCE
12	FIRE EXTINGUISHING EQUIPMENT	1	EA	10' 0" MAX. DISTANCE

TO SWITCHING ROOM 11A
COMP. 12, DME. CH-1703-01.07

60KV LOAD CENTER NO. 102.XG
LOCATED IN LITNEY BATTERY FACILITY, ELEV. 3941' @ 0704 LINE 8-23




NOTES:
1. ALL METERS, TRANSFORMERS AND PROTECTIVE DEVICES
ARE LOCATED IN THE BATTERY FACILITY AND LOCATED IN THE CONTROL PANEL.

REFERENCE: DRAWING NO. 102.XG
DATE: 12-10-67
BY: J. L. B. (JLB)
CHECKED: J. L. B. (JLB)
APPROVED: J. L. B. (JLB)

Figure 4.2-1

OWB NO. CH-1703-03.24		NO.	REV.	DATE	BY	CHKD.	APP.
OWB NO. CH-1703-03.24		1		12-10-67	JLB		
OWB NO. CH-1703-03.24		2		12-10-67	JLB		
OWB NO. CH-1703-03.24		3		12-10-67	JLB		
OWB NO. CH-1703-03.24		4		12-10-67	JLB		
OWB NO. CH-1703-03.24		5		12-10-67	JLB		
OWB NO. CH-1703-03.24		6		12-10-67	JLB		
OWB NO. CH-1703-03.24		7		12-10-67	JLB		
OWB NO. CH-1703-03.24		8		12-10-67	JLB		
OWB NO. CH-1703-03.24		9		12-10-67	JLB		
OWB NO. CH-1703-03.24		10		12-10-67	JLB		
OWB NO. CH-1703-03.24		11		12-10-67	JLB		
OWB NO. CH-1703-03.24		12		12-10-67	JLB		
OWB NO. CH-1703-03.24		13		12-10-67	JLB		
OWB NO. CH-1703-03.24		14		12-10-67	JLB		
OWB NO. CH-1703-03.24		15		12-10-67	JLB		
OWB NO. CH-1703-03.24		16		12-10-67	JLB		
OWB NO. CH-1703-03.24		17		12-10-67	JLB		
OWB NO. CH-1703-03.24		18		12-10-67	JLB		
OWB NO. CH-1703-03.24		19		12-10-67	JLB		
OWB NO. CH-1703-03.24		20		12-10-67	JLB		



© 2000 Blackwell Science Ltd, *Journal of Internal Medicine* 247: 395–402

REFERENCE NUMBER:

CNA-1	372	09	-	WVAF	PENDING SCHEDULE
CNA-2	1704	00	01	B/M	PRELIMINARY AREAS
CNA-3	1752	03	17	CNE	LINE LAST SALES

[illegible]

