

BOGLE & GATES

LAW OFFICES

CHARLES R. BLUMENFELD

Two Union Square
601 Union Street
Seattle, Washington 98101-2346

Main Office: (206) 682-5151
Facsimile: (206) 621-2660
Direct Dial: (206) 621-1420

Anchorage
Bellevue
Olympia
Portland
Tacoma
Vancouver, B.C.
Washington, D.C.

18438-38446

June 24, 1994

U. S. Nuclear Recovery Branch
Division of Low-Level Waste
Management and Decommissioning
Office of Nuclear Material Safety
and Safeguards
U.S. Nuclear Regulatory Commission
Washington D.C.

FREEDOM OF INFORMATION
ACT REQUEST

FOIA-94-292
Rec'd 7-6-94

Re: Freedom of Information Act Request
License SMC-1559 (Envirocare)

Dear Sir or Madam:

40-8989

We would like to request copies of certain records which we have reason to believe are located in your office. We make this request under the Freedom of Information Act, 5 U.S.C. Section 522.

As you are aware, the Materials License (SMC-1559) issued to Envirocare of Utah, Inc. (the "License") includes a number of conditions that must be satisfied before Envirocare may receive any 11e.(2) byproduct material at its Utah site.

Please send me copies of the following documents that are to be prepared and submitted to the NRC prior to receipt of 11e.(2) byproduct material and the related NRC approvals:

1. The separate trust agreement required in Paragraph 9.6(b) of the License.
2. NRC's approval of the trust agreement requested in Item #1, above.
3. NRC's determination that the trust is fully funded in accord with Paragraph 9.6(b) of the License.
4. The procedures to ensure that all wastes, other than 11e.2) byproduct material, are precluded from disposal in the NRC licensed disposal site, required in Paragraph 9.6(c) of the License.

5. NRC's approval of the procedures requested in Item #4, above.
6. The detailed description of the ALARA program, required in Paragraph 9.6(d) of the License.
7. NRC's approval of the ALARA program requested in Item #6, above.
8. The report on the compatibility tests, required in Paragraph 9.7(a) of the License.
9. NRC's approval of the report requested in Item #8, above.
10. Envirocare's notification to NRC that an "as built" inspection may be scheduled, required in Paragraph 9.7(b) of the License.
11. The detailed construction specifications for the disposal site, required in Paragraph 9.7(c) of the License.
12. NRC's approval of the detailed construction specifications requested in Item #11, above.
13. The baseline background ground-water quality, as required in Paragraph 9.7(d) of the License.
14. NRC's approval of the baseline requested in Item #13, above.

We hereby agree to remit payment for any charges for the production of such documents upon receipt of your billing statement. If you have any questions, please contact the undersigned.

Very truly yours,

BOGLE & GATES


Charles R. Blumenfeld

cc: Mr. Bruce Miyahara, Director
Washington State Dept. of Health

BOGLE & GATES