



Explosives

Aerospace and Automotive Products

Valley Forge
Corporate Center
PO Box 819
Valley Forge, PA 19482
Telephone (215) 666-8600

January 9, 1995

U. S. Nuclear Regulatory Commission
ATTN: Document Control Desk
Washington, D. C. 20555

Subject: Reply to a Notice of Violation
Docket #030-33499
(Ref. Routine Inspection #030-33499-001)

An explanation of the violations are as follows:

Item 10 - Radiation Safety Program

- A. Item 10.2 of the March 9, 1994 letter section 2.0 was submitted in error. It should read:
One (1) Ratemeter - Tracer Flo - Model 480530. Gamma Detector - $10^1 \times 3 \times 10^6$ counts/min used for production type testing only. Calibrated by ICI per manufacturer specifications every 6 months.

Item 10.1 should read:

Two (2) Geiger counters - Ludlum Model 3 Beta Gamma detector - 0 - 200 mr/hr. Calibrated by RMC, 2107 W. Harcum Ave., Wilmington, De. 19809 - every 6 months.

Item 10.3 should read:

Film Badge - Siemens Dosimetry Service - 2501 Barrington Rd, Hoffman Estates, IL. 60195-7372

- B. Item 10 of the procedures (March 9, 1994) Section 10.2 Storage Calibration and use of Portable Survey Meter 10.2 should read:

The calibration of the G. M. Survey Meter will be checked prior to each use with the available source. The source is located inside the test room attached to the window of the entry door (see attachment 1). Following repair of meter, replacement of batteries or at a specific frequency, the meter shall be re-calibrated. The frequency of calibration will be determined by the Radiation Safety Officer at the facility.

Also it is suggested that the above and following changes be amended to License #37-07349-03. These changes are effected as of December 22, 1994.

Item 3.1 of the procedures TRIO-TECH INC. should read RADTRACE CO.

9501300033 950109
PDR ADDOCK 03033499
C PDR

IEO7 w/ check
\$ 360.00
0012028274



- 2 -

Item 12.1 of the procedure TRIO-TECH, INC.
should read RADTRACE CO

Enclosed check is in the amount of \$360.00 to cover
the cost of the amendment.

Sincerely,

A handwritten signature in cursive script, appearing to read 'L. J. Caparoni', is written over the typed name.

L. J. Caparoni
Radiation Safety Officer

LJC/gd

cc: Regional Administrator Region 1
Daniel Ellenberger



SUBMITTED TO NRC
DOCUMENT CONTROL DESK
DOCKET # 030-33499
1-11-95 *LJ Caparoni*

ATTACHMENT 1