



**LOUISIANA
POWER & LIGHT**

142 DELARONDE STREET
P. O. BOX 6008 • NEW ORLEANS, LOUISIANA 70174 • (504) 368-2345

February 7, 1984

W3P84-0278
Q-3-A29.02
3-A1.01.04

Director of Nuclear Reactor Regulation
Attention: Mr. G. W. Knighton, Chief
Licensing Branch No. 3
Division of Licensing
U.S. Nuclear Regulatory Commission
Washington, D.C. 20555

SUBJECT: Waterford 3 SES
Docket No. 50-382
Toxic Chemical Surveys

REFERENCES: 1) LP&L Letter W3P83-2540 dated 8/3/83
2) LP&L Letter W3P83-3596 dated 11/9/83

Dear Sir:

The referenced letters discussed LP&L's plans for conducting surveys of major industries in the vicinity of Waterford 3 which could have significant inventories of toxic chemicals onsite. The purpose of this letter is to confirm agreements reached with the NRC reviewer regarding a revised submittal schedule for the survey results.

LP&L will complete the entire survey and subsequent analyses (with one possible exception) prior to fuel load. The possible exception concerns General American Transportation Company (GATX), with whom negotiations thus far have failed to produce the desired information. However, GATX is not a large facility and review of the type and quantity of chemical inventories previously reported by GATX suggests that it is unlikely that the information currently being sought from them would change the conclusions presented in the FSAR.

Analyses will be on file prior to fuel load demonstrating that the toxic chemical inventories represented by the survey results will not cause a safety problem exceeding the bounds of what has been previously considered acceptable. In the event that the analyses do uncover a potential problem, the NRC will be notified prior to fuel load. Subsequent to this survey, a new survey will be conducted every four years.

Yours very truly,

K. W. Cook
Nuclear Support & Licensing Manager

KWC/RMF/cb

cc: E. L. Blake, W. M. Stevenson, J. Wilson, K. M. Caspe, C. L. Constable

8402140261 340207
PLR ADOCK 05000382
A PDR

Boo!
1/0