

September 13, 1983

Docket Nos: 50-413
and 50-414

50-413

MEMORANDUM FOR: Atomic Safety and Licensing Board for
Catawba Nuclear Station, Units 1 and 2

FROM: Thomas M. Novak, Assistant Director
for Licensing
Division of Licensing

SUBJECT: SUMMARY BOARD NOTIFICATION (83-140)

In accordance with the NRC procedures for Board Notifications, the enclosed are provided for your information. All 1982 and 1983 Board Notifications were reviewed for potential relevance to the licensing of Catawba. The following lists those which relate to the staff's licensing review of Catawba and have not been addressed in the staff's SER or FES.

<u>BN Number</u>	<u>Subject</u>	<u>Status and Method for Resolution</u>
BN 82-01	Draft Report Entitled: "Interim Technical Assessment of the MARCH Code"	The staff considered this report in Catawba FES, Appendix E. The staff's assessment is that the uncertainties in the MARCH Code are much smaller than the uncertainties related to accidents as discussed in FES Section 5.9.4.5(7).
BN 82-03 82-13 82-40 82-87 82-111	Hydrogen Control for Ice Condenser Plants	Resolution will be handled under License Condition No. 10 in Catawba SER.
BN 82-04 82-10 82-18 82-87	Information with Regard to Pressurized Thermal Shock	Resolution will be handled under USI A-49.
BN 82-59 82-87	Information with Regard to Steam Generator Tube Integrity	Resolution will be handled under USI A-3.
BN 82-75	Accident Sequence Pre- cursor Report	Report was issued as background information and will be responded to through testimony, if necessary.
BN 82-81	Westinghouse Control Rod Drive Guide Tube Support Pin Failure	It appears that this issue does not apply to Catawba. Its resolution will be addressed in a supplement to the SER.

OFFICE ▶
USERNAME ▶	8309280094 830913
	PDR ADGCK 05000413
DATE ▶	A PDR

<u>BN Number</u>	<u>Subject</u>	<u>Status and Method for Resolution</u>
BN 82-93 82-107 82-124	Semiscale Test Results	Resolution will be handled under TMI Item 11.K.3.30. Additional new information will result in a follow up BN.
BN 83-11	Preheater Type Steam Generator At Comanche Peak	Resolution is being handled on a generic basis (BN). For Catawba it will be handled under Open Item No. 8 of Catawba SER.
BN 83-13	EG&G Draft Report on Ranking of Systems	Potential letter may request information for staff review of this issue. It has not yet been decided if this issue will be handled on a generic basis (BN) or plant specific (SSER).
BN 83-17 83-44 83-57 83-105 83-126	USI-A-17 "Systems Interaction in Nuclear Power Plants"	Potential future BN.
BN 83-26 83-38	Failure of Reactor Trip Breakers	Generic Letter 83-28 dated July 8, 1983, requests information for staff review of this issue. It has not yet been decided if this issue will be handled on a generic basis (BN) or plant specific (SSER).
BN 83-27	Additional RELAP-5 Calculation for Semiscale S-SR-2 Test	This information is related to BNs 82-93 and 82-107 regarding the feed and bleed cooling mode in PWRs. Its resolution will be addressed in a supplement to the SER.
BN 83-42	Unanalyzed Reactor Vessel Thermal Stress during Cooldown	It appears that this issue does not apply to Catawba. Its resolution will be addressed in a supplement to the SER.
BN 83-47 83-110	Need for Rapid Primary System Depressurization in PWRs and Status of PORV Issues for Westinghouse, B&W and CE Plants	Resolution will be handled under Open Item No. 9a in Catawba SER.

OFFICE ▶							
SURNAME ▶							
DATE ▶							

BN 83-118 Board Notification Con- Resolution of this issue for Catawba
 cerning Materials Supplied will be handled in a supplement to
 to Nuclear Industry Com- the SER.
 panies by Ray Miller Inc.
 and Tube-Line Corporation

The staff will dispose of these issues as stated under "Status and Method for Resolu-
 tion".

TS
 Thomas M. Novak, Assistant Director
 for Licensing
 Division of Licensing

Enclosures:
 Board Notifications listed above

cc: See next page

NOTE: SEE PREVIOUS WHITE FOR CONCURRENCE

OFFICE ▶	DL:LB #4	DL:LB #4 <i>KN</i>	LA:DL:LB #4	DL:LB #4	AD:L:DL		
SURNAME ▶	*RBirkel/hmc	KJabbour	*MDuncan	*EAdensam	TNovak		
DATE ▶	8/31/83	9/9/83	8/31/83	9/01/83	9/13/83		

<u>BN Number</u>	<u>Subject</u>	<u>Status and Method for Resolution</u>
BN 82-93 82-107 82-124	Semiscale Test Results	Resolution will be handled under TMI Item II.K.3.30. Additional new information will result in a follow up BN.
BN 83-11	Preheater Type Steam Generator At Conanche Peak	Resolution is being handled on a generic basis (BN). For Catawba it will be handled under Open Item No. 8 of Catawba SER.
BN 83-13	EG&G Draft Report on Ranking of Systems	NRC staff review of this report is being finalized. The final report will be issued in a follow up BN.
BN 83-17 83-44 83-57	USI-A-17 "Systems Interaction in Nuclear Power Plants"	Recently completed BN (83-105) provides the final resolution of USI A-17. It is herewith provided in addition to BN 83-17, BN 83-44, and BN 83-57.
BN 83-26 83-38	Failure of Reactor Trip Breakers	Generic Letter 83-28 dated July 8, 1983, requests information for staff review of this issue. It has not yet been decided if this issue will be handled on a generic basis (BN) or plant specific (SSER).
BN 83-27	Additional RELAP-5 Calculation for Semiscale S-SR-2 Test	This information is related to BNs 82-93 and 82-107 regarding the feed and bleed cooling mode in PWRs. The staff position on feed and bleed is that it is not a design-basis requirement or necessary to meet Commission's regulations.
BN 83-47	Need for Rapid Primary System Depressurization in PWRs.	Resolution will be handled under Open Item No. 9a in Catawba SER.

The staff will dispose of these issues as stated under "Status and Method for Resolution".

Thomas M. Novak, Assistant Director
for Licensing
Division of Licensing

Enclosures:
Board Notifications listed above

OFFICE	DL:LB #4	LA:DL:LB #4	DL:LB #4	AD:L:DL		
SURNAME	KJabbour/hmc	MDuncan	EAdensam	TNovak		
DATE	8/3/83	8/31/83	8/1/83	8/ /83		

DISTRIBUTION LIST FOR BOARD NOTIFICATION

Catawba Unit 1
Docket No. 50-413/414

Dr. Dixon Callihan
Dr. Richard F. Foster
Robert Guild, Esq.
Carole F. Kagan, Esq.
James L. Kelley, Esq.
J. Michael McGarry, III, Esq.
Palmetto Alliance
William L. Porter, Esq.
Mr. Jesse L. Riley
Richard P. Wilson, Esq.

Atomic Safety and Licensing
Board Panel
Atomic Safety and Licensing
Appeal Panel
Docketing and Service Section
Document Management Branch

ACRS Members

Dr. Robert C. Axtmann
Mr. Myer Bender
Dr. Max W. Carbon
Mr. Jesse C. Ebersole
Mr. Harold Etherington
Dr. William Kerr
Dr. Harold W. Lewis
Dr. J. Carson Mark
Mr. William M. Mathis
Dr. Dade W. Moeller
Dr. David Okrent
Dr. Milton S. Plesset
Mr. Jeremiah J. Ray
Dr. Paul C. Shewmon
Dr. Chester P. Siess
Mr. David A. Ward

CATAWBA

Mr. H. B. Tucker, Vice President
Nuclear Production Dept.
Duke Power Company
422 South Church Street
Charlotte, North Carolina 28242

cc: William L. Porter, Esq.
Duke Power Company
P.O. Box 33189
Charlotte, North Carolina 28242

J. Michael McGarry, III, Esq.
Debevoise & Liberman
1200 Seventeenth Street, N.W.
Washington, D. C. 20036

North Carolina MPA-1
P.O. Box 95162
Raleigh, North Carolina 27625

Mr. F. J. Twogood
Power Systems Division
Westinghouse Electric Corp.
P.O. Box 355
Pittsburgh, Pennsylvania 15230

Mr. J. C. Plunkett, Jr.
NUS Corporation
2536 Countryside Boulevard
Clearwater, Florida 33515

Mr. Jesse L. Riley, President
Carolina Environmental Study Group
854 Henley Place
Charlotte, North Carolina 28208

Richard P. Wilson, Esq.
Assistant Attorney General
S.C. Attorney General's Office
P.O. Box 11549
Columbia, South Carolina 29211

Mr. Pierce K. Skinner
Route 2, Box 179N
York, South Carolina 29745

North Carolina Electric Membership
Corp.
3333 North Boulevard
P.O. Box 27306
Raleigh, North Carolina 27611

Saluda River Electric Cooperative,
Inc.
207 Sherwood Drive
Laurens, South Carolina 29360

Mr. Peter K. VanDoorn
Route 2, Box 179N
York, South Carolina 29745

James P. O'Reilly, Regional Administrator
U.S. Nuclear Regulatory Commission,
Region II
101 Marietta Street, Suite 3100
Atlanta, Georgia 30303

Robert Guild, Esq.
P.O. Box 12097
Charleston, South Carolina 29412

Palmetto Alliance
2135 1/2 Devine Street
Columbia, South Carolina 29205

Carol F. Kagan, Attorney
Atomic Safety and Licensing Board Panel
U.S. Nuclear Regulatory Commission
Washington, D. C. 20555

SEP 12 1983

MEMORANDUM FOR: Thomas Novak, Assistant Director for Licensing
FROM: Darrell G. Eisenhut, Director

SUBJECT: Division of Licensing
SUMMARY BOARD NOTIFICATION FOR CATAWBA

I have determined that the information contained in your September 1, 1983 memo as modified and resubmitted on September 9, 1983 should be sent to the Board and parties for Catawba.

Issue this as BN 83-140.

Original signed by
Darrell G. Eisenhut

Darrell G. Eisenhut, Director
Division of Licensing

cc: K. Jabbour
S. Black

OFFICE	DL	DL					
SURNAME	MWilliams:mj	DGEisenhut					
DATE	9/ 2 /83	9/ /83					

Board Notification

BN- 83-140
*w/enclosure

September 13, 1983

Docket No(s)* 50-413/414

NRC PDR*
Local PDR*
PRC System*
NSIC*

LB #4 r/f*
E. Adensam*
M. Duncan*
T. Novak
D. Eisenhut/R. Purple
M. Williams
H. Denton/E. Case*
PPAS
J. Youngblood
A. Schwencer
G. Knighton
R. Vollmer
H. Thompson
R. Mattson
S. Hanauer
Attorney, OELD
E. L. Jordan, DEQA; I&E
J. M. Taylor, DPR; I&E
W. J. Dircks, EDO (3)
E. Christenbury, OELD*
J. Scinto, OELD*
A. Bennette, OELD*

Project Manager K. Jabbour