



Tennessee Valley Authority, Post Office Box 2000, Decatur, Alabama 35609-2000

R. D. (Rick) Machon
Vice President, Browns Ferry Nuclear Plant

FEB 22 1995

U.S. Nuclear Regulatory Commission
ATTN: Document Control Desk
Washington, D.C. 20555

Gentlemen:

In the Matter of) Docket No. 50-296
Tennessee Valley Authority)

**BROWNS FERRY NUCLEAR PLANT (BFN) - UNIT 3 SPECIFIC SETPOINT
CALCULATIONS (TAC No. M84043)**

- References:
1. Letter from TVA to NRC dated July 2, 1992, "TVA BFN Technical Specification (TS) No. 314 - Residual Heat Removal (RHR) Valve Pressure Switches"
 2. Letter from NRC to TVA dated June 30, 1994, "Issuance of Technical Specification Amendments for the Browns Ferry Nuclear Plant Units 1 and 2 (TAC Nos. M84042 and M84043) (TS 314)"

On July 2, 1992, (Reference 1) TVA requested changes to the BFN Units 1 and 3 Technical Specifications to revise requirements associated with Residual Heat Removal valve pressure switches. As stated in the justification for the proposed change, the setpoint values were based on calculations for Unit 2. TVA committed to confirm these values by unit specific calculations prior to use. On June 30, 1994, (Reference 2) NRC issued the changes and requested that TVA inform the staff when these unit specific calculations were completed.

9502280412 950222
PDR ADDCK 05000296
P PDR

2030
1/0

U.S. Nuclear Regulatory Commission

Page 2
FEB 22 1995

The purpose of this correspondence is to inform the staff of the completion of the Unit 3 specific calculation. The calculation previously completed for Unit 2 was revised to include the Unit 3 instrument loops. This revision confirmed the acceptability of the previously specified values.

There are no commitments contained in this letter. If you have any questions, please contact me at (205) 729-2636.

Sincerely,



R. D. Machon
Site Vice President

cc: Mr. Mark S. Lesser, Acting Branch Chief
U.S. Nuclear Regulatory Commission
Region II
101 Marietta Street, NW, Suite 2900
Atlanta, Georgia 30323

NRC Resident Inspector
Browns Ferry Nuclear Plant
Route 12, Box 637
Athens, Alabama 35611

Mr. J. F. Williams, Project Manager
U.S. Nuclear Regulatory Commission
One White Flint, North
11555 Rockville Pike
Rockville, Maryland 20852