

10702 59FR55068 RECEIVED Glenn

11/03/94 1995 MAR -2 AM 11: 01 RULES REVIEW & DIR. BR.

tat Holahar Chief, Rules Review and directive Branch U.S. Nuclear Regulatory Commission Washington, D.C.

This letter is in response to the request for comments regarding potential modifications of radiation therapy published in the Federal Register on November 3, 1995.

Answers to those questions listed in the Federal Register are found below.

- Significant error level is 20 percent for HDR brachytherapy, 1. other brachytherapy, and radiopharmaceutical therapy.
- Yes, additional therapy can be given to make up any dose if 2. desired.
- Computer system is verified by comparison with established 3. published data.

4 . 5. 6.

7. 8. 9.

10. 11.

Yes, ordered by authorized user, nurse writes order. 12.

13. Some activity of sources are verified upon receipt by a physicist or dosimetrist using a well calibrator.

Radiographic films are used to ensure proper placement. 14. Packing and sutures are used to minimize the likelihood of source movement.

15. The authorized users are satisfied with current procedures.

16.

17. All nurses handling brachytherapy patients receive adequate training.

For permanent prostate implants it is acceptable for 15-20% 18. of implanted seeds to be outside the target volume.

19.

If multiple fractions are to be administered each individual 20. fraction should require a new written directive.

A separate written directive for fractionated tharapy is 21. prepared.

If any guidance is needed several sources are available such 22. as the company which markets radiopharmaceutical or current published materials like textbooks or review articles.

23.

Sincerely;

ST. JOHN'S REGIONAL HEALTH CENTER • 1235 EAST QUEROKEE • SPRINGFIELD, MISSOURI • 65804-2263 • (417) 885-2000

St. John's Regional Health Center, a member of the Sisters of Meny Health System, St. Laux, is a Christian ministry dedicated to healing and use equal apportunity/affirmative action employer. St. John's provides ser uses and benefits without discremination.