

DCD

March 17, 1995

Advanced Medical Systems, Inc.
ATTN: Seymour S. Stein, Ph.D.
President
121 North Eagle Street
Geneva, OH 44041

SUBJECT: AMENDMENT NO. 32 TO LICENSE NO. 34-19089-01 AUTHORIZING
WASTE WATER TREATMENT ACTIVITIES

Dear Dr. Stein:

The enclosed amendment is being issued to confirm your plans and schedules for: (1) dealing with the accumulation of ground water in and around the Advanced Medical Systems, Inc. (AMS) facility basement and that stored in above ground tanks; (2) immobilizing and/or remediating contamination that has collected in below ground sewer piping and manholes; and (3) processing ground water that may build up around the facility in the future. The amendment requires that these activities begin immediately and be completed within ninety (90) days.

This amendment supersedes the commitments documented in the Confirmatory Action Letter (Revision 1) issued February 1, 1995. However, please be aware that while the activities authorized by this amendment are being accomplished, we expect that you will take all actions necessary to ensure an appropriate positive hydrostatic pressure is maintained from outside to inside the facility's basement to prevent the migration of basement contamination to the environment and minimize hydrostatic pressure on the basement floor slab.

Please note that License Conditions 20.H. does not address the following activities: (1) evaporation of treated water or its discharge to the sanitary sewer system; (2) installation of a composite sampler and flow gauge in the newly installed manhole and lateral; (3) conventional disposal of excavated soils exhibiting cobalt-60 concentrations greater than 8 picocuries per gram; and (4) re-connection of foundation footer drains to a proposed new manhole/lateral system.

Failure to comply with the provisions of this amendment, other license conditions, and representations in your license may result in enforcement action in accordance with the General Policy and Procedures for NRC Enforcement Actions, 10 CFR Part 2, Appendix C. Should you be unable to complete the activities authorized by this amendment within 90 days, an amendment to your license for an extension must be granted in writing by the Commission.

If you have any questions or require clarification regarding any aspect of this amendment, please contact me at (708) 829-9806.

9503310135 950317
PDR ADOCK 03016055
C PDR

IE07

In accordance with 10 CFR 2.790 of the NRC's "Rules of Practice," a copy of this letter and the enclosures will be placed in the NRC's Public Document Room.

Sincerely,

Original Signed by John A. Grobe

John A. Grobe, Chief
Nuclear Materials Safety Section 2

Docket No. 030-16055
License No. 34-1989-01

Enclosure: Amendment No. 32

See Attached Distribution

DOCUMENT NAME: G:\LTRS2LIC\MTLS\030\95316055.L17

To receive a copy of this document, indicate in the box: C = Copy without attachment/enclosure E = Copy with attachment/enclosure N = No copy

OFFICE	RIII <i>dp</i>	<input checked="" type="checkbox"/> RIII	<input checked="" type="checkbox"/> OGC <i>dp</i>	<input checked="" type="checkbox"/> NMSS <i>dp</i>	<input checked="" type="checkbox"/> RIII
NAME	Frazier:dp	Slawinski <i>dp</i>	Goldberg <i>dp</i>	Cool <i>dp</i>	Grobe <i>dp</i>
DATE	03/17/95	03/17/95	03/17/95	03/17/95	03/17/95

OFFICIAL RECORD COPY

Distribution

Robert Meschter
Radiation Safety Officer
Advanced Medical Systems, Inc.
121 N. Eagle Street
Geneva, OH 44041

Michael R. White, Mayor
City of Cleveland
601 Lakeside Avenue
Cleveland, OH 44114

Lisa Mehringer
City of Cleveland Law Department
601 Lakeside Avenue Room 106
Cleveland, OH 44114

Robert E. Owen, Administrator
Radiological Health Program
Department of Health
246 North High Street, 3rd Floor
P.O. Box 118
Columbus, OH 43266

Erv Ball, Deputy Director
Cuyahoga County Board of Health
1375 Euclid Ave. Suite 524
Cleveland, OH 44115

Erwin J. Odeal, Executive Director
Northeast Ohio Regional Sewer District
3826 Euclid Avenue
Cleveland, OH 44115

Michael Kalstrom, Secretary
County of Cuyahoga
Cuyahoga Emergency Management
Assistance Center
1255 Euclid Avenue, Room 102
Cleveland, OH 44115-1807

bcc:

Cathy Haney, NMSS
John A. Grobe, RIII

Marian Zobler, OGC
PUBLIC IE07

E-mail:

Bruce Berson (BAB1)
Bernie Bordenick (BMB)
Bill Brach (EWB)
Jim Caldwell (JLC1)
Fred Combs (FCC)
Donald Cool (DAC)
Steve Crockett (SFC)

Joe DeCicco (JXD1)
Jack Grobe (JAG)
Cathy Haney (CXH)
Tim Johnson (TCJ)
John Madera (JRM4)
Kevin Null (KGN)
Cindy Pederson (CDP1)

Josie Piccone (JMP1)
Gary Shear (GLS)
Wayne Slawinski (WJS2)
Mike Stein (MHS)
Mike Weber (MFW1)
Marian Zobler (MLZ)