

May 11, 1995

William Morris
Naval Sea Systems Command Attachment
Radiological Affairs Support Office
P.O. Drawer 260
NWS Yorktown, VA 23691-0260

Dear Mr. Morris:

Enclosed is the information you requested from the Sealed Source Safety
Section. If you have any questions, please feel free to contact me at
(301) 415-7216.

Sincerely,

/s/
Traci Kime, Secretary
Source Containment and
Devices Branch
Division of Industrial and
Medical Nuclear Safety
Office of Nuclear Material Safety
and Safeguards

Enclosures:

1. Draft copy of SSD Registry System Instructions
2. SSD Registry System Files

DISTRIBUTION:

SCDB r/f
SSSS Staff
NE02-SSD1

DOCUMENT NAME: G: Standard.ltr

To receive a copy of this document, indicate in the box: "C" = Copy without attachment/enclosure "E" = Copy with attachment/enclosure "N" = No copy

OFFICE	SCDB	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
NAME	TKime							
DATE	5/ /95							

OFFICIAL RECORD COPY

9505180037 950516
PDR RC * PDR
SSD

NE02
1/6