APR 8 1981

Docket Nos.: 50-460/513

MEMORANCEM FOR: Walter P. Haass, Chief

Quality Assurance Branch Division of Engineering

Anthony Sournia, Project Manager

Licensing Branch No. 1 Division of Licensing

FROM: George Lear, Chief

Hydrologic and Geotechnical Engineering Branch

Division of Engineering

SUBJECT: REVIEW OF Q LIST: GEOTECHNICAL ENGINEERING

Plant Name: MPPSS Nuclear Project No. 1 A 4

Docket Numbers: 50-460/513

Licensing Stage: Post-CP Responsible Branch: L8-1, A. Bournia, LPM

Review Status: Continuing

We have reviewed Table 3.2-2 of the MINP-1 & 4 PSAR to determine whether the Will-1 & 4 PSAR provides an adequate listing of safety-related structures. systems and components (SSC) to which the QA program is applicable.

The specific SSC being reviewed by the Gentechnical Engineering Section, HGEB as shown in Table 3.2-2 of the PSAR, are as follows:

1. Foundations for the following structures:

Containment Building Scheral Services Building

2. Foundations for the following systems and components, located outside of structures, ospite:

> Page House Barated Mater and Demineralized Water Storage Tanks Enclosures Fuel 011 Storage Tanks Sunker Main Steam and Feedwater Isolation Area Enclosure

8104220329

XA Copy Has Been Sent to POR

3. At he WMP-1 & 4 site, there are the following slopes whose failure could impact san v- clated SSC.

Excavated spray pend sinces

The Gootechnical Engineering Staff, Hydrologic and Geotechnical Engineering Branch, concludes that the Q-list as shown in Table 3.2-2 of the HNP-1 & 4 PSAR is not complete for our erea of review responsibility and the soil support for following SSC meed to be adomain

Class IE Electrical Duct Banks Buried Essential Service Water Pipeline

This review was performed by Dinesh Gupta, Geotechnical Engineering Section, Hydrologic and Geotechnical Engineering Branch.

Original signed by George Lear

George Lear, Chief Hydrologic and Geotechnical Engineering Branch Division of Engineering

cc: J. Knight

R. Tedesco

G. Lour

H. Levin

L. Heller

日。 明确社

A. Bourni

J. Salvent

HCEB:DE DGUSTO/INC

100000 mc LHeTWAY 4/7 /81

HGEB: DE

GLear 4/8/3

