

PHILADELPHIA ELECTRIC COMPANY

2301 MARKET STREET

P.O. BOX 8699

PHILADELPHIA, PA. 19101

(215) 841-4000

EDWARD G. BAUER, JR.

VICE PRESIDENT
AND GENERAL COUNSEL

EUGENE J. BRADLEY

ASSOCIATE GENERAL COUNSEL

DONALD BLANKEN

RUDOLPH A. CHILLEMI

E. C. KIRK HALL

T. H. MAHER CORNELL

PAUL AUERBACH

ASSISTANT GENERAL COUNSEL

EDWARD J. CULLEN, JR.

THOMAS H. MILLER, JR.

IRENE A. McKENNA

ASSISTANT COUNSEL

DOCKETED
USNRC

84 APR 16 10:47

OFFICE OF SECRETARY
DOCKETING & SERVICE
BRANCH

April 13, 1984


Ms. Phyllis Zitzer
 Limerick Ecology Action
 762 Queen Street
 Pottstown, PA 19464

Re: Limerick Generating Station, Units 1 and 2
Docket Nos. 50-352 & 50-353 -

Dear Ms. Zitzer:

In accordance with the Board's Order of June 1, 1982, I am forwarding to you copies of correspondence and documents regarding emergency planning among Applicant, NRC Staff, the Commonwealth of Pennsylvania and other responsible governmental agencies. These documents supplement the material which was forwarded by our letter dated April 4, 1984, and provide additional correspondence covering the period March 23, 1984 through April 5, 1984.

Very truly yours,



Edward J. Cullen, Jr.

EJC, jr./pkc

encs.

cc: See Attached Service List

0000g/0006g

DS03
 8404170275 840413
 PDR ADOCK 05000352
 PDR

cc: Judge Lawrence Brenner	(w/o enclosure)
Judge Peter A. Morris	(w/o enclosure)
Judge Richard F. Cole	(w/o enclosure)
Troy B. Conner, Jr., Esq.	(w/enclosure)
Ann P. Hodgdon, Esq.	(w/enclosure)
Mr. Frank R. Romano	(w/o enclosure)
Mr. Robert L. Anthony	(w/o enclosure)
Mr. Marvin I. Lewis	(w/o enclosure)
Zori G. Ferkin, Esq.	(w/enclosure)
Mr. Thomas Gerusky	(w/o enclosure)
Director, Pennsylvania Emergency Management Agency	(w/o enclosure)
Mr. Steven P. Hershey	(w/o enclosure)
Charles W. Elliott, Esq.	(w/o enclosure)
Angus Love, Esq.	(w/o enclosure)
Mr. Joseph H. White, III	(w/o enclosure)
David Wersan, Esq.	(w/o enclosure)
Robert J. Sugarman, Esq.	(w/o enclosure)
Martha W. Bush, Esq.	(w/o enclosure)
Spence W. Perry, Esq.	(w/o enclosure)
Jay M. Gutierrez, Esq.	(w/o enclosure)
Atomic Safety & Licensing Appeal Board	(w/o enclosure)
Atomic Safety & Licensing Board Panel	(w/o enclosure)
Docket & Service Section	(w/enclosure)
James Wiggins	(w/o enclosure)
Timothy R. S. Campbell	(w/o enclosure)



ENERGY CONSULTANTS

BOOKETED
USNRC

RIVERSIDE OFFICE CENTER 3/2101 N. FRONT ST. / HARRISBURG / PA 17110 / PH. (717) 236-0031

CORPORATE OFFICE: 121 SEVENTH STREET / PITTSBURGH PA 15222-3487 / PH. (412) 434-5200.

84 APR 16 A10:47

April 5, 1984

OFFICE OF SECRETARY
CLERKING & SERVICE
BRANCH

Major George Evan
Pennsylvania State Police
1800 Elmerton Avenue
Harrisburg, PA 17110

Dear Major Evan:

As we previously discussed, Energy Consultants is presenting introductory training programs regarding radiation and emergency plan implementation to emergency service organizations in the Limerick area.

The following police department sessions are scheduled for April which you may be interested in attending:

April 19 - Schuylkill Township P.D.	8:30 a.m. - 11:30 a.m.
April 24 - Phoenixville P.D.	9:00 a.m. - 12:00 noon 7:00 p.m. - 10:00 p.m.
April 25 - Tredyffrin P.D.	7:00 a.m. - 10:00 a.m. 3:30 p.m. - 6:30 p.m.

In addition, we would like to provide fire police in the Limerick EPZ information on traffic control procedures and any laws or regulations pertaining to their potential role in traffic control.

We have heard that the State Police has a film on traffic control and related safety procedures. We would be interested in obtaining at least one copy of this film for use in our training programs, if possible.

Also copies of the laws or regulations pertaining to fire police duties would be helpful. Any assistance you could provide in this regard would be appreciated.

Sincerely,

Bob Bradshaw
Limerick Project Coordinator

BB:jr
cc. Bob Patterson



ENERGY CONSULTANTS

RIVERSIDE OFFICE CENTER 3 / 2101 N. FRONT ST. / HARRISBURG / PA 17110 / PH. (717) 236-0031
CORPORATE OFFICE: 121 SEVENTH STREET / PITTSBURGH / PA 15222-3487 / PH. (412) 434-5200

April 5, 1984

Mr. Kenneth H. Stewart
Department of Emergency Services
County of Chester
14 East Biddle Street
West Chester, PA 19380

Dear Ken:

As we discussed during our telephone conversation, EOC Operations training will be provided to the counties and municipalities in the near future. One concept that remains to be addressed in the Chester County EOC Operations lesson plan is message flow. As I understand it, the Chester County Department of Emergency Services staff is currently reviewing and perhaps revising its message flow procedure and forms. As soon as the staff has completed this review, Energy Consultants will receive a copy of the procedure and any applicable forms. The message flow portion of the EOC Operations lesson plan may be developed/presented either by the staff of Energy Consultants or the Department of Emergency Services.

For your information and review, enclosed is a copy of the draft Message Flow SOP developed by Energy Consultants for Montgomery and Berks Counties. Related, but much abbreviated, procedures and forms for municipalities are currently being developed. The message flow forms selected by the Counties and municipalities will be duplicated in large numbers for use in the training and drill programs.

A copy of the draft County EOC Operations lesson plan will be sent to you in the near future. I look forward to receiving your comments on both the draft lesson plan and the County's message flow procedures.

Sincerely,

Robin Hoffman Wenger
Training Program Coordinator

RHW:jr
Enclosure

STANDARD OPERATING PROCEDURE

MESSAGE FLOW

I. Purpose

To establish procedures necessary to facilitate the flow of information and the maintenance of records throughout activation of the County Emergency Operations Center (EOC).

II. Definitions

A. Routine Messages

Requests or information requiring official response or acknowledgement during the course of the emergency, but not dealing with immediate life-threatening situations.

B. Urgent Messages

Requests or information dealing with situations that have immediate life-threatening consequences.

III. Situation

A. In the event of an accident at the Limerick Generating Station, the flow of information or requests must be rapid.

B. In the event of an accident at the Limerick Generating Station, efficient records must be kept of all requests and information made available to officials. These records must secure the authority and liability of County officials.

IV. Responsibilities

A. The Operations Officer is responsible for:

1. Reviewing all messages produced within the EOC.
2. Directing plotters/posters to display relevant information on appropriate maps, charts or boards so that this information is readily observable by EOC personnel.
3. Briefing EOC personnel on all significant information received by the Operations Officer, as well as periodic status reviews.

B. The Message Flow Coordinator is responsible for:

1. Ensuring that the flow of information occurs in a timely and designated manner.
2. Reviewing all messages produced within the EOC and designating the proper routing and priority of all messages.

C. The Message Logger is responsible for:

1. Maintaining a log of all messages produced within the EOC.
2. Assigning a message number to every message produced within the EOC.
3. Ensuring that all messages requiring action or response have received the required action or response.

D. The Plotters/Posters are responsible for:

1. Posting significant information on the status board, as directed by the Operations Officer.
2. Posting identified problems and unmet needs on the problem area board, as directed by the Operations Officer.
3. Plotting relevant information on appropriate maps, as directed by the Operations Officer.

E. The Message Runners are responsible for:

1. Gathering all messages produced by EOC personnel and forwarding these messages to the Message Flow Coordinator.
2. Distributing copies of logged messages to the EOC personnel indicated in the routing portion of the form.

F. All EOC personnel are responsible for:

1. Developing messages to elicit response/action from or to convey information to other EOC personnel.
2. Responding to or acknowledging any messages received.
3. Maintaining a personal EOC Station Log Form throughout the emergency.

G. The Communications staff is responsible for:

1. Transmitting information over available equipment if required by EOC personnel.
2. Developing messages to be distributed to EOC personnel based upon information received from available communications resources.

V. Procedures

A. Administrative

1. The Message Flow Coordinator will have the following materials and supplies available at the time the EOC is activated:

- a. Message forms in sufficient quantity to meet the needs of extended operations (300 copies).
 - b. Message Center Log forms in sufficient quantity to meet the needs of an extended operation (100 sheets).
 - c. EOC Station Log Forms in sufficient quantity to meet the needs of extended operations (200 sheets).
 - d. Message distribution trays for the message desk and EOC personnel.
 - e. All necessary maps and boards required for the posting of emergency information.
 - f. An adequate supply of pens, pencils, grease pencils, markers and related operational supplies.
2. The Message Flow Coordinator will maintain and update a list of personnel designated and trained to operate as:
 - a. Alternate Message Flow Coordinator
 - b. Message Logger and alternate
 - c. Plotters/Posters (at least four)
 - d. Message Runners (at least six)

B. Operational

1. Upon arrival at the EOC, the Message Flow Coordinator will:
 - a. Notify and request all message flow personnel to report to the EOC.
 - b. Activate the message desk.
2. EOC personnel, upon receipt of a significant incoming message or upon generation of a significant outgoing or internal message, will complete the following form information:
 - a. Date and time the message is developed.
 - b. To whom the message is directed.
 - c. From whom the message is sent.
 - d. The priority of the message--urgent or routine.
 - e. The message itself.
3. The message originator will then place the message in the outgoing portion of the message distribution tray and obtain the attention of a message runner.

4. The message runner will forward the message to the Message Flow Coordinator.
5. The Message Flow Coordinator will review the content and assigned priority of the message.
 - a. If the message is confirmed as urgent, the Message Flow Coordinator will request a designated message number from the Message Logger, assign routing information and request immediate distribution of copies.
 - b. If the message is confirmed as routine, the Message Flow Coordinator will assign routing information and forward the message to the Message Logger. After the message has been logged, the Message Logger will place the message in the outgoing portion of the message distribution tray and request a message runner to distribute the assigned copies.
6. The message runner will place assigned copies in the incoming portion of the message distribution tray of the appropriate officer.
7. EOC personnel receiving messages will review message information.
 - a. If no response or action is required, the person will file the message.
 - b. If a response or action is required, the person will take the required action to complete the following message information:
 - (1) Priority assignment--urgent or routine.
 - (2) Response/reply itself.
 - (3) Signature of the person responding to the original message.
 - c. Upon completion of the response/reply, the message should be placed in the outgoing portion of the message distribution tray where it will be collected by the message runner.
 - d. The message runner will deliver the message to the Message Flow Coordinator.
 - (1) If the response/reply is confirmed to be urgent, the Message Flow Coordinator will brief the Operations Officer of the content, then request the message runner to deliver the message to the originator of the message.
 - (2) If the response/reply is confirmed to be routine, the Message Flow Coordinator will forward the response/reply to the Message logger for logging of the response.

- (3) The Message Logger then returns the message to the Message Flow Coordinator who briefs the Operations Officer on the response/reply.
 - (4) The Message Flow Coordinator then gives the response/reply to a message runner who delivers it to the person who developed the original message.
8. The Operations Officer will brief the Director of Emergency Preparedness and/or the EOC personnel of any messages or responses/replies that are significant or could potentially affect future decisions or actions.
9. The Operations Officer and the Emergency Preparedness Director will also periodically brief EOC personnel of emergency status periodically.
10. The Operations Officer will, after briefing EOC personnel, direct the plotters/posters to post significant information on appropriate maps or charts. The Operations Officer will then return his/her copy of the message to the Message Logger who will file the message copy.
11. If the message or response/reply requires the use of radio communications equipment, the Message Flow Coordinator will send a copy to the Communications Group which will transmit the information. The Communications Group will indicate at the top of the form the medium used and the time the message was transmitted. That copy will then be returned to the Message Flow Coordinator who will forward it to the Message Logger for logging and filing.
12. Message forms will be a five-part snap-out on NCR paper. If additional copies are required, the Message Flow Coordinator will direct a message runner to obtain duplicated copies from the duplication equipment operator.
13. After either developing or receiving a message or a response/reply, EOC personnel will record the activity on their personal EOC Station Log Form. The person developing or responding to a message will record:
 - a. The time the message was developed or received.
 - b. To whom the message was directed.
 - c. From whom the message was received.
 - d. A brief synopsis of the message.
 - e. A brief synopsis of any required response/reply.

VI. Attachments

Attachment 1 - Roster of Message Center Staff

Attachment 2 - Message Form

Attachment 3 - Log Form

Attachment 4 - EOC Station Log Form

Attachment 5 - Message Center Diagram

ATTACHMENT 1

MESSAGE CENTER ROSTER

<u>Position</u>	<u>Name</u>	<u>Address</u>	<u>Telephone No.</u>
Message Flow Coordinator			(H) (W)
Alternate Message Flow Coordinator			(H) (W)
Message Logger			(H) (W)
Alternate Message Logger			(H) (W)
Plotters/Posters	1.		(H) (W)
	2.		(H) (W)
	3.		(H) (W)
	4.		(H) (W)
Message Runners	1.		(H) (W)
	2.		(H) (W)
	3.		(H) (W)
	4.		(H) (W)
	5.		(H) (W)
	6.		(H) (W)

ATTACHMENT 2

MESSAGE FORM

Message No. Date: _____ Time: _____ Urgent ☐Routine ☐

To: Name _____ From: Name _____

Organization _____ Organization _____

Telephone _____ Telephone _____

Message: _____

_____Response/Reply: _____ Urgent ☐Routine ☐

Signature

ROUTING INFORMATION

Action	Information	Action	Information
<input type="checkbox"/> Commissioners	<input type="checkbox"/>	<input type="checkbox"/> School Services	<input type="checkbox"/>
<input type="checkbox"/> Coordinator	<input type="checkbox"/>	<input type="checkbox"/> Transportation	<input type="checkbox"/>
<input type="checkbox"/> Deputy Coordinator	<input type="checkbox"/>	<input type="checkbox"/> Public Works	<input type="checkbox"/>
<input type="checkbox"/> Operations	<input type="checkbox"/>	<input type="checkbox"/> Agriculture	<input type="checkbox"/>
<input type="checkbox"/> Communications	<input type="checkbox"/>	<input type="checkbox"/> Industrial Liaison	<input type="checkbox"/>
<input type="checkbox"/> Police Services	<input type="checkbox"/>	<input type="checkbox"/> Public Information	<input type="checkbox"/>
<input type="checkbox"/> Fire Services	<input type="checkbox"/>	<input type="checkbox"/> Mass Care	<input type="checkbox"/>
<input type="checkbox"/> Medical	<input type="checkbox"/>	<input type="checkbox"/> _____	<input type="checkbox"/>
<input type="checkbox"/> Radiological	<input type="checkbox"/>	<input type="checkbox"/> _____	<input type="checkbox"/>

MESSAGE CENTER LOG FORM

Date _____


[illegible]

ATTACHMENT 4

EOC STATION LOG FORM

EOC Position _____ Date _____

ATTACHMENT 5
MESSAGE CENTER DIAGRAM





ENERGY CONSULTANTS

RIVERSIDE OFFICE CENTER 3-2101 N. FRONT ST. / HARRISBURG / PA 17110 PH. (717) 236-0031
CORPORATE OFFICE: 121 SEVENTH STREET PITTSBURGH PA 15222-3487 PH. (412) 434-5200

April 5, 1984

Mr. A. Lindley Bigelow, Director
Montgomery County Office of Emergency
Preparedness
Wilson Boulevard
Eagleville, PA 19403

Dear Mr. Bigelow:

Attached for your information and use are completed responses to the Montgomery County special needs survey. These forms indicate that the respondents are not residents of the Limerick Generating Station Emergency Planning Zone (plume exposure Pathway). [County residents living outside the EPZ]

As previously indicated, this information is considered to be confidential and must be protected.

If you have any questions or require any additional information, please contact me.

Sincerely,

Henry C. Tamanini
Henry C. Tamanini

HCT:jr



ENERGY CONSULTANTS

RIVERSIDE OFFICE CENTER 3/2101 N. FRONT ST. / HARRISBURG / PA 17110 / PH. (717) 236-0031
CORPORATE OFFICE: 121 SEVENTH STREET / PITTSBURGH / PA 15222-3487 / PH. (412) 434-5200

84 APR 16 AIO:47

April 3, 1984

OFFICE OF SECRETARY
PLANNING & SERVICE
BRANCH

Mr. John Sengia
Academic Director
Saint Pius-X High School
North Keim Street
Pottstown, PA 19464

Dear Mr. Sengia:

Thank you for your telephone call of March 29, 1984, in reference to a copy of the October 14, 1983, letter between Aldolph L. Belser (Pennsylvania Emergency Management Agency) and the late Samuel L. Ely, III (Montgomery County Office of Emergency Preparedness). For purposes of clarification, I am attaching several documents including a clean original copy of the October 14, 1983, A. L. Belser (PEMA) letter you refer to.

Since the October 14, 1983, PEMA letter, many meetings and items of correspondence have been held, transmitted and received. As I believe we discussed during previous telephone calls and meetings, the emergency planning process is extremely dynamic and has resulted in changes and draft revisions. The Saint Pius-X plan is a draft 2 and the Pottsgrove School District Radiological Emergency Response Plan for incidents at the Limerick Generating Station is listed as draft 3 and dated November 1983. Mr. Cunningham of this office has been working with Mr. Alvin F. Coleman, Assistant Superintendent of the Pottsgrove-Area School District regarding the planning process. Additionally, Messrs. Cunningham and Coleman will be meeting the week of April 2, 1984, for additional planning matters.

The attached selected pages of the current Pottsgrove Area School District RERP provide documentation that Saint Pius X and Saint Gabriels School are recognized and identified in the Pottsgrove School District plan. Similar references are included in other school district plans in regard to parochial and non-profit private schools (The Perkiomen Valley School District RERP specifically references St. Mary's and St. Eleanor's and other non-profit private schools). Page 6, Section II.B.3, emphasis added, addresses the need for individual RER plans for school buildings and schools (e.g., Saint Pius-X). Attachments 1, 2 and 3 (A1-1, A2-18 through A2-21 and A3-15 and A3-16) provide evidence that Saint Pius-X and Saint Gabriels are recognized by the District including bussing resource needs.

The Montgomery County Office of Emergency Preparedness has been reviewing the transportation needs for the individual RERP's and is developing a county transportation resource list. The planning parameters include making sufficient transportation resources available for a worst case situation. That is, sufficient busses to permit simultaneous movement of students and the like without the need for multiple trips.

Mr. John Sengia


(2)

April 3, 1984

As previously discussed, the planning process involves the complete coordination of all components; that is, the County plan is in consonance with all municipal, school, hospital, health care and other plans.

If you have any questions or wish to discuss this further, please contact me.

Sincerely,


Henry C. Tamanini

HCT:jr

cc. A. Belser, PEMA
A. L. Bigelow, Montgomery County OEP
A. F. Coleman, Pottsgrove School District



PENNSYLVANIA EMERGENCY MANAGEMENT AGENCY

P.O. BOX 3321
HARRISBURG, PENNSYLVANIA 17105



October 14, 1983

Mr. Samuel L. Ely, III
Coordinator
Montgomery County Office of
Emergency Preparedness
100 Wilson Boulevard
Eagleville, Pennsylvania 19403

Dear Mr. Ely:


A review of the Montgomery County school district plans for incidents at the Limerick Generating Station has been completed. Since the plans follow a standard format our comments apply in general to all of the plans, but they are keyed specifically to the Methacton School District Plan.

The individual school plans for non-profit private schools, including parochial schools, will not be reviewed because non-profit private schools are the responsibility of the school district in whose territory they are located. All school plans, including public and non-profit private schools, are the responsibility of the appropriate school district superintendents. A key point in Appendix 11 of Annex E of the state plan is that the school district superintendent must be responsible for all the schools in his district's territory, both public and non-profit private schools. That includes planning, preparedness, exercises and implementation of the plans when necessary. Only if a private school or schools refuse to cooperate with the school district superintendent will an exception be acceptable, and, in that event, that fact should be duly noted in the school district plan.

I believe the enclosed comments are self-explanatory. A representative of ECI, the consultant firm hired by PECO, will be in contact with you to coordinate arrangements for them to assist superintendents in making the necessary changes or additions for resubmission to PEMA by November 1, 1983.

If PEMA can be of any further assistance in this matter, please contact me.

Sincerely,


Adolph V. Belser, Director
Office of Plans and Preparedness

ALB/TJC:jmb (Tel: 717-783-8150)

Enclosure

cc: Robert J. Casto, Eastern Area Director
Roberta Kankus, Philadelphia Electric Company
James Fisher, Energy Consultants, Inc. ✓

POTTSGROVE SCHOOL DISTRICT
MONTGOMERY COUNTY
RADIOLOGICAL EMERGENCY RESPONSE PLAN
FOR INCIDENTS AT THE
LIMERICK GENERATING STATION

Prepared by:
Pottsgrove School District
Kauffman Road
Pottstown, PA 19464

215/327-2277

November 1983

2. Ensures that planned actions are in consonance with Municipal, County and State RERP's.
3. Identify necessary resources and required personnel to assure protective actions can be implemented for the Pottsgrove School District population.
4. Provide the basis for orientation of school staff, students and parents/guardians regarding appropriate actions in the event of an incident at the Limerick Generating Station.

II. BASIC PLAN

A. General

Because a number of school districts are found within the 10-mile plume exposure pathway EPZ of the Limerick Generating Station, all of which might be expected to implement their respective RERP's simultaneously, the safety of the school population can best be served through an emergency plan that is in consonance among all districts, as well as with the state and risk county RERP's. Accordingly, the Pottsgrove School District RERP has been developed in such a manner that it will function harmoniously with other plans without risk of conflict.

This plan is designed to protect school students while attending any school function, including classroom and/or extracurricular activities, special events or any function sponsored by the school.

B. Direction and Coordination

1. The Superintendent of Schools shall exercise all authority granted in accordance with the policies set forth by the School Board and the laws of the Commonwealth of Pennsylvania.
2. The Superintendent of Schools is responsible to the School Board for all school emergency plans and procedures assuring the safety of students and staff in the event of an incident at the Limerick Generating Station.
3. Non-profit private schools within the territory covered by the Pottsgrove School district come under the school district for planning, notification and coordination of transportation resource requirements. *
4. The Superintendent of Schools coordinates with the Montgomery County OEP for protective response to include the direction and control of evacuation and/or sheltering of students and staff and for the cancellation of school or special activities.
5. All students, school buildings, school equipment, staff and contracts will remain under the supervision and control the the Superintendent of Schools. The Pottsgrove School District Administration Office will serve as the interfacing point in *

providing for administration, information/resource exchange and management of school services.

6. School Principals are responsible to the Superintendent for school emergency plans, the coordination of protective action within their school, and for the safety of students and staff in the event of incident at the Limerick Generating Station. *
7. Host school services furnished by the Southern Lehigh School District and other designated schools shall be under the operational control of that district or school. *
8. Because of the multi-district scope of a radiological emergency, the need for centralized coordination of emergency response personnel and resources becomes essential. For the purposes of this Plan, therefore, Montgomery County OEP shall exercise responsibility for coordination and support.
9. The Montgomery County Radiological Emergency Response Plan to which this document shall be annexed shall govern implementation of the Pottsgrove School District RERP.
10. Coordination between the counties involved shall be accomplished by the Pennsylvania Emergency Management Agency (PEMA) and be governed by the Commonwealth of Pennsylvania, Disaster Operations Plan, Annex E, Fixed Nuclear Facility Incidents.
11. School is in session during regular classroom hours (semesters; summer sessions; evening classes); when the authorized school calendar applies; when students are involved in regular school sponsored activities/events; or when students occupy school facilities under school supervision.*
12. School not in session refers to after hours during the time of the authorized school calendar (regular and summer school terms). Special activities during vacation periods will be included if school facilities are occupied by individuals or groups not authorized/sponsored by the School (District).*
13. This plan does not apply during vacation periods or when all school facilities are closed for extended periods. Decisions to extend vacations, etc., are implemented using procedures specified for "School not in Session," as appropriate. All actions will be coordinated through the Montgomery County OEP.
14. Students refer to individuals in grades Kindergarten (K) to Twelve (12), authorized pre-school program(s) or special education activities.
15. In no case will students be dismissed to their own care if protective action is imminent. School officials will remain

* A copy of the school calendar is attached (reference Attachment 8). *

responsible for student safety until parents/guardians can assume responsibility.

C. District Organization

An Organizational Chart for the Pottsgrove School District is included in Attachment 6.

D. Fixed Nuclear Facility Incident Situation

1. All incidents occurring at the Limerick Generating Station will be classified according to the emergency action levels: Unusual Event, Alert, Site Emergency, General Emergency.
2. A fixed nuclear facility incident could occur during school hours and result in the disruption of school services for an extended period of time.
3. County officials and school administration will initiate protective actions including all those actions considered necessary for the safety of the general population, requiring students and staff to either initiate sheltering actions or evacuate directly to designated host schools.

E. Alert/Notification System

1. Montgomery County OEP and the Pottsgrove School District will maintain an alert/notification procedure and a primary and backup telecommunications system to provide for alert/notification and information exchange in the event of an incident at the Limerick Generating Station. The telecommunications system includes unlisted telephones located at the Pottsgrove School District Administrative Office (and each school principal's office). Commercial telephone shall serve as the primary method of communication. Montgomery County OEP will provide for a RACES representative at the Pottsgrove School District Administrative Office to provide an alternate means of radio communication in the event of a telephone failure. *

In the event of an incident at the Limerick Generating Station requiring notification of schools, Montgomery County OEP will activate the "Tellabs 294" alerting system. This system provides a distinctive ring and pre-recorded message to all schools in the EPZ. The Pottsgrove School District Superintendent is responsible to confirm notification of all school officials. *

2. School District Superintendent

In the event of an incident at the Limerick Generating Station, the Superintendent will be notified by the "Tellabs 294" or the County School Services Officer from the Montgomery County EOC. The Pennsylvania Department of Education (PDE) may confirm notification of school Superintendents for the purpose of redundancy. *

ATTACHMENT 1

SCHOOL DISTRICT PROFILE FORMDistrict: Pottsgrove

Schools:

	<u>Public</u>	<u>Parochial</u>	<u>Non-Profit Private</u>	<u>Total</u>
Primary	<u>4</u>	<u>1</u>	<u>2</u>	<u>7</u>
Intermediate	<u>1</u>	<u></u>	<u></u>	<u>1</u>
Junior High	<u>--</u>	<u></u>	<u></u>	<u>--</u>
High School	<u>1</u>	<u>1</u>	<u></u>	<u>2</u>
Vo-Tech	<u>--</u>	<u></u>	<u></u>	<u>--</u>
Other	<u>--</u>	<u></u>	<u></u>	<u>--</u>

Enrollment:

	<u>Students</u>					
	<u>Grade</u>	<u>General</u>	<u>Sp. Ed.</u>	<u>Other*</u>	<u>Total</u>	<u>Faculty**</u> <u>Other Staff</u>
K		188			188	5
1		206			206	9
2		177			177	8
3		191	6		197	10
4		208	4		212	8
5		186	2		188	8
6		213	6		219	8
7		232	6		238	8
8		254	10		264	8
9		218	2	4	224	9
10		234	6	1	241	9
11		187	6	2	195	8
12		188	2	4	194	8
Other						
Total		2,682	50	11	2,743	106

* I.U. class in high school
 ** Class teachers only

ATTACHMENT 2

SCHOOL BUILDING PROFILE FORM*

School Name: St. Gabriel's School

School Affiliation: Public ☒ Parochial Non-Profit Private
Nursery Other (specify) _____

Address: Fairview and Monroe Streets
Stowe, PA 19464

Telephone 215/326-5749

Location: _____

EPZ: Yes Municipality: West Pottsgrove

Census: Year 83 Term _____

<u>Grade</u>	<u>Students</u> <u>General/Sp. Ed.</u>	<u>Faculty</u>
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____

Total Enrollment: _____ 206

Total Faculty: _____ 12

Total Other Staff: 4

<u>Key Staff:</u>	<u>Name</u>	<u>Telephone/Pager</u>	<u>Address</u>
-------------------	-------------	------------------------	----------------

Principal:

Relief/Designate (1): Eighth Grade Faculty 215/326-5749

Relief/Designate (2): Seventh Grade Faculty 215/326-5749

Maintenance Person: (Winter Months)

*One form completed for each building, residence, etc.

SCHOOL BUILDING PROFILE FORM (CONT'D.)

FACILITY VEHICLES AVAILABLE: _____

Drivers:

	<u>Name</u>	<u>Telephone/Pager</u>	<u>Address</u>
(1)	_____	_____	_____
(2)	_____	_____	_____
(3)	_____	_____	_____

Buses/Vehicles Assigned for Evacuation*: _____

Special Requirements for Evacuation*: _____

Host School:

St. Ann - Emmaus

Telephone:

215/965-9220

Location:

Sixth and Fairview Streets, Emmaus

Evacuation Route(s):

Fairview St. to Center St. to Grosstown Rd. to Berks
St. to Glasgow Rd. to Showmaker Rd. to 100 N to Rt. 29
N to Emmaus - 6th Street

Feeding Center:

Emmaus Senior High School

Telephone:

Location:

851 North Street

Route(s):

Bus Assigned: _____

* Obtain from "Resources Required for Evacuation" Form (Attachment 3)

ATTACHMENT 2

SCHOOL BUILDING PROFILE FORM*

School Name: St. Pius X High School

School Affiliation: Public X Parochial Non-Profit Private
Nursery Other (specify)

Address: 844 North Keim Street
Pottstown, PA 19464

Telephone: 215/326-8990

Location: _____

EPZ: Yes Municipality: Lower Pottsgrove

Census: Year 664 Term _____

Grade	Students General/Sp. Ed./Handicapped	Faculty	Monitors
9	_____	_____	_____
10	_____	_____	_____
11	_____	_____	_____
12	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____

Total Enrollment: 664

Total Faculty: 37

Total Other Staff: _____

Staff:	Name	Telephone/Pager	Address
Principal:	Rev. James E. McGuire	215/326-8990	
Chief/Designate (1):	Academic Director	"	
Chief/Designate (2):	Dean of Students	"	
Maintenance Person:	Supervisor		

This form completed for each building, residence, etc.

SCHOOL BUILDING PROFILE FORM (CONT'D.)

FACILITY VEHICLES AVAILABLE: _____

Drivers:

Name

Telephone/Pager

Address

(1)

(2)

(3)

Buses/Vehicles Assigned for Evacuation*:

Special Requirements for Evacuation*:

Host School:

Allentown College

Telephone:

215/282-1100

Location:

Center Valley

Evacuation Route(s):

Keim St. to Buchert Rd. to Kauffman Rd. to Pottsgrove
School Rd. to Rt. 663 N to Rt. 309 N

Feeding Center:

Emmaus Senior High School

Telephone:

Location:

851 North Street

Route(s):

Bus Assigned:

* Obtain from "Resources Required for Evacuation" Form (Attachment 3)

RESOURCES REQUIRED FOR EVACUATION*

I. Buses

Buses Assigned/
(Capacity)

Agency/TelephoneThis image shows a blank sheet of white paper with horizontal ruling lines. The lines are organized into three distinct vertical columns. Each column contains approximately 20 parallel horizontal lines, evenly spaced. There are no margins, text, or other markings on the page.

Draft 3

RESOURCES REQUIRED FOR EVACUATION (CONT'D.)*

III. Staff/Other Vehicles Assigned

_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____

IV. Special Needs:

V. Staff Assigned:

I. RACES Units

form completed for each building, residence, etc.

POTTSGROVE SCHOOL DISTRICT

KAUFFMAN ROAD • POTTSTOWN, PENNSYLVANIA 19464-2398 • (215) 327-2277

DOCKETED
USNRC

74 APR 16 AIO:47

Office of the Superintendent
OFFICE OF SECRETARY
DOCKETING & SERVICE
BRANCH

March 23, 1984

Mr. John H. Cunningham, Planning Specialist
Energy Consultants, Inc.
Riverside Office Centre 3
101 North Front Street
Harrisburg, Pennsylvania 17110

Dear John:


I have received a solicitor's opinion concerning the agreement between Pottsgrove and the Southern Lehigh School District. Based on that opinion I would like to make some requests, as follows:

1. The term "etc." on page two, Item 2B, is much too indefinite. May we please have a clarification?
2. May we please negotiate paragraph 2F, on page 2, because as it is presently worded Southern Lehigh District is released from all liability even if Southern Lehigh was the cause of the debt, claim or liability. Could we discuss modifications or could you suggest some changes that would be reasonable for both parties and not just Southern Lehigh School District?

Our solicitor also pointed out that Pennsylvania is a commonwealth rather than a state (as mentioned on the first page of the agreement).

Any assistance that you could provide in helping me to resolve these differences would be most appreciated.

Sincerely,


Alvin F. Coleman
Superintendent

AFC/jz

PHILADELPHIA ELECTRIC COMPANY

2301 MARKET STREET

P.O. BOX 8699

PHILADELPHIA, PA. 19101

DOCKETED
USNRC

84 APR 16 AIO:47

JOHN S. KEMPER
VICE-PRESIDENT
ENGINEERING AND RESEARCH

(215) 841-4502

APR 13 1984
SECRETARY
DOCKETING & SERVICE
BRANCH

Mr. A. Schwencer, Chief
Licensing Branch No. 2
Division of Licensing
U. S. Nuclear Regulatory Commission
Washington, D.C. 20555

Subject: Limerick Generating Station, Units 1&2
Meteorological and Effluent Treatment
Branch.

Reference: A. Schwencer to E. G. Bauer, Jr.,
letter dated February 29, 1984.


File: GOVT 1-1 (NRC)

Dear Mr. Schwencer:

In compliance with your request for additional
information concerning the standby gas treatment system
enclosed please find our draft response to RAI 460.23 and
revised response 460.4.

The attached draft RAI(s) will be incorporated into the
FSAR exactly as they appear on the enclosed in the revision
scheduled for May 1984.

Sincerely,



RJS/gra/040384245

cc: See Attached Service List

cc: Judge Lawrence Brenner	(w/o enclosure)
Judge Peter A. Morris	(w/o enclosure)
Judge Richard F. Cole	(w/o enclosure)
Troy B. Conner, Jr., Esq.	(w/o enclosure)
Ann P. Hodgdon, Esq.	(w/o enclosure)
Mr. Frank R. Romano	(w/o enclosure)
Mr. Robert L. Anthony	(w/o enclosure)
Mr. Marvin I. Lewis	(w/o enclosure)
Charles W. Elliot, Esq.	(w/o enclosure)
Zori G. Ferkin, Esq.	(w/o enclosure)
Mr. Thomas Gerusky	(w/o enclosure)
Director, Penna. Emergency	(w/o enclosure)
Management Agency	
Mr. Steven P. Hershey	(w/o enclosure)
Angus Love, Esq.	(w/o enclosure)
Mr. Joseph H. White, III	(w/o enclosure)
David Wersen, Esq.	(w/o enclosure)
Robert J. Sugarman, Esq.	(w/o enclosure)
Spence W. Perry, Esq.	(w/o enclosure)
Jay M. Gutierrez, Esq.	(w/o enclosure)
Atomic Safety & Licensing	(w/o enclosure)
Appeal Board	
Atomic Safety & Licensing	(w/o enclosure)
Board Panel	
Docket & Service Section	(w/o enclosure)
Martha W. Bush, Esq.	(w/o enclosure)
James Wiggins	(w/o enclosure)
Mr. Timothy R. S. Campbell	(w/o enclosure)
Phyllis Zitzer	(w/o enclosure)