

July 25, 1995

MEMORANDUM TO: James M. Taylor
Executive Director for Operations

FROM: Roy P. Zimmerman Original signed by
Associate Director for Projects
Office of Nuclear Reactor Regulation

SUBJECT: JUNE 1995 REPORT ON THE STATUS OF PUBLIC PETITIONS UNDER
10 CFR 2.206

Attached is the monthly report which reflects the status of 10 CFR 2.206 petitions as of the end of June 1995. This report may not reflect changes in status that have occurred since petition managers submitted data on the June status. Attachment 1 gives the status of petitions before the Offices of Nuclear Material Safety and Safeguards, Nuclear Reactor Regulation, and Enforcement. Attachment 2 lists decisions before the Commission and the courts. Attachment 3 lists other sensitive matters related to specific petitions.

By issuing the monthly report on the status of pending 10 CFR 2.206 petitions, the staff is documenting its responsiveness to petitioners.

To enhance staff responsiveness to the public, those parts of the monthly report not of a sensitive nature will be placed in the Public Document Room and on the electronic bulletin board system, making them readily accessible to the public.

- Attachments:
1. Report on Status of Public Petitions Under 10 CFR 2.206
 2. Decisions Pending Before the Commission and the Courts
 3. Internal Distribution Only

cc w/att:

K. D. Cyr, OGC	W. T. Russell, NRR
C. J. Paperiello, NMSS	J. Lieberman, OE
R. L. Bangart, OSP	G. P. Caputo, OI
J. F. Cordes, Jr., OCAA	J. R. Goldberg, OGC
L. J. Chandler, OGC	Regional Administrators
SECY	OCA OPA

CONTACT: Charles Thomas, NRR
415-1325

Distribution:

Central Files PUBLIC w/att 1 & 2 only (Att 3 is "NOT FOR EXTERNAL DISTRIBUTION")
M. Thadani E. Adensam (e) G. Beveridge J.R.Gray P.Lohaus A. Chaffee B. McCabe
F. Cameron/OGC C. Jamerson W. Bateman J.Roe (e)

DOCUMENT NAME: P:\206\JUL95RPT.WP *See Previous Concurrence
To receive a copy of this document, indicate in the box: "C" = Copy without attachment/enclosure "E" = Copy with attachment/enclosure "N" = No copy

OFFICE	LA:PD31	E	PM:PD31	E	E	NMSS,RMB	E
NAME	C. Jamerson		C. Thomas		M. Thadani	G. G. Beveridge	
DATE	07/18/95		07/18/95		07/18/95	07/18/95	

OFFICE	*DD:OE	E	*TECH EDITOR	N	ADRP:NRR#1	E
NAME	J. R. Gray		BCalure		R. P. Zimmerman	
DATE	07/19/95		07/18/95		07/24/95	

OFFICIAL RECORD COPY

Handwritten notes:
- 2 FD's
- 11
- L-4-1, PT. 2
- X-04m-6-1
- X-04m-8-Reports, Gen L.

9508010131 950725
PDR ORG NRRR
PDR

RETURN TO REGULATORY CENTRAL FILES

Report on Status of Public Petitions
Under 10 CFR 2.206

June 1995

Contents*

<u>Facility</u>	<u>Petitioner/EDO No.</u>	<u>Page No.</u>
Chemetron-Newburgh Heights, Ohio	McGean-Rohco, Inc./4182	1
Vogtle	Hobby and Mosbaugh/5836	2,23
Advanced Medical Systems, Inc.	Northeast Ohio Regional Sewer District/8663	3
Palo Verde	Saporito/8923	3,24
Millstone	Ross/9241	4,24
Millstone	Reynolds/9287	4,24
Watts Bar	Gillilan/9838	5,24
All Power Reactors	Blanch/9968	5
Millstone	Ross/10119	6,24
Palo Verde	Saporito/10121	6,24
Advanced Medical Systems, Inc.	Northeast Ohio Regional Sewer District/10395	7
Oyster Creek	Gunter and de Camp, Jr./10473	8
Comanche Peak	Gunter (NIRS) and Brink (CFUR)/10492	9
San Onofre 2 & 3	Dean/10498	9
Peach Bottom 2 & 3	Maryland Safe Energy Coalition/10547	10
All Reactor Licensees Using Thermo-Lag 330	GE Stockholders' Alliance/10582	11
All Reactor Licensees Using Thermo-Lag 330	Toledo Coalition for Safe Energy/10595	12
Georgia Tech and All Licensees	Blockey-O'Brien/10598	13
Millstone	Ross/10600	13
All Reactor Licensees Using Thermo-Lag 330	Cinquemani/10601	14
All Reactor Licensees Using Thermo-Lag 330	Benjan/10622	15
All Reactor Licensees Using Thermo-Lag 330	DeBolt/10667	16
Oyster Creek	Gunter and de Camp, Jr./10697	17
Parks Township	Ameno and Bologna/11	23
Millstone	Ross/15	18
Millstone	Ross/16	18
Millstone	Ross/17	19
Millstone	Ross/24	20
Sequoyah Fuels Corporation	Native Americans for a Clean Environment/231	20
Prairie Island Units 1 & 2	Bjoralt and Gunter/433	21

*Includes Attachments 2 and 3.

Report on
Status of Public Petitions
Under 10 CFR 2.206

Facility: Chemetron-Newburgh Heights, Ohio (Harvard Avenue Site)
 Petitioner: McGean-Rohco, Inc. (Dr. Klaus R. Romer, James A. Lucas)
 Date of Petition: 1/6/89

Director's Decision To Be Issued by: NMSS
 Date Referred to Review Organization: 1/31/89
 EDO Number: 4182
 OGC Number: P-91-012
 Scheduled Completion Date: 9/30/95
 Last Contact with Petitioner(s): 6/9/95
 Petition Manager: T. Johnson
 Case Attorney: M. Stein

Issues/Action Requested: Compel immediate decontamination and impose sanctions for failure to decontaminate immediately.

Current Status: A progress letter was sent to the petitioner on 6/20/89 denying the request for immediate relief, deferring a decision on sanctions, and reporting on the status of decontamination activities at the site. A second progress letter was sent to the petitioner on 7/31/89 reporting on the status of decontamination efforts and approving an extension in the deadline to complete decommissioning. Orders modifying the license were issued on 4/8/92 and 5/13/92 requiring a final site characterization report by 6/15/92. Chemetron submitted the report on 6/15/92. A third progress letter was sent to the petitioner on 5/22/92 discussing the 4/8/92 and 5/13/92 orders modifying the license. The license was amended on 5/25/93 to require Chemetron to submit a final site remediation plan by 10/01/93. A fourth progress letter was sent to the petitioner on 6/11/93 discussing the NRC approval of the final site characterization report, the Ohio Environmental Protection Agency (OEPA) permit process for addressing solid waste issues, and the license amendment establishing a submittal date for the final site remediation plan. Chemetron submitted a site remediation plan on 10/1/93. A confirmatory order was issued on 10/29/93 to require submittal of sections omitted from the site remediation plan. Chemetron submitted the remaining sections on 11/11/93. A fifth progress letter was sent to the petitioner on 4/3/94 discussing the submittal of the site remediation plan, the 10/29/93 confirmatory order, and OEPA requirements for addressing the solid waste issues. The license was amended on 8/9/94 to authorize the remediation of the McGean-Rohco buildings. A sixth progress letter was sent to the petitioner on 9/9/94 discussing the 8/9/94 license amendment, the status of the remediation plan review, post-closure restrictions, and

hearing on the final issue (an alleged misrepresentation of diesel generator test results) began on 4/17/95. The final Director's Decision is expected to be issued 60 days after the ASLB decision is issued.

Facility: Advanced Medical Systems, Inc.
Petitioner: Northeast Ohio Regional Sewer District (W. Schatz)
Date of Petition: 3/3/93

Director's Decision To Be Issued by: NMSS
Date Referred to Review Organization: 3/17/93
EDO Number: 8663
OGC Number: P-93-003
Scheduled Completion Date: 9/28/95
Last Contact with Petitioner(s): 5/30/95
Petition Manager: J. DeCicco
Case Attorney: M. Stein

Issues/Action Requested: Modify license for AMS to (1) assume all costs resulting from offsite release of cobalt-60 that has been deposited at the Southerly Treatment Plant and (2) decontaminate the sewer connecting AMS with public sewer system.

Current Status: An acknowledgement letter was issued on 4/2/93. Extensive environmental surveys were completed by Region III during the week of 5/24/93 and an inspection report was issued on 7/29/93. A Northeast Ohio Regional Sewer District (NEORS) site characterization report was submitted on 6/30/94. A NEORS letter of 9/13/94 contained supplemental requests to this petition. An acknowledgement letter was issued on 10/14/94. A NEORS letter of 10/13/94 also contained a supplemental request to this petition; an acknowledgement letter was issued on 11/2/94. The draft Director's Decision, which is undergoing review to include all supplemental requests, was sent to OGC for management review on 12/28/94. The scheduled completion date was extended in January and March 1995 because OGC is preparing an options paper for the Commission's consideration. The staff provided a status update to the petitioner by telephone on 5/30/95. The completion date was extended in June 1995 to allow additional time for development of the Commission Option Paper.

Facility: Palo Verde
Petitioner: T. Saporito
Date of Petition: 5/12/93

Director's Decision To Be Issued by: NRR
Date Referred to Review Organization: 5/27/93
EDO Number: 8923
OGC Number: P-93-009
Scheduled Completion Date: 12/30/95
Last Contact with Petitioner(s): 7/11/95

Report on
Status of Public Petitions
Under 10 CFR 2.206

Facility: Chemetron-Newburgh Heights, Ohio (Harvard Avenue Site)
 Petitioner: McGean-Rohco, Inc. (Dr. Klaus R. Romer, James A. Lucas)
 Date of Petition: 1/6/89

Director's Decision To Be Issued by: NMSS
 Date Referred to Review Organization: 1/31/89
 EDO Number: 4182
 OGC Number: P-91-012
 Scheduled Completion Date: 9/30/95
 Last Contact with Petitioner(s): 6/9/95
 Petition Manager: T. Johnson
 Case Attorney: M. Stein

Issues/Action Requested: Compel immediate decontamination and impose sanctions for failure to decontaminate immediately.

Current Status: A progress letter was sent to the petitioner on 6/20/89 denying the request for immediate relief, deferring a decision on sanctions, and reporting on the status of decontamination activities at the site. A second progress letter was sent to the petitioner on 7/31/89 reporting on the status of decontamination efforts and approving an extension in the deadline to complete decommissioning. Orders modifying the license were issued on 4/8/92 and 5/13/92 requiring a final site characterization report by 6/15/92. Chemetron submitted the report on 6/15/92. A third progress letter was sent to the petitioner on 5/22/92 discussing the 4/8/92 and 5/13/92 orders modifying the license. The license was amended on 5/25/93 to require Chemetron to submit a final site remediation plan by 10/01/93. A fourth progress letter was sent to the petitioner on 6/11/93 discussing the NRC approval of the final site characterization report, the Ohio Environmental Protection Agency (OEPA) permit process for addressing solid waste issues, and the license amendment establishing a submittal date for the final site remediation plan. Chemetron submitted a site remediation plan on 10/1/93. A confirmatory order was issued on 10/29/93 to require submittal of sections omitted from the site remediation plan. Chemetron submitted the remaining sections on 11/11/93. A fifth progress letter was sent to the petitioner on 4/3/94 discussing the submittal of the site remediation plan, the 10/29/93 confirmatory order, and OEPA requirements for addressing the solid waste issues. The license was amended on 8/9/94 to authorize the remediation of the McGean-Rohco buildings. A sixth progress letter was sent to the petitioner on 9/9/94 discussing the 8/9/94 license amendment, the status of the remediation plan review, post-closure restrictions, and

the schedule for submitting the application for closure authorization to OEPA. A seventh progress letter, sent to the petitioner on 11/21/94, discusses the status of the McGean-Rohco building remediation, the remediation plan review, and the submittal to OEPA of the application for closure authorization. An eighth progress letter was sent to the petitioner on 2/10/95 discussing the status of the remediation plan review, the status of McGean-Rohco building remediation, and the submittal to OEPA of the application for the Bert Avenue closure authorization. A ninth progress letter was sent to the petitioner on 4/3/95 discussing the status of the remediation plan review and the McGean-Rohco building remediation. A tenth progress letter, which discusses recent confirmatory surveys of McGean-Rohco buildings and Chemetron's request to separate the Harvard Avenue site review from the Bert Avenue site review, was sent to the petitioner on 6/9/95. A Director's Decision is deferred pending Chemetron's completion of decontamination activities. The scheduled completion date was extended in January, March, and June 1995 so that Chemetron could complete uranium solubility testing and outstanding remediation plan issues could be resolved.

Facility: Vogtle
Petitioners: M. Hobby and A. Mosbaugh
Date of Petition: 9/11/90

Director's Decision To Be Issued by: NRR
Date Referred to Review Organization: 9/21/90
EDO Number: 5836
OGC Number: P-90-009
Scheduled Completion Date: 12/1/95 (dependent on hearing)
Last Contact with Petitioner(s): Regularly, through hearing
Petition Manager: D. Hood
Case Attorney: R. Hoefling

Issues/Action Requested: Take immediate action regarding alleged "illegal transfer" of operating licenses, repeated and willful violations of NRC requirements, and unsafe management practices at operating reactors.

Current Status: An acknowledgement letter was issued on 10/23/90. The Director of the Office of Nuclear Reactor Regulation issued a partial Director's Decision on 4/23/93 (DD-93-08). On 7/14/93, the Commission vacated the partial Director's Decision and requested that a final Director's Decision await completion of a related hearing (CLI-93-15). On 2/18/94, the Atomic Safety and Licensing Board (ASLB) granted intervenor status to petitioner Mosbaugh, admitting him as a party in the license amendment proceeding concerning the proposed transfer of operating licenses from Georgia Power to Southern Nuclear Operating Company. The contention admitted encompasses some of the issues in the 2.206 petition. The hearing on the "illegal transfer" issue was held 1/4-13/95. The

hearing on the final issue (an alleged misrepresentation of diesel generator test results) began on 4/17/95. The final Director's Decision is expected to be issued 60 days after the ASLB decision is issued.

Facility: Advanced Medical Systems, Inc.
Petitioner: Northeast Ohio Regional Sewer District (W. Schatz)
Date of Petition: 3/3/93

Director's Decision To Be Issued by: NMSS
Date Referred to Review Organization: 3/17/93
EDO Number: 8663
OGC Number: P-93-003
Scheduled Completion Date: 9/28/95
Last Contact with Petitioner(s): 5/30/95
Petition Manager: J. DeCicco
Case Attorney: M. Stein

Issues/Action Requested: Modify license for AMS to (1) assume all costs resulting from offsite release of cobalt-60 that has been deposited at the Southerly Treatment Plant and (2) decontaminate the sewer connecting AMS with public sewer system.

Current Status: An acknowledgement letter was issued on 4/2/93. Extensive environmental surveys were completed by Region III during the week of 5/24/93 and an inspection report was issued on 7/29/93. A Northeast Ohio Regional Sewer District (NEORS) site characterization report was submitted on 6/30/94. A NEORS letter of 9/13/94 contained supplemental requests to this petition. An acknowledgement letter was issued on 10/14/94. A NEORS letter of 10/13/94 also contained a supplemental request to this petition; an acknowledgement letter was issued on 11/2/94. The draft Director's Decision, which is undergoing review to include all supplemental requests, was sent to OGC for management review on 12/28/94. The scheduled completion date was extended in January and March 1995 because OGC is preparing an options paper for the Commission's consideration. The staff provided a status update to the petitioner by telephone on 5/30/95. The completion date was extended in June 1995 to allow additional time for development of the Commission Option Paper.

Facility: Palo Verde
Petitioner: T. Saporito
Date of Petition: 5/12/93

Director's Decision To Be Issued by: NRR
Date Referred to Review Organization: 5/27/93
EDO Number: 8923
OGC Number: P-93-009
Scheduled Completion Date: 12/30/95
Last Contact with Petitioner(s): 7/11/95

Petition Manager: B. Holian
Case Attorney: H. McGurren

Issues/Action Requested: Immediately shut down the Palo Verde units and survey the breadth of any chilling effect, on the basis of asserted discrimination.

Current Status: An acknowledgement letter was issued on 7/9/93. Supplemental information was received on 10/26/93, 1/15/94, 6/2/94, and 11/14/94. The supplemental information included the petitioner's 10/23/93 complaint to the Department of Labor. The complaint alleged retaliatory conduct and chilling effect at The Atlantic Group. The most recent acknowledgement letter was issued on 12/20/94. Issues are being evaluated. The staff provided a status update to the petitioner by telephone on 7/11/95. See Attachment 3 for the reason for delay in the scheduled completion date and other information.

Facility: Millstone
Petitioner: A. Ross
Date of Petition: 8/7/93

Director's Decision To Be Issued by: OE
Date Referred to Review Organization: 8/18/93
EDO Number: 9241
OGC Number: P-93-015
Scheduled Completion Date: 8/15/95
Last Contact with Petitioner(s): 6/27/95
Petition Manager: R. Rosano
Case Attorney: L. Clark

Issues/Action Requested: Take enforcement action for violations of the employee protection rule and the deliberate misconduct rule by a supervisor and a department manager who are alleged to have discriminated against the petitioner.

Current Status: An acknowledgement letter was issued on 9/1/93. Issues are being evaluated. Additional information was received from Northeast Utilities on 3/15/95. A copy of this information was forwarded to the petitioner. The staff provided a status update to the petitioner by telephone on 6/27/95. See Attachment 3 for reasons for the delay in the completion date and other information.

Facility: Millstone
Petitioner: C. Reynolds
Date of Petition: 8/22/93

Director's Decision To Be Issued by: OE
Date Referred to Review Organization: 8/31/93
EDO Number: 9287
OGC Number: P-93-016
Scheduled Completion Date: 8/15/95

Last Contact with Petitioner(s): 6/5/95
Petition Manager: R. Rosano
Case Attorney: L. Clark

Issues/Action Requested: Investigate the maintenance department management.
Reinstate the petitioner pending an investigation
of retaliation complaints.

Current Status: An acknowledgement letter was issued on 9/21/93. The petitioner responded on 10/19/93. The staff responded to the petitioner's response on 11/23/93. A letter from OE on 4/5/95 responded to the petitioner's 3/16/95 supplement to his petition. Issues are being evaluated. The staff provided a status update to the petitioner by telephone on 6/5/95. See Attachment 3 for reasons for the delay in the completion date and other information.

Facility: Watts Bar
Petitioner: G. Gillilan
Date of Petition: 2/25/94

Director's Decision To Be Issued by: OE
Date Referred to Review Organization: 3/24/94
EDO Number: 9838
OGC Number: P-94-006
Scheduled Completion Date: 8/15/95
Last Contact with Petitioner(s): 6/6/95
Petition Manager: R. Rosano
Case Attorney: H. McGurren

Issues/Action Requested: Immediately impose civil penalties for
discrimination.

Current Status: An acknowledgement letter was issued on 4/7/94. Issues are being evaluated. Supplement letters were issued on 6/28/94, 7/6/94, and 12/5/94. A Secretary of Labor decision dated 4/20/95 is being reviewed by OE. The staff provided a status update to the petitioner by telephone on 6/6/95. See Attachment 3 for other information.

Facility: All Power Reactors
Petitioner: P. Blanch
Date of Petition: 4/13/94

Director's Decision To Be Issued by: NRR
Date Referred to Review Organization: 4/19/94
EDO Number: 9968
OGC Number: P-94-010
Scheduled Completion Date: 8/31/95
Last Contact with Petitioner(s): 6/19/95
Petition Manager: J. Shea
Case Attorney: R. Hoefling

Issues/Action Requested: Immediately issue an information notice regarding
potential spent fuel pool meltdown, require each

licensee to immediately evaluate compliance regarding this potential deficiency, deny all requests for license amendments for expanding spent fuel pool capacity until matter is resolved, and suspend issuing Notices of Enforcement Discretion until evaluations are complete.

Current Status: An acknowledgement letter was issued on 5/5/94. Although the staff concluded that the originally postulated sequence of events was not sufficiently safety significant to warrant immediate action, it has developed a generic action plan to address overall safety concerns about spent fuel storage pools. The first progress report was issued on 1/19/95 and apprised the petitioner of the action plan. The petitioner responded to the 1/19/95 update with a letter dated 1/26/95. In his response, the petitioner requested that the staff address his petition requests more directly. NRR staff spoke with the petitioner on 3/3/95. The Director's Decision is scheduled for 8/95, pending the results of site audits identified in the action plan. The staff is preparing a response to Mr. Blanch's letters of 1/26/95, 2/28/95, and 3/2/95. A status update letter was sent to the petitioner on 6.19.95.

Facility: Millstone
Petitioner: A. Ross
Date of Petition: 5 23 94

Director's Decision To Be Issued by: OE
Date Referred to Review Organization: 6/8/94
EDO Number: 10119
OGC Number: P-94-013
Scheduled Completion Date: 8/15/95
Last Contact with Petitioner(s): 6/27/95
Petition Manager: R. Rosano
Case Attorney: L. Clark

Issues/Action Requested: Issue a Severity Level II violation and sanctions against a maintenance manager for telling an employee that he must report safety concerns to management.

Current Status: An acknowledgement letter was issued on 6/16/94. Issues are being evaluated. Additional information from Northeast Utilities was received on 3/15/95. A copy of this information was forwarded to the petitioner on 5/11/95. The staff provided a status update to the petitioner by telephone on 6/27/95. See Attachment 3 for reasons for the delay in the completion date and other information.

Facility: Palo Verde
Petitioner: T. Saporito
Date of Petition: 5/27/94

Director's Decision To Be Issued by: OE/NRR
Date Referred to Review Organizations: 5/31/94
EDO Number: 10121
OGC Number: P-94-014
Scheduled Completion Date: 8/31/95
Last Contact with Petitioner(s): 7/11/95
Petition Manager: R. Rosano/B. Holian
Case Attorney: A. Jorgensen

Issues/Action Requested: Modify, suspend, or revoke the operating license authorizing the operation of the three reactors at Palo Verde based on the licensee's continued employment of The Atlantic Group, statements by a licensee official concerning the petitioner's application, termination of an employee, and eddy current testing.

Current Status: An acknowledgment letter was issued on 7/26/94. Issues are being evaluated. A supplement letter was issued on 7/8/94. The staff provided a status update to the petitioner by telephone on 7/11/95. See Attachment 3 for reasons for the delay in the completion schedule.

Facility: Advanced Medical Systems, Inc.
Petitioner: Northeast Ohio Regional Sewer District
Date of Petition: 8.19.94

Director's Decision To Be Issued by: NMSS
Date Referred to Review Organization: 8/29/94
EDO Number: 10395
OGC Number: P-94-020
Scheduled Completion Date: 9/8/95
Last Contact with Petitioner(s): 5/30/95
Petition Manager: J. DeCicco
Case Attorney: M. Stein

Issues/Action Requested: Amend AMS license to install, maintain, and operate alarms on all drains from London Road facility.

Current Status: An acknowledgement letter was issued on 9/7/94. The staff is researching Picker Corporation's (previous licensee) license file to establish use/discontinuance of flow-rate alarms in the 1970s. The first draft of the Director's Decision reviewed by OGC was returned to NMSS for rewriting on 12/28/94. The second draft of the Director's Decision was sent to OGC for review on 2/2/95. The scheduled completion date was delayed because of additional staff review. OGC and NMSS met on 3/14/95 to discuss the petition. The staff provided a status update to the petitioner by telephone on 5/30/95. The scheduled completion date was delayed in June because of a license amendment request from AMS on 3/22/95, which requests installation of a sampling system on a proposed lateral sewer line.

Facility: Oyster Creek Nuclear Generating Station
Petitioners: P. Gunter and W. de Camp, Jr.
Date of Petition: 9/19/94

Director's Decision To Be Issued by: NRR
Date Referred to Review Organization: 9/29/94
EDO Number: 10473
OGC Number: P-94-023
Scheduled Completion Date: 1/30/96
Last Contact with Petitioner(s): 6/16/95
Petition Manager: A. Dromerick
Case Attorney: G. Longo

Issues/Action Requested: Immediately suspend Oyster Creek license until the licensee (1) inspects and repairs or replaces all safety-class reactor internal component parts subject to embrittlement and cracking, (2) provides an analysis on the synergistic effects of through-wall cracking of multiple safety-class components, and (3) addresses generic spent fuel pool design deficiencies of Oyster Creek.

Current Status: An acknowledgement letter was issued on 10/27/94. On 12/13/94, the petitioners sent a letter appealing NRC's denial to immediately suspend Oyster Creek's operating license. The petitioners stated that the staff did not address their concerns regarding reactor vessel internal cracking and spent fuel pool cooling. A letter responding to the petitioners' appeal was issued on 4/10/95. The staff indicated that it is treating the 12/13/94 letter as a supplement to the 9/26/94 petition. The staff also indicated that NRC regulations make no provisions for appeal or reconsideration of such administrative determinations. The staff advised the petitioners that they provided no bases for revisiting the denial of the 9/19/94 request for immediate suspension of the license. A partial Director's Decision regarding reactor vessel internals is also being prepared. The scheduled completion date was extended in January because NRC was preparing a generic action plan on spent fuel storage pools.

On 3/20/95, a letter was sent to the petitioners, P. Gunter and W. de Camp, Jr., for information only, transmitting an NRC letter dated 3/8/95 to Messrs. Lochbaum and Prevatte relating to the safety of spent fuel pool storage at the Susquehanna Steam Electric Station. On 5/22/95, Paul Gunter called to request information regarding Oyster Creek shroud bracket fabrication. The petition manager provided the requested information by telephone on 5/23/95.

On 6/16/95, Paul Gunter called to ask why GPUN was moving fuel. The NRC staff advised Mr. Gunter that to the best of its knowledge, the fuel was being moved to a different area of the spent fuel pool to prepare for moving fuel to the dry fuel storage facility. The staff advised

Mr. Gunter that GPUN did not intend to transfer the failed fuel element into the dry fuel storage facility.

Facility: Comanche Peak
Petitioners: P. Gunter (NIRS) & B. Brink (CFUR)
Date of Petition: 9/26/94

Director's Decision To Be Issued by: NRR
Date Referred to Review Organization: 10/6/94
EDO Number: 10492
OGC Number: P-94-024
Scheduled Completion Date: 9/29/95
Last Contact with Petitioner(s): 6/5/95
Petition Manager: T. Polich
Case Attorney: G. Longo

Issues/Action Requested: Immediately suspend the Comanche Peak Unit 1 license until the licensee takes the following corrective actions: (1) Perform additional destructive analysis for Thermo-Lag configurations in proportion to the total installed amount to determine the degree of the "dry joint" occurrence and (2) perform fire tests on the upgraded "dry joint" Thermo-Lag configurations for conduit and cable trays to rate the barrier as a tested configuration in compliance with fire protection regulations.

Current Status: An acknowledgement letter and a Federal Register notice were issued on 11/7/94. OGC proposed that this Comanche Peak 2.206 petition be consolidated with the generic Thermo-Lag 2.206 petition. Accordingly, this petition has been consolidated with the generic Thermo-Lag petition, and responses to petitions 10492, 10582, 10595, 10601, 10622, 10667, and 10697 will be consolidated into one Director's Decision (OGC No. P-94-026). The staff has completed the compilation of previous Thermo-Lag fire barrier evaluations (approximately 1,100 documents) as part of its reevaluation of all technical actions that were based on information provided by TSI and others. The staff's reevaluation of these technical actions is scheduled to be completed by 8/31/95. The NEI is continuing its efforts on coordinating the chemical testing and analysis of Thermo-Lag materials for the nuclear industry. Upon the completion of these two actions, the staff will respond to each aspect of the petition. A status update was provided to the petitioner by telephone on 6/5/95.

Facility: San Onofre Nuclear Generating Station, Units 2 and 3
Petitioner: R. M. Dean
Date of Petition: 9/19/94

Director's Decision To Be Issued by: NRR
Date Referred to Review Organization: 10/5/94

EDO Number: 10498
OGC Number: P-94-025
Scheduled Completion Date: 7/31/95
Last Contact with Petitioner(s): 6/12/95
Petition Manager: M. Fields
Case Attorney: M. Stein

Issues/Action Requested: Shut down San Onofre Units 2 and 3 because of concerns about the emergency evacuation plans.

Current Status: An acknowledgement letter was issued on 10/28/94. In a letter dated 12/29/94, the NRC informed Mr. Dean that his 11/11/94 letter relating concerns about the ability of Orange County to effectively participate in the emergency evacuation plans (because of financial problems) would be added to his 2.206 petition. The staff also sent a letter to Mr. Dean on 3/24/95 addressing several of his recent letters and reiterating that the staff will send him a response pursuant to 2.206 regarding his emergency evacuation concerns. The scheduled completion date was extended in January to permit NRC staff to consult with FEMA. FEMA's 3/22/95 response to the staff's questions is being used to draft the Director's Decision. The scheduled completion date was extended in May 1995 to allow time for additional staff review. The staff provided a status update to the petitioner by telephone on 6/12/95. The Director's Decision is in concurrence. OGC had no legal objection to the Director's Decision and concurred on it on 7/5/95.

Facility: Peach Bottom Atomic Power Station, Units 2 and 3
Petitioner: Maryland Safe Energy Coalition (Richard Ochs)
Date of Petition: 10 E 94

Director's Decision To Be Issued by: NRR
Date Referred to Review Organization: 10/21/94
EDO Number: 10547
OGC Number: P-94-030
Scheduled Completion Date: 9/01/95
Last Contact with Petitioner(s): 6/20/95
Petition Manager: J. Shea
Case Attorney: G. Longo

Issues/Action Requested: Immediately (1) shut down both units until the risk of fire near electrical cables because of combustible insulation (Thermo-lag) is corrected, (2) suspend Peach Bottom operating license pending inspection of all safety-class components and analysis of the synergistic effects of cracks in multiple reactor components (core shroud and vessel internal concerns), (3) shut down both units because of the 8/3/94 loss of emergency cooling water, and (4) shut down both units because of equipment problems identified by NRC in an 8/16/94 inspection report.

Current Status: An acknowledgement letter was issued on 12/2/94 denying the petitioner's request for immediate action. The staff is preparing a partial Director's Decision to address requests 2, 3, and 4 of the petition. A Director's Decision for request 1 of the petition will be prepared in conjunction with the Director's Decision for Petition P-94-026 below. An update letter was sent on 3/7/95. An additional status update letter was sent to the petitioner on 6/20/95.

Facility: All Reactor Licensees Using Thermo-Lag 330
Petitioner: GE Stockholders' Alliance (P. Birnie)
Date of Petition: 10/21/94

Director's Decision To Be Issued by: NRR
Date Referred to Review Organization: 11/14/94
EDO Number: 10582
OGC Number: P-94-026
Scheduled Completion Date: 9/29/95
Last Contact with Petitioner(s): 6/16/95
Petition Manager: M. Gamberoni
Case Attorney: G. Longo

Issues/Action Requested: Shut down all reactors at which Thermo-Lag is used until it has been removed and replaced.

Current Status: An acknowledgement letter and a Federal Register notice were issued on 12/15/94. As a result of the indictments against Thermal Science Incorporated (TSI) and others, the staff is reevaluating all technical actions that were previously based on TSI information. The staff expects to prepare a Director's Decision shortly after it completes the reevaluation. The scheduled completion date was extended in January based on the time required to perform additional review. As part of this review, the staff is conducting chemical tests and analyses and mechanical properties testing of Thermo-Lag materials at the National Institute of Standards and Technology. The staff has also requested that the licensees that continue to use Thermo-Lag fire barriers submit additional technical information on their plant-specific barriers and materials. In addition, the Nuclear Energy Institute (NEI) is coordinating a generic Thermo-Lag chemical testing and analysis program for the nuclear industry. The staff has completed the compilation of previous Thermo-Lag fire barrier evaluations (approximately 1,100 documents) as part of its reevaluation of all technical actions that were based on information provided by TSI and others. The staff's reevaluation of these technical actions is scheduled to be completed by 8/31/95. The NEI is continuing its efforts on coordinating the chemical testing and analysis of Thermo-Lag materials for the nuclear industry. Upon the completion of these two actions, the staff will respond to each aspect of the petition. Responses to petitions 10492, 10582, 10595, 10601, 10622, 10667, and 10597 will be consolidated into

one Director's Decision. The petition manager provided a status update to the petitioner by telephone on 6/16/95.

Facility: All Reactor Licensees Using Thermo-Lag 330
Petitioner: Toledo Coalition for Safe Energy (C. Johnston)
Date of Petition: 10/25/94

Director's Decision To Be Issued by: NRR
Date Referred to Review Organization: 11/14/94
EDO Number: 10595
OGC Number: P-94-026
Scheduled Completion Date: 9/29/95
Last Contact with Petitioner(s): 6/16/95
Petition Manager: M. Gamberoni
Case Attorney: G. Longo

Issues/Action Requested: Immediately shut down all reactors at which Thermo-Lag is used until it has been removed and replaced.

Current Status: An acknowledgement letter and a Federal Register notice were issued on 12/15/94. As a result of the indictments against Thermal Science Incorporated (TSI) and others, the staff is reevaluating all technical actions that were previously based on TSI information. The staff expects to prepare a Director's Decision shortly after it completes the reevaluation. The scheduled completion date was extended in January based on the time required to perform additional review. As part of this review, the staff is conducting chemical tests and analyses and mechanical properties testing of Thermo-Lag materials at the National Institute of Standards and Technology. The staff has also requested that the licensees that continue to use Thermo-Lag fire barriers submit additional technical information on their plant-specific barriers and materials. In addition, the Nuclear Energy Institute (NEI) is coordinating a generic Thermo-Lag chemical testing and analysis program for the nuclear industry. The staff has completed the compilation of previous Thermo-Lag fire barrier evaluations (approximately 1,100 documents) as part of its reevaluation of all technical actions that were based on information provided by TSI and others. The staff's reevaluation of these technical actions is scheduled to be completed by 8/31/95. The NEI is continuing its efforts on coordinating the chemical testing and analysis of Thermo-Lag materials for the nuclear industry. Upon the completion of these two actions, the staff will respond to each aspect of the petition. Responses to petitions 10492, 10582, 10595, 10601, 10622, 10667, and 10697 will be consolidated into one Director's Decision. The petition manager provided a status update to the petitioner by telephone on 6/16/95.

Facility: Georgia Tech and All Licensees
Petitioner: P. Blockey-O'Brien
Date of Petition: 10/23/94

Director's Decision To Be Issued by: NRR
Date Referred to Review Organization: 11/15/94
EDO Number: 10598
OGC Number: P-94-027
Scheduled Completion Date: 7/31/95
Last Contact with Petitioner(s): 6/5/95
Petition Manager: M. Mendonca
Case Attorney: M. Stein

Issues/Action Requested: Withdraw license from, shut down, and decommission the Neely Nuclear Research Reactor at the Georgia Institute of Technology; revoke all licenses to discharge radioactive wastes to sewers and waters of the United States and oceans of the world, and revoke all licenses that use as low as reasonably achievable criterion; and add requirements to license for the transportation of radioactive material and to prohibit the transport of radioactive material by mail.

Current Status: The petitioner was informed on 11/21/94 that the 2.206 process is a public process. An acknowledgement letter was issued on 11/22/94. A review plan has been established. The petitioner was contacted and has responded with four supplemental letters. The petitioner stated that other letters are in the mail. An initial draft response has been prepared and preliminary comments have been received from technical and legal staff. The scheduled completion date was delayed in February because of the increased scope as a result of supplements and potential hearing issues. A letter was sent to the petitioner on 6/5/95. The scheduled completion date was extended in June 1995 to accommodate the remaining necessary reviews.

Facility: Millstone
Petitioner: A. Ross
Date of Petition: 1/15/95; supplement of 10/28/94; additional information provided in letters of 2/8/95 and 2/20/95

Director's Decision To Be Issued by: NRR
Date Referred to Review Organization: 2/7/95
EDO Number: 10600
OGC Number: P-95-007
Scheduled Completion Date: 9/30/95
Last Contact with Petitioner(s): 6/2/95
Petition Manager: J. Andersen
Case Attorney: S. Chidakel

Issues/Action Requested: Take "accelerated" enforcement action against Northeast Utilities for violations at Millstone involving procedure compliance, work control, and tagging control.

Current Status: An acknowledgement letter was issued on 2/23/95. The petitioner submitted additional information on 2/8/95, 2/20/95, and 2/23/95. In the 2/23/95 letter, the petitioner requested that the EDO act on the petition as soon as possible. The staff responded to the additional submittals on 3/20/95. A status update letter was sent to the petitioner on 5/9/95. The status of petitions was discussed in a telephone call on 5/25/95. On 5/30/95 and 6/2/95, the NRC staff discussed Northeast Utilities' letters of 3/15/95, 3/24/95, and 5/12/95 in telephone calls with the petitioner. An inspection (50-245/95-22, 50-336/95-22, 50-423/95-22) was conducted at the site in May and June 1995 to audit the licensee's response to the petitioner's concerns. These concerns were forwarded to the licensee. The licensee responded with its investigation into the matters during the first quarter of 1995. Because the results from the inspection were needed to prepare the Director's Decision, the scheduled completion date was extended to 9/30/95. The staff provided a status update to the petitioner by telephone on 6/2/95.

Facility: All Reactor Licensees Using Thermo-Lag 330
Petitioner: D. Cinquemani
Date of Petition: 10/21/94

Director's Decision To Be Issued by: NRR
Date Referred to Review Organization: 11/14/94
EDO Number: 10601
OGC Number: P-94-026
Scheduled Completion Date: 9/29/95
Last Contact with Petitioner(s): 6/16/95
Petition Manager: M. Gamberoni
Case Attorney: G. Longo

Issues/Action Requested: Shut down all reactors at which Thermo-Lag is used until it has been removed and replaced.

Current Status: An acknowledgement letter and a Federal Register notice were issued on 12/15/94. As a result of the indictments against Thermal Science Incorporated (TSI) and others, the staff is reevaluating all technical actions that were previously based on TSI information. The staff expects to prepare a Director's Decision shortly after it completes the reevaluation. The scheduled completion date was extended in January based on the time required to perform additional review. As part of this review, the staff is conducting chemical tests and analyses and mechanical properties testing of Thermo-Lag materials at the National Institute of Standards and Technology. The staff has also requested that the licensees that continue to use Thermo-Lag fire barriers submit additional technical information on their plant-specific barriers and materials. In addition, the Nuclear Energy Institute (NEI) is

coordinating a generic Thermo-Lag chemical testing and analysis program for the nuclear industry. The staff has completed the compilation of previous Thermo-Lag fire barrier evaluations (approximately 1,100 documents) as part of its reevaluation of all technical actions that were based on information provided by TSI and others. The staff's reevaluation of these technical actions is scheduled to be completed by 8/31/95. The NEI is continuing its efforts on coordinating the chemical testing and analysis of Thermo-Lag materials for the nuclear industry. Upon the completion of these two actions, the staff will respond to each aspect of the petition. Responses to petitions 10492, 10582, 10595, 10601, 10622, 10667, and 10697 will be consolidated into one Director's Decision. The petition manager provided a status update to the petitioner by telephone on 6/16/95.

Facility: All Reactor Licensees Using Thermo-Lag 330
Petitioner: R. Benjan
Date of Petition: 10.26.94

Director's Decision To Be Issued by: NRR
Date Referred to Review Organization: 11/18/94
EDO Number: 10622
OGC Number: P-94-026
Scheduled Completion Date: 9/29/95
Last Contact with Petitioner(s): 6/16/95
Petition Manager: M. Gamberoni
Case Attorney: G. Longo

Issues/Action Requested: Immediately shut down all reactors at which Thermo-Lag is used.

Current Status: An acknowledgement letter and a Federal Register notice were issued on 12/15/94. As a result of the indictments against Thermal Science Incorporated (TSI) and others, the staff is reevaluating all technical actions that were previously based on TSI information. The staff expects to prepare a Director's Decision shortly after it completes the reevaluation. The scheduled completion date was extended in January based on the time required to perform additional review. As part of this review, the staff is conducting chemical tests and analyses and mechanical properties testing of Thermo-Lag materials at the National Institute of Standards and Technology. The staff has also requested that the licensees that continue to use Thermo-Lag fire barriers submit additional technical information on their plant-specific barriers and materials. In addition, the Nuclear Energy Institute (NEI) is coordinating a generic Thermo-Lag chemical testing and analysis program for the nuclear industry. The staff has completed the compilation of previous Thermo-Lag fire barrier evaluations (approximately 1,100 documents) as part of its reevaluation of all technical actions that were based on information provided by TSI and others. The staff's reevaluation of these technical actions is

scheduled to be completed by 8/31/95. The NEI is continuing its efforts on coordinating the chemical testing and analysis of Thermo-Lag materials for the nuclear industry. Upon the completion of these two actions, the staff will respond to each aspect of the petition. Responses to petitions 10492, 10582, 10595, 10601, 10622, 10667, and 10697 will be consolidated into one Director's Decision. A status update letter was sent to the petitioner on 6/16/95.

Facility: All Reactor Licensees Using Thermo-Lag 330
Petitioner: B. DeBolt
Date of Petition: 11/14/94

Director's Decision To Be Issued by: NRR
Date Referred to Review Organization: 1/10/95
EDO Number: 10667
OGC Number: P-94-026
Scheduled Completion Date: 9/29/95
Last Contact with Petitioner(s): 6/16/95
Petition Manager: M. Gamberoni
Case Attorney: G. Longo

Issues/Action Requested: Immediately shut down all reactors at which Thermo-Lag is used until it has been removed or replaced.

Current Status: An acknowledgement letter and a Federal Register notice were issued on 1/19/95. As a result of the indictments against Thermal Science Incorporated (TSI) and others, the staff is reevaluating all technical actions that were previously based on TSI information. The staff expects to prepare a Director's Decision shortly after it completes the reevaluation. The scheduled completion date was extended in January based on the time required to perform additional review. As part of this review, the staff is conducting chemical tests and analyses and mechanical properties testing of Thermo-Lag materials at the National Institute of Standards and Technology. The staff has also requested that the licensees that continue to use Thermo-Lag fire barriers submit additional technical information on their plant-specific barriers and materials. In addition, the Nuclear Energy Institute (NEI) is coordinating a generic Thermo-Lag chemical testing and analysis program for the nuclear industry. The staff has completed the compilation of previous Thermo-Lag fire barrier evaluations (approximately 1,100 documents) as part of its reevaluation of all technical actions that were based on information provided by TSI and others. The staff's reevaluation of these technical actions is scheduled to be completed by 8/31/95. The NEI is continuing its efforts on coordinating the chemical testing and analysis of Thermo-Lag materials for the nuclear industry. Upon the completion of these two actions, the staff will respond to each aspect of the petition. Responses to petitions 10492, 10582, 10595,

10601, 10622, 10667, and 10697 will be consolidated into one Director's Decision. A status update letter was sent to the petitioner on 6/16/95.

Facility: Oyster Creek Nuclear Generating Station
Petitioners: P. Gunter and W. de Camp, Jr.
Date of Petition: 12/8/94

Director's Decision To Be Issued by: NRR
Date Referred to Review Organization: 12/14/94
EDO Number: 10697
OGC Number: P-94-026
Scheduled Completion Date: 9/29/95
Last Contact with Petitioner(s): 6/28/95
Petition Manager: A. Dromerick
Case Attorney: G. Longo

Issues/Action Requested: Immediately suspend operating license for Oyster Creek Nuclear Generating Station (OCNGS) until GPUN Corporation removes Thermo-Lag fire barrier material and replaces it with a competitive product that meets current NRC fire protection regulations.

Current Status: An acknowledgment letter and a Federal Register notice were issued on 1/3/95. OGC proposed that the Oyster Creek 2.206 petition be evaluated together with six previous petitions recently submitted requesting similar action regarding NRC-licensed reactors at which Thermo-Lag 330-1 fire barrier material is used. Therefore, responses to petitions 10492, 10582, 10595, 10601, 10622, 10667, and 10697 will be consolidated into one Director's Decision. A letter concerning this petition was sent to the petitioners on 4/19/95. The scheduled completion date is based on the time required to perform the review. A request for additional information regarding GPUN's submittal of 3/31/95 was issued 5/24/95. A copy of this request was transmitted to the petitioners.

In a letter to the petitioners dated 6/28/95, the staff provided the status of the 2.206 petition. The staff has completed the compilation of the previous Thermo-Lag fire barriers evaluations (approximately 1,100 documents) as part of its reevaluation of all technical actions that were based on information provided by Thermal Science, Incorporated, and others. The staff's evaluation of these technical actions is scheduled to be completed by 8/31/95. The Nuclear Energy Institute is continuing its efforts on coordinating the chemical testing and analysis of Thermo-Lag materials for the nuclear industry. Upon the completion of these two actions, the staff will respond to each aspect of the petition.

Facility: Millstone
Petitioner: A. Ross
Date of Petition: 1/5/95

Director's Decision To Be Issued by: NRR
Date Referred to Review Organization: 1/20/95
EDO Number: 15
OGC Number: P-95-002
Scheduled Completion Date: 9/30/95
Last Contact with Petitioner(s): 6/2/95
Petition Manager: J. Andersen
Case Attorney: S. Chidakel

Issues/Action Requested: Institute sanctions against department manager, first-line supervisor, and two co-workers for engaging in deliberate misconduct in violation of 10 CFR 50.5; investigate procedure violations.

Current Status: An acknowledgement letter was issued on 2/23/95. A status update letter was sent to the petitioner on 5/9/95. The status of petitions was discussed in a telephone call on 5/25/95. On 5/30/95 and 6/2/95, the NRC staff discussed Northeast Utilities' letters of 3/15/95, 3/24/95, and 5/12/95 in telephone calls with the petitioner. An inspection (50-245/95-22, 50-336/95-22, 50-423/95-22) was conducted at the site in May and June 1995 to audit the licensee's response to the petitioner's concerns. These concerns were forwarded to the licensee. The licensee responded with its investigation into the matters during the first quarter of 1995. Because the results from the inspection were needed to prepare the Director's Decision, the scheduled completion date was extended to 9/30/95. The staff provided a status update to the petitioner by telephone on 6/2/95.

Facility: Millstone
Petitioner: A. Ross
Date of Petition: 1/2/95

Director's Decision To Be Issued by: NRR
Date Referred to Review Organization: 1/20/95
EDO Number: 16
OGC Number: P-95-002
Scheduled Completion Date: 9/30/95
Last Contact with Petitioner(s): 6/2/95
Petition Manager: J. Andersen
Case Attorney: S. Chidakel

Issues/Action Requested: Issue Severity Level II and III violations against department head and first-line supervisor for violation of 10 CFR 50.7, institute sanctions against first-line supervisor, licensee, and Unit 1 organization for engaging in deliberate misconduct in violation of 10 CFR 50.5, and remove

first-line supervisor from his position until issue can be resolved.

Current Status: An acknowledgement letter was issued on 2/23/95. A status update letter was sent to the petitioner on 5/9/95. The status of petitions was discussed in a telephone call on 5/25/95. On 5/30/95 and 6/2/95, the NRC staff discussed Northeast Utilities' letters of 3/15/95, 3/24/95, and 5/12/95 in telephone calls with the petitioner. An inspection (50-245/95-22, 50-336/95-22, 50-423/95-22) was conducted at the site in May and June 1995 to audit the licensee's response to the petitioner's concerns. These concerns were forwarded to the licensee. The licensee responded with its investigation into the matters during the first quarter of 1995. Because the results from the inspection were needed to prepare the Director's Decision, the scheduled completion date was extended to 9/30/95. The staff provided a status update to the petitioner by telephone on 6/2/95.

Facility: Millstone
Petitioner: A. Ross
Date of Petition: 12/30/94

Director's Decision To Be Issued by: NRR
Date Referred to Review Organization: 1/20/95
EDO Number: 17
OGC Number: P-95-002
Scheduled Completion Date: 9/30/95
Last Contact with Petitioner(s): 6/2/95
Petition Manager: J. Andersen
Case Attorney: S. Chidakel

Issues Action Requested: Require licensee to review last 10-12 years of work orders to ensure that no QA work deficiencies exist; issue Severity Level I violation against licensee and its managers for violations of 10 CFR 50.7; issue a Severity Level III violation against a gas turbine system engineer for violation of 10 CFR 50.7; and institute sanctions against system engineer, the licensee, and its managers for engaging in deliberate misconduct in violation of 10 CFR 50.5.

Current Status: An acknowledgement letter was issued on 2/23/95. A status update letter was sent to the petitioner on 5/9/95. The status of petitions was discussed in a telephone call on 5/25/95. On 5/30/95 and 6/2/95, the NRC staff discussed Northeast Utilities' letters of 3/15/95, 3/24/95, and 5/12/95 in telephone calls with the petitioner. An inspection (50-245/95-22, 50-336/95-22, 50-423/95-22) was conducted at the site in May and June 1995 to audit the licensee's response to the petitioner's concerns. These concerns were forwarded to the licensee. The licensee

responded with its investigation into the matters during the first quarter of 1995. Because the results from the inspection were needed to prepare the Director's Decision, the scheduled completion date was extended to 9/30/95. The staff provided a status update to the petitioner by telephone on 6/2/95.

Facility: Millstone
Petitioner: A. Ross
Date of Petition: 1/8/95

Director's Decision To Be Issued by: NRR
Date Referred to Review Organization: 1/20/95
EDO Number: 24
OGC Number: P-95-002
Scheduled Completion Date: 9/30/95
Last Contact with Petitioner(s): 6/2/95
Petition Manager: J. Andersen
Case Attorney: S. Chidake1

Issues/Action Requested: Institute at least three sanctions against department manager and institute sanctions against co-worker and first-line maintenance supervisor for engaging in deliberate misconduct in violation of 10 CFR 50.5.

Current Status: An acknowledgement letter was issued on 2/23/95. A status update letter was sent to the petitioner on 5/9/95. The status of petitions was discussed in a telephone call on 5/25/95. On 5/30/95 and 6/2/95, the NRC staff discussed Northeast Utilities' letters of 3/15/95, 3/24/95, and 5/12/95 in telephone calls to the petitioner. An inspection (50-245/95-22, 50-336/95-22, 50-423/95-22) was conducted at the site in May and June 1995 to audit the licensee's response to the petitioner's concerns. These concerns were forwarded to the licensee. The licensee responded with its investigation into the matters during the first quarter of 1995. Because the results from the inspection were needed to prepare the Director's Decision, the scheduled completion date was extended to 9/30/95. The staff provided a status update to the petitioner by telephone on 6/2/95.

Facility: Sequoyah Fuels Corporation (SFC)
Petitioner: Native Americans for a Clean Environment (NACE)
Date of Petition: 3/11/95

Director's Decision To Be Issued by: NMSS
Date Referred to Review Organization: 4/13/95
EDO Number: 231
OGC Number: P-95-010
Scheduled Completion Date: 8/1/95
Last Contact with Petitioner(s): 6/27/95

Petition Manager:
Case Attorney:

J. C. Shepherd
G. Longo

Issues/Action Requested: (1) Issue an order requiring SFC to prepare a final site characterization plan; (2) issue an order prohibiting SFC or any other entity from disposing of land under license SUB-1010; (3) require NRC to conduct a financial review of any purchaser of lands identified in item (2) above; and (4) obtain or perform a title search of all properties used in connection with license SUB-1010.

Current Status: An acknowledgement letter was issued on 5/10/95. A Director's Decision is being reviewed. The scheduled completion date was revised in May 1995 to expedite completion. The NRC staff responded to the petitioner's letter of 5/30/95 on 6/27/95.

Facility: Prairie Island Units 1 and 2
Petitioners: S. Bjoralt and P. Gunter
Date of Petition: 6/5/95

Director's Decision To Be Issued by: NRR
Date Referred to Review Organization: 6/7/95
EDO Number: 433
OCC Number: P-95-013
Scheduled Completion Date: 10/19/95
Last Contact with Petitioner(s): 6/21/95
Petition Manager: J. Kennedy
Case Attorney: R. Hoefling

Issues/Action Requested: Immediately suspend the operating licenses of Prairie Island Units 1 and 2 and conduct an evening public hearing to discuss any NRC denial of requested actions. The petition raises a number of concerns, including cracking of the Prairie Island steam generator tubes and reactor vessel head penetrations, use of the transfer channel between the reactor core and the fuel pool during unloading and loading of dry cask storage units, and the use of the Prairie Island crane for an extended period.

Current Status: The NRC staff issued an acknowledgement letter on 6/19/95, which denied the petitioners' request to immediately suspend the operating licenses of Prairie Island Units 1 and 2 on the basis that no new information was provided by the petitioners that involved a significant safety concern. One of the petitioners wrote to Chairman Selin on 6/21/95 to refute the acknowledgement letter and to state that the staff response "side-steps the serious problems raised in the Petition." The staff is drafting a response to the letter of 6/21/95 to Chairman Selin. The

NRC staff has held numerous telephone conversations with Mr. Bjoralt to discuss issues raised in the petition, as well as other issues he has brought up in the course of conversation.

END OF STATUS REPORT

Decisions Pending Before the Commission and the Courts

Petitioners: M. Hobby, A. Mosbaugh
Facility/EDO No.: Vogtle 5836
Decision No./(Date): DD-93-08 (4/23/93) (Partial)
Comments: Denied. DD-93-08 was vacated and remanded to staff (CLI-93-15).

Petitioners: P. Ameno and J. Bologna
Facility/EDO No.: Parks Township/11
Decision No./(Date): DD-95-12 (6/26/95) (Final)
Comments: Granted in part. No further action is warranted.

END OF DECISIONS PENDING