


RESAR-SP/90 REACTOR COOLANT SYSTEM

WESTINGHOUSE
ADVANCED PRESSURIZED
WATER REACTOR



8407180180 840711
PDR ADOCK 05000601
K PDR

STANDARD PLANT DESIGN

WESTINGHOUSE NON-PROPRIETARY

TABLE OF CONTENTS

<u>Section</u>	<u>Title</u>	<u>Page</u>	<u>Reference SAR Section Status</u>
1.0	INTRODUCTION AND GENERAL DESCRIPTION OF PLANT	1.1-1	II
1.1	INTRODUCTION	1.1-1	II
1.2	GENERAL PLANT DESCRIPTION	1.2-1	II
1.2.2	Principal Design Criteria	1.2-1	II
1.2.3	Plant Description	1.2-1	II
1.2.3.2	Reactor Coolant System	1.2-1	I
1.3	COMPARISON TABLES	1.3-1	II
1.3.1	Comparison with Similar Facility Designs	1.3-1	II
1.6	MATERIAL INCORPORATED BY REFERENCE	1.6-1	II
1.7	DRAWINGS AND OTHER DETAILED INFORMATION	1.7-1	II
1.7.1	Piping and Instrumentation Diagrams	1.7-1	II
1.8	CONFORMANCE WITH THE STANDARD REVIEW PLAN	1.8-1	II
2.0	SITE CHARACTERISTICS	2.0-1	N/A
3.0	DESIGN OF STRUCTURES, COMPONENTS, EQUIPMENT, AND SYSTEMS	3.1-1	II
3.1	CONFORMANCE WITH NRC GENERAL DESIGN CRITERIA	3.1-1	II
3.2	CLASSIFICATION OF STRUCTURES, COMPONENTS, AND SYSTEMS	3.2-1	II
3.2.1	Seismic Classification	3.2-2	II
3.2.2	System Quality Group Classification	3.2-2	II
3.2.3	Safety Classes	3.2-2	II
3.2.4	References	3.2-2	II
4.0	REACTOR	4.4-1	II
4.4	THERMAL AND HYDRAULIC DESIGN	4.4-1	II
4.4.6.4	Digital Metal Impact Monitoring System	4.4-1	I
4.4.6.5	Inadequate Core Cooling Instrumentation	4.4-2	I

TABLE OF CONTENTS (Cont)

<u>Section</u>	<u>Title</u>	<u>Page</u>	<u>Reference</u> <u>SAR Section</u> <u>Status</u>
5.0	REACTOR COOLANT SYSTEM AND CONNECTED SYSTEMS	5.1-1	II
5.1	SUMMARY DESCRIPTION	5.1-1	I
5.1.1	Design Bases	5.1-1	I
5.1.2	Design Description	5.1-3	I
5.1.3	System Components	5.1-4	I
5.1.4	System Performance Characteristics	5.1-7	I
5.1.4.1	Reactor Coolant Flows	5.1-7	I
5.2	INTEGRITY OF REACTOR COOLANT PRESSURE BOUNDARY	5.2-1	I
5.2.1	Compliance with Code and Code Cases	5.2-2	I
5.2.1.1	Compliance with 10CFR50.55a	5.2-2	I
5.2.1.2	Applicable Code Cases	5.2-2	I
5.2.2	Overpressure Protection	5.2-3	I
5.2.2.1	Design Bases	5.2-3	I
5.2.2.2	Design Evaluation	5.2-5	I
5.2.2.3	Piping and Instrumentation Diagrams	5.2-5	I
5.2.2.4	Equipment and Component Description	5.2-5	I
5.2.2.5	Mounting of Pressure Relief Devices	5.2-6	I
5.2.2.6	Applicable Codes and Classification	5.2-6	I
5.2.2.7	Material Specifications	5.2-6	I
5.2.2.8	Process Instrumentation	5.2-6	I
5.2.2.9	System Reliability	5.2-7	I
5.2.2.10	RCS Pressure Control During Low-Temperature Operation	5.2-7	I
5.2.2.10.1	System Operation	5.2-7	I
5.2.2.10.2	Evaluation of Low-Temperature Overpressure Transients - Pressure Transient Analysis	5.2-8	I
5.2.2.10.3	Operating Basis Earthquake Evaluation	5.2-8	I
5.2.2.10.4	Administrative Controls	5.2-9	I

TABLE OF CONTENTS (Cont)

<u>Section</u>	<u>Title</u>	<u>Page</u>	<u>Reference SAR Section Status</u>
5.2.3	Reactor Coolant Pressure Boundary Materials	5.2-12	I
5.2.3.1	Material Specifications	5.2-12	I
5.2.3.2	Compatibility with Reactor Coolant	5.2-13	I
5.2.3.2.1	Chemistry of Reactor Coolant	5.2-13	I
5.2.3.2.2	Compatibility of Construction Materials with Reactor Coolant	5.2-14	I
5.2.3.2.3	Compatibility with External Insulation and Environmental Atmosphere	5.2-15	I
5.2.3.3	Fabrication and Processing of Ferritic Materials	5.2-16	I
5.2.3.3.1	Fracture Toughness	5.2-16	I
5.2.3.3.2	Control of Welding	5.2-17	I
5.2.3.4	Fabrication and Processing of Austenitic Stainless Steel	5.2-17	I
5.2.3.4.1	Cleaning and Contamination Protection Procedures	5.2-18	I
5.2.3.4.2	Solution Heat Treatment Requirements	5.2-19	I
5.2.3.4.3	Material Testing Program	5.2-19	I
5.2.3.4.4	Prevention of Intergranular Attack of Unstabilized Austenitic Stainless Steels	5.2-19	I
5.2.3.4.5	Retesting Unstabilized Austenitic Stainless Steel Exposed to Sensitization Temperatures	5.2-23	I
5.2.3.4.6	Control of Welding	5.2-24	I
5.2.4	Inservice Inspection and Testing of Reactor Coolant Pressure Boundary	5.2-26	I
5.2.4.1	System Boundary Subject to Inspection	5.2-27	I
5.2.4.2	Arrangement and Accessibility	5.2-27	I

TABLE OF CONTENTS (Cont)

<u>Section</u>	<u>Title</u>	<u>Page</u>	<u>Reference SAR Section Status</u>
5.2.4.3	Examination Techniques and Procedures	5.2-27	I
5.2.4.4	Inspection Intervals	5.2-28	I
5.2.4.5	Examination Categories and Requirements	5.2-28	I
5.2.4.6	Evaluation of Examination Results	5.2-28	I
5.2.4.7	System Leakage and Hydrostatic Pressure Tests	5.2-28	I
5.2.5	Detection of Leakage Through Reactor Coolant Pressure Boundary	5.2-28	I
5.2.5.1	Design Bases	5.2-29	I
5.2.5.1.1	Leakage Classification	5.2-29	I
5.2.5.1.2	Limits for Reactor Coolant Leakage	5.2-29	I
5.2.5.2	Identified Intersystem Leakage Detection	5.2-30	I
5.2.5.2.1	Description and Operation of Identified Leakage Detection System	5.2-31	I
5.2.5.3	Unidentified Leakage Detection	5.2-33	I
5.2.5.3.1	Description and Operation of Main Unidentified Leak Detection Systems	5.2-34	I
5.2.5.3.2	Additional Unidentified Leakage Detection Methods	5.2-38	I
5.2.5.4	Safety Evaluation	5.2-39	I
5.2.5.5	Tests and Inspections	5.2-39	I
5.2.5.6	Instrumentation Applications	5.2-40	I
5.2.6	References	5.2-40	I
5.3	REACTOR VESSEL	5.3-1	I
5.3.1	Reactor Vessel Materials	5.3-1	I
5.3.1.1	Material Specifications	5.3-1	I
5.3.1.2	Special Processes Used for Manufacturing and Fabrication	5.3-1	I
5.3.1.3	Special Methods for Nondestructive Examination	5.3-2	I
5.3.1.3.1	Ultrasonic Examination	5.3-2	I

TABLE OF CONTENTS (Cont)

<u>Section</u>	<u>Title</u>	<u>Page</u>	<u>Reference</u> <u>SAR Section</u> <u>Status</u>
5.3.1.3.2	Liquid Penetrant Examination	5.3-3	I
5.3.1.3.3	Magnetic Particle Examination	5.3-3	I
5.3.1.4	Special Controls for Ferritic and Austenitic Stainless Steels	5.3-4	I
5.3.1.5	Fracture Toughness	5.3-4	I
5.3.1.6	Material Surveillance	5.3-5	I
5.3.1.6.1	Measurement of Integrated Fast Neutron (E > 1.0 MeV) Flux at the Irradiation Samples	5.3-7	I
5.3.1.6.2	Calculation of Integrated Fast Neutron (E > 1.0 MeV) Flux at the Irradiation Samples	5.3-11	I
5.3.1.7	Reactor Vessel Fasteners	5.3-13	I
5.3.2	Pressure-Temperature Limits	5.3-13	I
5.3.2.1	Limit Curves	5.3-13	I
5.3.3	Reactor Vessel Integrity	5.3-14	I
5.3.3.1	Design	5.3-14	I
5.3.3.2	Materials of Construction	5.3-16	I
5.3.3.3	Fabrication Methods	5.3-17	I
5.3.3.4	Inspection Requirements	5.3-17	I
5.3.3.5	Shipment and Installation	5.3-17	I
5.3.3.6	Operating Conditions	5.3-17	I
5.3.3.7	Inservice Surveillance	5.3-20	I
5.3.4	References	5.3-21	I
5.4	COMPONENT AND SUBSYSTEM DESIGN	5.4-1	II
5.4.1	Reactor Coolant Pump Assembly	5.4-1	I
5.4.1.1	Design Bases	5.4-1	I

TABLE OF CONTENTS (Cont)

<u>Section</u>	<u>Title</u>	<u>Page</u>	<u>Reference</u> <u>SAR Section</u> <u>Status</u>
5.4.1.2	Pump Assembly Description	5.4-1	I
5.4.1.2.1	Design Description	5.4-1	I
5.4.1.2.2	Description of Operation	5.4-2	I
5.4.1.2.3	Loss of Seal Injection	5.4-4	I
5.4.1.2.4	Loss of Component Cooling Water	5.4-5	I
5.4.1.2.5	Backup Seal Injection Capability	5.4-5	I
5.4.1.3	Design Evaluation	5.4-6	I
5.4.1.3.1	Pump Performance	5.4-6	I
5.4.1.3.2	Coastdown Capability	5.4-8	I
5.4.1.3.3	Bearing Integrity	5.4-8	I
5.4.1.3.4	Locked Rotor	5.4-9	I
5.4.1.3.5	Critical Speed	5.4-10	I
5.4.1.3.6	Missile Generation	5.4-10	I
5.4.1.3.7	Pump Cavitation	5.4-10	I
5.4.1.3.8	Pump Overspeed Considerations	5.4-10	I
5.4.1.3.9	Antireverse Rotation Device	5.4-11	I
5.4.1.3.10	Shaft Seal Leakage	5.4-12	I
5.4.1.3.11	Seal Discharge Piping	5.4-12	I
5.4.1.4	Tests and Inspections	5.4-13	I
5.4.1.5	Pump Flywheel	5.4-13	I
5.4.1.5.1	Design Basis	5.4-13	I
5.4.1.5.2	Fabrication and Inspection	5.4-13	I
5.4.1.5.3	Material Acceptance Criteria	5.4-14	I
5.4.2	Steam Generators	5.4-15	I
5.4.2.1	Design Bases	5.4-15	I
5.4.2.2	Design Description	5.4-16	I
5.4.2.3	Design Evaluation	5.4-18	I

TABLE OF CONTENTS (Cont)

<u>Section</u>	<u>Title</u>	<u>Page</u>	Reference SAR Section <u>Status</u>
5.4.2.3.1	Forced Convection	5.4-18	I
5.4.2.3.2	Natural Circulation Flow	5.4-18	I
5.4.2.3.3	Mechanical and Flow-Induced Vibration Under Normal Operating Conditions	5.4-19	I
5.4.2.3.4	Allowable Tube Wall Thinning Under Accident Conditions	5.4-20	I
5.4.2.4	Steam Generator Materials	5.4-21	I
5.4.2.4.1	Selection and Fabrication of Materials	5.4-21	I
5.4.2.4.2	Steam Generator Design Effects on Materials	5.4-23	I
5.4.2.4.3	Compatibility of Steam Generator Tubing with Primary and Secondary Coolants	5.4-23	I
5.4.2.4.4	Secondary Side Cleaning Provisions	5.4-25	I
5.4.2.5	Steam Generator Inservice Inspection	5.4-25	I
5.4.2.6	Quality Assurance	5.4-26	I
5.4.3	Reactor Coolant Piping	5.4-27	I
5.4.3.1	Design Bases	5.4-27	I
5.4.3.2	Design Description	5.4-28	I
5.4.3.3	Design Evaluation	5.4-32	I
5.4.3.3.1	Material Corrosion/Erosion Evaluation	5.4-32	I
5.4.3.3.2	Sensitized Stainless Steel	5.4-32	I
5.4.3.3.3	Containment Control	5.4-32	I
5.4.3.4	Tests and Inspections	5.4-33	I
5.4.4	Main Steam Line Flow Restrictors	5.4-33	I
5.4.4.1	Design Basis	5.4-33	I
5.4.4.2	Design Description	5.4-34	I
5.4.4.3	Design Evaluation	5.4-34	I
5.4.4.4	Inspections	5.4-34	I
5.4.10	Pressurizer	5.4-35	I

TABLE OF CONTENTS (Cont)

<u>Section</u>	<u>Title</u>	<u>Page</u>	<u>Reference SAR Section Status</u>
5.4.10.1	Design Bases	5.4-35	I
5.4.10.2	Design Description	5.4-36	I
5.4.10.2.1	Pressurizer and Connected Piping	5.4-36	I
5.4.10.2.2	Pressurizer Spray and Relief Line Instrumen- tation	5.4-37	I
5.4.10.3	Design Evaluation	5.4-38	I
5.4.10.3.1	System Pressure Control	5.4-38	I
5.4.10.3.2	Pressurizer Level Control	5.4-38	I
5.4.10.3.3	Pressure Setpoints	5.4-39	I
5.4.10.3.4	Pressurizer Spray	5.4-39	I
5.4.10.4	Tests and Inspections	5.4-40	I
5.4.11	Pressurizer Relief Discharge System	5.4-41	I
5.4.11.1	Design Bases	5.4-41	I
5.4.11.2	Design Description	5.4-42	I
5.4.11.3	Design Evaluation	5.4-45	I
5.4.11.4	Instrumentation Requirements	5.4-47	I
5.4.11.5	Inspection and Testing Requirements	5.4-47	I
5.4.12	Valves	5.4-48	I
5.4.12.1	Design Bases	5.4-48	I
5.4.12.2	Design Description	5.4-48	I
5.4.12.3	Design Evaluation	5.4-49	I
5.4.12.4	Tests and Inspections	5.4-49	I
5.4.13	Safety and Relief Valves	5.4-50	I
5.4.13.1	Design Bases	5.4-50	I
5.4.13.2	Design Description	5.4-50	I
5.4.13.3	Design Evaluation	5.4-52	I

TABLE OF CONTENTS (Cont)

<u>Section</u>	<u>Title</u>	<u>Page</u>	<u>Reference SAR Section Status</u>
5.4.13.4	Tests and Inspections	5.4-52	I
5.4.14	Component Supports	5.4-53	I
5.4.14.1	Design Bases	5.4-53	I
5.4.14.2	Description	5.4-53	I
5.4.14.2.1	Reactor Pressure Vessel	5.4-54	I
5.4.14.2.2	Steam Generator	5.4-54	I
5.4.14.2.3	Reactor Coolant Pump	5.4-55	I
5.4.14.2.4	Pressurizer	5.4-55	I
5.4.14.2.5	Control Rod Drive Mechanism (CRDM) Supports	5.4-56	I
5.4.14.2.6	Displacer Rod Drive Mechanisms (DRDM) Supports	5.4-57	I
5.4.14.3	Evaluation	5.4-57	I
5.4.14.4	Tests and Inspections	5.4-58	I
5.4.15	Reactor Vessel Head Vent System	5.4-58	I
5.4.15.1	Design Basis	5.4-58	I
5.4.15.2	Design Description	5.4-59	I
5.4.15.3	Design Evaluation	5.4-60	I
5.4.15.4	Inspection and Testing Requirements	5.4-61	I
5.4.15.5	Instrumentation Requirements	5.4-61	I
5.4.16	References	5.4-61	I
6.0	ENGINEERED SAFETY FEATURE MATERIALS	6.0-1	N/A
7.0	INSTRUMENTATION AND CONTROLS	7.0-1	N/A
8.0	ELECTRIC POWER	8.0-1	N/A
9.0	AUXILIARY SYSTEMS	9.0-1	N/A
10.0	STEAM AND POWER CONVERSION SYSTEM	10.0-1	N/A
11.0	RADIOACTIVE WASTE MANAGEMENT	11.0-1	N/A
12.0	RADIATION PROTECTION	12.0-1	N/A
13.0	CONDUCT OF OPERATIONS	13.0-1	N/A

TABLE OF CONTENTS (Cont)

<u>Section</u>	<u>Title</u>	<u>Page</u>	<u>Reference SAR Section Status</u>
14.0	INITIAL TEST PROGRAM	14.0-1	N/A
15.0	ACCIDENT ANALYSES	15.0-1	II
15.0.1	General	15.0-1	II
15.0.2	Classification of Plant Conditions	15.0-1	II
15.0.2.1	Condition I - Normal Operation and Operational Transients	15.0-2	II
15.0.2.2	Condition II - Faults of Moderate Frequency	15.0-4	II
15.0.2.3	Condition III - Infrequent Faults	15.0-6	II
15.0.2.4	Condition IV - Limiting Faults	15.0-7	II
15.0.3	Optimization of Control Systems	15.0-8	II
15.0.4	Plant Characteristics and Initial Conditions Assumed in the Accident Analysis	15.0-9	II
15.0.4.1	Design Plant Conditions	15.0-9	II
15.0.4.2	Initial Conditions	15.0-9	II
15.0.4.3	Power Distribution	15.0-10	II
15.0.5	Reactivity Coefficients Assumed in the Accident Analyses	15.0-11	II
15.0.6	Rod Cluster Control Assembly Insertion Characteristics	15.0-12	II
15.0.7	Trip Points and Time Delays to Trip Assumed in Accident Analyses	15.0-13	II
15.0.8	Instrumentation Drift and Calorimetric Errors - Power Range Neutron Flux	15.0-14	II
15.0.9	Plant Systems and Components Available for Mitigation of Accident Effects	15.0-15	II
15.0.10	Fission Product Inventories	15.0-16	II
15.0.10.1	Inventory in the Core	15.0-16	II

TABLE OF CONTENTS (Cont)

<u>Section</u>	<u>Title</u>	<u>Page</u>	Reference SAR Section <u>Status</u>
15.0.10.2	Inventory in the Fuel Pellet Clad Gap	15.0-16	II
15.0.10.3	Inventory in the Reactor Coolant	15.0-16	II
15.0.11	Residual Decay Heat	15.0-17	II
15.0.11.1	Total Residual Heat	15.0-17	II
15.0.12	Computer Codes Utilized	15.0-17	II
15.0.12.1	FACTRAN	15.0-17	II
15.0.12.2	LOFTRAN	15.0-18	II
15.0.12.3	TWINKLE	15.0-19	II
15.0.12.4	THINC	15.0-19	II
15.0.13	References	15.0-19	II
15.3	DECREASE IN REACTOR COOLANT SYSTEM FLOWRATE	15.3-1	I
15.3.1	Partial Loss of Forced Reactor Coolant Flow	15.3-1	I
15.3.1.1	Identification of Causes and Accident Description	15.3-1	I
15.3.1.2	Analysis of Effects and Consequences	15.3-2	I
15.3.1.3	Conclusions	15.3-4	I
15.3.2	Complete Loss of Forced Reactor Coolant Flow	15.3-5	I
15.3.2.1	Identification of Causes and Accident Description	15.3-5	I
15.3.2.2	Analysis and Effects of Consequences	15.3-6	I
15.3.2.3	Conclusions	15.3-7	I
15.3.3	Reactor Coolant Pump Shaft Seizure (Locked Rotor)	15.3-7	I
15.3.3.1	Identification of Causes and Accident Description	15.3-7	I
15.3.3.2	Analysis of Effects and Consequences	15.3-8	I

TABLE OF CONTENTS (Cont)

<u>Section</u>	<u>Title</u>	<u>Page</u>	<u>Reference SAR Section Status</u>
15.3.3.2.1	Method of Analysis	15.3-8	I
15.3.3.2.2	Evaluation of the Pressure Transient	15.3-9	I
15.3.3.2.3	Evaluation of Departure from Nucleate Boiling (DNB) in the Core During the Accident	15.3-10	I
15.3.3.2.4	Film Boiling Coefficient	15.3-10	I
15.3.3.2.5	Fuel Clad Gap Coefficient	15.3-10	I
15.3.3.2.6	Zirconium - Steam Reaction	15.3-11	I
15.3.3.2.7	Results	15.3-12	I
15.3.3.3	Radiological Consequences	15.3-12	I
15.3.3.3.1	Analytical Assumptions	15.3-13	I
15.3.3.3.1.1	Source Term Calculations	15.3-13	I
15.3.3.3.1.2	General Parameters Used in the Analysis	15.3-14	I
15.3.3.3.1.3	Identification of Leakage Pathways and Resultant Leakage Activity	15.3-14	I
15.3.3.3.2	Identification of Uncertainties and Con- servative Elements in the Analysis	15.3-14	I
15.3.3.3.3	Conclusions	15.3-15	I
15.3.3.3.3.1	Filter Loadings	15.3-15	I
15.3.3.3.3.2	Doses to Receptor at the Exclusion Area Boundary and Low Population Zone Outer Boundary	15.3-15	I
15.3.4	Reactor Coolant Pump Shaft Break	15.3-16	I
15.3.4.1	Identification of Causes and Accident Description	15.3-16	I
15.3.4.2	Conclusion	15.3-17	I
15.3.5	References	15.3-17	I

TABLE OF CONTENTS (Cont)

<u>Section</u>	<u>Title</u>	<u>Page</u>	Reference SAR Section <u>Status</u>
15.4	REACTIVITY AND POWER DISTRIBUTION ANOMALIES	15.4-1	II
15.4.4	Startup of an Inactive Reactor Coolant Pump at an Incorrect Temperature	15.4-1	I
15.4.4.1	Identification of Causes and Accident Description	15.4-1	I
15.4.4.2	Analysis of Effects and Consequences	15.4-2	I
15.4.4.2.1	Method of Analysis	15.4-2	I
15.4.4.2.2	Results	15.4-3	I
15.4.4.3	Conclusions	15.4-4	I
15.4.5	References	15.4-4	I
15.5	INCREASE IN REACTOR COOLANT INVENTORY	15.5-1	I
15.5.1	Inadvertent Operation of ECCS During Power Operation	15.5-1	I
15.5.1.1	Identification of Causes and Accident Description	15.5-1	I
15.5.1.2	Conclusions	15.5-2	I
15.5.2	Chemical and Volume Control System Mal- function that Increases Reactor Coolant Inventory	15.5-2	I
15.6	DECREASE IN REACTOR COOLANT INVENTORY	15.6-1	II
15.6.1	Inadvertent Opening of a Pressurizer Safety or Relief Valve	15.6-1	I
15.6.1.1	Identification of Causes and Accident Description	15.6-1	I
15.6.1.2	Analysis of Effects and Conclusions	15.6-2	I
15.6.1.2.1	Method of Analysis	15.6-2	I
15.6.1.2.2	Results	15.6-3	I

TABLE OF CONTENTS (Cont)

<u>Section</u>	<u>Title</u>	<u>Page</u>	<u>Reference SAR Section Status</u>
15.6.1.3	Conclusion	15.6-4	I
15.6.2	References	15.6-4	I
15A.1	GENERAL ACCIDENT PARAMETERS	15.A-1	II
15A.2	OFFSITE RADIOLOGICAL CONSEQUENCES CALCULATIONAL MODELS	15.A-1	II
15A.2.1	Accident Release Pathways	15.A-2	II
15A.2.2	Single-Region Release Model	15.A-2	II
15A.2.3	Two-Region Spray Model in Containment (LOCA)	15.A-4	II
15A.2.4	Offsite Thyroid Dose Calculation Model	15.A-5	II
15A.2.5	Offsite Beta-Skin Dose Calculational Model	15.A-6	II
15A.2.6	Offsite Gamma-Body Dose Calculational Model	15.A-6	II
15A.3	Control Room Radiological Consequences Calculational Models	15.A-7	II
15A.3.1	Integrated Activity in Control Room	15.A-7	II
15A.3.2	Integrated Activity Concentration in Control Room from Single-Region System	15.A-8	II
15A.3.3	Control Room Thyroid Dose Calculational Model	15.A-9	II
15A.3.4	Control Room Beta-Skin Dose Calculational Model	15.A-10	II
15A.3.5	Control Room Gamma-Body Dose Calculation	15.A-11	II
15A.3.5.1	Model for Radiological Consequences Due to Radioactive Cloud External to the Control Room	15.A-11	II
15A.4	References	15.A-12	II

TABLE OF CONTENTS (Cont)

<u>Section</u>	<u>Title</u>	<u>Page</u>	Reference SAR Section <u>Status</u>
16.0	TECHNICAL SPECIFICATIONS	16.0-1	N/A
17.0	QUALITY ASSURANCE	17.1-1	II
17.1	QUALITY ASSURANCE DURING DESIGN AND CONSTRUCTION	17.1-1	II
17.1.1	References	17.1-1	II

TABLE OF CONTENTS (Cont)

LIST OF TABLES

<u>Number</u>	<u>Title</u>	<u>Page</u>
1.3-1	Design Comparisons	1.3-2
1.6-1	Material Incorporated by Reference	1.6-2
1.7-1	Piping and Instrumentation Diagrams	1.7-2
1.8-1	Standard Review Plan Deviations	1.8-2
1.8-2	Conformance to US NRC Regulatory Guides Applicable to the WAPWR RCS	1.8-3
3.1-1	GDC Applicable to RCS	3.1-2
3.2-1	Classification of Structures, Systems and Components for the Reactor Coolant System	3.2-3
5.1-1	Notes to RCS Process Flow Diagram (Figure 5.1-1)	5.1-9
5.1-2	System Design and Operating Parameters	5.1-11
5.2-1	Primary and Auxiliary Components Typical Material Specifications	5.2-42
5.2-2	Reactor Vessel Internals Material Specifications	5.2-47
5.2-3	Recommended Reactor Coolant Water Chemistry Specifications	5.2-48
5.3-1	Reactor Vessel Quality Assurance Program	5.3-22
5.3-2	Reactor Vessel Design Parameters	5.3-24
5.4-1	Reactor Coolant Pump Design Parameters, Model 100A	5.4-62
5.4-2	Reactor Coolant Pump Quality Assurance Program	5.4-64
5.4-3	Steam Generator Design Parameters	5.4-65
5.4-4	Steam Generator Quality Assurance Program	5.4-66
5.4-5	Reactor Coolant Piping Design Parameters	5.4-68
5.4-6	Reactor Coolant Piping Quality Assurance Program	5.4-69
5.4-7	Pressurizer Design Parameters	5.4-70
5.4-8	Reactor Coolant System Design Pressure Settings	5.4-71
5.4-9	Pressurizer Relief Tank Design Parameters	5.4-72
5.4-10	Pressurizer Relief Discharge System Nondestructive Testing Program	5.4-73

TABLE OF CONTENTS (Cont)

LIST OF TABLES

<u>Number</u>	<u>Title</u>	<u>Page</u>
5.4-11	Reactor Coolant System Valve Design Parameters	5.4-74
5.4-12	Reactor Coolant System Valves Nondestructive Examination Program	5.4-75
5.4-13	Pressurizer Safety and Relief Valves Design Parameters	5.4-76
5.4-14	Reactor Vessel Head Vent System Equipment Design Parameters	5.4-77
15.0-1	Nuclear Steam Supply System Power Ratings	15.0-21
15.0-2	Values of Pertinent Plant Parameters Utilized in Accident Analysis (ITDP)	15.0-22
15.0-2a	Values of Pertinent Plant Parameters Utilized in Accident Analysis (Non-ITDP)	15.0-23
15.0-3	Summary of Initial Conditions and Computer Codes Used	15.0-24
15.0-4	Trip Points and Time Delays to Trip Assumed in Accident Analyses	15.0-27
15.0-5	Determination of Maximum Overpower Trip Point - Power Range Neutron Flux Channel - Based on Nominal Setpoint Considering Inherent Instrument Errors	15.0-28
15.0-6	Plant Systems and Equipment Available for Transient and Accident Conditions	15.0-30
15.0-7	Fuel and Rod Gap Inventories, Core (Ci)	15.0-34
15.0-8	Reactor Coolant Iodine Concentrations for 1 μ Ci/gram and 60 μ Ci/gram of Dose Equivalent I-131	15.0-35
15.0-9	Reactor Coolant Noble Gas Specific Activity Based on One Percent Defective Fuel	15.0-36

TABLE OF CONTENTS (Cont)

LIST OF TABLES

<u>Number</u>	<u>Title</u>	<u>Page</u>
15.0-10	Iodine Appearance Rates in the Reactor Coolant (Curies/Sec)	15.0-37
15.3-1	Time Sequence of Events for Incidents which Result in a Decrease in Reactor Coolant System Flowrate	15.3-18
15.3-2	Summary of Results for Locked Rotor Transients (Four Loops Operating Initially)	15.3-20
15.3-3	Parameters used in Evaluating the Radio- logical Consequences of a Locked Rotor Accident	15.3-21
15.3-4	Radiological Consequences of a Locked Rotor Accident	15.3-23
15.4-1	Time Sequence of Events for Incidents which cause Reactivity and Power Distribution Anomalies	15.4-5
15.6-1	Time Sequence of Events for Incidents which Cause a Decrease in Reactor Coolant Inventory	15.6-5
15A-1	Parameters Used in Accident Analysis	15.A-13
15A-2	Limiting Short-Term Atmospheric Dispersion Factors for Accident Analysis (s/m^3)*	15.A-14
15A-3	Dose Conversion Factors Used in Accident Analysis	15.A-15

TABLE OF CONTENTS (Cont)

LIST OF FIGURES

<u>Number</u>	<u>Title</u>
1.2-1	Reactor Coolant System
1.7-1	Flow Diagram Legend
5.1-1	Reactor Coolant System Process Flow Diagram
5.1-2	Reactor Coolant System Piping and Instrumentation Diagram
5.3-1	WAPWR Reactor Vessel
5.4-1	Model 100A Reactor Coolant Pump
5.4-2	Reactor Coolant Pump Curve
5.4-3	Steam Generator
5.4-4	Structural Broach Support Configuration
5.4-5	Pressurizer
5.4-6	Pressurizer Relief Tank
5.4-7	Pressurizer Safety and Relief Valve Piping and Support Arrangement
5.4-8	Reactor Vessel Supports
5.4-9	Steam Generator Supports
5.4-10	Reactor Coolant Pump Supports
5.4-11	Pressurizer Supports
15.0-1	Illustration of Core Thermal Limits and DNB Protection (N Loop Operation)
15.0-2	Doppler Power Coefficient Used in Accident Analysis
15.0-3	RCCA Position vs. Time to Dashpot
15.0-4	Normalized RCCA Reactivity Worth vs. Fraction Insertion
15.0-5	Normalized RCCA Bank Reactivity Worth vs. Normalized Drop Time

TABLE OF CONTENTS (Cont)

LIST OF FIGURES

<u>Number</u>	<u>Title</u>
15.3-1	Flow Transients for 4 Loops in Operation, 2 Pumps Coasting Down
15.3-2	Nuclear Power and Pressurizer Pressure Transients for 4 Loops in Operation, 2 Pumps Coasting down
15.3-3	Average and Hot Channel Heat Flux Transients for 4 Loops in Operation, 2 Pumps Coasting Down
15.3-4	DNBR Versus Time for 4 Loops in Operation, 2 Pumps Coasting Down
15.3-5	Flow Transients for 4 Loops in Operation, 4 Pumps Coasting Down
15.3-6	Nuclear Power and Pressurizer Pressure Transients for 4 Loops in Operation, 4 Pumps Coasting Down
15.3-7	Average and Hot Channel Heat Flux Transients for 4 Loops in Operation, 4 Pumps Coasting Down
15.3-8	DNBR Versus Time for 4 Loops in Operation, 4 Pumps Coasting down
15.3-9	Flow Transients for 4 Loops in Operation, 1 Locked Rotor
15.3-10	Peak Reactor Coolant Pressure for 4 Loops in Operation, 1 Locked Rotor
15.3-11	Average and Hot Channel Heat Flux Transients for 4 Loops in Operation, 1 Locked Rotor
15.3-12	Nuclear Power and Maximum Clad Temperature at Hot Spot Transients for 4 Loops in Operation, 1 Locked Rotor
15.4-1	Improper Startup of an Inactive Reactor Coolant Pump
15.4-2	Improper Startup of an Inactive Reactor Coolant Pump
15.4-3	Improper Startup of an Inactive Reactor Coolant Pump
15.4-4	Improper Startup of an Inactive Reactor Coolant Pump
15.4-5	Improper Startup of an Inactive Reactor Coolant Pump

TABLE OF CONTENTS (Cont)

LIST OF FIGURES

<u>Number</u>	<u>Title</u>
15.6-1	Nuclear Power and DNBR Transients for Inadvertent Opening of a Pressurizer Safety Valve
15.6-2	Pressurizer Pressure Transients and Core Avg. Temp. Transient for Inadvertent Opening of a Pressurizer Safety Valve
15.A-1	Release Pathways