

A-124

GPC Exh. II-124

DOCKETED  
USNRC

June 1, 1995

'95 JUL 27 P4:36

UNITED STATES OF AMERICA

NUCLEAR REGULATORY COMMISSION

BEFORE THE ATOMIC SAFETY AND LICENSING BOARD

OFFICE OF SECRETARY  
DOCKETING & SERVICE  
BRANCH

In the Matter of

GEORGIA POWER COMPANY,  
et al.

(Vogtle Electric  
Generating Plant,  
Units 1 and 2)

\*  
\*  
\*  
\*  
\*  
\*  
\*

Docket Nos. 50-424-OLA-3  
50-425-OLA-3

Re: License Amendment  
(Transfer to Southern  
Nuclear)

AFFIDAVIT OF DOUGLAS HUYCK

1 I, Douglas Huyck, being duly sworn, state as follows:

2  
3 1. I am employed by the Georgia Power Company as the  
4 Security Manager at Plant Vogtle. I am the manager of Georgia  
5 Power responsible for assuring that certain security records are  
6 retained in accordance with record-retention practices and  
7 requirements. These records include historic documentation of  
8 entrances and exits by employees who are "badged" and issued access  
9 cards, referred to as "ACADs," into and out of the secured areas  
10 of Plant Vogtle.

11  
12 2. In mid-May, 1995, I was requested to review records for  
13 April 6, 7, and 8, 1990, for entrances and exits for the secured  
14 areas of Plant Vogtle by Mr. Jimmy Paul Cash and Mr. Chris Eckert.

15  
16 3. Mr. Cash's badge number for that time period was  
17 different than his current badge number because he had transferred

NUCLEAR REGULATORY COMMISSION

Docket No. 50-424/425-OLA-3 EXHIBIT NO. GPC II-124

In the matter of Georgia Power Co. et al., Vogtle Units 1 & 2

Staff  Applicant  Intervenor  Other

Identified  Received  Rejected Reporter KHW

Date 7/17/95 Witness Moskang

9508140168 950717  
PDR ADOCK 05000424  
G PDR

1 from the Operations Department at Plant Vogtle to the corporate  
2 office in Birmingham and a new number was assigned in February,  
3 1991. Mr. Eckert's badge number has remained the same.  
4

5 4. The security systems in place in April, 1990, have been  
6 upgraded, and the compilation and review of the historic  
7 documentation of entrances and exits was conducted under my  
8 supervision by manual examination of "hard copies" for the subject  
9 dates by Ms. Fay Whitlege (my Administrative Assistant) and Mr.  
10 Joseph Canada (a Security Specialist).  
11

12 5. Pursuant to my directions, Ms. Whitlege and Mr. Canada  
13 identified access card readings for Mr. Cash and Mr. Eckert. For  
14 the subject dates of April 6, 7, and 8, any historic record  
15 indicating the passage through a secured access door/portal  
16 associated with Mr. Cash's badge number (B0278) or Mr. Eckert's  
17 badge number (B2425) was identified and photocopied. Attachment  
18 A to this Affidavit is a true and correct copy of the records  
19 identified.  
20

21 6. Specific door/portal numbers have been assigned  
22 throughout Plant Vogtle. Relative to Attachment A, these numbers  
23 are as follows:

24 Door 141 Entrance turnstile in the "PESB," indicating  
25 entrance into the Plant's secured areas  
26

27 West Exit Exit turnstile in the "PESB," indicating  
28 exiting from the Plant's secured areas  
29

1 East Exit Exit turnstile in the "PESB," indicating  
2 exiting from the Plant's secured areas  
3

4 Doors 125, 129, 191, and 264 Control Building doors which  
5 separate the Plant's "protected area" from "vital" security  
6 areas  
7

8 Door 173 Control Room Door within the Control Building  
9

10 6. The Plant's Service Building is inside the secured areas  
11 of the Plant. The Plant's Administration building is outside the  
12 secured areas of the Plant. The General Manager's office is in the  
13 Administration building.  
14  
15

16 7. Based on my review of the Attachment A records, it  
17 appears that Mr. Eckert entered the secured areas of the Plant at  
18 7:59 A.M. on April 6, 1990, and left those areas at 3:34 P.M. the  
19 same day. No records indicate that Mr. Eckert was inside the  
20 secured areas of the Plant on April 7 or 8, 1990.  
21

22 8. Based on my review of the Attachment A records, it  
23 appears that Mr. Cash on April 6, 1990, entered the secured areas  
24 of the Plant at 7:36 A.M. and left those areas at 3:13 P.M. He re-  
25 entered the secured areas at 4:55 P.M. and exited at 6:23 P.M. No  
26 records indicate that Mr. Cash was inside the secured areas of the  
27 Plant on April 7, 1990.

28 On April 8, 1990, Mr. Cash entered the secured areas at  
29 7:48 A.M. and exited at 7:52 A.M. He re-entered at 8:31 A.M. and  
30 exited at 9:18 A.M. He entered the secured area for a third time

1 at 9:39 A.M. and exited at 10:18 A.M.

2

3 9. I hereby certify that the statements in this Affidavit  
4 are true and correct to the best of my personal knowledge and  
5 belief.

*Douglas Huxak* 6/1-95  
Douglas Huxak

Sworn to and subscribed  
before me this 1<sup>st</sup> day of  
June, 1995.

*Arnie Quinn Cleather*  
Notary Public  
My Commission expires:

Arnie Quinn Cleather, Notary Public, Georgia  
My Commission Expires April 2, 1998

Post-It™ Fax Note		7871
To	<i>Adelphi</i>	Date
Co./Dept.		<i>6/1/95</i>
Phone #		Page #
Fax #	<i>815-3433</i>	<i>1</i>
		From
		<i>Douglas Huxak</i>
		Co.
		<i>GPO</i>
		Phone #
		Fax #
		<i>815-3433</i>



04-06-90	07:55	2M20BSP8	MM 20B SUPRV	access	vld bdse	B1840
04-06-90	07:55	1C1S1NCR	DOOR 191 N-SEC C/R	command	enc sent	B0077
04-06-90	07:56	2M20IMP	MM 20 RA/SW IX IMP	access	vld bdse	B0291
04-06-90	07:56	1C125NCR	DOOR 125 N-SEC C/R	TAMPER	TRIPPED	
04-06-90	07:56	1K141NCR	DOOR 141 N-SEC C/R	access	vld bdse	B0206
04-06-90	07:56	1N107POS	PERS. LK. POSITION	access	vld bdse	B2655
		CI-SP19	ATV NO DEGRADE	command	annotate	B0022
04-06-90	07:56	1C125NCR	DOOR 125 N-SEC C/R	access	vld bdse	B2026
04-06-90	07:56	2M20IMP	MM 20 RA/SW IX IMP	command	ack	B0022
04-06-90	07:56	2M20IMP	MM 20 RA/SW IX IMP	command	ack	B0022
04-06-90	07:56	2M20BSP8	MM 20B SUPRV	command	clear	B0022
04-06-90	07:56	2C129SCR	DOOR 129 SEC C/R	access	vld bdse	B1761
04-06-90	07:56	2M20SP7	MM 20 SUPRV	TAMPER	FAULT	
04-06-90	07:56	2M20IMP	MM 20 RA/SW IX IMP	NORMAL	RETURN	
04-06-90	07:56	2M20SP7	MM 20 SUPRV	NORMAL	RETURN	
04-06-90	07:56	2M20IMP	MM 20 RA/SW IX IMP	TAMPER	TRIPPED	
04-06-90	07:56	1C172NCR	DOOR 172 N-SEC C/R	access	vld bdse	B0291
04-06-90	07:56	1KCRANCR	WEST EXIT C/R	access	vld bdse	B2947
04-06-90	07:56	2M20IMP	MM 20 RA/SW IX IMP	command	ack	B0022
04-06-90	07:56	1KCRANCR	WEST EXIT C/R	access	vld bdse	B4071
04-06-90	07:56	2M20SP7	MM 20 SUPRV	command	ack	B0022
04-06-90	07:56	2M20IMP	MM 20 RA/SW IX IMP	command	ack	B0022
04-06-90	07:56	1K124NCR	DOOR 124 N-SEC C/R	access	vld bdse	B2655
04-06-90	07:56	1C125NCR	DOOR 125 N-SEC C/R	access	vld bdse	B0463
04-06-90	07:56	2M20SP7	MM 20 SUPRV	TAMPER	FAULT	
04-06-90	07:56	2M20IMP	MM 20 RA/SW IX IMP	NORMAL	RETURN	
04-06-90	07:56	2M20SP7	MM 20 SUPRV	NORMAL	RETURN	
04-06-90	07:56	2M20IMP	MM 20 RA/SW IX IMP	TAMPER	TRIPPED	
04-06-90	07:56	1K124SCR	DOOR 124 SEC C/R	access	vld bdse	B2655
04-06-90	07:56	1N107POS	PERS. LK. POSITION	command	enc sent	B0077
04-06-90	07:56	2M20BRIM	MM 20 RA-RX IMP	command	annotate	B0022
		MORX-COMP2/4	MONITOR ILC PM'S			
04-06-90	07:56	2M20SP7	MM 20 SUPRV	command	ack	B0022
04-06-90	07:56	1C125SCR	DOOR 125 SEC C/R	access	vld bdse	B1524
04-06-90	07:56	2M20IMP	MM 20 RA/SW IX IMP	command	ack	B0022
04-06-90	07:57	1N107POS	PERS. LK. POSITION	command	clear	B0022
04-06-90	07:57	2C129NCR	DOOR 129 N-SEC C/R	access	vld bdse	B0206
04-06-90	07:57	2M20IMP	MM 20 RA/SW IX IMP	NORMAL	RETURN	
04-06-90	07:57	2C129NCR	DOOR 129 N-SEC C/R	access	vld bdse	B2266
04-06-90	07:57	1KCRANCR	WEST EXIT C/R	access	vld bdse	B0448
04-06-90	07:57	2C129NCR	DOOR 129 N-SEC C/R	access	vld bdse	B0794
04-06-90	07:57	2M20BRIM	MM 20 SW-JBOX RX IMP	command	annotate	B0022
		MORX-COMP 2/4	MONITOR ILC PM'S			
04-06-90	07:57	1C191SCR	DOOR 191 SEC C/R	access	vld bdse	B0992
04-06-90	07:57	1K141NCR	DOOR 141 N-SEC C/R	access	vld bdse	B2428
04-06-90	07:57	2M20BRIM	MM 20 RA-RX IMP	command	enc sent	B0077
04-06-90	07:58	2M20BRIM	MM 20 SW-JBOX RX IMP	command	enc sent	B0077
04-06-90	07:58	2M20SP8	MM 20 SUPRV	command	annotate	B0022

LOGGED ON AT SECURITY ALARM STATION

04-06-90	07:33	1K125NCR	DOOR 125	N-SEC C/R	access	vld bdse	B1310
04-06-90	07:33	1K125NCR	DOOR 125	N-SEC C/R	access	vld bdse	B1330
04-06-90	07:33	1K124C/R	DOOR 124	SEC C/R	access	vld bdse	B0052
04-06-90	07:33	1K102NCR	DOOR 102	N-SEC C/R	access	vld bdse	B1262
04-06-90	07:33	1K125NCR	DOOR 125	N-SEC C/R	access	vld bdse	B1386
04-06-90	07:34	1K124C/R	DOOR 124	SEC C/R	access	vld bdse	B0022
04-06-90	07:34	1K141NCR	DOOR 141	N-SEC C/R	access	vld bdse	B0824
04-06-90	07:34	1K125SCR	DOOR 125	SEC C/R	access	vld bdse	B1406
04-06-90	07:34	1K125SCR	DOOR 125	SEC C/R	access	vld bdse	B0124
04-06-90	07:34	1K173SCR	DOOR 173	SEC C/R	access	vld bdse	B1154
04-06-90	07:34	1K121NCR	DOOR 121	N-SEC C/R	access	vld bdse	B0527
04-06-90	07:34	1K141NCR	DOOR 141	N-SEC C/R	access	vld bdse	B0477
04-06-90	07:34	1K102NCR	DOOR 102	N-SEC C/R	access	vld bdse	B0474
04-06-90	07:34	1KCRUNCR	WEST EXIT C/R		access	vld bdse	B0121
04-06-90	07:34	1K141NCR	DOOR 141	N-SEC C/R	access	vld bdse	B4155
04-06-90	07:34	1K102NCR	DOOR 102	N-SEC C/R	access	vld bdse	B0523
04-06-90	07:34	1KCRUNCR	WEST EXIT C/R		access	vld bdse	B0049
04-06-90	07:34	1KES2CR	SAS #2 CRT CARD RDR	console	sign on		B0077

LOGGED ON AT SAS 2 CONSOLE

04-06-90	07:34	1C191SCR	DOOR 191	SEC C/R	access	vld bdse	B0527
04-06-90	07:34	1C125SCR	DOOR 125	SEC C/R	access	vld bdse	B0764
04-06-90	07:34	1C191NCR	DOOR 191	N-SEC C/R	access	vld bdse	B0212
04-06-90	07:34	1C125NCR	DOOR 125	N-SEC C/R	access	vld bdse	B0660
04-06-90	07:34	2C129NCR	DOOR 129	N-SEC C/R	access	vld bdse	B0550
04-06-90	07:34	1C125NCR	DOOR 125	N-SEC C/R	access	vld bdse	B1055
04-06-90	07:34	1C191NCR	DOOR 191	N-SEC C/R	access	vld bdse	B1953
04-06-90	07:35	1C125NCR	DOOR 125	N-SEC C/R	access	vld bdse	B2816
04-06-90	07:35	1K102NCR	DOOR 102	N-SEC C/R	access	vld bdse	B1220
04-06-90	07:35	1C125NCR	DOOR 125	N-SEC C/R	access	vld bdse	B0540
04-06-90	07:35	1K141NCR	DOOR 141	N-SEC C/R	access	vld bdse	B1446
04-06-90	07:35	1C125NCR	DOOR 125	N-SEC C/R	access	vld bdse	B3081
04-06-90	07:35	1KCRUNCR	WEST EXIT C/R		access	vld bdse	B0525
04-06-90	07:35	1C173NCR	DOOR 173	N-SEC C/R	access	vld bdse	B0212
04-06-90	07:35	1K102NCR	DOOR 102	N-SEC C/R	access	vld bdse	B2465
04-06-90	07:35	1C125NCR	DOOR 125	N-SEC C/R	access	vld bdse	B3006
04-06-90	07:35	1KCRUNCR	WEST EXIT C/R		access	vld bdse	B0203
04-06-90	07:35	1K102NCR	DOOR 102	N-SEC C/R	access	vld bdse	B2416
04-06-90	07:35	1C191NCR	DOOR 191	N-SEC C/R	access	vld bdse	B1951
04-06-90	07:35	1KCRUNCR	WEST EXIT C/R		access	vld bdse	B1141
04-06-90	07:35	1KCRUNCR	EAST EXIT C/R		access	vld bdse	B1471
04-06-90	07:35	1K141NCR	DOOR 141	N-SEC C/R	access	vld bdse	B2985
04-06-90	07:35	1C125NCR	DOOR 125	N-SEC C/R	access	vld bdse	B1750
04-06-90	07:35	1K102NCR	DOOR 102	N-SEC C/R	access	vld bdse	B0232
04-06-90	07:36	1C191NCR	DOOR 191	N-SEC C/R	access	vld bdse	B2181
04-06-90	07:36	1K102NCR	DOOR 102	N-SEC C/R	access	vld bdse	B2732
04-06-90	07:36	1C173NCR	DOOR 173	N-SEC C/R	access	vld bdse	B2181
04-06-90	07:36	1KCRUNCR	WEST EXIT C/R		access	vld bdse	B1546
04-06-90	07:36	1K141NCR	DOOR 141	N-SEC C/R	access	vld bdse	B0278
04-06-90	07:37	1C125NCR	DOOR 125	N-SEC C/R	access	vld bdse	B1354
04-06-90	07:37	1KCRUNCR	WEST EXIT C/R		access	vld bdse	B0049
04-06-90	07:37	1KCRUNCR	LAST EXIT C/R		access	vld bdse	B0332
04-06-90	07:37	1C191NCR	DOOR 191	N-SEC C/R	access	vld bdse	B0465
04-06-90	07:37	1C191NCR	DOOR 191	N-SEC C/R	access	vld bdse	B2337
04-06-90	07:37	1KCRUNCR	WEST EXIT C/R		access	vld bdse	B0195
04-06-90	07:37	1K141NCR	DOOR 141	N-SEC C/R	access	vld bdse	B3172
04-06-90	07:37	1KCRUNCR	WEST EXIT C/R		access	vld bdse	B0527
04-06-90	07:37	1C125SCR	DOOR 125	SEC C/R	access	vld bdse	B1672
04-06-90	07:37	1K141NCR	DOOR 141	N-SEC C/R	access	vld bdse	B1932
04-06-90	07:37	1C125SCR	DOOR 125	SEC C/R	access	vld bdse	B1920



Time	ID	Event	Access	Video	Alarm	Code
04-05-90	11150	1K175NCR	DOOR 125 N-SEC C/R			
04-05-90	11150	1K173SCR	DOOR 173 SEC C/R	access	vld bds	B2895
04-05-90	11150	2K129SCR	DOOR 129 SEC C/R	access	vld bds	R1886
04-05-90	11150	1K141NCR	DOOR 141 N-SEC C/R	access	vld bds	R1854
04-05-90	11150	1M03BIDA	MW 03B SW INTRUSION	ALARM	TRIPPED	B1160
04-05-90	11151	1K125SCR	DOOR 125 SEC C/R	access	vld bds	B0378
04-05-90	11151	1M03BIDA	MW 03B SW INTRUSION	NORMAL	RETURN	
04-05-90	11151	1VIDSW	VIDEO SWITCH STATUS	command	ack	B0077
04-05-90	11151	1K191NCR	DOOR 191 N-SEC C/R	NORMAL	ON LINE	
04-05-90	11151	1VIDSW	VIDEO SWITCH STATUS	access	vld bds	B0278
04-05-90	11151	1VIDSW	VIDEO SWITCH STATUS	NORMAL	ON LINE	
04-05-90	11151	1VIDSW	VIDEO SWITCH STATUS	NORMAL	ON LINE	
04-05-90	11151	1K170NCR	DOOR 170 N-SEC C/R	NORMAL	ON LINE	
04-05-90	11151	1K173SCR	DOOR 173 SEC C/R	access	vld bds	B0278
04-05-90	11151	1M03BIDA	MW 03B SW INTRUSION	access	vld bds	B0202
		CU- 721	ACCESS, NO DEGRADE	command	annotate	B0077
04-05-90	11152	1K125NCR	DOOR 125 N-SEC C/R	access	vld bds	B2026
04-05-90	11152	1K102NCR	DOOR 102 N-SEC C/R	access	vld bds	B2229
04-05-90	11152	1K125SCR	DOOR 125 SEC C/R	access	vld bds	B3270
04-05-90	11152	1K141NCR	DOOR 141 N-SEC C/R	access	vld bds	B3529
04-05-90	11152	1K102NCR	DOOR 102 N-SEC C/R	access	vld bds	B3452
04-05-90	11152	1K125SCR	DOOR 125 SEC C/R	access	vld bds	B0255
04-05-90	11152	1K101NCR	DOOR 101 N-SEC C/R	access	vld bds	B2094
04-05-90	11152	1K141NCR	DOOR 141 N-SEC C/R	access	vld bds	B0755
04-05-90	11152	1K101SCR	DOOR 101 SEC C/R	access	vld bds	B3203
04-05-90	11152	1M03BIDA	MW 03B SW INTRUSION	access	vld bds	B2094
04-05-90	11153	1W101POS	DOOR 101 POSITION	command	enc acct	B0022
04-05-90	11153	1W101POS	DOOR 101 POSITION	ALARM	OPEN	
04-05-90	11153	1K103SCR	DOOR 103 SEC C/R	NORMAL	CLOSED	
04-05-90	11153	1K124NCR	DOOR 124 N-SEC C/R	access	vld bds	B0740
04-05-90	11153	1W101POS	DOOR 101 POSITION	access	vld bds	B2665
04-05-90	11153	1K125SCR	DOOR 125 SEC C/R	command	ack	B0077
04-05-90	11153	1K191POS	DOOR 191 POSITION	access	vld bds	B1302
04-05-90	11153	1K125NCR	DOOR 125 N-SEC C/R	command	clear	B0077
04-05-90	11153	1M03BIDA	MW 03B SW INTRUSION	access	vld bds	B0725
04-05-90	11153	1K191NCR	DOOR 191 N-SEC C/R	command	clear	B0077
04-05-90	11153	1P103SCR	DOOR 103 SEC C/R	access	vld bds	B1428
04-05-90	11153	1K107NCR	PERC. LK. N-SEC C/R	access	vld bds	B1156
04-05-90	11154	2K129NCR	DOOR 129 N-SEC C/R	access	vld bds	B2895
04-05-90	11154	1K191POS	DOOR 191 POSITION	access	vld bds	B0725
04-05-90	11154	1K191POS	DOOR 191 POSITION	ALARM	OPEN	
04-05-90	11154	1K125NCR	DOOR 125 N-SEC C/R	command	ack	B0077
04-05-90	11154	1K124SCR	DOOR 124 SEC C/R	access	vld bds	B2350
04-05-90	11154	1K125SCR	DOOR 125 SEC C/R	access	vld bds	B2665
04-05-90	11154	1K125NCR	DOOR 125 N-SEC C/R	access	vld bds	B1524
04-05-90	11154	1K125NCR	DOOR 125 N-SEC C/R	access	vld bds	B0325
04-05-90	11154	1K125NCR	DOOR 125 N-SEC C/R	access	vld bds	B2446
04-05-90	11154	1K125NCR	DOOR 125 N-SEC C/R	access	vld bds	B1742
04-05-90	11154	1K141NCR	DOOR 141 N-SEC C/R	access	vld bds	B2984
04-05-90	11155	1K141NCR	DOOR 141 N-SEC C/R	access	vld bds	B2644
04-05-90	11155	1K141NCR	DOOR 141 N-SEC C/R	access	vld bds	R0141
04-05-90	11155	1K102NCR	DOOR 102 N-SEC C/R	access	vld bds	R1885
04-05-90	11155	1K191NCR	DOOR 191 N-SEC C/R	access	vld bds	R0042
04-05-90	11155	1K191POS	DOOR 191 POSITION	access	vld bds	B3172
04-05-90	11155	1L121SCR	DOOR 121 SEC C/R	NORMAL	CLOSED	
04-05-90	11155	1K125SCR	DOOR 125 SEC C/R	access	vld bds	R3172
04-05-90	11155	1K191POS	DOOR 191 POSITION	access	vld bds	R2446
		CU- 725	ACCESS, NO DEGRADE	command	annotate	B0077

04-06-90	12:12	10125NCR	DOOR 102	N-SEC C/R	access	vid bds	vid bds	B0193
04-06-90	12:13	10125NCR	DOOR 125	N-SEC C/R	access	vid bds	vid bds	B0322
04-06-90	12:13	10125NCR	DOOR 125	SEC C/R	access	vid bds	vid bds	B3172
04-06-90	12:14	10191NCR	WEST EXIT C/R		access	vid bds	vid bds	B0953
04-06-90	12:14	10191NCR	DOOR 191	N-SEC C/R	access	vid bds	vid bds	B0004
04-06-90	12:14	10125NCR	DOOR 125	SEC C/R	access	vid bds	vid bds	B1310
04-06-90	12:14	10191NCR	DOOR 191	N-SEC C/R	access	vid bds	vid bds	B3172
04-06-90	12:14	10125NCR	DOOR 125	POSITION	NORMAL	CLOSED		B1116
04-06-90	12:14	1N107SCR	PERS. LK.	SEC C/R	access	vid bds	vid bds	B0249
04-06-90	12:14	20129SCR	DOOR 129	SEC C/R	access	vid bds	vid bds	B0155
04-06-90	12:14	10170SCR	DOOR 170	SEC C/R	access	vid bds	vid bds	B0631
04-06-90	12:14	20129SCR	DOOR 129	SEC C/R	access	vid bds	vid bds	B0757
04-06-90	12:14	10170NCR	DOOR 170	N-SEC C/R	access	vid bds	vid bds	B0319
04-06-90	12:14	20129SCR	DOOR 129	SEC C/R	access	vid bds	vid bds	B2076
04-06-90	12:14	1MO0BIDA	MW 03B SW INTRUSION		command	vid bds	vid bds	B1068
		CU: 721	ACCESS. NO DEGRADE		command	vid bds	vid bds	B0077
04-06-90	12:15	10125POS	DOOR 125	POSITION	command	clear		B0077
04-06-90	12:15	10125NCR	DOOR 125	SEC C/R	access	vid bds	vid bds	B0319
04-06-90	12:15	1N107SCR	PERS. LK.	SEC C/R	access	vid bds	vid bds	B0262
04-06-90	12:15	10125NCR	DOOR 125	SEC C/R	access	vid bds	vid bds	B1068
04-06-90	12:15	10191SCR	DOOR 191	SEC C/R	access	vid bds	vid bds	B0757
04-06-90	12:15	10125NCR	DOOR 125	SEC C/R	access	vid bds	vid bds	B1716
04-06-90	12:15	1N107SCR	WEST EXIT C/R		access	vid bds	vid bds	B1763
04-06-90	12:15	1MO0BIDA	MW 03B SW INTRUSION		command	vid bds	vid bds	B0022
04-06-90	12:15	1MO0BIDA	MW 03B SW INTRUSION		command	vid bds	vid bds	B0022
04-06-90	12:15	20129SCR	DOOR 129	SEC C/R	command	clear		B0077
04-06-90	12:15	1N107SCR	PERS. LK.	SEC C/R	access	vid bds	vid bds	B2076
04-06-90	12:15	10125NCR	DOOR 125	N-SEC C/R	access	vid bds	vid bds	B1017
04-06-90	12:15	10125NCR	DOOR 125	N-SEC C/R	access	vid bds	vid bds	B0542
04-06-90	12:16	10170SCR	DOOR 170	SEC C/R	access	vid bds	vid bds	B0206
04-06-90	12:16	10191SCR	DOOR 191	SEC C/R	access	vid bds	vid bds	B0455
04-06-90	12:16	10125NCR	DOOR 125	N-SEC C/R	access	vid bds	vid bds	B1116
04-06-90	12:16	1N107SCR	WEST EXIT C/R		access	vid bds	vid bds	B2446
04-06-90	12:16	20129SCR	DOOR 129	SEC C/R	access	vid bds	vid bds	B0593
04-06-90	12:16	10105NCR	DOOR 105	N-SEC C/R	access	vid bds	vid bds	B2425
04-06-90	12:16	10125NCR	DOOR 125	N-SEC C/R	access	vid bds	vid bds	B0455
04-06-90	12:16	10125NCR	DOOR 125	N-SEC C/R	access	vid bds	vid bds	B1132
04-06-90	12:16	10125NCR	DOOR 125	N-SEC C/R	access	vid bds	vid bds	B0803
04-06-90	12:17	20129NCR	DOOR 129	N-SEC C/R	access	vid bds	vid bds	B1187
04-06-90	12:17	20129SCR	DOOR 129	SEC C/R	access	vid bds	vid bds	B1187
04-06-90	12:17	10125NCR	DOOR 125	N-SEC C/R	access	vid bds	vid bds	B2360
04-06-90	12:17	1N107SCR	WEST EXIT C/R		access	vid bds	vid bds	B1116
04-06-90	12:17	20125NCR	DOOR 125	N-SEC C/R	access	vid bds	vid bds	B1475
04-06-90	12:17	10125NCR	DOOR 125	N-SEC C/R	access	vid bds	vid bds	B2425
04-06-90	12:17	1N107SCR	WEST EXIT C/R		access	vid bds	vid bds	B0444
04-06-90	12:18	10125NCR	DOOR 125	N-SEC C/R	access	vid bds	vid bds	B0700
04-06-90	12:18	10125NCR	DOOR 125	SEC C/R	access	vid bds	vid bds	B0254
04-06-90	12:18	10125POS	DOOR 125	POSITION	ALARM	OPEN		B2446
04-06-90	12:18	20129NCR	DOOR 129	POSITION	command	ack		B0077
04-06-90	12:18	10125POS	DOOR 125	POSITION	access	vid bds	vid bds	B0456
04-06-90	12:18	10125NCR	DOOR 125	POSITION	NORMAL	CLOSED		
04-06-90	12:18	10170SCR	DOOR 170	N-SEC C/R	access	vid bds	vid bds	B3172
04-06-90	12:18	20129NCR	DOOR 129	SEC C/R	access	vid bds	vid bds	B0278 ✓
04-06-90	12:18	10125SCR	DOOR 125	SEC C/R	access	vid bds	vid bds	B2562
04-06-90	12:18	20129NCR	DOOR 129	SEC C/R	access	vid bds	vid bds	B3172
04-06-90	12:18	10191SCR	DOOR 191	SEC C/R	access	vid bds	vid bds	B0504
04-06-90	12:18	10191SCR	DOOR 191	SEC C/R	access	vid bds	vid bds	B0011
04-06-90	12:18	10125POS	DOOR 125	POSITION	command	vid bds	vid bds	B0278 ✓
		CU: 725	ACCESS. NO DEGRADE		command	vid bds	vid bds	B0077

CU: 725 ACCESS. NO DEGRADE



04-06-90	13:14	2M171R0TM	MW 17 SW RX TMP				
04-06-90	13:14	1C255SCR	DOOR 255 SEC C/R	command	ack		B0077
04-06-90	13:14	1N107NCR	PERS. LK. N-SEC C/R	access	vid bdge		B2655
04-06-90	13:14	1C191NCR	DOOR 191 N-SEC C/R	access	vid bdge		B1540
04-06-90	13:15	1MW04IDA	MW 04A RA INTRUSION	access	vid bdge		B0436
04-06-90	13:15	1MW04IDA	MW 04A RA INTRUSION	command	INACTIVE		B0088
04-06-90	13:15	1KCRWNER	WEST EXIT C/R	ALERT	CMD INAC		B0088
04-06-90	13:15	1VIDSW	VIDEO SWITCH STATUS	access	vid bdge		B0017
04-06-90	13:15	1KCRWNER	WEST EXIT C/R	NORMAL	ON LINE		
04-06-90	13:15	1MW04IDA	MW 04A RA INTRUSION	access	vid bdge		B0076
04-06-90	13:15	1A107NCR	DOOR 107 N-SEC C/R	command	ack		B0077
04-06-90	13:15	1M04BIDA	MW 04B SW INTRUSION	access	vid bdge		B0209
04-06-90	13:15	1M04BIDA	MW 04B SW INTRUSION	command	INACTIVE		B0088
04-06-90	13:15	1S111OCR	DOOR 111 SEC C/R	ALERT	CMD INAC		B0088
04-06-90	13:15	1M04BIDA	MW 04B SW INTRUSION	access	vid bdge		B1590
04-06-90	13:15	1VIDSW	VIDEO SWITCH STATUS	command	ack		B0077
04-06-90	13:15	1A107NCR	DOOR 107 N-SEC C/R	NORMAL	ON LINE		
04-06-90	13:15	1MW05IDA	MW 05A RA INTRUSION	access	vid bdge		B2094
04-06-90	13:15	1MW05IDA	MW 05A RA INTRUSION	command	INACTIVE		B0088
04-06-90	13:15	1C191NCR	DOOR 191 N-SEC C/R	ALERT	CMD INAC		B0088
04-06-90	13:15	1VIDSW	VIDEO SWITCH STATUS	access	vid bdge		B0005
04-06-90	13:15	1MW05IDA	MW 05A RA INTRUSION	NORMAL	ON LINE		
04-06-90	13:15	1S111OCR	DOOR 111 N-SEC C/R	command	ack		B0077
04-06-90	13:15	1C191NCR	DOOR 191 N-SEC C/R	access	vid bdge		B2137
04-06-90	13:15	1C154NCR	DOOR 154 N-SEC C/R	access	vid bdge		B0278 ✓
04-06-90	13:15	1C125NCR	DOOR 125 N-SEC C/R	access	vid bdge		B2655
04-06-90	13:15	1C173NCR	DOOR 173 N-SEC C/R	access	vid bdge		B1366
04-06-90	13:15	1C125NCR	DOOR 125 N-SEC C/R	access	vid bdge		B0278 ✓
04-06-90	13:15	1M03BIDA	MW 03B SW INTRUSION	access	vid bdge		B0346
04-06-90	13:16		HUS-721 ACCESS, POSSIBLE R/F REFLECTIONS, NO DEGRADE	command	annotate		B0077
04-06-90	13:16	1KCRWNER	WEST EXIT C/R				
04-06-90	13:16	1C173SCR	DOOR 173 SEC C/R	access	vid bdge		B1793
04-06-90	13:16	1C105NCR	DOOR 105 N-SEC C/R	access	vid bdge		B2455
04-06-90	13:16	1M03BIDA	MW 03B SW INTRUSION	access	vid bdge		B2138
04-06-90	13:16	1M03BIDA	MW 03B SW INTRUSION	command	INACTIVE		B0088
04-06-90	13:16	1M03APOS	GATE 02A POSITION	ALERT	CMD INAC		B0088
04-06-90	13:16	1M03APOS	SAS CRT #1 KEYSWITCH	ALARM	TRIPPED		
04-06-90	13:16		LOGGED ON ATSPARE	console	sign off		B0088
04-06-90	13:16	1M03APOS	GATE 02A POSITION		KEY OFF		
04-06-90	13:16	1C125NCR	DOOR 125 N-SEC C/R	command	ack		B0077
04-06-90	13:16	1M03BIDA	MW 03B SW INTRUSION	access	vid bdge		B0667
04-06-90	13:16	1M03BIDA	MW 03B SW INTRUSION	command	ack		B0077
04-06-90	13:16	1C191NCR	DOOR 191 N-SEC C/R	command	enc acct		B0022
04-06-90	13:16	1VIDSW	VIDEO SWITCH STATUS	access	vid bdge		B0260
04-06-90	13:16	1VIDSW	VIDEO SWITCH STATUS	NORMAL	ON LINE		
04-06-90	13:16	1VIDSW	VIDEO SWITCH STATUS	NORMAL	ON LINE		
04-06-90	13:16	1VIDSW	VIDEO SWITCH STATUS	NORMAL	ON LINE		
04-06-90	13:17	1C173NCR	DOOR 173 N-SEC C/R	NORMAL	ON LINE		
04-06-90	13:17	1K105NCR	DOOR 105 N-SEC C/R	access	vid bdge		B0667
04-06-90	13:17	1C173NCR	DOOR 173 N-SEC C/R	access	vid bdge		B0161
04-06-90	13:17	1C191OCR	DOOR 191 SEC C/R	access	vid bdge		B0240
04-06-90	13:17	1C173POS	DOOR 173 POSITION	access	vid bdge		B1073
04-06-90	13:17		CU-722 ACCESS, NO DEGRADE	command	annotate		B0077
04-06-90	13:17	1M03BIDA	MW 03B SW INTRUSION	command	clear		B0077
04-06-90	13:17	1C125SCR	DOOR 125 SEC C/R	access	vid bdge		B0358
04-06-90	13:17	1C173POS	DOOR 173 POSITION	command	enc acct		B0022
04-06-90	13:17	2M171R0TM	MW 17 RA RX TMP	NORMAL	RETURN		
04-06-90	13:18	2M171R0TM	MW 17 RA RX TMP	TAMPER	TRIPPED		
04-06-90	13:18	1KCRWNER	WEST EXIT C/R	access	vid bdge		B1366
04-06-90	13:18	2M171R0TM	MW 17 RA RX TMP	command	ack		B0077
04-06-90	13:18	2C112SCR	DOOR 112 SEC C/R	access	vid bdge		B0205
04-06-90	13:18	1KCRWNER	SAS #1 CRT CARD RDR	console	sign on		B0088
04-06-90	13:18	2C112SCR	LOGGED ON ATSPARE 1 CONSOLE				
04-06-90	13:18	2C112SCR	DOOR 112 SEC C/R				

Time	Device	Event	Access	Command	Response	Code
04-06-90	13140	1K141NCR	DOOR 264 SUPERVISION	access	vid bds	B2181
04-06-90	13141	CU-0022	ASSESS, NO DEGRADE	command	annotate	B0077
04-06-90	13141	1K125POS	DOOR 125 N-SEC C/R	access	vid bds	B2097
04-06-90	13141	1K141NCR	DOOR 125 POSITION	ALARM	OPEN	
04-06-90	13141	1K125POS	DOOR 125 N-SEC C/R	access	vid bds	B0044
04-06-90	13141	1K105NCR	DOOR 105 N-SEC C/R	command	ack	B0077
04-06-90	13141	2M17BRIM	MW 17 SW RX TMP	access	vid bds	B2181
04-06-90	13141	2M17BRIM	MW 17 SW RX TMP	NORMAL	RETURN	
04-06-90	13141	1KCRWNCR	WEST EXIT C/R	TAMPER	TRIPPED	
04-06-90	13141	1KCRENCR	EAST EXIT C/R	access	vid bds	B0367
04-06-90	13141	1K125NCR	DOOR 125 N-SEC C/R	access	vid bds	B2589
04-06-90	13141	2M17ERTM	MW 17 SW RX TMP	access	vid bds	B2295
04-06-90	13141	20264SP1	DOOR 264 SUPERVISION	NORMAL	RETURN	
04-06-90	13141	1G12ENCR	DOOR 125 N-SEC C/R	command	enc acct	B0088
04-06-90	13141	2M17ARTM	MW 17 SW RX TMP	access	vid bds	B0278
04-06-90	13141	20112SCR	DOOR 112 SEC C/R	command	ack	B0077
04-06-90	13141	2M17SPB	MW 17 SUPRV	access	vid bds	B0518
04-06-90	13141	1KCRWNCR	WEST EXIT C/R	NORMAL	RETURN	
04-06-90	13141	11SAS2CR	SAS #2 CRT CARD RDR	access	vid bds	B1435
			LOGGED ON AT BOTH SAS CONSOLES	console	sign on	B0088
04-06-90	13141	1K121SCR	DOOR 121 SEC C/R	access	vid bds	B0624
04-06-90	13141	1K121SCR	DOOR 121 SEC C/R	access	vid bds	B0553
04-06-90	13141	20264TMP	DOOR 264 TAMPER	access	vid bds	B0077
			CU-0022 ASSESS, NO DEGRADE	command	annotate	B0077
04-06-90	13141	1K125POS	DOOR 125 POSITION	ALARM	OPEN	
04-06-90	13141	1K125POS	DOOR 125 POSITION	command	ack	B0077
04-06-90	13141	1K111NCR	DOOR 111 N-SEC C/R	access	vid bds	B0518
04-06-90	13142	1K125SCR	DOOR 125 SEC C/R	access	vid bds	B1778
04-06-90	13142	1K125SCR	DOOR 125 SEC C/R	access	vid bds	B2402
04-06-90	13142	1K125POS	DOOR 125 POSITION	access	vid bds	B2984
04-06-90	13142	20264SP1	DOOR 264 SUPERVISION	NORMAL	CLOSED	
04-06-90	13142	1K125SCR	DOOR 125 SEC C/R	command	clear	B0077
04-06-90	13142	1M04BIDA	MW 04B SW INTRUSION	access	vid bds	B1743
04-06-90	13142	1K125SCR	DOOR 125 N-SEC C/R	ALARM	TRIPPED	
04-06-90	13142	1K125SCR	DOOR 125 SEC C/R	access	vid bds	B1073
04-06-90	13142	1K125SCR	DOOR 125 SEC C/R	access	vid bds	B1247
04-06-90	13142	1K125SCR	DOOR 125 SEC C/R	access	vid bds	B2425
04-06-90	13142	1M04BIDA	MW 04B SW INTRUSION	access	vid bds	B0927
04-06-90	13142	1M04BIDA	MW 04A RA INTRUSION	command	ack	B0077
04-06-90	13142	1M04BIDA	MW 04B SW INTRUSION	ALARM	TRIPPED	
04-06-90	13142	1VIDEN	VIDEO SWITCH STATUS	command	ack	B0077
04-06-90	13142	1K125SCR	DOOR 125 SEC C/R	NORMAL	ON LINE	
04-06-90	13142	1M04BIDA	MW 04A RA INTRUSION	access	vid bds	B2894
04-06-90	13142	1M04BIDA	MW 04B SW INTRUSION	NORMAL	RETURN	
04-06-90	13142	1M04BIDA	MW 04B SW INTRUSION	NORMAL	RETURN	
04-06-90	13142	20264TMP	DOOR 264 TAMPER	command	ack	B0077
04-06-90	13142	1K125SCR	DOOR 125 SEC C/R	command	enc acct	B0088
04-06-90	13142	1K125SCR	DOOR 125 SEC C/R	access	vid bds	B2446
04-06-90	13142	2M17SPB	MW 17 SUPRV	access	vid bds	B2026
04-06-90	13142	1M04BIDA	MW 04A RA INTRUSION	command	clear	B0077
04-06-90	13142	20264TMP	DOOR 264 TAMPER	command	ack	B0077
04-06-90	13142	1M04BIDA	MW 04B SW INTRUSION	command	clear	B0077
04-06-90	13142	1K141NCR	DOOR 141 N-SEC C/R	ALARM	TRIPPED	
04-06-90	13142	20129NCR	DOOR 129 N-SEC C/R	access	vid bds	B1147
04-06-90	13142	1K121SCR	DOOR 121 SEC C/R	access	vid bds	B2425
04-06-90	13142	1M04BIDA	MW 04B SW INTRUSION	access	vid bds	B2490
04-06-90	13142	1M04BIDA	MW 04B SW INTRUSION	command	ack	B0077
04-06-90	13142	1M04BIDA	MW 04B SW INTRUSION	NORMAL	RETURN	
04-06-90	13142	20111SCR	DOOR 111 SEC C/R	ALARM	TRIPPED	
04-06-90	13142	20129SCR	DOOR 129 SEC C/R	access	vid bds	B0518
04-06-90	13142	1M04BIDA	MW 04B SW INTRUSION	access	vid bds	B2478
04-06-90	13142	20102NCR	DOOR 102 N-SEC C/R	command	annotate	B0077
			TEST #B1773 PERFORM O.T. OPERATIONAL/PASS			



TIME	DESCRIPTION	STATUS	LOCATION	ALARM	LINE
04-06-90 14:06	IVIDSW	DOOR 101 POSITION	ALARM	OPEN	ON LINE
04-06-90 14:06	IVIDSW	VIDEO SWITCH STATUS	NORMAL	ON LINE	ON LINE
04-06-90 14:06	16125SCR	VIDEO SWITCH STATUS	NORMAL	ON LINE	ON LINE
04-06-90 14:06	IVIDSW	DOOR 125 SEC G/R	access	vld bds	R0644
04-06-90 14:06	20129SCR	VIDEO SWITCH STATUS	NORMAL	ON LINE	ON LINE
04-06-90 14:06	IVIDSW	DOOR 129 SEC C/R	access	vld bds	R0631
04-06-90 14:06	IVIDSW	VIDEO SWITCH STATUS	NORMAL	ON LINE	ON LINE
04-06-90 14:06	IVIDSW	VIDEO SWITCH STATUS	NORMAL	ON LINE	ON LINE
04-06-90 14:06	29101F06	DOOR 101 POSITION	command	ack	R2149
04-06-90 14:06	18111SCR	DOOR 111 SEC C/R	access	vld bds	R0044
04-06-90 14:06	29101NCR	DOOR 101 N-SEC C/R	access	vld bds	R2655
04-06-90 14:06	16191NCR	DOOR 191 N-SEC C/R	access	vld bds	R2550
04-06-90 14:06	20129NCR	DOOR 129 N-SEC C/R	access	vld bds	R2743
04-06-90 14:06	1M101IDA	MN 01A RA INTRUSION	command	clear	R2149
04-06-90 14:06	20129NCR	DOOR 129 N-SEC C/R	access	vld bds	R2516
04-06-90 14:06	20129NCR	DOOR 129 N-SEC C/R	access	vld bds	R2873
04-06-90 14:07	1F102SP2	DOOR 102 SUPERVISION	command	annotate	R2149
CU-727 NORMAL TRANSACTION					
04-06-90 14:07	1K102NCR	DOOR 102 N-SEC C/R	access	vld bds	R2726
04-06-90 14:07	1F102NCR	DOOR 103 N-SEC C/R	access	vld bds	R1156
04-06-90 14:07	20101F06	DOOR 101 POSITION	ALARM	GREEN	
04-06-90 14:07	1G105NCR	DOOR 105 N-SEC C/R	access	vld bds	R1137
04-06-90 14:07	20101F06	DOOR 101 POSITION	command	ack	R2149
04-06-90 14:07	1G105NCR	DOOR 103 N-SEC C/R	access	vld bds	R0044
04-06-90 14:07	1G173NCR	DOOR 173 N-SEC C/R	access	vld bds	R2550
04-06-90 14:07	1G125NCR	DOOR 125 N-SEC C/R	access	vld bds	R0644
04-06-90 14:07	20111SCR	DOOR 111 SEC C/R	access	vld bds	R1247
04-06-90 14:07	20129SCR	DOOR 129 SEC C/R	access	vld bds	R0953
04-06-90 14:07	1G111NCR	DOOR 111 N-SEC C/R	access	vld bds	R1209
04-06-90 14:07	1M02BIDA	MN 02B SW INTRUSION	command	annotate	R2149
CU-FOXTR01 1 ZONE CLEAR					
04-06-90 14:07	1F102SP2	DOOR 102 SUPERVISION	command	enc acct	B0088
04-06-90 14:07	1F102SP2	DOOR 102 SUPERVISION	command	clear	R2149
04-06-90 14:07	20101F06	DOOR 101 POSITION	NORMAL	CLOSED	
04-06-90 14:07	1K099NCR	WEST EXIT C/R	access	vld bds	B0069
04-06-90 14:07	1G125SCR	DOOR 125 SEC C/R	access	vld bds	B0755
04-06-90 14:07	20129NCR	DOOR 129 N-SEC C/R	access	vld bds	R0284
04-06-90 14:07	1G173CLR	DOOR 173 SEC C/R	access	vld bds	B2926
04-06-90 14:08	1G173SCR	DOOR 173 SEC C/R	access	vld bds	R2550
04-06-90 14:08	1G109SCR	DOOR 109 SEC C/R	access	vld bds	B0044
04-06-90 14:08	1G125SCR	DOOR 125 SEC C/R	access	vld bds	B0746
04-06-90 14:08	1G121SCR	DOOR 121 SEC C/R	access	vld bds	B2926
04-06-90 14:08	1M03BIDA	MN 03B SW INTRUSION	command	enc acct	B0088
04-06-90 14:08	2M12BIDA	MN 12B SW INTRUSION	ALARM	TRIPPED	
04-06-90 14:08	2M126SCR	DOOR 126 SEC C/R	access	vld bds	B2743
04-06-90 14:08	IVIDSW	VIDEO SWITCH STATUS	NORMAL	ON LINE	
04-06-90 14:08	2M129ID	MN 12B SW INTRUSION	NORMAL	RETURN	
04-06-90 14:08	20101F06	DOOR 101 POSITION	command	annotate	R2149
CU-725 NORMAL TRANSACTION					
04-06-90 14:08	2M129IDA	MN 12B SW INTRUSION	command	ack	B2149
04-06-90 14:08	1G125NCR	DOOR 125 N-SEC C/R	access	vld bds	B0424
04-06-90 14:08	20111NCR	DOOR 111 N-SEC C/R	access	vld bds	B2655
04-06-90 14:08	1F104NCR	DOOR 104 N-SEC C/R	access	vld bds	B0044
04-06-90 14:08	1G126SCR	DOOR 172 SEC G/R	access	vld bds	B0171
04-06-90 14:08	1K141NCR	DOOR 141 N-SEC G/R	access	vld bds	B0920
04-06-90 14:08	1K099NCR	WEST EXIT G/R	access	vld bds	B0819
04-06-90 14:08	1F103SCR	DOOR 103 SEC G/R	access	vld bds	R1156
04-06-90 14:08	20129NCR	DOOR 129 N-SEC C/R	access	vld bds	R0278
04-06-90 14:08	20101F06	DOOR 101 POSITION	command	enc acct	B0088
04-06-90 14:08	1G125SCR	DOOR 125 SEC C/R	access	vld bds	R0644
04-06-90 14:08	20129NCR	DOOR 129 N-SEC C/R	access	vld bds	R2295
04-06-90 14:08	1F104SCR	DOOR 104 SEC C/R	access	vld bds	B0044

04-06-90 14:08 1F104SCR DOOR 104 SEC C/R access vld bds B0044



04-06-90	14:34	1C102NCR	DOOR 102	SEC C/R	access	vid bdse	B214
04-06-90	14:34	1C125SCR	DOOR 125	N-SEC C/R	access	vid bdse	B253
04-06-90	14:34	1C191SCR	DOOR 191	SEC C/R	access	vid bdse	B071
04-06-90	14:34	1C125SCR	DOOR 125	SEC C/R	access	vid bdse	B190
04-06-90	14:34	1C125POS	DOOR 125	SEC C/R	access	vid bdse	B142
04-06-90	14:34	1C173NCR	DOOR 173	POSITION	ALARM	OPEN	B294
04-06-90	14:34	1C125NLR	DOOR 125	N-SEC C/R	access	vid bdse	B432
04-06-90	14:34	1C125POS	DOOR 125	N-SEC C/R	access	vid bdse	B2655
04-06-90	14:35	1C125SCR	DOOR 125	POSITION	command	ack	B2149
04-06-90	14:35	1C125POS	DOOR 125	SEC C/R	access	vid bdse	B2655
				POSITION	NORMAL	CLOSED	

04-06-90	14:35	1C125NCR	DOOR 125	N-SEC C/R	access	vid bdse	B2655
04-06-90	14:35	1C125POS	DOOR 125	POSITION	ALARM	OPEN	
04-06-90	14:35	1C501SCR	DOOR 501	SEC C/R	access	vid bdse	B0683
04-06-90	14:35	1C125NCR	DOOR 125	N-SEC C/R	access	vid bdse	B0252
04-06-90	14:35	1C191SCR	DOOR 191	SEC C/R	access	vid bdse	B2037
04-06-90	14:35	1C125POS	DOOR 125	POSITION	command	ack	B2149
04-06-90	14:36	1C125NCR	DOOR 125	POSITION	ALARM	OPEN	
04-06-90	14:36	1C125POS	DOOR 125	POSITION	access	vid bdse	B2339
04-06-90	14:36	1C125POS	DOOR 125	POSITION	command	ack	B2149
04-06-90	14:36	1C125POS	DOOR 125	POSITION	ALARM	OPEN	
04-06-90	14:36	2C129SCR	DOOR 129	SEC C/R	command	ack	B2149
04-06-90	14:36	1C125NCR	DOOR 125	N-SEC C/R	access	vid bdse	B1580
04-06-90	14:37	1KCRWNCR	WEST EXIT	C/R	access	vid bdse	B2655
04-06-90	14:37	1C125POS	DOOR 125	POSITION	access	vid bdse	B2814
04-06-90	14:37	1KCRWNCR	WEST EXIT	C/R	ALARM	OPEN	
04-06-90	14:37	1C125POS	DOOR 125	POSITION	access	vid bdse	B0478
04-06-90	14:37	2C129NCR	DOOR 129	N-SEC C/R	command	ack	B2149
04-06-90	14:37	1K136POS	DOOR 136	POSITION	access	vid bdse	B2478
04-06-90	14:37	1C125POS	DOOR 125	POSITION	ALARM	TRIPPED	
04-06-90	14:37	1K136POS	DOOR 136	POSITION	command	ack	B2149
04-06-90	14:37	1K136POS	DOOR 136	POSITION	command	ack	B2149
04-06-90	14:37	1C125NCR	DOOR 125	N-SEC C/R	NORMAL	RETURN	
04-06-90	14:37	1C173SCR	DOOR 173	SEC C/R	access	vid bdse	B2655
04-06-90	14:37	1C173SCR	DOOR 173	SEC C/R	access	vid bdse	B0667
04-06-90	14:37	1C125SCR	DOOR 125	SEC C/R	access	vid bdse	B0270 ✓
04-06-90	14:37	1C191SCR	DOOR 191	SEC C/R	access	vid bdse	B2655
04-06-90	14:37	1C102NCR	DOOR 102	N-SEC C/R	access	vid bdse	B0667
04-06-90	14:37	1C191SCR	DOOR 191	SEC C/R	access	vid bdse	B1760
04-06-90	14:37	1K136POS	DOOR 136	POSITION	access	vid bdse	B0270 ✓
04-06-90	14:37	1K136POS	DOOR 136	POSITION	ALARM	TRIPPED	
04-06-90	14:37	1C125POS	DOOR 125	POSITION	command	ack	B2149
04-06-90	14:37	1K136POS	DOOR 136	POSITION	ALARM	OPEN	
04-06-90	14:37	1C125NCR	DOOR 125	N-SEC C/R	NORMAL	RETURN	
04-06-90	14:37	1C125POS	DOOR 125	POSITION	access	vid bdse	B2655
04-06-90	14:38	2C102NCR	DOOR 102	N-SEC C/R	command	ack	B2149
04-06-90	14:38	1K137POS	DOOR 137	POSITION	access	vid bdse	B0857
04-06-90	14:38	1K136POS	DOOR 136	POSITION	ALARM	TRIPPED	
04-06-90	14:38	1K137POS	DOOR 137	POSITION	command	ack	B2149
04-06-90	14:38	1KCRWNCR	WEST EXIT	C/R	NORMAL	RETURN	
04-06-90	14:38	1C125POS	DOOR 125	POSITION	access	vid bdse	B0041
04-06-90	14:38	1C125POS	DOOR 125	POSITION	ALARM	OPEN	
04-06-90	14:38	1C173SCR	DOOR 173	POSITION	NORMAL	CLOSED	
04-06-90	14:38	1C173NCR	DOOR 173	N-SEC C/R	command	ack	B2 49
04-06-90	14:38	1C125POS	DOOR 125	POSITION	access	vid bdse	B1055
04-06-90	14:38	1C125SCR	DOOR 125	SEC C/R	command	ack	B2149
04-06-90	14:38	1K136POS	DOOR 136	POSITION	access	vid bdse	B2655
			IVL 727 - 4 HR VA CK		command	annotate	B2149
04-06-90	14:38	1C105SCR	DOOR 105	SEC C/R	access	vid bdse	B0419
04-06-90	14:38	1C125NCR	DOOR 125	N-SEC C/R	access	vid bdse	

04-06-90	15:09	1C125SCR	DOOR 125 SEC C/R	access	vid bdse	B0530
04-06-90	15:09	1KCRWNCR	WEST EXIT C/R	access	vid bdse	B0520
04-06-90	15:09	1C125SCR	DOOR 125 SEC C/R	access	vid bdse	B1361
04-06-90	15:09	1CCAS1CR	CAS CRT #1 CARD RDR	console	sign on	B0022
			LOGGED ON ATCAS 1 CONSOLE			
04-06-90	15:09	1G105SCR	DOOR 105 SEC C/R	access	vid bdse	B2180
04-06-90	15:09	1G191NCR	DOOR 191 N-SEC C/R	access	vid bdse	B0660
04-06-90	15:09	2G129NCR	DOOR 129 N-SEC C/R	access	vid bdse	B0352
04-06-90	15:10	1G191NCR	DOOR 191 N-SEC C/R	access	vid bdse	B2926
04-06-90	15:10	1A107NCR	DOOR 107 N-SEC C/R	access	vid bdse	B0479
04-06-90	15:10	1K141NCR	DOOR 141 N-SEC C/R	access	vid bdse	B2767
04-06-90	15:10	1K102NCR	DOOR 102 N-SEC C/R	access	vid bdse	B2837
04-06-90	15:10	1G255SCR	DOOR 255 SEC C/R	access	vid bdse	B2149
04-06-90	15:10	1C125NCR	DOOR 125 N-SEC C/R	access	vid bdse	P0358
04-06-90	15:10	1KCRWNCR	WEST EXIT C/R	access	vid bdse	P-041
04-06-90	15:10	2C129NCR	DOOR 129 N-SEC C/R	access	vid bdse	B0595
04-06-90	15:10	1C173NCR	DOOR 173 N-SEC C/R	access	vid bdse	B0660
04-06-90	15:10	1C173NCR	DOOR 173 N-SEC C/R	access	vid bdse	B2926
04-06-90	15:10	1C125SCR	DOOR 125 SEC C/R	access	vid bdse	B0587
04-06-90	15:11	1C191SCR	DOOR 191 SEC C/R	access	vid bdse	B1267
04-06-90	15:11	1C125NCR	DOOR 125 N-SEC C/R	access	vid bdse	B1157
04-06-90	15:11	1C173SCR	DOOR 173 SEC C/R	access	vid bdse	B0927
04-06-90	15:11	2C129SCR	DOOR 129 SEC C/R	access	vid bdse	B0595
04-06-90	15:12	1C125SCR	DOOR 125 SEC C/R	access	vid bdse	B2564
04-06-90	15:12	1C173NCR	DOOR 173 N-SEC C/R	access	vid bdse	B2564
04-06-90	15:12	1K141NCR	DOOR 141 N-SEC C/R	access	vid bdse	B0471
04-06-90	15:12	1C125STR	DOOR 125 STRIKE	ALERT	NOT OPEN	B0120
04-06-90	15:12	1KCRWNCR	WEST EXIT C/R	access	vid bdse	B1140
04-06-90	15:12	1KCRWNCR	EAST EXIT C/R	access	vid bdse	B0342
04-06-90	15:12	1KCRWNCR	WEST EXIT C/R	access	vid bdse	B1121
04-06-90	15:12	1C125NCR	DOOR 125 N-SEC C/R	access	vid bdse	B1720
04-06-90	15:12	1C125NCR	DOOR 125 N-SEC C/R	access	vid bdse	B1540
04-06-90	15:12	1KCRWNCR	WEST EXIT C/R	access	vid bdse	B2500
04-06-90	15:12	2MW18IDA	MW 18 RA INTRUSION	command	vid bdse	B1073
04-06-90	15:12	2MW18IDA	MW 18 RA INTRUSION	command	INACTIVE	B0077
04-06-90	15:12	1VIDSW	VIDEO SWITCH STATUS	ALERT	CMD INAC	B0077
04-06-90	15:12	2C129NCR	DOOR 129 N-SEC C/R	NORMAL	ON LINE	
04-06-90	15:12	2MW18IDA	MW 18B SW INTRUSION	access	vid bdse	B1720
04-06-90	15:12	2MW18IDA	MW 18B SW INTRUSION	command	INACTIVE	B0077
04-06-90	15:12	2C129NCR	DOOR 129 N-SEC C/R	ALERT	CMD INAC	B0077
04-06-90	15:12	2MW18IDA	MW 18 RA INTRUSION	access	vid bdse	B0927
04-06-90	15:12	1VIDSW	VIDEO SWITCH STATUS	command	ack	B0022
04-06-90	15:12	2MW18IDA	MW 18B SW INTRUSION	NORMAL	ON LINE	
04-06-90	15:12	1KCRWNCR	WEST EXIT C/R	command	ack	B0022
04-06-90	15:12	1C125NCR	DOOR 125 N-SEC C/R	access	vid bdse	B1475
04-06-90	15:12	1C129SCR	DOOR 129 SEC C/R	access	vid bdse	B3081
04-06-90	15:12	1C125SCR	DOOR 125 SEC C/R	access	vid bdse	B0295
04-06-90	15:12	1C129NCR	DOOR 129 N-SEC C/R	access	vid bdse	B1119
04-06-90	15:12	1KCRWNCR	WEST EXIT C/R	access	vid bdse	B2337
04-06-90	15:12	1VIDSW	VIDEO SWITCH STATUS	access	vid bdse	B0279
04-06-90	15:12	1VIDSW	VIDEO SWITCH STATUS	NORMAL	ON LINE	
04-06-90	15:12	1VIDSW	VIDEO SWITCH STATUS	NORMAL	ON LINE	
04-06-90	15:12	1VIDSW	VIDEO SWITCH STATUS	NORMAL	ON LINE	
04-06-90	15:12	1VIDSW	VIDEO SWITCH STATUS	NORMAL	ON LINE	
04-06-90	15:12	2MW18IDA	MW 18 RA INTRUSION	NORMAL	ON LINE	
04-06-90	15:12		INAC-7115 MONITOR FENCE WORK	command	annotate	B0022
04-06-90	15:12	2MW18IDA	MW 18B SW INTRUSION	command	annotate	B0022
04-06-90	15:12	1C125SCR	DOOR 125 SEC C/R	command	annotate	B0022
04-06-90	15:14	1C125SCR	DOOR 125 SEC C/R	access	vid bdse	B1513
04-06-90	15:14	2MW18IDA	MW 18 RA INTRUSION	command	cmd acct	B0022
04-06-90	15:14	2MW18IDA	MW 18B SW INTRUSION	command	cmd acct	B0022
04-06-90	15:14	1G105SCR	DOOR 105 SEC C/R	command	cmd acct	B0022



Time	Device	Door	Access Type	Access	Status	Code
04-06-90	15:31	1S111NCR	DOOR 111 N-SEC C/R	access	vld bdse	B1964
04-06-90	15:31	2C129SCR	DOOR 129 SEC C/R	access	vld bdse	B1666
04-06-90	15:31	1A107SCR	DOOR 107 SEC C/R	access	vld bdse	B2004
04-06-90	15:31	1KCRWNCR	WEST EXIT C/R	access	vld bdse	B0727
04-06-90	15:31	1KCRWNCR	WEST EXIT C/R	access	vld bdse	B0700
04-06-90	15:31	1A107SCR	DOOR 107 SEC C/R	access	vld bdse	B0060
04-06-90	15:31	1K141NCR	DOOR 141 N-SEC C/R	access	vld bdse	B3467
04-06-90	15:31	1KCRWNCR	WEST EXIT C/R	access	vld bdse	B2524
04-06-90	15:32	1K124SCR	DOOR 124 SEC C/R	access	vld bdse	B2860
04-06-90	15:32	2C129SCR	DOOR 129 SEC C/R	access	vld bdse	B0011
04-06-90	15:32	1K124SCR	DOOR 124 SEC C/R	access	vld bdse	B4190
04-06-90	15:32	1KCRWNCR	WEST EXIT C/R	access	vld bdse	B0088
04-06-90	15:32	1C125SCR	DOOR 125 SEC C/R	access	vld bdse	B2217
04-06-90	15:32	1KCRWNCR	WEST EXIT C/R	access	vld bdse	B3004
04-06-90	15:32	1KCRWNCR	WEST EXIT C/R	access	vld bdse	B0495
04-06-90	15:32	1KCRWNCR	WEST EXIT C/R	access	vld bdse	B1137
04-06-90	15:32	1KRENCR	EAST EXIT C/R	access	vld bdse	B0378
04-06-90	15:32	2C129SCR	DOOR 129 SEC C/R	access	vld bdse	B0305
04-06-90	15:32	1G105SCR	DOOR 105 SEC C/R	access	vld bdse	B0419
04-06-90	15:32	1G105POS	DOOR 105 POSITION	ALARM	OPEN	
04-06-90	15:32	1G105POS	DOOR 105 POSITION	command	ack	B2149
04-06-90	15:32	1G105POS	DOOR 105 POSITION	NORMAL	CLOSED	
04-06-90	15:32	1KCRWNCR	WEST EXIT C/R	access	vld bdse	B0690
04-06-90	15:32	1KCRWNCR	WEST EXIT C/R	access	vld bdse	B1022
04-06-90	15:32	1KCRWNCR	WEST EXIT C/R	access	vld bdse	B3222
04-06-90	15:32	1KCRWNCR	WEST EXIT C/R	access	vld bdse	B2435
04-06-90	15:32	1C125NCR	DOOR 125 N-SEC C/R	access	vld bdse	B0323
04-06-90	15:32	1KRENCR	EAST EXIT C/R	access	vld bdse	B0330
04-06-90	15:32	1KCRWNCR	WEST EXIT C/R	access	vld bdse	B0711
04-06-90	15:32	1KCRWNCR	WEST EXIT C/R	access	vld bdse	B2665
04-06-90	15:32	1C121NCR	DOOR 121 N-SEC C/R	access	vld bdse	B0322
04-06-90	15:32	1C121NCR	DOOR 121 N-SEC C/R	access	vld bdse	B2747
04-06-90	15:32	1C125NCR	DOOR 125 N-SEC C/R	access	vld bdse	B0434
04-06-90	15:32	1KCRWNCR	WEST EXIT C/R	access	vld bdse	B0829
04-06-90	15:32	1G105SCR	DOOR 105 SEC C/R	access	vld bdse	B0750
04-06-90	15:32	1C125NCR	DOOR 125 N-SEC C/R	access	vld bdse	B1343
04-06-90	15:32	1S111NCR	DOOR 111 N-SEC C/R	access	vld bdse	B0727
04-06-90	15:32	1S111NCR	DOOR 111 N-SEC C/R	access	vld bdse	B0467
04-06-90	15:32	1C173NCR	DOOR 173 N-SEC C/R	access	vld bdse	B2747
04-06-90	15:32	1C125SCR	DOOR 125 SEC C/R	access	vld bdse	B0288
04-06-90	15:32	1G105NCR	DOOR 105 N-SEC C/R	access	vld bdse	B0161
04-06-90	15:32	1KCRWNCR	WEST EXIT C/R	access	vld bdse	B3387
04-06-90	15:32	1KRENCR	EAST EXIT C/R	access	vld bdse	B1475
04-06-90	15:32	1C125SCR	DOOR 125 SEC C/R	access	vld bdse	B0323
04-06-90	15:32	1KCRWNCR	WEST EXIT C/R	access	vld bdse	B2425
04-06-90	15:32	1K141NCR	DOOR 141 N-SEC C/R	access	vld bdse	B0481
04-06-90	15:32	1G105SCR	DOOR 105 SEC C/R	access	vld bdse	B0224
04-06-90	15:32	1C121NCR	DOOR 121 N-SEC C/R	access	vld bdse	B0631
04-06-90	15:32	1C121NCR	DOOR 121 N-SEC C/R	access	vld bdse	B0155
04-06-90	15:32	1C125SCR	DOOR 125 SEC C/R	access	vld bdse	B0755
04-06-90	15:32	1K124NCR	DOOR 124 N-SEC C/R	access	vld bdse	B0053
04-06-90	15:32	1G105POS	DOOR 105 POSITION	command	annotate	B2149
CU-B0141 DOOR SECURE/CAUSE UNK						
04-06-90	15:32	1C173NCR	DOOR 173 N-SEC C/R	access	vld bdse	B0621
04-06-90	15:32	1C108NCR	DOOR 108 N-SEC C/R	access	vld bdse	B1990
04-06-90	15:32	1G105SCR	DOOR 105 SEC C/R	access	vld bdse	B1112
04-06-90	15:32	1G105POS	DOOR 105 POSITION	command	one acct	B0077
04-06-90	15:32	1KCRWNCR	WEST EXIT C/R	access	vld bdse	B3081
04-06-90	15:32	1K124SCR	DOOR 124 SEC C/R	access	vld bdse	B0052
04-06-90	15:32	1KCRWNCR	WEST EXIT C/R	access	vld bdse	B1174
04-06-90	15:32	1K141NCR	DOOR 141 N-SEC C/R	access	vld bdse	B3117
04-06-90	15:32	1KCRWNCR	WEST EXIT C/R	access	vld bdse	B3172
04-06-90	15:32	1KRENCR	EAST EXIT C/R	access	vld bdse	B1050
04-06-90	15:32	1C125NCR	DOOR 125 N-SEC C/R	access	vld bdse	B0291



04-06-90	14:51	1K124SCR	DOOR 124 SEC C/R	access	vld bdge	B0012
04-06-90	14:51	1C125SCR	DOOR 125 SEC C/R	access	vld bdge	B0212
04-06-90	14:51	1KCRWNCR	WEST EXIT C/R	access	vld bdge	B0234
04-06-90	14:51	1KCRWNCR	WEST EXIT C/R	access	vld bdge	B0560
04-06-90	14:51	2C129SCR	DOOR 129 SEC C/R	access	vld bdge	B0545
04-06-90	14:51	1KCRWNCR	WEST EXIT C/R	access	vld bdge	B3006
04-06-90	14:51	1G102NCR	DOOR 102 N-SEC C/R	access	vld bdge	B0419
04-06-90	14:51	1C172SCR	DOOR 172 SEC C/R	access	vld bdge	B0953
04-06-90	14:52	1C191SCR	DOOR 191 SEC C/R	access	vld bdge	B0953
04-06-90	14:52	1C125NCR	DOOR 125 N-SEC C/R	access	vld bdge	B1799
04-06-90	14:52	1C125NCR	DOOR 125 N-SEC C/R	access	vld bdge	B1099
04-06-90	14:52	1C125NCR	DOOR 125 N-SEC C/R	access	vld bdge	B0288
04-06-90	14:52	1C125NCR	DOOR 125 N-SEC C/R	access	vld bdge	B1773
04-06-90	14:52	1C125NCR	DOOR 125 N-SEC C/R	access	vld bdge	B1527
04-06-90	14:52	2C129SCR	DOOR 129 SEC C/R	access	vld bdge	B3270
04-06-90	14:52	1G102SCR	DOOR 102 SEC C/R	access	vld bdge	B3004
04-06-90	14:52	1KCRWNCR	WEST EXIT C/R	access	vld bdge	B0419
04-06-90	14:52	1KCRWNCR	WEST EXIT C/R	access	vld bdge	B4979
04-06-90	14:52	1C125NCR	DOOR 125 N-SEC C/R	access	vld bdge	B1152
04-06-90	14:52	1N107SCR	PERS. LK. SEC C/R	access	vld bdge	B1015
04-06-90	14:54	1G105NCR	DOOR 105 N-SEC C/R	access	vld bdge	B1244
04-06-90	14:54	1KCRWNCR	WEST EXIT C/R	access	vld bdge	B0419
04-06-90	14:54	1KSASKS1	SAS CRT #1 KEYSWITCH	console	sign off	B1580
			LOGGED ON ATSPARE			B2149
					KEY ON	
04-06-90	14:54	1KSAS1CR	SAS #1 CRT CARD RDR	console	sign on	B2149
			LOGGED ON ATSPARE			
			LOGGED ON ATSPARE 1 CONSOLE			
04-06-90	14:54	2C129SCR	DOOR 129 SEC C/R	access	vld bdge	B0471
04-06-90	14:54	2C129SCR	DOOR 129 SEC C/R	access	vld bdge	B0094
04-06-90	14:54	1SRPTR	SAS REPORT PRINTER	command	ON LINE	B2149
04-06-90	14:54	1KSASKS1	SAS CRT #1 KEYSWITCH	console	sign off	B2149
			LOGGED ON ATSPARE			
					KEY OFF	
04-06-90	14:54	1N107SCR	PERS. LK. SEC C/R	access	vld bdge	B1267
04-06-90	14:54	1C125SCR	DOOR 125 SEC C/R	access	vld bdge	B0288
04-06-90	14:54	1C125NCR	DOOR 125 N-SEC C/R	access	vld bdge	B1120
04-06-90	14:54	1C125SCR	DOOR 125 SEC C/R	access	vld bdge	B2332
04-06-90	14:54	1C125NCR	DOOR 125 N-SEC C/R	access	vld bdge	B1264
04-06-90	14:54	1C125SCR	DOOR 125 SEC C/R	access	vld bdge	B1126
04-06-90	14:54	1C125SCR	DOOR 125 SEC C/R	access	vld bdge	B2332
04-06-90	14:55	1K124SCR	DOOR 124 SEC C/R	access	vld bdge	B2149
04-06-90	14:55	1KCRWNCR	WEST EXIT C/R	access	vld bdge	B1194
04-06-90	14:55	1K141NCR	DOOR 141 N-SEC C/R	access	vld bdge	B0278
04-06-90	14:55	1KCRWNCR	WEST EXIT CONS C/R	access	vld bdge	B1580
04-06-90	14:55	1KCRWNCR	WEST EXIT C/R	access	vld bdge	B0481
04-06-90	14:55	1K141NCR	DOOR 141 N-SEC C/R	access	vld bdge	B2152
04-06-90	14:55	2C129NCR	DOOR 129 N-SEC C/R	access	vld bdge	B1580
04-06-90	14:55	1C125NCR	DOOR 125 N-SEC C/R	access	vld bdge	B2054
04-06-90	14:55	2C129NCR	DOOR 129 N-SEC C/R	access	vld bdge	B0514
04-06-90	14:55	1C191SCR	DOOR 191 SEC C/R	access	vld bdge	B0285
04-06-90	14:55	1C125NCR	DOOR 125 N-SEC C/R	access	vld bdge	B1265
04-06-90	14:56	1N107SCR	PERS. LK. SEC C/R	access	vld bdge	B1854
04-06-90	14:56	2C129SCR	DOOR 129 SEC C/R	access	vld bdge	B1157
04-06-90	14:56	1C125NCR	DOOR 125 N-SEC C/R	access	vld bdge	B0277
04-06-90	14:56	1C125NCR	DOOR 125 N-SEC C/R	access	vld bdge	B0331
04-06-90	14:56	1C125SCR	DOOR 125 SEC C/R	access	vld bdge	B0919
04-06-90	14:56	1K102NCR	DOOR 102 N-SEC C/R	access	vld bdge	B1015
04-06-90	14:56	2C129NCR	DOOR 129 N-SEC C/R	access	vld bdge	B1174
04-06-90	14:56	2C129NCR	DOOR 129 N-SEC C/R	access	vld bdge	B0331
04-06-90	14:57	1KCRWNCR	EAST EXIT C/R	access	vld bdge	B0919
04-06-90	14:57	1KCRWNCR	WEST EXIT C/R	access	vld bdge	B1524
04-06-90	14:57	1C125SCR	DOOR 125 SEC C/R	access	vld bdge	B1367
04-06-90	14:57	1G102NCR	DOOR 102 N-SEC C/R	access	vld bdge	B1147
						B0270

04-06-90	18:22	1K102NCR	DOOR 102 N-SEC C/R	access	vid bds	B1696
04-06-90	18:22	1K102NCR	DOOR 102 N-SEC C/R	access	vid bds	B0703
04-06-90	18:22	1K191NCR	DOOR 191 N-SEC C/R	access	vid bds	B0070
04-06-90	18:22	1K191NCR	WEST EXIT C/R	access	vid bds	B0639
04-06-90	18:22	1K125NCR	DOOR 125 N-SEC C/R	access	vid bds	B0017
04-06-90	18:22	1K125NCR	DOOR 125 N-SEC C/R	access	vid bds	B0070
04-06-90	18:22	1K125NCR	DOOR 125 N-SEC C/R	access	vid bds	B0554
04-06-90	18:22	1K125NCR	DOOR 125 N-SEC C/R	access	vid bds	B0266
04-06-90	18:22	1K125NCR	DOOR 125 N-SEC C/R	access	vid bds	B0279
04-06-90	18:22	1K125NCR	DOOR 125 N-SEC C/R	access	vid bds	B0206
04-06-90	18:22	1K125NCR	DOOR 125 N-SEC C/R	access	vid bds	B1972
04-06-90	18:22	1K125NCR	DOOR 125 N-SEC C/R	access	vid bds	B0280
04-06-90	18:22	1K125NCR	DOOR 125 N-SEC C/R	access	vid bds	B1116
04-06-90	18:22	1K125NCR	DOOR 125 N-SEC C/R	access	vid bds	B1666
04-06-90	18:22	1K125NCR	DOOR 125 N-SEC C/R	access	vid bds	B0072
04-06-90	18:22	1K125NCR	DOOR 125 N-SEC C/R	access	vid bds	B1265
04-06-90	18:22	1K125NCR	DOOR 125 N-SEC C/R	command	annotate	B0045
CU-727 ADVISED DOOR SECURE/NO DEGRADE						
04-06-90	18:22	1K141NCR	DOOR 141 N-SEC C/R	access	vid bds	B0525
04-06-90	18:22	1K141NCR	DOOR 141 N-SEC C/R	access	vid bds	B0520
04-06-90	18:22	1K141NCR	DOOR 141 N-SEC C/R	access	vid bds	B1155
04-06-90	18:22	1K141NCR	DOOR 141 N-SEC C/R	access	vid bds	B0621
04-06-90	18:22	1K141NCR	DOOR 141 N-SEC C/R	access	vid bds	B0258
04-06-90	18:22	1K141NCR	DOOR 141 N-SEC C/R	access	vid bds	B0247
04-06-90	18:22	1K141NCR	DOOR 141 N-SEC C/R	access	vid bds	B0522
04-06-90	18:22	1K141NCR	DOOR 141 N-SEC C/R	ALARM	OPEN	
04-06-90	18:22	1K141NCR	DOOR 141 N-SEC C/R	access	vid bds	B1380
04-06-90	18:22	1K141NCR	DOOR 141 N-SEC C/R	access	vid bds	B1142
04-06-90	18:22	1K141NCR	DOOR 141 N-SEC C/R	access	vid bds	B1117
04-06-90	18:22	1K141NCR	DOOR 141 N-SEC C/R	access	vid bds	B0054
04-06-90	18:22	1K141NCR	DOOR 141 N-SEC C/R	access	vid bds	B0569
04-06-90	18:22	1K141NCR	DOOR 141 N-SEC C/R	access	vid bds	B0240
04-06-90	18:22	1K141NCR	DOOR 141 N-SEC C/R	command	ask	B0065
04-06-90	18:22	1K141NCR	DOOR 141 N-SEC C/R	access	vid bds	B1940
04-06-90	18:22	1K141NCR	DOOR 141 N-SEC C/R	access	vid bds	B1116
04-06-90	18:22	1K141NCR	DOOR 141 N-SEC C/R	access	vid bds	B1216
04-06-90	18:22	1K141NCR	DOOR 141 N-SEC C/R	access	vid bds	B1210
04-06-90	18:22	1K141NCR	DOOR 141 N-SEC C/R	access	vid bds	B1011
04-06-90	18:22	1K141NCR	DOOR 141 N-SEC C/R	access	vid bds	B1122
04-06-90	18:22	1K141NCR	DOOR 141 N-SEC C/R	access	vid bds	B1225
04-06-90	18:22	1K141NCR	DOOR 141 N-SEC C/R	access	vid bds	B0074
04-06-90	18:22	1K141NCR	DOOR 141 N-SEC C/R	access	vid bds	B1774
04-06-90	18:22	1K141NCR	DOOR 141 N-SEC C/R	access	vid bds	B0304
04-06-90	18:22	1K141NCR	DOOR 141 N-SEC C/R	access	vid bds	B0128
04-06-90	18:22	1K141NCR	DOOR 141 N-SEC C/R	access	vid bds	B0263
04-06-90	18:22	1K141NCR	DOOR 141 N-SEC C/R	access	vid bds	B0297
04-06-90	18:22	1K141NCR	DOOR 141 N-SEC C/R	access	vid bds	B0240
04-06-90	18:22	1K141NCR	DOOR 141 N-SEC C/R	access	vid bds	B0285
04-06-90	18:22	1K141NCR	DOOR 141 N-SEC C/R	access	vid bds	B2316