

# The Light company

Houston Lighting & Power South Texas Project Electric Generating Station P. O. Box 289 Wadsworth, Texas 77483


August 29, 1995  
ST-HL-AE-5164  
File No.: G02  
10CFR26.71(d)

U. S. Nuclear Regulatory Commission  
Attention: Document Control Desk  
Washington, DC 20555

South Texas Project  
Units 1 and 2  
Docket Nos. STN 50-498, STN 50-499  
Semiannual Fitness for Duty Program  
Performance Report for the First Half of 1995

Pursuant to 10CFR26.71(d), Houston Lighting & Power Company submits the attached Semiannual Fitness for Duty Program Performance Report for the first half of 1995. The report covers the period from January 1, 1995 to June 30, 1995.

If you have any questions on this matter, please contact Mr. S. M. Head at (512) 972-7136 or me at (512) 972-7978.



R. R. McRae  
Manager,  
Industrial Safety & Health

MKJ/lf

Attachment: Semiannual Fitness for Duty Program  
Performance Report for the First Half of 1995

50031

Project Manager on Behalf of the Participants in the South Texas Project

RREP-95\5164-240.001

9509050161 950829  
PDR ADOCK 05000498  
R PDR

A021  
11

Leonard J. Callan  
Regional Administrator, Region IV  
U. S. Nuclear Regulatory Commission  
611 Ryan Plaza Drive, Suite 400  
Arlington, TX 76011-8064

Thomas W. Alexion  
Project Manager  
U. S. Nuclear Regulatory Commission  
Washington, DC 20555-0001 13H15

David P. Loveless  
Sr. Resident Inspector  
c/o U. S. Nuclear Regulatory Comm.  
P. O. Box 910  
Bay City, TX 77404-0910

J. R. Newman, Esquire  
Morgan, Lewis & Bockius  
1800 M Street, N.W.  
Washington, DC 20036-5869

K. J. Fiedler/M. T. Hardt  
City Public Service  
P. O. Box 1771  
San Antonio, TX 78296

J. C. Lanier/M. B. Lee  
City of Austin  
Electric Utility Department  
721 Barton Springs Road  
Austin, TX 78704

C. A. Johnson  
Central Power and Light Company  
P. O. Box 289, Mail Code: N5012  
Wadsworth, TX 77483

Rufus S. Scott  
Associate General Counsel  
Houston Lighting & Power Company  
P. O. Box 61067  
Houston, TX 77208

Institute of Nuclear Power  
Operations - Records Center  
700 Galleria Parkway  
Atlanta, GA 30339-5957

Dr. Joseph M. Hendrie  
50 Bellport Lane  
Bellport, NY 11713

Richard A. Ratliff  
Bureau of Radiation Control  
Texas Department of Health  
1100 West 49th Street  
Austin, TX 78756-3189

U. S. Nuclear Regulatory Comm.  
Attn: Document Control Desl.  
Washington, D. C. 20555-0001

J. R. Egan, Esquire  
Egan & Associates, P.C.  
2300 N Street, N.W.  
Washington, D.C. 20037

J. W. Beck  
Little Harbor Consultants, Inc.  
44 Nichols Road  
Cohasset, MA 02025-1166

HOUSTON LIGHTING & POWER COMPANY  
SOUTH TEXAS PROJECT  
SEMIANNUAL FITNESS FOR DUTY PROGRAM  
PERFORMANCE REPORT  
JANUARY 1, 1995 THROUGH JUNE 30, 1995

In the first half of 1995, there was an increase in personnel at the South Texas Project (STP) due to the fifth refueling outage for Unit 1. This personnel increase resulted in a higher number of random tests conducted during the reporting period. During this six month period, there were 1,675 tests conducted on licensee, long-term contractor and short-term contractor employees with a total of sixteen confirmed positive tests. One individual refused to test which resulted in 17 total confirmations.

There were no reportable events under 10CFR26.73.

**Fitness for Duty Program  
Performance Data  
Personnel Subject to 10CFR26**

ATTACHMENT 1  
ST-HL-AE-5164  
PAGE 2 OF 3

<b>Houston Lighting &amp; Power</b>	<b>June 1995</b>
<small>Company</small> <b>South Texas Project Electric Generating Station</b>	<small>6 Months Ending</small>
<small>Location</small> <b>Diana L. Brown</b>	<b>512-972-8444</b>
<small>Contact Name</small>	<small>Phone (include area code)</small>

Cutoffs: Screen/Confirmation (ng/ml)  Appendix A to 10CFR26

Marijuana	50 / 15	Amphetamines	1000 / 500	
Cocaine	300 / 150	Phencyclidine	25 / 25	
Opiates	300 / 300	Alcohol(%BAC)	.04 / .04	

Testing Results		License Employees		Long-Term Contractor Personnel		Short-Term Contractor Personnel	
		# Tested	# Positive	# Tested	# Positive	# Tested	# Positive
Average Number with Unescorted Access		1819		279		728	
Pre-Access		14	0	6	0	833	5 / 8
For Cause	Post Accident	0	0	0	0	0	0
	Observed Behavior	0	0	1	1 / 0	2	1 / 1
Random		497	0	72	0	170	1 / 0
Follow-Up		0	0	0	0	6	0
Other		57	0	5	0	12	0
<b>Total</b>		<b>568</b>	<b>0</b>	<b>84</b>	<b>1 / 0</b>	<b>1023</b>	<b>7 / 9</b>

### Breakdown of Confirmed Positive Tests For Specific Substances

	Marijuana	Cocaine	Opiates	Amphetamines	Phencyclidine	Alcohol	Refusal To Test	
Licensee Employees	0	0	0	0	0	0	0	
Long Term Employees	1/0	0	0	0	0	0	0	
Short Term Employees	1/9	4/0	0	0	0	1/0	1/0	
<b>Total</b>	2/9	4/0	0	0	0	1/0	1/0	8/9

ATTACHMENT 1  
 ST-HL-AE-5164  
 PAGE 3 OF 3