

DMB

JUN 15 1984

License No. SMC-1377

License No. SNM-1903

Edlow International Company

ATTN: Mr. Jack Edlow

President

1100 - 17th Street, N.W., Suite 404

Washington, DC 20036

Gentlemen:

This refers to the safety and safeguards inspection conducted by Mr. W. L. Axelson of this office on May 31, 1984, of activities at 3131 St. Clair Avenue, East St. Louis, Illinois, authorized by NRC License No. SMC-1377 and No. SNM-1903 and to the discussion of our findings with Ms. Diane A. Devers on May 31, 1984, at the conclusion of the inspection.


The enclosed copy of our inspection report identifies areas examined during the inspection. Within these areas, the inspection consisted of a selective examination of procedures and representative records, observations, and interviews with personnel.

No items of noncompliance with NRC requirements were identified during the course of this inspection.

Areas examined during this inspection concern a subject matter which is exempt from disclosure according to Section 2.790 of the NRC's "Rules of Practice," Part 2, Title 10, Code of Federal Regulations. Consequently, the enclosure to this letter, our report of this inspection, and your response to the noncompliance identified in the enclosure to this letter will not be placed in the Public Document Room. Therefore, your statement of corrective action regarding the noncompliance identified in the enclosure should be submitted as a separate enclosure to your transmittal letter.

We will gladly discuss any questions you have concerning this inspection.

Sincerely,



W. L. Axelson, Chief  
Materials and Safeguards Branch

8406210338 840615  
PDR ADOCK 04008760  
C PDR

Enclosure: Inspection Report  
No. 40-8760/84-03(DRMSP);  
70-2995/84-03(DRMSP)

cc w/encl:

DMB/Document Control Desk (RIDS)

RII

RIII

RIII

RIII

Pirtle/jp  
06/15/84

Creed

Sreniawski

Axelson

ATTACHMENT CONTAINS  
10 CFR 2.790(d) INFO

IE03  
11