

June 7, 1984
SBN- 664
T.F. Q2.2.2

United States Nuclear Regulatory Commission
Region I
631 Park Avenue
King of Prussia, PA 19406

Attention: Mr. Richard W. Starostecki, Director
Division of Project and Resident Programs

References: (a) Construction Permits CPPR-135 and CPPR-136, Docket
Nos. 50-443 and 50-444
(b) Telecon of May 16, 1984, A. L. Legendre, Jr. (YAEC) to R.
W. Borchardt (NRC Region I)

Subject: Interim 10CFR50.55(e) Report:
Gould Molded Case Circuit Breakers

Dear Sir:

On May 16, 1984, we reported a potential 10CFR50.55(e) deficiency [Reference (b)] regarding Gould molded case circuit breakers. The reportability of this item is under evaluation.

Description of Deficiency

The testing of an incoming shipment of 15 Gould molded case circuit breakers resulted in 10 failing to pass the instantaneous magnetic overcurrent trip test. The 15 breakers were identical; 40-amp trip, Model HE3M040. Approximately 75 of these 40-amp trip Gould breakers supplied in previous shipments have tested satisfactorily.

Safety Implications

We are investigating the cause and safety implications of the subject deficiency.

Corrective Action

We have informed Gould of the subject deficiency. The breakers are being returned by Gould to their supplier, ITE/Siemens-Allis, for inspection. Their response will determine the corrective action. We will submit an additional report to Region I by September 14, 1984.

8407020361 840607
PDR ADOCK 05000443
S PDR


United States Nuclear Regulatory Commission
Attention: Mr. Richard W. Starostecki, Director

June 7, 1984
Page 2

This letter is being filed pursuant to the interim reporting provisions of 10CFR50.55(e)(3).

Very truly yours,

YANKEE ATOMIC ELECTRIC COMPANY



J. DeVincentis
Engineering Manager

cc: Atomic Safety and Licensing Board Service List

Director, Office of Inspection and Enforcement
U.S. Nuclear Regulatory Commission
Washington, DC 20555

William S. Jordan, III, Esquire
Harmon & Weiss
1725 I Street, N.W. Suite 506
Washington, DC 20006

Roy P. Lessy, Jr., Esquire
Office of the Executive Legal Director
U.S. Nuclear Regulatory Commission
Washington, DC 20555

Robert A. Backus, Esquire
116 Lowell Street
P.O. Box 516
Manchester, NH 03105

Philip Ahrens, Esquire
Assistant Attorney General
Department of the Attorney General
Augusta, ME 04333

Mr. John B. Tanzer
Designated Representative of
the Town of Hampton
5 Morningside Drive
Hampton, NH 03842

Roberta C. Pevear
Designated Representative of
the Town of Hampton Falls
Drinkwater Road
Hampton Falls, NH 03844

Mrs. Sandra Gavutis
Designated Representative of
the Town of Kensington
RFD 1
East Kingston, NH 03827

Jo Ann Shotwell, Esquire
Assistant Attorney General
Environmental Protection Bureau
Department of the Attorney General
One Ashburton Place, 19th Floor
Boston, MA 02108

Senator Gordon J. Humphrey
U.S. Senate
Washington, DC 20510
(Attn: Tom Burack)

Diana P. Randall
70 Collins Street
SEabrook, NH 03874

Donald E. Chick
Town Manager
Town of Exeter
10 Front Street
Exeter, NH 03833

Brentwood Board of Selectmen
RED Dalton Road
Brentwood, New Hampshire 03833

Edward F. Meany
Designated Representative of
the Town of Rye
155 Washington Road
Rye, NH 03870

Calvin A. Canney
City Manager
City Hall
126 Daniel Street
Portsmouth, NH 03801

Dana Bisbee, Esquire
Assistant Attorney General
Office of the Attorney General
208 State House Annex
Concord, NH 03301

Anne Verge, Chairperson
Board of Selectmen
Town Hall
South Hampton, NH 03842

Patrick J. McKeon
Selectmen's Office
10 Central Road
Rye, NH 03870

Carole F. Kagan, Esq.
Atomic Safety and Licensing Board Panel
U.S. Nuclear Regulatory Commission
Washington, D.C. 20555

Mr. Angie Machiros
Chairman of the Board of Selectmen
Town of Newbury
Newbury, MA 01950

Town Manager's Office
Town Hall - Friend Street
Amesbury, Ma. 01913

Senator Gordon J. Humphrey
1 Pillsbury Street
Concord, NH 03301
(Attn: Herb Boynton)

Richard E. Sullivan, Mayor
City Hall
Newburyport, MA 01950

1987 JUN 11 11 10 AM '82
NH BOARD-REGISTRATION